



MEYLE[®]
Products



Skoda



Spare parts for passenger cars

1 Auxiliary parts / Miscellaneous

Miscellaneous

2 Body/Cabin

Body • Interior fittings

3 Brakes

Disc brake • Drum brake • Hydraulics

4 Drive train/Transmission

Drive shafts • Joints • Transmission

5 Electrics

Body • Brakes • Drive train • Engine • Interiors • Lighting
Suspension / Steering • Universal parts

6 Engine/Cooling/Clutch

Belt drive / Engine control • Clutch • Cooling system
Crankshaft drive • Cylinder head • Fuel system • Lubrication system
Mounts

7 Steering

Hydraulics • Mounting parts • Steering rack • Tie rod assemblies

8 Suspension

Control arms • Stabilizer • Stub axle • Subframe
Suspension / damping • Wheel hubs / Wheel bearings

Index **MEYLE no.** → **Ref. no.**

Index **Ref. no.** → **MEYLE no.**

Auxiliary parts / Miscellaneous

1

Miscellaneous

Filter set

Body/Cabin

3

Body, Interior fittings

 Cabin air filter
 Heater core
 Hood shock
 Selector rod

 Spring shim
 Trunk-/tailgate shock
 Water pump, headlight cleaning
 Window lifter

 Windshield washer pump
 Wiper Blade

Brakes

19

Disc brake, Drum brake, Hydraulics

 Brake disc
 Brake drum
 Brake hose

 Brake master cylinder
 Brake pad set
 Brake shoe kit

 Guide bolt, brake caliper
 Guide sleeve kit, brake caliper
 Wheel cylinder

Drive train/Transmission

61

Drive shafts, Joints, Transmission

 A/T gasket
 Boot kit, C.V. joint
 C.V. joint kit
 Drive shaft

 Hydraulic filter kit, A/T
 Hydraulic filter, A/T
 Mount, automatic transmission
 Mount, manual transmission

 Mounting, automatic transmission support
 Mounting, manual transmission support
 Parts kit, automatic transm. oil change
 Repair kit, transmission flange

Electrics

96

Body, Brakes, Drive train, Engine, Interiors, Lighting, Suspension / Steering, Universal parts

 A/C relay
 ABS wheel sensor
 Back up light switch
 Brake light switch
 Column switch
 Control unit, heating/ventilation
 Crank position sensor
 Fuse box
 Glow plug
 Heater fan motor
 Ignition coil

 Ignition switch
 Intake air, temperature sensor
 Knock sensor
 Lambda probe
 Multifunction relay
 Radiator fan control unit
 Relay, fuel pump
 Resistor, interior blower
 RPM Sensor, automatic transmission
 Sender unit, coolant temperature
 Sender unit, fuel tank

 Sender unit, interior temperature
 Sensor, camshaft position
 Sensor, engine oil level
 Sensor, intake manifold pressure
 Sensor, odometer
 Sensor, outdoor temperature
 Temperature switch, coolant warning lamp
 Temperature switch, radiator fan
 Wiper intermittent relay
 Wiper motor
 Wiper switch

Engine/Cooling/Clutch

146

Belt drive / Engine control, Clutch, Cooling system, Crankshaft drive, Cylinder head, Fuel system, Lubrication system, Mounts

 A/T oil pan gasket
 Air filter
 Anti torque mount
 Belt tensioner
 Breather hose
 Breather hose
 Breather valve
 Clutch master cylinder
 Clutch slave cylinder
 Coolant flange
 Cooling water pipe
 Engine mount
 Expansion tank
 Expansion tank cap

 Fan blade
 Fan clutch
 Freeze plug
 Fuel filter
 Fuel pump
 Fuel pump
 Oil cooler
 Oil dipstick funnel
 Oil filter
 Oil pan
 Oil pressure switch
 Oil seal, camshaft
 Pilot bearing, clutch
 Plug, coolant flange

 Radiator fan motor
 Radiator hose
 Suction hose, air filter
 Tension roller, ribbed belt
 Tensioner pulley, ribbed belt
 Tensioner pulley, timing belt
 Thermostat
 Thermostat housing
 Timing belt roller
 Valve guide
 Valve lifter
 Valve, fuel supply system
 Water pump



Steering

233

Hydraulics, Mounting parts, Steering rack, Tie rod assemblies

Axial rod	P/S hose	Tie rod assembly
Hydraulic pump, P/S	Steering boot	Tie rod end
Mounting, track rod	Steering boot kit	
P/S fluid reservoir	Steering gear	

Suspension

254

Control arms, Stabilizer, Stub axle, Subframe, Suspension / damping, Wheel hubs / Wheel bearings

Axle support bushing	Mount, rod/strut stabilizer	Spring seat
Ball joint	Mount, stabilizer	Stabilizer link
Bracket, stabilizer bushing	Mount, wheel bearing housing	Strut mount
Coil spring	Mounting kit, control arm	Strut mount bearing
Control arm	Protection lid, wheel hub	Stub axle
Control arm bushing	Repair kit, control arm	Subframe mount
Control arm set	Repair kit, subframe	Sway bar
Dust cover kit, shock absorber	Rod/strut, suspension	Wheel bearing
Dust cover/boot, strut	Rubber stop, suspension	Wheel bearing kit
Mount, axle carrier	Sensor ring, ABS	Wheel hub
Mount, control arm	Shock absorber	

Filter set		112 330 0001/S
References 074 115 562		
Parts list		
112 319 0003	Cabin air filter	
100 115 0000	Oil filter	
112 129 0000	Air filter	
100 127 0000	Fuel filter	
Application info Octavia I (1U_) (09/96-12/10)		
Filter set		112 330 0002/S
References 071 115 562 A 071 115 562 C		
Parts list		
112 319 0003	Cabin air filter	
100 115 0000	Oil filter	
112 129 0000	Air filter	
100 127 0000	Fuel filter	
Application info Fabia I (08/99-03/08)		
Filter set		112 330 0003/S
References 03L 115 466 03L 115 562		
Application info Octavia II (1Z_) (02/04--) Superb II (3T) (03/08--)		
		Yeti (5L) (05/09--)

1

112 330 0004/S

Filter set

References

071 115 562 A

071 115 562 C

Parts list

112 320 0011

100 115 0000

112 129 0040

100 201 0012

Cabin air filter

Oil filter

Air filter

Fuel filter

Application info

Octavia II (1Z_) (02/04--)

112 330 0005/S

Filter set

References

071 115 562 A

071 115 562 C

Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Hood shock
140 910 0079
 3U0 823 359

Notes

 Power Output F [N] 350
 Length [mm] 720

References

3U0 823 359


Application info

Superb I (3U) (12/01-03/08)

Spring shim
100 512 0028
 1J0 512 149 B

Notes

 Height [mm]
 Outer Diameter [mm]

 Rear Axle
 38.9
 75
 Coil Spring

References

1J0 512 149 B


Application info

 Fabia I (08/99-03/08)
 Octavia I (1U_) (09/96-12/10)

 Octavia II (1Z_) (02/04--)
 Roomster (03/06--)
Trunk-/tailgate shock
140 910 0054
 1U6 827 550 C

Notes

 Power Output F [N] 470
 Length [mm] 493

References

 1U6 827 550 1U6 827 550 B
 1U6 827 550 A 1U6 827 550 C

Application info

Octavia I (1U_) (09/96-12/10)

140 910 0007
1U6 827 550 E

Trunk-/tailgate shock



Notes

Power Output F [N]
Length [mm]

for vehicles without rear wind-
screen wiper
500
495

References

1U6 827 550 E

Application info

Octavia I (1U_) (09/96-12/10)

140 910 0055
1U6 827 550 F

Trunk-/tailgate shock



Notes

Power Output F [N]
Length [mm]

for vehicles with rear windscreen
wiper
515
495

References

1U6 827 550 F

Application info

Octavia I (1U_) (09/96-12/10)

140 910 0044
1U9 827 550 B

Trunk-/tailgate shock



Notes

Power Output F [N]
Length [mm]

550
405

References

1U9 827 550 B

Application info

Octavia I (1U_) (09/96-12/10)

Trunk-/tailgate shock
140 910 0047
 1Z5 827 550 B

Notes

 Power Output F [N] 400
 Length [mm] 590

References

1Z5 827 550 B


Application info

Octavia II (1Z_) (02/04--)

Trunk-/tailgate shock
140 910 0064
 1Z9 827 550

Notes

 Power Output F [N] 480
 Length [mm] 490.5

References

1Z9 827 550


Application info

Octavia II (1Z_) (02/04--)

Trunk-/tailgate shock
140 910 0006
 3B5 827 550 E

Notes

 Power Output F [N] 520
 Length [mm] 279

References

3B5 827 550 E 3B5 827 550 G


Application info

Superb I (3U) (12/01-03/08)

140 910 0087
5J6 827 550 B

Trunk-/tailgate shock



Notes

Power Output F [N]	440
Length [mm]	492

References

5J6 827 550	5J6 827 550 C
5J6 827 550 B	

Application info

Fabia II (12/06--)

140 910 0065
5J7 827 550

Trunk-/tailgate shock



Notes

Power Output F [N]	600
Length [mm]	420

References

5J7 827 550

Application info

Roomster (03/06--)

140 910 0045
6Y0 827 550 C

Trunk-/tailgate shock



Notes

Power Output F [N]	600
Length [mm]	440

References

6Y0 827 550 A	6Y0 827 550 C
---------------	---------------

Application info

Fabia I (08/99-03/08)

Trunk-/tailgate shock
140 910 0043
 6U0 827 551 B

Notes

 Power Output F [N] 450
 Length [mm] 525

References

6U0 827 551 6U0 827 551 B


Application info

Felicia (10/94-04/02)

Trunk-/tailgate shock
140 161 0068
 8D5 827 552 F

Notes

 Power Output F [N] 490
 Length [mm] 280

References

8D5 827 552 F


Application info

Fabia I (08/99-03/08)

Water pump, headlight cleaning
313 067 0001
 3B0 955 681 A

Notes

 Voltage [V] 12
 Electric
 Mono Pump

References

3B0 955 681 A


Application info

 Fabia I (08/99-03/08)
 Octavia I (1U_) (09/96-12/10)

 Octavia II (1Z_) (02/04--)
 Superb I (3U) (12/01-03/08)

100 909 0029
1U0 837 461 B

Window lifter



Notes

Number of Doors

Left Front
5
Electric
without electric motor

References

1U0 837 461 B

Counterpart

100 909 0030

Application info

Octavia I (1U_) (09/96-12/10)

100 837 0024
3B1 837 461

Window lifter



Notes

Number of Doors

Left Front
4
Electric
without electric motor

References

3B1 837 461

Counterpart

100 837 0025

Application info

Superb I (3U) (12/01-03/08)

100 909 0030
1U0 837 462 B

Window lifter



Notes

Number of Doors

Right Front
5
Electric
without electric motor

References

1U0 837 462 B

Counterpart

100 909 0029

Application info

Octavia I (1U_) (09/96-12/10)

Window lifter
100 837 0025
 3B1 837 462

Notes

Number of Doors

 Right Front
 4
 Electric
 without electric motor

References

3B1 837 462

Counterpart

100 837 0024


Application info

Superb I (3U) (12/01-03/08)

Window lifter
100 909 0031
 1U0 839 461 B

Notes

Number of Doors

 Left Rear
 5
 Electric
 without electric motor

References

1U0 839 461 B

Counterpart

100 909 0032


Application info

Octavia I (1U_) (09/96-12/10)

Window lifter
100 909 0032
 1U0 839 462 B

Notes

Number of Doors

 Right Rear
 5
 Electric
 without electric motor

References

1U0 839 462 B

Counterpart

100 909 0031


Application info

Octavia I (1U_) (09/96-12/10)

100 955 0006
1K5 955 651

Windshield washer pump



Notes

Voltage [V]

Front
12
Mono Pump
Oval

References

1K5 955 651

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)
Octavia I (1U_) (09/96-12/10)
Octavia II (1Z_) (02/04--)

Roomster (03/06--)
Superb I (3U) (12/01-03/08)
Superb II (3T) (03/08--)

100 955 0010
1K6 955 651

Windshield washer pump



Notes

Voltage [V]

Front and Rear
12
Dual Pump

References

1K6 955 651

Application info

Citigo (10/11--)
Fabia I (08/99-03/08)
Octavia I (1U_) (09/96-12/10)
Octavia II (1Z_) (02/04--)

Rapid II (NH) (10/11--)
Roomster (03/06--)
Superb II (3T) (03/08--)
Yeti (5L) (05/09--)

029 280 1210

Wiper Blade

Notes

Length [mm]
Length [in]

Rear
280
12

Wiper Blade
029 280 1210
+ Application info

Yeti (5L) (05/09--)

Wiper Blade
029 330 1311
Notes

Length [mm]	Rear	330
Length [in]		13


Application info

Fabia II (12/06--)

Roomster (03/06--)

Wiper Blade
029 400 1611
Notes

Length [mm]	Rear	400
Length [in]		16


Application info

Fabia II (12/06--)

Octavia II (1Z_) (02/04--)

029 450 1800

Wiper Blade



Notes

Length [mm]	Front 450
Length [in]	18
Observe service information	

Application info

Favorit (05/89-06/97)
Octavia I (1U_) (09/96-12/10)

Superb II (3T) (03/08--)

029 475 1900

Wiper Blade



Notes

Length [mm]	Front 475
Length [in]	19
Observe service information	

Application info

Fabia I (08/99-03/08)

Octavia II (1Z_) (02/04--)

029 500 2000

Wiper Blade



Notes

Length [mm]	Front 500
Length [in]	20
Observe service information	

Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

Wiper Blade
029 530 2100
Notes

Length [mm]	Front
Length [in]	530
Observe service information	21


Application info

Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Octavia I (1U_) (09/96-12/10)

Roomster (03/06--)
 Superb I (3U) (12/01-03/08)

Wiper Blade
029 600 2400
Notes

Length [mm]	Front
Length [in]	600
Observe service information	24


Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

Cabin air filter
112 320 0001
1H0 091 800
Notes

	Activated Carbon Filter
	Filter Insert
Length [mm]	284.5
Width [mm]	207
Height [mm]	25.5

References

1H0 091 800


Application info

Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

112 319 0001
1H0 819 644 B

Cabin air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Particulate Filter
Filter Insert
278.5
206
25.5

References

1H1 819 640 A

1H0 819 644 B

Application info

Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

112 320 1001
1J0 819 644 A

Cabin air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Activated Carbon Filter
Filter Insert
281
206
30

References

1J0 819 644 A

Application info

Octavia I (1U_) (09/96-12/10)

112 319 0011
1K0 819 644 B

Cabin air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Particulate Filter
Filter Insert
269
207
34

References

1K0 819 644 A

1K0 819 644 B

Application info

Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Cabin air filter
112 320 0011
 1K1 819 653 B

Notes

 Length [mm]
 Width [mm]
 Height [mm]

 for left-hand drive vehicles
 Activated Carbon Filter
 Filter Insert
 269
 207
 34

References

1K1 819 653 B


Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Cabin air filter
112 320 0019
 1K2 819 653 B

Notes

 Length [mm]
 Width [mm]
 Height [mm]

 for right-hand drive vehicles
 Activated Carbon Filter
 Filter Insert
 269
 207
 84

References

1K2 819 653 B


Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Cabin air filter
112 320 0022
 5Q0 819 653


Notes

 Length [mm]
 Width [mm]
 Height [mm]

 Activated Carbon Filter
 Filter Insert
 253
 236
 32.5

References

5Q0 819 653


Application info

Octavia III (5E3/5E5) (11/12--)

112 320 0003
6Q0 819 653 B

Cabin air filter



Notes

Activated Carbon Filter
Filter Insert

Length [mm]
Width [mm]
Height [mm]

246
216
30

References

6Q0 819 653 B


Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)

Roomster (03/06--)

112 319 0003
6Q0 820 367 B

Cabin air filter



Notes

Particulate Filter
Filter Insert

Length [mm]
Width [mm]
Height [mm]

252
216
32

References

6Q0 820 367 B


Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)

Roomster (03/06--)

112 319 0021

Cabin air filter



Notes

Particulate Filter
Filter Insert

Length [mm]
Width [mm]
Height [mm]

254
182
35

Application info

Citigo (10/11--)

Heater core
100 819 0001
 1H1 819 031 B

Notes

 for vehicles with air conditioning
 for left-hand drive vehicles

References

1H1 819 030 A

1H1 819 031 B


Application info

Octavia I (1U_) (09/96-12/10)

Heater core
100 819 0004
 1J1 819 031 B

Notes

for left-hand drive vehicles

References

1J1 819 031 B


Application info

Octavia I (1U_) (09/96-12/10)

Selector rod
100 142 0010
 1J0 711 183 D

Notes

 Front
 for vehicles with gearshift linkage

References


1J0 711 183 D


Application info

Octavia I (1U_) (09/96-12/10)

100 711 0018
1J0 711 596 E

Selector rod



Notes

Manual Transmission

References

1J0 711 596 E

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 142 0003
1J0 711 803 C

Selector rod



Notes

Length [mm]

205
Manual Transmission

References

1J0 711 803 C

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Brake disc
115 521 1114
 115 430 212

Notes

	Front Axle
Number of Holes	4
Brake Disc Thickness [mm]	12,7
Bolt Hole Circle Ø [mm]	100
Height [mm]	48.6
Outer Diameter [mm]	236
Minimum Thickness [mm]	11.4
Centering Diameter [mm]	62
	Solid

References

115 430 212


Application info

Favorit (05/89-06/97)

Brake disc
115 521 1027
 1J0 615 301 M

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	100
Height [mm]	36.5
Outer Diameter [mm]	280
Minimum Thickness [mm]	19
Centering Diameter [mm]	65
	Vented

References

1J0 615 301 E

1J0 615 301 M


Application info

Octavia I (1U_) (09/96-12/10)

115 521 1027/PD

1J0 615 301 M

Brake disc 



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	100
Height [mm]	36.5
Outer Diameter [mm]	280
Minimum Thickness [mm]	19
Centering Diameter [mm]	65
	Vented
	Chrome-(VI)- free passivation

References

1J0 615 301 E	1J0 615 301 M
---------------	---------------

Application info

Octavia I (1U_) (09/96-12/10)

115 521 1094

1K0 615 301 AA

Brake disc



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	25,0
Brake System	ATE
Bolt Hole Circle Ø [mm]	112
Height [mm]	49.9
Outer Diameter [mm]	312
Minimum Thickness [mm]	22
Centering Diameter [mm]	65
	Vented
Wheel Bolt Bore Ø [mm]	15.3

References

1K0 615 301 AA

Application info

Octavia II (1Z_) (02/04--)
 Octavia III (5E3/5E5) (11/12--)
 Superb I (3U) (12/01-03/08)

Superb II (3T) (03/08--)
 Yeti (5L) (05/09--)

Brake disc 
115 521 1094/PD
 1K0 615 301 AA

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	25,0
Brake System	ATE
Bolt Hole Circle Ø [mm]	112
Height [mm]	49,9
Outer Diameter [mm]	312
Minimum Thickness [mm]	22
Centering Diameter [mm]	65
	Vented
	Chrome-(VI)- free passivation
Wheel Bolt Bore Ø [mm]	15.3

References

1K0 615 301 AA


Application info

 Octavia II (1Z_) (02/04--)
 Octavia III (5E3/5E5) (11/12--)
 Superb I (3U) (12/01-03/08)

 Superb II (3T) (03/08--)
 Yeti (5L) (05/09--)

Brake disc 
115 521 0008/PD
 1K0 615 301 AD

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	30,0
Bolt Hole Circle Ø [mm]	112
Height [mm]	49,7
Outer Diameter [mm]	340
Minimum Thickness [mm]	27
Centering Diameter [mm]	65
	Vented
	Chrome-(VI)- free passivation

References


1K0 615 301 AD


Application info

Octavia III (5E3/5E5) (11/12--)

115 521 1044
1K0 615 301 AK

Brake disc



Notes

Number of Holes	Front Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	22,0
Height [mm]	112
Outer Diameter [mm]	50
Minimum Thickness [mm]	280
Centering Diameter [mm]	19
	65
	Vented

References

1K0 615 301 AC	1K0 615 301 AK
----------------	----------------

Application info

Octavia II (1Z_) (02/04--)

Yeti (5L) (05/09--)

115 521 1044/PD
1K0 615 301 AK

Brake disc 



Notes

Number of Holes	Front Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	22,0
Height [mm]	112
Outer Diameter [mm]	50
Minimum Thickness [mm]	280
Centering Diameter [mm]	19
	65
	Vented
	Chrome-(VI)- free passivation

References

1K0 615 301 AC	1K0 615 301 S
1K0 615 301 AK	

Application info

Octavia II (1Z_) (02/04--)

Yeti (5L) (05/09--)

Brake disc
115 521 1010
 1K0 615 301 M

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	30,0
Bolt Hole Circle Ø [mm]	112
Height [mm]	49.9
Outer Diameter [mm]	345
Minimum Thickness [mm]	27
Centering Diameter [mm]	65
	Vented

References

1K0 615 301 M


Application info

Superb II (3T) (03/08--)

Brake disc 
115 521 1010/PD
 1K0 615 301 M

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	30,0
Bolt Hole Circle Ø [mm]	112
Height [mm]	49.9
Outer Diameter [mm]	345
Minimum Thickness [mm]	27
Centering Diameter [mm]	65
	Vented
	Chrome-(VI)- free passivation

References

1K0 615 301 M


Application info

Superb II (3T) (03/08--)

115 521 1045

1K0 615 301 T

Brake disc



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	25,0
Bolt Hole Circle Ø [mm]	112
Height [mm]	49,8
Outer Diameter [mm]	288
Minimum Thickness [mm]	22
Centering Diameter [mm]	65
	Vented

References

1K0 615 301 T

Application info

Octavia II (1Z_) (02/04--)
 Octavia III (5E3/5E5) (11/12--)
 Superb I (3U) (12/01-03/08)

Superb II (3T) (03/08--)
 Yeti (5L) (05/09--)

115 521 1045/PD

1K0 615 301 T

Brake disc 



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	25,0
Bolt Hole Circle Ø [mm]	112
Height [mm]	49,8
Outer Diameter [mm]	288
Minimum Thickness [mm]	22
Centering Diameter [mm]	65
	Vented
	Chrome-(VI)- free passivation

References

1K0 615 301 T

Application info

Octavia II (1Z_) (02/04--)
 Octavia III (5E3/5E5) (11/12--)
 Superb I (3U) (12/01-03/08)

Superb II (3T) (03/08--)
 Yeti (5L) (05/09--)

Brake disc
115 521 0006
 1S0 615 301

Notes

	Front Axle
Number of Holes	4
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	100
Height [mm]	36.8
Outer Diameter [mm]	257
Minimum Thickness [mm]	19
Centering Diameter [mm]	65
	Vented

References

1S0 615 301


Application info

Citigo (10/11--)


Brake disc
115 521 1056
 6Q0 615 301

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	18,0
Bolt Hole Circle Ø [mm]	100
Height [mm]	35
Outer Diameter [mm]	239
Minimum Thickness [mm]	16
Centering Diameter [mm]	65
	Vented

References

6Q0 615 301


Application info

Fabia I (08/99-03/08)

Fabia II (12/06--)

Brake disc
115 521 1018
 6R0 615 301

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	100
Height [mm]	36.7
Outer Diameter [mm]	256
Minimum Thickness [mm]	19
Centering Diameter [mm]	65
	Vented

References

1J0 615 301 L

6R0 615 301



115 521 1018

6R0 615 301

Brake disc

Application info

Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Octavia I (1U_) (09/96-12/10)

Rapid II (NH) (10/11--)
 Roomster (03/06--)

115 521 1018/PD

6R0 615 301

Brake disc



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	100
Height [mm]	36,7
Outer Diameter [mm]	256
Minimum Thickness [mm]	19
Centering Diameter [mm]	65
	Vented
	Chrome-(VI)- free passivation

References

1JE 615 301	6R0 615 301
1J0 615 301 L	

Application info

Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Octavia I (1U_) (09/96-12/10)

Rapid II (NH) (10/11--)
 Roomster (03/06--)

115 521 1051

6R0 615 301 A

Brake disc



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	25,0
Bolt Hole Circle Ø [mm]	100
Height [mm]	34,5
Outer Diameter [mm]	288
Minimum Thickness [mm]	22
Centering Diameter [mm]	65
	Vented

References

1J0 615 301 R	6R0 615 301 A
---------------	---------------

Application info

Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Octavia I (1U_) (09/96-12/10)

Rapid II (NH) (10/11--)
 Roomster (03/06--)

Brake disc 
115 521 1051/PD
6R0 615 301 A
Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	25,0
Bolt Hole Circle Ø [mm]	100
Height [mm]	34.5
Outer Diameter [mm]	288
Minimum Thickness [mm]	22
Centering Diameter [mm]	65
	Vented
	Chrome-(VI)- free passivation


References

1J0 615 301 R	6R0 615 301 A
1J0 615 301 S	

Application info

Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Octavia I (1U_) (09/96-12/10)

Rapid II (NH) (10/11--)
 Roomster (03/06--)

Brake disc
115 521 1023
6U0 615 301
Notes

	Front Axle
Number of Holes	4
Brake Disc Thickness [mm]	12,8
Bolt Hole Circle Ø [mm]	100
Height [mm]	45.7
Outer Diameter [mm]	236
Minimum Thickness [mm]	11.4
Centering Diameter [mm]	62
	Solid


References

002 415 019	6U0 615 301
-------------	-------------


Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

115 521 1040
8E0 615 301 Q

Brake disc



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	25,0
Bolt Hole Circle Ø [mm]	112
Height [mm]	46.2
Outer Diameter [mm]	288
Minimum Thickness [mm]	23
Centering Diameter [mm]	68
	Vented

References

8E0 615 301 Q

Application info

Superb I (3U) (12/01-03/08)

115 521 1040/PD
8E0 615 301 Q

Brake disc 



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	25,0
Bolt Hole Circle Ø [mm]	112
Height [mm]	46.2
Outer Diameter [mm]	288
Minimum Thickness [mm]	23
Centering Diameter [mm]	68
	Vented
	Chrome-(VI)- free passivation

References

8E0 615 301 Q

Application info

Superb I (3U) (12/01-03/08)


Brake disc
115 523 1048
 8E0 615 301 R

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	25,0
Bolt Hole Circle Ø [mm]	112
Height [mm]	47
Outer Diameter [mm]	312
Minimum Thickness [mm]	23
Centering Diameter [mm]	68
	Vented

References

4B0 615 301 C	8E0 615 301 R
---------------	---------------


Application info

Superb I (3U) (12/01-03/08)

Brake disc 
115 523 1048/PD
 8E0 615 301 R

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	25,0
Bolt Hole Circle Ø [mm]	112
Height [mm]	47
Outer Diameter [mm]	312
Minimum Thickness [mm]	23
Centering Diameter [mm]	68
	Vented
	Chrome-(VI)- free passivation

References


4B0 615 301 C	8E0 615 301 R
---------------	---------------


Application info

Superb I (3U) (12/01-03/08)

115 521 1085
8N0 615 301 A

Brake disc



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	25,0
Bolt Hole Circle Ø [mm]	100
Height [mm]	34,5
Outer Diameter [mm]	312
Minimum Thickness [mm]	23
Centering Diameter [mm]	65
	Vented

References

8N0 615 301 A

Application info

Octavia I (1U_) (09/96-12/10)

115 521 1085/PD
8N0 615 301 A

Brake disc 



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	25,0
Bolt Hole Circle Ø [mm]	100
Height [mm]	34,5
Outer Diameter [mm]	312
Minimum Thickness [mm]	23
Centering Diameter [mm]	65
	Vented
	Chrome-(VI)- free passivation

References

8N0 615 301 A

Application info

Octavia I (1U_) (09/96-12/10)

Brake disc 
115 523 1070/PD
 1J0 615 601 D

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	8,9
Bolt Hole Circle Ø [mm]	100
Height [mm]	33,4
Outer Diameter [mm]	239
Minimum Thickness [mm]	7
Centering Diameter [mm]	65
	Solid
	Chrome-(VI)- free passivation


References

1J0 615 601 D

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Brake disc
115 523 1008
 1J0 615 601 N

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	9,0
Bolt Hole Circle Ø [mm]	100
Height [mm]	39,5
Outer Diameter [mm]	232
Minimum Thickness [mm]	7
Centering Diameter [mm]	65
	Solid


References

 1J0 615 601
 1J0 615 601 N

1J0 615 601 P

Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

 Octavia I (1U_) (09/96-12/10)
 Roomster (03/06--)

115 523 1008/PD

1J0 615 601 N

Brake disc 



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	9,0
Height [mm]	100
Outer Diameter [mm]	39,5
Minimum Thickness [mm]	232
Centering Diameter [mm]	7
	65
	Solid
	Chrome-(VI)- free passivation

References

1J0 615 601	1J0 615 601 P
1J0 615 601 N	

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)

Octavia I (1U_) (09/96-12/10)
Roomster (03/06--)

115 523 0005/PD

1K0 615 601 AA

Brake disc 



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	10,0
Height [mm]	112
Outer Diameter [mm]	48,3
Minimum Thickness [mm]	272
Centering Diameter [mm]	8
	65
	Solid
	Chrome-(VI)- free passivation

References

1K0 615 601 AA

Application info

Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Brake disc
115 523 1046
 1K0 615 601 AB

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	10,0
Bolt Hole Circle Ø [mm]	112
Height [mm]	51.6
Outer Diameter [mm]	255
Minimum Thickness [mm]	8
Centering Diameter [mm]	65
	Solid

References

1K0 615 601 AB


Application info

Octavia II (1Z_) (02/04--)

Yeti (5L) (05/09--)

Brake disc 
115 523 1046/PD
 1K0 615 601 AB

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	10,0
Bolt Hole Circle Ø [mm]	112
Height [mm]	51.6
Outer Diameter [mm]	255
Minimum Thickness [mm]	8
Centering Diameter [mm]	65
	Solid
	Chrome-(VI)- free passivation

References

1K0 615 601 AB


Application info

Octavia II (1Z_) (02/04--)

Yeti (5L) (05/09--)

115 523 1047
1K0 615 601 AC

Brake disc



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	12,0
Height [mm]	112
Outer Diameter [mm]	48.6
Minimum Thickness [mm]	257
Centering Diameter [mm]	10
	65
	Solid

References

1K0 615 601 AC	1K0 615 601 L
----------------	---------------

Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

115 523 1047/PD
1K0 615 601 AC

Brake disc 



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	12,0
Height [mm]	112
Outer Diameter [mm]	48.6
Minimum Thickness [mm]	257
Centering Diameter [mm]	10
	65
	Solid
	Chrome-(VI)- free passivation

References

1K0 615 601 AC	1K0 615 601 L
----------------	---------------

Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

Brake disc
115 523 1092
 1K0 615 601 AD

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	12,0
Bolt Hole Circle Ø [mm]	112
Height [mm]	48.5
Outer Diameter [mm]	286
Minimum Thickness [mm]	10
Centering Diameter [mm]	65
	Solid

References

1K0 615 601 AD


Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)


Brake disc 
115 523 1092/PD
 1K0 615 601 AD

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	12,0
Bolt Hole Circle Ø [mm]	112
Height [mm]	48.5
Outer Diameter [mm]	286
Minimum Thickness [mm]	10
Centering Diameter [mm]	65
	Solid
	Chrome-(VI)- free passivation

References

1K0 615 601 AD


Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

115 523 1093

1K0 615 601 N

Brake disc



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	22,0
Height [mm]	112
Outer Diameter [mm]	48.4
Minimum Thickness [mm]	310
Centering Diameter [mm]	20
	65
	Vented

References

1K0 615 601 N

Application info

Superb II (3T) (03/08--)

115 523 1093/PD

1K0 615 601 N

Brake disc 



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	22,0
Height [mm]	112
Outer Diameter [mm]	48.4
Minimum Thickness [mm]	310
Centering Diameter [mm]	20
	65
	Vented
	Chrome-(VI)- free passivation

References

1K0 615 601 N

Application info

Superb II (3T) (03/08--)

Brake disc
115 523 1009
 4A0 615 601 A

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	10,0
Bolt Hole Circle Ø [mm]	112
Height [mm]	64.2
Outer Diameter [mm]	245
Minimum Thickness [mm]	8
Centering Diameter [mm]	68
	Solid

References

4A0 615 601 A


Application info

Superb I (3U) (12/01-03/08)

Brake disc 
115 523 1009/PD
 4A0 615 601 A

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	10,0
Bolt Hole Circle Ø [mm]	112
Height [mm]	64.2
Outer Diameter [mm]	245
Minimum Thickness [mm]	8
Centering Diameter [mm]	68
	Solid
	Chrome-(VI)- free passivation

References

4A0 615 601 A


Application info

Superb I (3U) (12/01-03/08)

115 523 1076

8N0 615 601 B

Brake disc



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	22,0
Height [mm]	100
Outer Diameter [mm]	36.6
Minimum Thickness [mm]	256
Centering Diameter [mm]	20
	65
	Vented

References

8N0 615 601 B

Application info

Octavia I (1U_) (09/96-12/10)

115 523 1076/PD

8N0 615 601 B

Brake disc 



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	22,0
Height [mm]	100
Outer Diameter [mm]	36.6
Minimum Thickness [mm]	256
Centering Diameter [mm]	20
	65
	Vented
	Chrome-(VI)- free passivation

References

8N0 615 601 B

Application info

Octavia I (1U_) (09/96-12/10)


Brake pad set 
025 231 3119/PD
 1J0 698 151 G

Notes

Brake System	Front Axle
Number of Wear Indicators	with anti-squeak plate
Warning Contact Length [mm]	Kelsey-Hayes
Width [mm]	1
Height [mm]	145
Thickness [mm]	146
	54.7
	19.2
	incl. wear warning contact

References

1J0 698 151 D	1K0 698 151 D
1J0 698 151 E	1K0 698 151 F
1J0 698 151 G	8Z0 698 151 A
1K0 698 151 A	


Application info

Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)
 Roomster (03/06--)
 Yeti (5L) (05/09--)


Brake pad set
025 231 3119/W
 1J0 698 151 G

Notes

Brake System	Front Axle
Number of Wear Indicators	with anti-squeak plate
Warning Contact Length [mm]	Kelsey-Hayes
Width [mm]	1
Height [mm]	145
Thickness [mm]	146
	54.7
	19.2
	incl. wear warning contact

References

1J0 698 151 D	1K0 698 151 D
1J0 698 151 E	1K0 698 151 F
1J0 698 151 G	8Z0 698 151 A
1K0 698 151 A	


Application info


Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)
 Roomster (03/06--)
 Yeti (5L) (05/09--)

025 231 3019/A

1J0 698 151 J

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
Kelsey-Hayes
146
54.7
19.2
excl. wear warning contact

References

1J0 698 151 J
5C0 698 151

6Q0 698 151
6R0 698 151 A

Application info


Citigo (10/11--)
Fabia I (08/99-03/08)
Fabia II (12/06--)

Octavia I (1U_) (09/96-12/10)
Rapid II (NH) (10/11--)
Roomster (03/06--)

025 231 3019/PD

1J0 698 151 J

Brake pad set 



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
Kelsey-Hayes
146
54.7
19.2
excl. wear warning contact

References

1J0 698 151 J
5C0 698 151

6Q0 698 151
6R0 698 151 A

Application info


Citigo (10/11--)
Fabia I (08/99-03/08)
Fabia II (12/06--)

Octavia I (1U_) (09/96-12/10)
Rapid II (NH) (10/11--)
Roomster (03/06--)

025 233 9219/W

1J0 698 151 M

Brake pad set



Notes

Brake System
Number of Wear Indicators
Warning Contact Length [mm]
Width [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
1
145
156.4
74
20.1
incl. wear warning contact

References

1J0 698 151 M


Brake pad set
025 233 9219/W
 1J0 698 151 M

Application info
 Octavia I (1U_) (09/96-12/10)

Brake pad set 
025 235 8720/PD
 3C0 698 151 A

Notes

	Front Axle with anti-squeak plate ATE
Brake System	ATE
Number of Wear Indicators	1
Width 1 [mm]	155.2
Warning Contact Length [mm]	135
Width 2 [mm]	156.5
Height 1 [mm]	66
Height 2 [mm]	71.5
Thickness [mm]	20 incl. wear warning contact


References


3C0 698 151 A 5K0 698 151

Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)
 Yeti (5L) (05/09--)
Brake pad set
025 235 8720/W
 3C0 698 151 C

Notes

	Front Axle with anti-squeak plate ATE
Brake System	ATE
Number of Wear Indicators	1
Width 1 [mm]	155.2
Warning Contact Length [mm]	155
Width 2 [mm]	156.5
Height 1 [mm]	66
Height 2 [mm]	71.5
Thickness [mm]	20 incl. wear warning contact


References

 3C0 698 151 A 3C0 698 151 D
 3C0 698 151 C 5K0 698 151


Application info

 Fabia II (12/06--)
 Octavia II (1Z_) (02/04--)
 Rapid II (NH) (10/11--)
 Roomster (03/06--)
 Superb II (3T) (03/08--)
 Yeti (5L) (05/09--)

025 230 1820/W

4B0 698 151 J

Brake pad set



Notes

Brake System
 Number of Wear Indicators
 Width 1 [mm]
 Warning Contact Length [mm]
 Width 2 [mm]
 Height [mm]
 Thickness [mm]

Front Axle
 with anti-squeak plate
 ATE
 2
 156.3
 200
 156.4
 74
 19.5
 incl. wear warning contact

References

4B0 698 151 J
 4B0 698 151 N

8E0 698 151 J


Application info

Superb I (3U) (12/01-03/08)

025 235 8118

6Q0 698 151 A

Brake pad set



Notes

Brake System
 Width [mm]
 Height [mm]
 Thickness [mm]

Front Axle
 with anti-squeak plate
 TRW
 131.5
 62.7
 18.7
 excl. wear warning contact

References

6Q0 698 151 A

Application info

Fabia I (08/99-03/08)
 Fabia II (12/06--)

Roomster (03/06--)


Brake pad set
025 218 6817/W
 6Q0 698 151 B

Notes

Brake System	Front Axle with anti-squeak plate Volkswagen
Number of Wear Indicators	1
Width 1 [mm]	141.6
Warning Contact Length [mm]	150
Width 2 [mm]	141.7
Height 1 [mm]	51.4
Height 2 [mm]	50.6
Thickness [mm]	17.2 incl. wear warning contact

References

6Q0 698 151 B


Application info

Fabia I (08/99-03/08)

Fabia II (12/06--)


Brake pad set
025 235 8118/W
 6Q0 698 151 C

Notes

Brake System	Front Axle with anti-squeak plate TRW
Number of Wear Indicators	1
Warning Contact Length [mm]	160
Width [mm]	131.5
Height [mm]	62.7
Thickness [mm]	18.7 incl. wear warning contact

References

6Q0 698 151 C


Application info


Fabia I (08/99-03/08)

Fabia II (12/06--)

Roomster (03/06--)

025 208 6117
6U0 698 151 A

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
Lucas Girling
114.8
60.5
17.5
excl. wear warning contact

References

115 430 261
115 430 284
115 430 285
6U0 698 151

6U0 698 151 A
6U0 698 151 B
6U0 698 151 C
6U0 698 151 E


Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

025 238 0120/W
8J0 698 151 F

Brake pad set



Notes

Brake System
Number of Wear Indicators
Width 1 [mm]
Warning Contact Length [mm]
Width 2 [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
1
155.1
175
156.4
72.8
20
incl. wear warning contact

References

1K0 698 151 B


8J0 698 151 F

Application info

Superb II (3T) (03/08--)

025 219 1119
8N0 698 151

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
156.4
74
19.8
prepared for wear indicator

References

1J0 698 151 L

8N0 698 151

Brake pad set
025 219 1119
 8N0 698 151

Application info

Octavia I (1U_) (09/96-12/10)

Brake pad set
025 209 6117
 1J0 698 451 K


Notes

 Brake System
 Width [mm]
 Height [mm]
 Thickness [mm]

 Rear Axle
 with anti-squeak plate
 Lucas Girling
 87.1
 52.8
 17.2
 excl. wear warning contact

References

1J0 698 451 F	1K0 698 451 J
1J0 698 451 K	3B0 698 451 A
1J0 698 451 P	8E0 698 451 A
1J0 698 451 S	8E0 698 451 K
1K0 698 451 C	


Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Octavia I (1U_) (09/96-12/10)
 Octavia II (1Z_) (02/04--)
 Rapid II (NH) (10/11--)
 Roomster (03/06--)
 Superb I (3U) (12/01-03/08)
 Yeti (5L) (05/09--)
Brake pad set 
025 209 6117/PD
 1J0 698 451 K


Notes

 Brake System
 Width [mm]
 Height [mm]
 Thickness [mm]

 Rear Axle
 with anti-squeak plate
 Lucas Girling
 87.1
 52.8
 17.2
 excl. wear warning contact

References

1J0 698 451 F	1K0 698 451 J
1J0 698 451 K	3B0 698 451 A
1J0 698 451 P	8E0 698 451 A
1J0 698 451 S	8E0 698 451 K
1K0 698 451 C	



Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Octavia I (1U_) (09/96-12/10)
 Octavia II (1Z_) (02/04--)
 Rapid II (NH) (10/11--)
 Roomster (03/06--)
 Superb I (3U) (12/01-03/08)
 Yeti (5L) (05/09--)

025 239 1417

1K0 698 451 G

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Rear Axle
with anti-squeak plate
Lucas Girling
105.3
56
16.7
prepared for wear indicator

References

1K0 698 451 D
1K0 698 451 G

1K0 698 451 H
1K0 698 451 K

Application info


Octavia II (1Z_) (02/04--)
Superb I (3U) (12/01-03/08)

Superb II (3T) (03/08--)
Yeti (5L) (05/09--)

025 239 1417/PD

1K0 698 451 G

Brake pad set 



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Rear Axle
with anti-squeak plate
Lucas Girling
105.3
56
16.7
prepared for wear indicator

References

1K0 698 451 D
1K0 698 451 G

1K0 698 451 H
1K0 698 451 K

Application info


Octavia II (1Z_) (02/04--)
Superb I (3U) (12/01-03/08)

Superb II (3T) (03/08--)
Yeti (5L) (05/09--)

025 238 2317/W

6Q0 698 451 B

Brake pad set



Notes

Brake System
Number of Wear Indicators
Warning Contact Length [mm]
Width [mm]
Height [mm]
Thickness [mm]

Rear Axle
with anti-squeak plate
Lucas Girling
1
255
87.1
52.8
17.2
incl. wear warning contact

References

6Q0 698 451

6Q0 698 451 B



Brake pad set
025 238 2317/W
 6Q0 698 451 B

Application info

Fabia I (08/99-03/08)


Brake pad set
025 245 6317
Notes

 Brake System
 Width [mm]
 Height [mm]
 Thickness [mm]

 Rear Axle
 with anti-squeak plate
 Bosch
 109.2
 53.3
 17.7
 not prepared for wear indicator

References

5K0 698 451


Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Guide bolt, brake caliper
100 698 0008
 251 615 219

Notes

 Brake System
 Alternative Repair Kit

 Front Axle
 ATE
 014 698 0006/S

References

251 615 219


Application info

 Fabia I (08/99-03/08)
 Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

100 698 0006
4D0 698 647

Guide sleeve kit, brake caliper



Notes

Front Axle

References

443 698 647

4D0 698 647

Application info

Fabia I (08/99-03/08)
Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)
Superb I (3U) (12/01-03/08)

115 523 1015
1H0 501 615 A

Brake drum



Notes

Rear Axle

Number of Holes	4
Inner Br. Drum Diam. [mm]	200
Br. Drum outer diameter [mm]	240
Max.skimmed drum measure [mm]	201
Bolt Hole Circle Ø [mm]	100
Total Br. Drum Height [mm]	82.2
Inner Brake Drum Height [mm]	50

References

1H0 501 615 A

Application info

Felicia (10/94-04/02)

115 523 1038
1J0 609 617 B

Brake drum



Notes

Rear Axle

Number of Holes	5
Inner Br. Drum Diam. [mm]	230
Br. Drum outer diameter [mm]	290
Max.skimmed drum measure [mm]	231.5
Bolt Hole Circle Ø [mm]	100
Total Br. Drum Height [mm]	57.4
Inner Brake Drum Height [mm]	39

References

1J0 609 617 B

Brake drum
115 523 1038
 1J0 609 617 B

Application info

Octavia I (1U_) (09/96-12/10)

Roomster (03/06--)

Brake drum
115 523 1035
 6Q0 609 617

Notes

	Rear Axle
Number of Holes	5
Inner Br. Drum Diam. [mm]	200
Br. Drum outer diameter [mm]	240
Max.skimmed drum measure [mm]	201.5
Bolt Hole Circle Ø [mm]	100
Total Br. Drum Height [mm]	59.4
Inner Brake Drum Height [mm]	50.5

References

6Q0 609 617


Application info

Fabia I (08/99-03/08)

Fabia II (12/06--)

Roomster (03/06--)

Brake shoe kit
114 533 0003/K
 811 609 525 E

Notes

	Rear Axle
Width [mm]	40
Diameter [mm]	200
	Pre-assembled without wheel brake cylinder with accessories with lever

References

 811 609 525 E
 1H0 698 520 V

 1H0 698 525 V
 1H0 698 525 X

Application info

Fabia I (08/99-03/08)

Favorit (05/89-06/97)

Felicia (10/94-04/02)

114 042 0601
1H0 698 520 X

Brake shoe kit



Notes

Width [mm]
Diameter [mm]

Rear Axle
40
200
with lever
without spring

References

1H0 698 520 X

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)
Favorit (05/89-06/97)

Felicia (10/94-04/02)
Roomster (03/06--)

114 533 0005/K
1J0 698 525 A

Brake shoe kit



Notes

Width [mm]
Diameter [mm]

Rear Axle
32
230
Pre-assembled
without wheel brake cylinder
with lever
with accessories

References

1J0 609 525
1J0 609 526
1J0 609 527
1J0 609 528

1J0 698 525
1J0 698 525 A
1J0 698 525 B

Application info

Octavia I (1U_) (09/96-12/10)

114 042 0701
1J0 698 525 B

Brake shoe kit



Notes

Width [mm]
Diameter [mm]

Rear Axle
32
230
with lever
without spring

References

1J0 698 525 A

1J0 698 525 B



Brake shoe kit
114 042 0701
 1J0 698 525 B

Application info

Octavia I (1U_) (09/96-12/10)

Roomster (03/06--)

Brake hose
100 525 0018/S
 3AA 611 701 A

Notes

Required quantity	Front Axle
Length [mm]	2
Port Type	635
Inner Thread [mm]	Banjo fitting
	M10x1
	with add-on material

References

3AA 611 701 A


Application info

Superb II (3T) (03/08--)

Brake hose
100 611 0053/S
 1J0 611 701 L

Notes

Required quantity	Front Axle
Length [mm]	2
Port Type	with hollow screw
Inner Thread [mm]	435
	Banjo fitting
	M10x1
	with seal

References

1J0 611 701	1J0 611 701 N
1J0 611 701 L	

Parts list

100 611 0053	Brake hose
--------------	------------


Application info

Octavia I (1U_) (09/96-12/10)

100 611 0083/S

1J0 611 701 M

Brake hose



Notes

Required quantity	Front Axle 2 with hollow screw
Length [mm]	570
Port Type	Banjo fitting
Inner Thread [mm]	M10x1 with seal

References

1J0 611 701 G	1J0 611 701 M
---------------	---------------

Application info

Octavia I (1U_) (09/96-12/10)

100 611 0071/S

1K0 611 701 K

Brake hose



Notes

Required quantity	Front Axle at brake caliper 2 with hollow screw
Length [mm]	565
Port Type	Banjo fitting
Inner Thread [mm]	M10x1 with seal

References

1K0 611 701 D	1K0 611 701 K
1K0 611 701 H	1K0 611 701 M

Application info

Octavia II (1Z_) (02/04--)

100 611 0079/S

6Q0 611 701 E

Brake hose



Notes

Required quantity	Front Axle 2 with hollow screw
Length [mm]	525
Port Type	Banjo fitting
Inner Thread [mm]	M10x1 with seal

References

6Q0 611 701 B	6Q0 611 701 E
6Q0 611 701 C	6Q0 611 701 F

Parts list

100 611 0079	Brake hose
--------------	------------



Brake hose
100 611 0079/S
 6Q0 611 701 E

Application info

Fabia I (08/99-03/08)

Fabia II (12/06--)

Brake hose
100 611 0054
 6U0 611 701 A

Notes

Required quantity	Front Axle
Length [mm]	2
Outer Thread [mm]	320
Inner Thread [mm]	M10x1
	M10x1

References

6U0 611 701 A	6U0 611 701 B
---------------	---------------


Application info

Felicia (10/94-04/02)

Brake hose
100 611 0042
 3U0 611 707

Notes

Required quantity	Front Axle
Length [mm]	2
Inner Thread 1 [mm]	320
Inner Thread 2 [mm]	M10x1
	M10x1

References

3U0 611 707	8D0 611 707 D
-------------	---------------



Application info

Superb I (3U) (12/01-03/08)

100 525 0054/S

1J0 611 763 AD

Brake hose



Notes

Required quantity

Length [mm]
Port Type
Outer Thread [mm]

Rear Axle Left
at brake caliper
1
with hollow screw
805
Banjo fitting
M10x1
with pipe
with seal

References

1J0 611 763 AD

1J0 611 763 R

Counterpart

100 525 0055/S


Application info

Octavia I (1U_) (09/96-12/10)

100 525 0062/S

8E0 611 763 E

Brake hose



Notes

Length [mm]
Port Type
Outer Thread [mm]

Rear Axle Left
with hollow screw
450
Banjo Fitting
M10x1
with pipe
with seal

References

8E0 611 763 E
8E0 611 763 F

8E0 611 763 K

Counterpart

100 525 0063/S

Application info

Superb I (3U) (12/01-03/08)

3

Brake hose
100 525 0055/S
 1J0 611 764 AD

Notes


Length [mm] Rear Axle Right
 Port Type at brake caliper
 Outer Thread [mm] with hollow screw
 805
 Banjo fitting
 M10x1
 with pipe
 with seal

References

1J0 611 764 AD 1J0 611 764 R

Counterpart

100 525 0054/S


Application info

Octavia I (1U_) (09/96-12/10)

Brake hose
100 525 0063/S
 8E0 611 764 E

Notes


Length [mm] Rear Axle Right
 Port Type with hollow screw
 Outer Thread [mm] 480
 Banjo Fitting
 M10x1
 with pipe
 with seal

References

8E0 611 764 E 8E0 611 764 K
 8E0 611 764 F

Counterpart

100 525 0062/S


Application info

Superb I (3U) (12/01-03/08)

Brake hose
100 611 0073
 1K0 611 775 C

Notes

Required quantity Rear Axle
 Length [mm] 2
 Inner Thread 1 [mm] 240
 Inner Thread 2 [mm] M10x1
 M10x1

References

1K0 611 775 A 1K0 611 775 C



100 611 0073

1K0 611 775 C

Brake hose

Application info

Octavia II (1Z_) (02/04--)

100 525 0058/S

1K0 611 775 D

Brake hose



Notes

Required quantity

Rear Axle
inner
2
with seal
with hollow screw

Length [mm]

285

Port Type

Banjo fitting

Inner Thread [mm]

M10x1

References

1K0 611 775 D

1K0 611 776

5C0 611 775 C

Application info

Octavia II (1Z_) (02/04--)

Yeti (5L) (05/09--)

Superb II (3T) (03/08--)

100 611 0040

4E0 611 775 L

Brake hose



Notes

Required quantity

Rear Axle

2

Length [mm]

203

Inner Thread 1 [mm]

M10x1

Inner Thread 2 [mm]

M10x1

References

4E0 611 775 L

8D0 611 775 E

Application info

Superb I (3U) (12/01-03/08)

Brake hose
100 611 0043
 6Q0 611 775 B

Notes

Required quantity	Rear Axle
Length [mm]	2
Inner Thread 1 [mm]	166
Inner Thread 2 [mm]	M10x1
	M10x1

References

6Q0 611 775 B


Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

 Octavia I (1U_) (09/96-12/10)
 Roomster (03/06--)

Brake hose
100 525 0042
 6U0 611 775 A

Notes

Required quantity	Rear Axle
Length [mm]	2
Inner Thread 1 [mm]	175
Inner Thread 2 [mm]	M10x1
	M10x1

References

6U0 611 707	6U0 611 775 A
6U0 611 775	6U0 611 775 B


Application info

Felicia (10/94-04/02)

Brake master cylinder
100 532 0005
 8E0 611 021

Notes

Brake System	Lucas Girling
Number of ports	2
Length 1 [mm]	69.5
Length 2 [mm]	92
Thread Size	M12x1
Diameter [mm]	25.4
	Aluminium

References

8E0 611 021


Application info

Superb I (3U) (12/01-03/08)

100 532 0006
8E0 611 021 B

Brake master cylinder



Notes

Brake System	ATE
Number of ports	2
Length 1 [mm]	64.2
Length 2 [mm]	93.5
Thread Size	M12x1
Diameter [mm]	25.4
	Aluminium

References

8E0 611 021 A	8E0 611 021 B
---------------	---------------

Application info

Superb I (3U) (12/01-03/08)

100 611 0075
1J1 614 019

Brake master cylinder



Notes

Number of ports	2
Length 1 [mm]	32
Length 2 [mm]	122
Thread Size	M12x1
Diameter [mm]	23.81
	Aluminium

References

1J1 614 019

Application info

Octavia I (1U_) (09/96-12/10)

100 532 0003
1J1 614 019 A

Brake master cylinder



Notes

Brake System	ATE
Thread Measurement 1	2x M10x1
Number of ports	4
Thread Measurement 2	2x M12x1
Length 2 [mm]	137.8
Diameter [mm]	23.81
	Aluminium

References

1J1 614 019 A

Application info

Octavia I (1U_) (09/96-12/10)

Brake master cylinder

100 532 0004
 1J1 614 019 F

Notes

Brake System	ATE
Number of ports	3
Length 1 [mm]	34.9
Length 2 [mm]	121.4
Thread Size	M12x1
Diameter [mm]	23.81
	Aluminium

References

1J1 614 019 C	1J1 614 019 F
---------------	---------------



Application info

Octavia I (1U_) (09/96-12/10)

Wheel cylinder

100 611 0068
 3A0 611 053

Notes

Diameter [mm]	Rear Axle 20.64 Aluminium
---------------	---------------------------------

References

1J0 611 053	3A0 611 053
-------------	-------------



Application info

Octavia I (1U_) (09/96-12/10)

Wheel cylinder

100 611 0058
 6Q0 611 053 B

Notes

Diameter [mm]	Rear Axle 19.05 Aluminium
---------------	---------------------------------

References

1H0 611 053	6Q0 611 053 B
-------------	---------------



Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

 Octavia I (1U_) (09/96-12/10)
 Roomster (03/06--)

100 611 0037
6U0 611 053 B

Wheel cylinder



Notes

Diameter [mm]

Rear Axle
19.04
Grey Cast Iron

References

6U0 611 053 B

Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

3

Boot kit, C.V. joint
100 498 0095
 1J0 498 201

Notes

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Front Axle
 Transmission End
 114
 18
 100
 Elastomer

References

1J0 498 201


Application info

Octavia I (1U_) (09/96-12/10)

Boot kit, C.V. joint
100 498 0042
 1J0 498 201 A

Notes

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Front Axle
 Transmission End
 120
 36
 100
 Elastomer

References

1J0 498 201 A


Application info

Octavia I (1U_) (09/96-12/10)

Boot kit, C.V. joint
100 498 0132
 1J0 498 201 E

Notes

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Front Axle
 Transmission End
 103
 23
 57
 Elastomer

References

1J0 498 201 E


Application info

Octavia I (1U_) (09/96-12/10)

4

100 498 1086

1J0 498 201 J

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle
Transmission End
104
27
71
Thermoplast

References

1J0 498 201 J

Application info

Roomster (03/06--)

100 498 0041

1K0 498 201

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle
Rear Axle
Transmission End
110
28
100
Elastomer

References

1K0 498 201

357 498 201 A

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 495 0018

1K0 498 201 A

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle
Transmission End
102
28
67
Thermoplast

References

1K0 498 201 A

Application info

Fabia I (08/99-03/08)
Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Boot kit, C.V. joint
100 498 1123
 1K0 498 201 B

Notes

Length [mm] Front Axle
 Inner Diameter 1 [mm] Transmission End
 Inner Diameter 2 [mm]

References

1K0 498 201 B


Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

Boot kit, C.V. joint
100 495 0002
 1K0 498 201 C

Notes

Length [mm] Front Axle
 Inner Diameter 1 [mm] Transmission End
 Inner Diameter 2 [mm]

References

1K0 498 201 C


Application info

Octavia II (1Z_) (02/04--)

Boot kit, C.V. joint
100 498 0139
 1K0 498 201 D

Notes

Length [mm] Front Axle
 Inner Diameter 1 [mm] Transmission End
 Inner Diameter 2 [mm]

References

1K0 498 201 D


Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

4

100 498 0043

443 498 201 B

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle
Transmission End
124
24
108
Elastomer

References

443 498 201 B

Parts list

100 407 0069

Boot, C.V. joint

Application info

Superb I (3U) (12/01-03/08)

100 498 0089

4B0 498 201

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle
Transmission End
84
21
80
Elastomer

References

4B0 498 201

Application info

Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

100 498 0084

6N0 498 201

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle
Transmission End
108
27
89
Thermoplast

References

6N0 498 201

Application info

Octavia I (1U_) (09/96-12/10)

Boot kit, C.V. joint
100 498 1084
 6N0 498 201

Notes

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Front Axle
 Transmission End
 97
 21
 89
 Elastomer

References

6N0 498 201


Application info

Octavia I (1U_) (09/96-12/10)

Boot kit, C.V. joint
100 498 0125
 6Q0 498 201 C

Notes

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Front Axle
 Transmission End
 100
 21
 63
 Elastomer

References

6Q0 498 201 C


Application info

Fabia I (08/99-03/08)

Boot kit, C.V. joint
100 495 0027
 6Q0 498 201 D

Notes

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Transmission End
 Front Axle
 100
 24
 57
 Elastomer

References

6Q0 498 201 D


Application info

Fabia I (08/99-03/08)

4

100 495 0021

6U0 498 201 A

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle
Transmission End
93
20
70
Elastomer

References

6U0 498 201 A

Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

100 495 0013

7M3 498 201 B

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle
Transmission End
93
21.3
70
Elastomer

References

7M3 498 201 B

7M3 498 201 J

Application info

Octavia II (1Z_) (02/04--)

100 498 0047

1K0 498 203

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle
Wheel Side
125
25
86
Thermoplast

References

1K0 498 203

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Boot kit, C.V. joint
100 495 0007
 1K0 498 203 A

Notes

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Front Axle
 Wheel Side
 113
 29
 97.2
 Thermoplast

References

1K0 498 203 A


Application info

 Fabia II (12/06--)
 Octavia II (1Z_) (02/04--)

 Superb II (3T) (03/08--)
 Yeti (5L) (05/09--)

Boot kit, C.V. joint
100 495 0010
 1K0 498 203 B

Notes

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Front Axle
 Wheel Side
 108
 25.6
 78
 Thermoplast

References

1K0 498 203 B


Application info

Octavia I (1U_) (09/96-12/10)

Boot kit, C.V. joint
100 498 0072
 3B0 498 203 A

Notes

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Front Axle
 Wheel Side
 112
 24
 90
 Thermoplast

References

 3B0 498 203 A
 3B0 498 203 G

8D0 498 203 A


Application info

Superb I (3U) (12/01-03/08)

4

100 498 1072

3B0 498 203 A

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle
Wheel Side
90
25
88
Elastomer

References

3B0 498 203 A
3B0 498 203 G

8D0 498 203 A

Application info

Superb I (3U) (12/01-03/08)

100 495 0005

3B0 498 203 B

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle
Wheel Side
115
29
97
Thermoplast

References

3B0 498 203 B

3B0 498 203 F

Application info

Superb I (3U) (12/01-03/08)

100 495 0019

3B0 498 203 E

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle
Wheel Side
120
30
95
Thermoplast

References

3B0 498 203 E

Application info

Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

Boot kit, C.V. joint
100 498 0075
 441 498 203 A

Notes

Front Axle
 Wheel Side
 Length [mm] 90
 Inner Diameter 1 [mm] 24
 Inner Diameter 2 [mm] 90
 Elastomer

References

3B0 498 203 F 441 498 203 A


Application info

Superb I (3U) (12/01-03/08)

Boot kit, C.V. joint
100 495 0004
 6Q0 498 203

Notes

Front Axle
 Wheel Side
 Length [mm] 112
 Inner Diameter 1 [mm] 26
 Inner Diameter 2 [mm] 82
 Thermoplast

References

6Q0 498 203


Application info

Fabia I (08/99-03/08)

Roomster (03/06--)

Boot kit, C.V. joint
100 498 0091
 8D0 498 203 B

Notes

Full Set
 Front Axle
 Wheel Side
 Length [mm] 90
 Inner Diameter 1 [mm] 24
 Inner Diameter 2 [mm] 90
 Elastomer

References

3B0 498 203 F 8D0 498 203 C
 8D0 498 203 B

Parts list

100 498 0091/SK Boot kit, C.V. joint



100 498 0091

8D0 498 203 B

Boot kit, C.V. joint

Application info

Superb I (3U) (12/01-03/08)

100 498 0091/SK

8D0 498 203 B

Boot kit, C.V. joint



Notes

Slim Set

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle
Wheel Side
90
24
90
Elastomer

References

8D0 498 203 B

Application info

Superb I (3U) (12/01-03/08)

100 498 0078

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle
Wheel Side
114
26
78
Thermoplast

References

1J0 498 203

Application info

Octavia I (1U_) (09/96-12/10)

Drive shaft
100 498 0140
 1K0 407 271 CQ

Notes

	Front Axle Left
External Teeth, wheel side	36
External Teeth, diff.side	26
Length [mm]	587.5
Seal Diameter [mm]	59.5

References

1K0 407 271 CQ	1K0 407 451 PX
----------------	----------------

Counterpart

100 498 0141


Application info

Octavia II (1Z_) (02/04--)

Drive shaft
100 498 0148
 1J0 407 272

Notes

	Front Axle Right
External Teeth, wheel side	36
Length [mm]	822
Seal Diameter [mm]	53.2

References

1J0 407 272


Application info

Octavia I (1U_) (09/96-12/10)

Drive shaft
100 498 0141
 1K0 407 272 FS

Notes

	Front Axle Right
External Teeth, wheel side	36
External Teeth, diff.side	26
Length [mm]	884
Seal Diameter [mm]	59.5

References

1K0 407 272 FS	1K0 407 452 QX
----------------	----------------

Counterpart

100 498 0140


Application info

Octavia II (1Z_) (02/04--)

100 498 0147

1J0 407 451 AX

Drive shaft



Notes

External Teeth, wheel side
Length [mm]
Seal Diameter [mm]

Front Axle Left
36
557
53.2

References

1J0 407 271 AP
1J0 407 271 H

1J0 407 271 JD
1J0 407 451 AX

Application info

Octavia I (1U_) (09/96-12/10)

100 498 0052

1J0 498 099 A

C.V. joint kit



Notes

External Teeth, wheel side
Internal Teeth, wheel side
Length [mm]
Outer Diameter [mm]
Seal Diameter [mm]

Wheel Side
36
30
129.5
81
53
without ABS ring
CV Joint

References

1J0 498 099

1J0 498 099 A

Application info

Octavia I (1U_) (09/96-12/10)

100 498 0121

1J0 498 099 E

C.V. joint kit



Notes

External Teeth, wheel side
Internal Teeth, wheel side
Length [mm]
Outer Diameter [mm]
Seal Diameter [mm]

Wheel Side
36
27
142.5
98
53
without ABS ring
CV Joint

References

1J0 407 311 R
1J0 498 099 E

1J0 498 099 EX



C.V. joint kit
100 498 0121
 1J0 498 099 E

Application info

Octavia I (1U_) (09/96-12/10)

C.V. joint kit
100 498 0195
 1K0 498 099

Notes

	Wheel Side
External Teeth, wheel side	36
Internal Teeth, wheel side	30
Length [mm]	95.5
Outer Diameter [mm]	90
Seal Diameter [mm]	59.5
	without ABS ring
	CV Joint

References

1K0 407 311 L	1K0 498 099 AX
1K0 498 099	1K0 498 099 E
1K0 498 099 A	1K0 498 099 X


Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

C.V. joint kit
100 498 0193
 1K0 498 099 B

Notes

	Wheel Side
External Teeth, wheel side	36
Internal Teeth, wheel side	27
Length [mm]	106
Outer Diameter [mm]	97.5
Seal Diameter [mm]	59.5
	without ABS ring
	CV Joint

References

1KM 498 099	1K0 498 099 B
1K0 407 311 J	1K0 498 099 BX


Application info

Octavia II (1Z_) (02/04--)

100 498 0196

1K0 498 099 D

C.V. joint kit



Notes

External Teeth, wheel side	Wheel Side
Internal Teeth, wheel side	36
Length [mm]	30
Outer Diameter [mm]	89
Seal Diameter [mm]	81
	59.5
	without ABS ring
	CV Joint

References

1K0 407 311 F	1K0 498 099 D
---------------	---------------

Application info

Octavia II (1Z_) (02/04--)

100 498 0061

357 498 099 E

C.V. joint kit



Notes

External Teeth, wheel side	Wheel Side
Internal Teeth, wheel side	36
Length [mm]	30
Outer Diameter [mm]	138.5
Seal Diameter [mm]	90
	53.2
	without ABS ring
	CV Joint

References

1H0 498 099 A	357 498 099 EV
357 498 099 E	357 498 099 EX

Application info

Octavia I (1U_) (09/96-12/10)

C.V. joint kit
100 498 0088
 3B0 498 099 B

Notes

External Teeth, wheel side	Wheel Side
Internal Teeth, wheel side	33
Length [mm]	27
Outer Diameter [mm]	93
Seal Diameter [mm]	98
Number of Teeth, ABS ring	53
	with ABS ring
	45
	CV Joint

References

8D0 407 305 M	3B0 498 099 C
3B0 498 099 B	3B0 498 099 CX
3B0 498 099 BX	3B0 498 099 H


Application info

Superb I (3U) (12/01-03/08)

C.V. joint kit
100 498 0183
 3B0 498 099 D

Notes

External Teeth, wheel side	Wheel Side
Internal Teeth, wheel side	33
Length [mm]	30
Outer Diameter [mm]	92
Seal Diameter [mm]	88
Number of Teeth, ABS ring	53
	with ABS ring
	45
	CV Joint

References

8D0 407 305 Q	3B0 498 099 DX
3B0 498 099 D	


Application info

Superb I (3U) (12/01-03/08)

4

100 498 0064

4D0 498 099 A

C.V. joint kit



Notes

External Teeth, wheel side	38
Internal Teeth, wheel side	27
Length [mm]	97.5
Outer Diameter [mm]	98
Seal Diameter [mm]	59.5
	with ABS ring
Number of Teeth, ABS ring	45
	CV Joint

References

4D0 407 305 B	8D0 498 099 D
4D0 498 099	8D0 498 099 E
4D0 498 099 A	8E0 498 099 A
4D0 498 099 AX	8E0 498 099 G
4D0 498 099 X	4D0 598 099

Application info

Superb I (3U) (12/01-03/08)

100 498 0189

6Q0 498 099 C

C.V. joint kit



Notes

External Teeth, wheel side	20
Internal Teeth, wheel side	30
Length [mm]	107.5
Outer Diameter [mm]	85
Seal Diameter [mm]	52
	without ABS ring
	CV Joint

References

6Q0 498 099 C

Application info

Fabia I (08/99-03/08)

C.V. joint kit
100 498 0117
 6Q0 498 099 D

Notes

External Teeth, wheel side	Wheel Side
Internal Teeth, wheel side	36
Length [mm]	30
Outer Diameter [mm]	106
Seal Diameter [mm]	86
	50.7
	without ABS ring
	CV Joint

References

6Q0 498 099 D	6R0 498 099
6Q0 498 099 DX	


Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

Roomster (03/06--)

C.V. joint kit
100 498 0118
 6Q0 498 099 E

Notes

External Teeth, wheel side	Wheel Side
Internal Teeth, wheel side	36
Length [mm]	30
Outer Diameter [mm]	113.5
Seal Diameter [mm]	90
	52
	without ABS ring
	CV Joint

References

6Q0 498 099 E	6Q0 498 099 EX
---------------	----------------


Application info

Fabia I (08/99-03/08)

Fabia II (12/06--)

C.V. joint kit
100 498 0119
 6Q0 498 099 F

Notes

External Teeth, wheel side	Wheel Side
Internal Teeth, wheel side	36
Length [mm]	27
Outer Diameter [mm]	140
Seal Diameter [mm]	98
	52
	without ABS ring
	CV Joint

References

6Q0 498 099 F



100 498 0119

6Q0 498 099 F

C.V. joint kit

Application info

Fabia I (08/99-03/08)

100 420 0001

6U0 498 099 A

C.V. joint kit



Notes

External Teeth, wheel side
Internal Teeth, wheel side
Length [mm]
Outer Diameter [mm]
Seal Diameter [mm]

Wheel Side
22
22
135.5
83
47
without ABS ring
CV Joint

References

6U0 407 271 F*	115 420 174
6U0 407 271 FX*	115 420 214
6U0 407 272 F*	115 420 217
6U0 407 272 FX*	6U0 498 099
6U0 407 311	6U0 498 099 A

Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

100 498 0018

191 498 103

C.V. joint kit



Notes

Int.teeth, diff.side, conn.to
conn.shaft
Length [mm]
Outer Diameter [mm]

Transmission End
33
34
100
without ABS ring
CV Joint

References

191 498 103	321 498 103 D
191 498 103 A	357 498 103
191 498 103 C	357 498 103 A
191 498 103 CV	357 498 103 B
191 498 103 CX	357 498 103 BX
191 498 103 X	357 498 103 V
1K0 498 103	357 498 103 X
1K0 498 103 X	191 498 104 C

Application info

Fabia II (12/06--)
Octavia I (1U_) (09/96-12/10)
Octavia II (1Z_) (02/04--)

Roomster (03/06--)
Superb II (3T) (03/08--)

C.V. joint kit
100 498 0179
 1J0 498 103 K

Notes

	Transmission End
Int.teeth, diff.side, conn.to conn.shaft	30
Length [mm]	57.6
Outer Diameter [mm]	108 without ABS ring Tripot Joint
Joint Diameter (mm)	73.8

References

1J0 498 103 K	1J0 498 103 KX
---------------	----------------


Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

C.V. joint kit
100 498 0203
 1K0 498 103 C

Notes

	Transmission End
Int.teeth, diff.side, conn.to conn.shaft	32
External Teeth, diff.side	26
Length [mm]	153.5 without ABS ring Tripot Joint

References

1K0 498 103 C


Application info

Octavia II (1Z_) (02/04--)

C.V. joint kit
100 498 0016
 321 498 103

Notes

	Transmission End
Int.teeth, diff.side, conn.to conn.shaft	33
Length [mm]	32
Outer Diameter [mm]	94 without ABS ring CV Joint

References

171 498 103 C	321 498 350 X
171 498 103 CX	113 598 101
321 498 103	JZW 498 350 AX
321 498 103 A	ZBC 407 331
321 498 103 X	



100 498 0016

321 498 103

C.V. joint kit

Application info

Octavia I (1U_) (09/96-12/10)

100 498 0062

431 498 103 C

C.V. joint kit



Notes

Int.teeth, diff.side, conn.to
conn.shaft
Length [mm]
Outer Diameter [mm]

Transmission End

28
32
108
without ABS ring
CV Joint

References

431 498 103 C
431 498 103 CX
443 498 103 A

431 498 104 CX
251 598 101 A

Application info

Superb I (3U) (12/01-03/08)

100 498 0200

6U0 498 103 A

C.V. joint kit



Notes

External Teeth, wheel side
Int.teeth, diff.side, conn.to
conn.shaft
Length [mm]
Outer Diameter [mm]

Transmission End
22

30
154.7
76
without ABS ring
Tripot Joint

References

115 420 171

6U0 498 103 A

Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

C.V. joint kit
100 498 0051
 357 498 104

Notes

 Int.teeth, diff.side, conn.to
 conn.shaft
 Length [mm]
 Outer Diameter [mm]

 Transmission End
 33
 34
 100
 without ABS ring
 CV Joint

References

321 498 103 C	357 498 104
321 498 103 CX	357 498 104 V
191 498 104	357 498 104 X
191 498 104 A	535 498 104
191 498 104 X	


Application info

Octavia I (1U_) (09/96-12/10)

A/T gasket
100 140 0001
 02E 321 371 E

Notes

 for vehicles with direct shift gear-
 box
 Automatic Transmission, 6-speed
 Elastomer

References

02E 321 371 E


Application info

 Octavia II (1Z_) (02/04--)
 Roomster (03/06--)

Yeti (5L) (05/09--)

A/T gasket
100 325 0004
 01M 325 443

Notes

Automatic Transmission, 4-speed

References

01M 325 443



100 325 0004

01M 325 443

A/T gasket

Application info

Octavia I (1U_) (09/96-12/10)

100 398 0006

01M 325 429

Hydraulic filter kit, A/T



Notes

Manufacturer Restriction

with fastening material
VW

Transmission Type

Automatic Transmission, 4-speed
AG4
with seal
Kit

References

01M 325 429

Parts list

100 321 0001
100 325 0001

A/T oil pan gasket
Hydraulic filter, A/T


Application info

Octavia I (1U_) (09/96-12/10)

100 398 0003

01V 325 429

Hydraulic filter kit, A/T



Notes

Manufacturer Restriction

ZF
Automatic Transmission, 5-speed
5HP19 FLA
5HP19 FL
with seal
Kit

Transmission Type
Transmission Type

References

01V 325 429

Parts list

100 321 0004
100 325 0005

A/T oil pan gasket
Hydraulic filter, A/T

Application info

Superb I (3U) (12/01-03/08)

Hydraulic filter kit, A/T

100 137 0001
 09G 325 429

Notes

Manufacturer Restriction

 Transmission Type
 Transmission Type
 Transmission Type
 Transmission Type

 with fastening material
 AISIN
 Automatic Transmission, 6-speed
 09G
 09M
 TF-60SN
 TF-61SN
 with seal
 Kit


References

09G 325 429

Parts list

 100 139 0002 A/T oil pan gasket
 100 325 0007 Hydraulic filter, A/T

Application info

 Fabia II (12/06--)
 Octavia II (1Z_) (02/04--)

Roomster (03/06--)

Hydraulic filter, A/T

100 136 0003
 02E 305 051 C

Notes

References

02E 305 051 C

 for vehicles with direct shift gear-
 box
 Direct Shift Gearbox
 with seal
 Piece


Application info

 Octavia II (1Z_) (02/04--)
 Octavia III (5E3/5E5) (11/12--)
 Roomster (03/06--)

 Superb II (3T) (03/08--)
 Yeti (5L) (05/09--)

4

100 325 0013

001 325 429 A

Hydraulic filter, A/T



Notes

without gasket / seal
Piece

References

001 325 429 A


Application info

Fabia I (08/99-03/08)

100 325 0001

01M 325 429

Hydraulic filter, A/T



Notes

Transmission Type

Automatic Transmission, 4-speed
AG4
without gasket / seal
Piece

References

01M 325 429

Application info

Octavia I (1U_) (09/96-12/10)

100 325 0005

01V 325 429

Hydraulic filter, A/T



Notes

without gasket / seal
Piece

References

01V 325 429

Application info

Superb I (3U) (12/01-03/08)

4

Hydraulic filter, A/T

100 325 0007
 09G 325 429

Notes

Transmission Type Automatic Transmission, 6-speed
 Transmission Type 09G
 Transmission Type 09M
 Transmission Type TF-60SN
 Transmission Type TF-61SN
 without gasket / seal
 Piece

References

09G 325 429



Application info

Fabia II (12/06--)
 Octavia II (1Z_) (02/04--)

Roomster (03/06--)

Mount, automatic transmission

100 199 0129
 1K0 199 262 AT

Notes

Right
 Rubber-metal Bearing

References

1K0 199 262 AT



Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

Mount, automatic transmission

100 199 0053
 1J0 199 555 AJ

Notes

Left Front
 Rubber-metal Bearing

References

1J0 199 555 AJ



Application info

Octavia I (1U_) (09/96-12/10)

4

100 199 0096

1K0 199 555 Q

Mount, automatic transmission



Notes

Left
Rubber-metal Bearing

References

1K0 199 555 Q

Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

100 199 0045

1J0 199 851 AA

Mount, automatic transmission



Notes

Rear
Rubber-metal Bearing

References

1J0 199 851 AA
1J0 199 851 M

1J0 199 851 N

Application info

Octavia I (1U_) (09/96-12/10)

100 130 0004

6Q0 199 851 AL

Mount, automatic transmission



Notes

Rear
Rubber-metal Bearing

References

6Q0 199 851 AL

Application info

Fabia I (08/99-03/08)

Mount, automatic transmission
100 130 0011
 4B0 399 151 M

Notes

Rubber-metal Bearing

References

4B0 399 151 M


Application info

Superb I (3U) (12/01-03/08)

Mount, automatic transmission
100 399 0015
 8D0 399 151 J

Notes

Rubber-metal Bearing

References

8D0 399 151 J


Application info

Superb I (3U) (12/01-03/08)

Mount, automatic transmission
100 399 0009
 8D0 399 151 M

Notes

Rubber-metal Bearing

References

8D0 399 151 M


Application info

Superb I (3U) (12/01-03/08)

4

100 199 0129

1K0 199 262 AT

Mount, manual transmission



Notes

Right
Rubber-metal Bearing

References

1K0 199 262 AT

Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

100 199 0053

1J0 199 555 AJ

Mount, manual transmission



Notes

Left Front
Rubber-metal Bearing

References

1J0 199 555 AJ

Application info

Octavia I (1U_) (09/96-12/10)

100 199 0096

1K0 199 555 Q

Mount, manual transmission



Notes

Left
Rubber-metal Bearing

References

1K0 199 555 Q

Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

Mount, manual transmission
100 199 0150
 3C0 199 555 P

Notes

 Left
 for manual transmission
 Hydro Bearing

References

3C0 199 555 P


Application info

Superb II (3T) (03/08--)

Mount, manual transmission
100 199 0045
 1J0 199 851 AA

Notes

 Rear
 Rubber-metal Bearing

References

 1J0 199 851 AA
 1J0 199 851 M

1J0 199 851 N


Application info

Octavia I (1U_) (09/96-12/10)

Mount, manual transmission
100 130 0004
 6Q0 199 851 AL

Notes

 Rear
 Rubber-metal Bearing

References

6Q0 199 851 AL


Application info

Fabia I (08/99-03/08)

4

100 030 0001

6Q0 199 851 AS

Mount, manual transmission



Notes

Rear
Rubber-metal Bearing

References

6Q0 199 851 AS

6Q0 199 851 T

Application info

Fabia I (08/99-03/08)

100 199 0094

1K0 199 855 BA

Mount, manual transmission



Notes

Rear
Rubber-metal Bearing

References

1K0 199 855 AD
1K0 199 855 BA

1K0 199 855 K

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 399 0013

8D0 399 151 H

Mount, manual transmission



Notes

Left
Rubber-metal Bearing

References

8D0 399 151 H

Application info

Superb I (3U) (12/01-03/08)

4

Mount, manual transmission
100 399 0015
 8D0 399 151 J

Notes

Rubber-metal Bearing

References

8D0 399 151 J


Application info

Superb I (3U) (12/01-03/08)

Mount, manual transmission
100 399 0009
 8D0 399 151 M

Notes

Rubber-metal Bearing

References

8D0 399 151 M


Application info

Superb I (3U) (12/01-03/08)

Mount, manual transmission
100 199 0184
Notes

 Left
 Hydro Bearing

Application info

Octavia I (1U_) (09/96-12/10)

4

100 399 0028

8D0 399 415 D

Mounting, automatic transmission support



Notes

Rubber-metal Bearing

References

8D0 399 415 D

Application info

Superb I (3U) (12/01-03/08)

100 399 0027

8D0 399 419 G

Mounting, automatic transmission support



Notes

Rubber-metal Bearing

References

8D0 399 419 G

Application info

Superb I (3U) (12/01-03/08)

100 399 0028

8D0 399 415 D

Mounting, manual transmission support



Notes

Rubber-metal Bearing

References

8D0 399 415 D

Application info

Superb I (3U) (12/01-03/08)

4

Mounting, manual transmission support
100 399 0027
 8D0 399 419 G

Notes

Rubber-metal Bearing

References

8D0 399 419 G


Application info

Superb I (3U) (12/01-03/08)

Parts kit, automatic transm. oil change
100 135 0102
 02E 305 051 C

Notes

Manufacturer Restriction

 VW
 Direct Shift Gearbox
 6-Speed manual transmission,
 operated automatically
 DQ250
 02E
 0D9
 with accessories
 Kit

 Transmission Type
 Transmission Type
 Transmission Type

References

02E 305 051 C

2E0 398 051

Parts list

100 136 0003

Hydraulic filter, A/T


Application info


 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

4

100 135 0001

01V 325 429



Parts kit, automatic transm. oil change

Notes

Manufacturer Restriction

ZF

Transmission Type
Transmission Type

Automatic Transmission, 5-speed
5HP19 FL
5HP19 FLA
with accessories
Kit

References

01V 325 429

Parts list

100 398 0003
300 243 4108/5

Hydraulic filter kit, A/T
Hydraulic filter kit, A/T

Application info

Superb I (3U) (12/01-03/08)

100 135 0100



Parts kit, automatic transm. oil change

Notes

Manufacturer Restriction

AISIN

Transmission Type
Transmission Type
Transmission Type
Transmission Type

Automatic Transmission, 6-speed
09G
09M
TF-60SN
TF-61SN
AQ250
with accessories
Kit

Parts list

100 137 0001

Hydraulic filter kit, A/T

Application info

Octavia II (1Z_) (02/04--)
Rapid II (NH) (10/11--)

Roomster (03/06--)

100 135 0101



Parts kit, automatic transm. oil change

Notes

Manufacturer Restriction

AISIN

Transmission Type
Transmission Type
Transmission Type

Automatic Transmission, 6-speed
09G
TF-60SN
TF-61SN
AQ250
with accessories
Kit

Parts list

100 325 0009

Hydraulic filter, A/T

Parts kit, automatic transm. oil change
100 135 0101
Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)
Repair kit, transmission flange
100 498 0003 C

020 498 085 G

Notes

Left and right

References

020 498 085 G


Application info

Octavia I (1U_) (09/96-12/10)

100 919 0028
1J0 919 379 A

Sensor, outdoor temperature



Notes

Number of Poles 2
NTC Sensor
Black

References

1J0 919 379 A

Application info

Fabia I (08/99-03/08)
Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 955 0011
1C0 955 119

Wiper motor



Notes

Required quantity 1
for left-hand drive vehicles
Voltage [V] 12
Number of Poles 5
Rated Power [W] 40

References


1C0 955 119

Application info

Octavia I (1U_) (09/96-12/10)

100 899 0082
1J6 955 711 G

Wiper motor



Notes

Required quantity 1
Voltage [V] 12
Number of Poles 4
Rated Power [W] 40

Rear
for vehicles with rear windscreen
wiper

References

1J6 955 711 F
1J6 955 711 G
1J9 955 711

Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

ABS wheel sensor
100 927 0003
 1J0 927 803

Notes

Resistance [Ohm]	Front Axle Left
Required quantity	1000
Number of Poles	1
Operating Voltage	without cable
	2
	12
	Inductive Sensor

References

1J0 927 803

Counterpart

100 927 0004


Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

ABS wheel sensor
100 927 0001
 8D0 927 803 D

Notes

Resistance [Ohm]	Front Axle left and right
Required quantity	1220
Number of Poles	2
Operating Voltage	with rubber bellow
Cable Length [mm]	2
Multiple	12
	960
	3
	for vehicles with ABS
	Passive sensor

References

8D0 927 803 D


Application info

Superb I (3U) (12/01-03/08)

ABS wheel sensor
100 927 0004
 1J0 927 804

Notes

Required quantity	Front Axle Right
Number of Poles	1
Operating Voltage	without cable
	2
	12
	Passive sensor

References

1J0 927 804

Counterpart

100 927 0003



5

+

100 927 0004
1J0 927 804

ABS wheel sensor

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 927 0002
1J0 927 807 B

ABS wheel sensor



Notes

Resistance [Ohm]
Required quantity
Number of Poles
Operating Voltage

Rear Axle left and right
1100
2
without cable
2
12
Passive sensor

References

1J0 927 807 B

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 899 0011
1J0 927 807 D

ABS wheel sensor



Notes

Required quantity
Number of Poles
Operating Voltage
Cable Length [mm]

Rear Axle left and right
2
with rubber bellow
2
12
215
Hall Sensor

References

1J0 927 807 D

Application info

Octavia I (1U_) (09/96-12/10)

ABS wheel sensor
100 899 0005
 3B0 927 807 B

Notes

Required quantity	2
Number of Poles	2
Number of Poles	3
Number of Poles	4
Operating Voltage	12
Cable Length [mm]	1005
	Passive sensor


References

3B0 927 807 B

Application info

Superb I (3U) (12/01-03/08)

ABS wheel sensor
100 899 0042
 WHT 003 856

Notes

Required quantity	1
Required quantity	2
	without cable
Number of Poles	2
Operating Voltage	12
	Hall Sensor


References

7H0 927 804 WHT 003 856

Counterpart

100 899 0041

Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

ABS wheel sensor
100 899 0041
 WHT 003 857

Notes

Required quantity	1
Required quantity	2
	without cable
Number of Poles	2
Operating Voltage	12
	Hall Sensor


References

7H0 927 803 WHT 003 857

Counterpart

100 899 0042

100 899 0041
WHT 003 857

ABS wheel sensor

Application info

Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

100 899 0044
WHT 003 858

ABS wheel sensor



Notes

Required quantity	Rear Axle Right 1 without cable
Number of Poles	2
Operating Voltage	12 Hall Sensor

References

1K0 927 808	WHT 003 858
-------------	-------------

Counterpart

100 899 0043

Application info

Octavia II (1Z_) (02/04--)

100 899 0043
WHT 003 859

ABS wheel sensor



Notes

Required quantity	Rear Axle Left 1 without cable
Number of Poles	2
Operating Voltage	12 Hall Sensor

References

1K0 927 807	WHT 003 859
-------------	-------------

Counterpart

100 899 0044

Application info

Octavia II (1Z_) (02/04--)

ABS wheel sensor
100 899 0052
 WHT 003 860

Notes

Required quantity	Front Axle Right 1 without cable
Number of Poles	2
Operating Voltage	12 for vehicles with ABS for vehicles with ESP Hall Sensor


References

6Q0 927 804 B	WHT 003 860
---------------	-------------

Counterpart

100 899 0053

Application info

 Citigo (10/11--)
 Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Octavia III (5E3/5E5) (11/12--)
 Rapid II (NH) (10/11--)
 Roomster (03/06--)
ABS wheel sensor
100 899 0053
 WHT 003 861

Notes

Required quantity	Front Axle Left 1 without cable
Number of Poles	2
Operating Voltage	12 Hall Sensor


References

6Q0 927 803 A	WHT 003 861
6Q0 927 803 B	

Counterpart

100 899 0052

Application info

 Citigo (10/11--)
 Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Octavia III (5E3/5E5) (11/12--)
 Rapid II (NH) (10/11--)
 Roomster (03/06--)

100 899 0049
WHT 003 862

ABS wheel sensor



Notes

Required quantity	Rear Axle Right 1 without cable
Number of Poles	2
Operating Voltage	12 Hall Sensor

References

6Q0 927 808 B	WHT 003 862
---------------	-------------

Counterpart

100 899 0050

Application info

Fabia I (08/99-03/08)

Fabia II (12/06--)

100 899 0050
WHT 003 863

ABS wheel sensor



Notes

Required quantity	Rear Axle Left 1 without cable
Number of Poles	2
Operating Voltage	12 Hall Sensor

References

6Q0 927 807 B	WHT 003 863
---------------	-------------

Counterpart

100 899 0049

Application info

Fabia I (08/99-03/08)

Fabia II (12/06--)

100 899 0061
086 927 321

RPM Sensor, automatic transmission



Notes

Number of Poles	without cable 2
Operating Voltage	12 Automatic Transmission Inductive Sensor

References

086 927 321	095 927 321 C
095 927 321	

RPM Sensor, automatic transmission
100 899 0061
 086 927 321

Application info

Octavia I (1U_) (09/96-12/10)

A/C relay
100 830 0011
 443 919 578 C

Notes

Number of Poles	4
Operating Voltage	12
Rated current [A]	Lock 40

References

443 919 578 C


Application info

Superb I (3U) (12/01-03/08)

Crank position sensor
100 899 0004
 06A 906 433 C

Notes

Resistance [Ohm]	900
Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	24
Cable Length [mm]	570
	Inductive Sensor

References

06A 906 433 C


Application info

 Fabia I (08/99-03/08)
 Octavia I (1U_) (09/96-12/10)

 Octavia II (1Z_) (02/04--)
 Superb I (3U) (12/01-03/08)

100 899 0045
06A 906 433 G

Crank position sensor



Notes

Resistance [Ohm]	900
Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	24
Cable Length [mm]	215
	Inductive Sensor

References

06A 906 433 G	06A 906 433 L
---------------	---------------

Application info

Fabia I (08/99-03/08)
Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)
Octavia III (5E3/5E5) (11/12--)

100 899 0086
06A 906 433 K

Crank position sensor



Notes

Resistance [Ohm]	900 with seal
Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	24
Cable Length [mm]	180
	Inductive Sensor

References

06A 906 433 K

Application info

Octavia II (1Z_) (02/04--)

100 899 0092
038 907 319 E

Crank position sensor



Notes

Resistance [Ohm]	540
Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	46
Cable Length [mm]	1000
	Inductive Sensor

References

038 907 319 E

Application info

Superb I (3U) (12/01-03/08)

Crank position sensor
100 899 0080
 038 957 147 F

Notes

Resistance [Ohm]	540
Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	46
Cable Length [mm]	530
	Inductive Sensor

References

038 907 319 D	038 957 147 D
038 907 319 J	038 957 147 F


Application info

 Fabia I (08/99-03/08)
 Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Crank position sensor
114 899 0005
Notes

Resistance [Ohm]	900
Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	24
Cable Length [mm]	750
	Inductive Sensor

References

078 906 433 A


Application info

Superb I (3U) (12/01-03/08)


Fuse box
100 941 0010
 8L0 941 822 A

Notes

for vehicles with 12V main current

References

8L0 941 822 A


Application info

Superb I (3U) (12/01-03/08)

100 860 0002
03L 963 319

Glow plug



Notes

Voltage [V]	4.4
Port Type	Ø 4 mm
Fitting Depth [mm]	28
Cone Pitch	63
Overall Length [mm]	130
Thread Size	M10 x 1
Diameter [mm]	4.1
Spanner Size	10
	Pencil-type Glow Plug after-glow capable
Rated current [A]	8.5

References

03L 963 319	059 963 319 F
03L 963 319 A	059 963 319 J
059 963 319 C	059 963 319 M
059 963 319 E	059 998 319

Application info

Fabia II (12/06--)
Octavia II (1Z_) (02/04--)
Octavia III (5E3/5E5) (11/12--)
Rapid II (NH) (10/11--)

Roomster (03/06--)
Superb II (3T) (03/08--)
Yeti (5L) (05/09--)

100 860 0000
059 963 319 H

Glow plug



Notes

Voltage [V]	11
Port Type	Ø 4 mm
Fitting Depth [mm]	34
Cone Pitch	63
Overall Length [mm]	126
Thread Size	M10 x 1
Diameter [mm]	5.1
Spanner Size	10
	Pencil-type Glow Plug after-glow capable
Rated current [A]	14.5

References

059 963 319 H

Application info

Superb I (3U) (12/01-03/08)

Glow plug
100 020 2022
 N 101 401 05

Notes

Voltage [V]	11
Port Type	Ø 4 mm
Fitting Depth [mm]	24.5
Cone Pitch	63
Overall Length [mm]	92
Thread Size	M10 x 1
Diameter [mm]	5.1
Spanner Size	10
Rated current [A]	Pencil-type Glow Plug after-glow capable 15

References

N 101 401 05


Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

Glow plug
100 020 1032
 N 102 130 02

Notes

Voltage [V]	11
Port Type	M5
Fitting Depth [mm]	20.5
Cone Pitch	63
Overall Length [mm]	60
Thread Size	M12 x 1,25
Diameter [mm]	6.1
Spanner Size	12
Rated current [A]	Pencil-type Glow Plug after-glow capable 16

References

068 905 061	N 019 100 1
N 019 081 1	N 102 130 02


Application info

Fabia I (08/99-03/08)

Felicia (10/94-04/02)

100 020 1036

N 103 021 02

Glow plug



Notes

Voltage [V]	11
Port Type	Ø 4 mm
Fitting Depth [mm]	20
Cone Pitch	63
Overall Length [mm]	72
Thread Size	M12 x 1,25
Diameter [mm]	6.1
Spanner Size	12
Rated current [A]	Pencil-type Glow Plug after-glow capable 14

References

N 103 021 02

Application info

Octavia I (1U_) (09/96-12/10)

714 860 0000

N 105 792 02

Glow plug



Notes

Voltage [V]	11
Port Type	Ø 4 mm
Fitting Depth [mm]	30
Cone Pitch	63
Overall Length [mm]	97
Thread Size	M10 x 1
Diameter [mm]	5
Spanner Size	10
Rated current [A]	Pencil-type Glow Plug after-glow capable 15

References

N 105 792 02

Application info

Fabia I (08/99-03/08)

Fabia II (12/06--)

Octavia I (1U_) (09/96-12/10)

Roomster (03/06--)

Superb I (3U) (12/01-03/08)

Glow plug
100 860 003

N 105 798 02

Notes

Voltage [V]	4.4
Port Type	Ø 4 mm
Fitting Depth [mm]	29.6
Cone Pitch	93
Overall Length [mm]	117
Thread Size	M8 x 1
Diameter [mm]	4.1
Spanner Size	8
	Pencil-type Glow Plug after-glow capable
Rated current [A]	8.5

References

N 105 798 02


Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

Glow plug
100 860 001

N 105 916 02

Notes

Voltage [V]	5
Port Type	Ø 4 mm
Fitting Depth [mm]	30
Cone Pitch	63
Overall Length [mm]	97
Thread Size	M10 x 1
Diameter [mm]	5
Spanner Size	10
	Pencil-type Glow Plug after-glow capable
Rated current [A]	25

References

N 105 916 02


Application info

Fabia II (12/06--)

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

5

100 885 0000
06A 905 097

Ignition coil



Notes

Required quantity	1
Number of Poles	6
Operating Voltage	12
	Coupling Type Saw Tooth

References

06A 905 097	06A 905 104
-------------	-------------

Application info

Octavia I (1U_) (09/96-12/10)

100 885 0004
078 905 101 A

Ignition coil



Notes

Required quantity	for vehicles without distributor
Number of Poles	1
Operating Voltage	5
	12
	Coupling Type Saw Tooth
	for fully electronic ignition (FI)

References

078 905 101 A	078 905 104 A
078 905 104	

Application info

Superb I (3U) (12/01-03/08)

100 905 0007
6N0 905 104

Ignition coil



Notes

Required quantity	for vehicles with distributor
Number of Poles	1
Operating Voltage	3
	12
	Coupling Type Saw Tooth
	for fully electronic ignition (FI)
	Rectangular

References

6N0 905 104	867 905 352
867 905 105 A	

Application info

Favorit (05/89-06/97)
Felicia (10/94-04/02)

Octavia I (1U_) (09/96-12/10)

Ignition coil
100 885 0001
 058 905 105

Notes

Required quantity	for vehicles without distributor
Required quantity	4
Required quantity	6
Required quantity	8
Number of Poles	3
Operating Voltage	12
	Coupling Type SAE
	incl. spark plug connector
	for fully electronic ignition (FI)

References

058 905 101	058 905 105
-------------	-------------


Application info

Octavia I (1U_) (09/96-12/10)

Ignition coil
100 885 0024
 04E 905 110 A

Notes

Required quantity	for vehicles without distributor
Number of Poles	3
Operating Voltage	4
	12
	Coupling Type SAE

References

04C 905 110 B	04E 905 110 A
04C 905 110 D	

Application info

Citigo (10/11--)

Ignition coil
100 885 0012
 03D 905 115 F

Notes

Required quantity	3
Number of Poles	4
Operating Voltage	12
	Coupling Type SAE
	incl. spark plug connector
	for fully electronic ignition (FI)

References

03D 905 115 A	03D 905 115 E
03D 905 115 B	03D 905 115 F
03D 905 115 C	03D 905 115 G
03D 905 115 D	03D 905 715 A



100 885 0012
03D 905 115 F

Ignition coil

Application info

Fabia I (08/99-03/08)

Fabia II (12/06--)

114 885 0006
06A 905 115 D

Ignition coil



Notes

Required quantity
Required quantity
Number of Poles
Operating Voltage

for vehicles with OBD
4
6
4
12
Coupling Type SAE
incl. spark plug connector
for fully electronic ignition (FI)

References

06A 905 115 A	06B 905 115 L
06A 905 115 B	06B 905 115 M
06A 905 115 C	06B 905 115 N
06A 905 115 D	06B 905 115 Q
06B 905 115 G	06B 905 115 R
06B 905 115 H	06B 905 115 S
06B 905 115 J	

Application info

Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

100 885 0002
06B 905 115 E

Ignition coil



Notes

Required quantity
Required quantity
Number of Poles
Operating Voltage

4
8
4
12
Coupling Type SAE
incl. spark plug connector
for fully electronic ignition (FI)

References

06B 905 115	06B 905 115 E
06B 905 115 B	

Application info

Octavia I (1U_) (09/96-12/10)

Ignition coil

100 905 0025
 06H 905 115 B

Notes

Required quantity	4
Number of Poles	4
Operating Voltage	12
	Coupling Type SAE
	incl. spark plug connector
	for fully electronic ignition (FI)

References

06F 905 115	06H 905 115 B
06F 905 115 A	07K 905 715
06F 905 115 B	07K 905 715 A
06F 905 115 C	07K 905 715 B
06F 905 115 D	07K 905 715 C
06F 905 115 E	07K 905 715 D
06F 905 115 F	07K 905 715 E
06H 905 115	07K 905 715 F
06H 905 115 A	



Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

Ignition coil

100 885 0040
 036 905 715 G

Notes

	for vehicles without distributor
Required quantity	3
Required quantity	4
Number of Poles	4
Operating Voltage	12
	Coupling Type SAE
	incl. spark plug connector
	for fully electronic ignition (FI)

References

036 905 100 A	036 905 715 C
036 905 100 B	036 905 715 E
036 905 100 D	036 905 715 F
036 905 715	036 905 715 G
036 905 715 A	



Application info

Fabia I (08/99-03/08)

Fabia II (12/06--)

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Roomster (03/06--)

Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

100 905 0000
4A0 905 849 B

Ignition switch



Notes

Number of Poles 8

References

4A0 905 849 B

Application info

Octavia I (1U_) (09/96-12/10)

100 905 0020
4B0 905 849

Ignition switch



Notes

Number of Poles 8

References

4B0 905 849

Application info

Fabia I (08/99-03/08)
Octavia I (1U_) (09/96-12/10)

Roomster (03/06--)
Superb I (3U) (12/01-03/08)

100 899 0015
058 905 379

Intake air, temperature sensor



Notes

Number of Poles 2
Operating Voltage 12
Diameter [mm] 12
with seal

References

058 905 379

Application info

Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

Intake air, temperature sensor
100 905 0024
 06B 905 379 D

Notes

with seal
 Number of Poles 2
 Diameter [mm] 12
 Black

References

06B 905 379 06B 905 379 D
 06B 905 379 A 06B 998 124
 06B 905 379 C


Application info

Octavia I (1U_) (09/96-12/10)
 Octavia II (1Z_) (02/04--)
 Superb I (3U) (12/01-03/08)

Superb II (3T) (03/08--)
 Yeti (5L) (05/09--)

Knock sensor
514 899 0030
 030 905 377 A

Notes

without cable
 Number of Poles 2
 Outer Diameter [mm] 27.8
 Inner Diameter [mm] 8.3
 Piezoelectric Sensor
 Black

References

030 905 377 A


Application info

Octavia I (1U_) (09/96-12/10)

Knock sensor
114 899 0003
 030 905 377 C

Notes

without cable
 Number of Poles 2
 Outer Diameter [mm] 26.4
 Inner Diameter [mm] 8.3
 Piezoelectric Sensor
 Black

References

030 905 377 C


5
+

114 899 0003
030 905 377 C

Knock sensor

Application info

Citigo (10/11--)
Fabia I (08/99-03/08)
Fabia II (12/06--)
Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)
Roomster (03/06--)
Superb II (3T) (03/08--)
Yeti (5L) (05/09--)

100 950 0001
1K0 998 262

Lambda probe



Notes

Cable Length [mm] 1140
Diagnostic Probe

References

06A 906 262 AK 1K0 998 262

Application info

Octavia I (1U_) (09/96-12/10)

100 880 0019
1J0 919 506 E

Radiator fan control unit

Notes

Number of Poles 10
Number of Poles 4
Length [mm] 121
Operating Voltage 9,5-15
Protection Type (IP Code) IP54A
Width [mm] 52
Height [mm] 50
Temperature Range [°C] -20 - +100
for electric fan

References

1J0 919 506 E 1J0 919 506 H

Application info

Octavia I (1U_) (09/96-12/10)

Radiator fan control unit
100 880 0020
 1J0 919 506 G

Notes

Number of Poles	14
Number of Poles	4
Length [mm]	121
Operating Voltage	9,5-15
Protection Type (IP Code)	IP54K
Width [mm]	52
Height [mm]	50
Temperature Range [°C]	-20 - +100 for electric fan

References

1J0 919 506 G


Application info

Octavia I (1U_) (09/96-12/10)

Radiator fan control unit
100 880 0021
 1J0 919 506 K

Notes

Number of Poles	14
Number of Poles	4
Length [mm]	121
Operating Voltage	10,5-15
Protection Type (IP Code)	IP54K
Width [mm]	52
Height [mm]	50
Temperature Range [°C]	-40 - +100 for electric fan
Quiescent current [mA]	1.8

References

1J0 919 506 K

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Radiator fan control unit
100 880 0007
 1J0 919 506 L

Notes

Number of Poles	18
Operating Voltage	12

References

1J0 919 506 L



100 880 0007
1J0 919 506 L

Radiator fan control unit

Application info

Octavia I (1U_) (09/96-12/10)

100 880 0000
1J0 919 506 M

Radiator fan control unit



Notes

Number of Poles	6
Number of Poles	4
Length [mm]	121.1
Operating Voltage	10,5-15
Width [mm]	52
Height [mm]	50
Temperature Range [°C]	-40 - +100
Rated current [A]	60

References

1J0 919 506 M

Application info

Citigo (10/11--)
Fabia I (08/99-03/08)
Fabia II (12/06--)

Octavia I (1U_) (09/96-12/10)
Rapid II (NH) (10/11--)
Roomster (03/06--)

100 880 0024
8D0 959 501 C

Radiator fan control unit

Notes

Number of Poles	6
Number of Poles	2
Operating Voltage	12
Multiple	2
Temperature Range [°C]	-40 - +105
	for electric fan
	for vehicles with extra cooling
Rated current [A]	100

References

8D0 959 501 C

Application info

Superb I (3U) (12/01-03/08)

Relay, fuel pump
100 830 0018

1J0 906 383 C

Notes

Number of Poles	7
Length [mm]	30
Operating Voltage	6,5-15
Width [mm]	30
Height [mm]	42
Temperature Range [°C]	-40 - +70
Lock	
Rated current [A]	40

References

1J0 906 383 C

Application info

Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

Relay, fuel pump
100 830 0019

4D0 951 253

Notes

Number of Poles	5
Length [mm]	35
Port Type	2x 9,5x1,2 mm
Port Type	2x 6,3x0,8 mm
Port Type	1 x 2,8x0,8 mm
Operating Voltage	12
Width [mm]	35
Height [mm]	33
Temperature Range [°C]	-40 - +80
Lock	
Rated current [A]	40
Rated current [A]	30

References

4D0 951 253


Application info

Superb I (3U) (12/01-03/08)

Relay, fuel pump
100 830 0006

8A0 951 253

Notes

Number of Poles	4
Operating Voltage	12
Rated current [A]	70

References

8A0 951 253



100 830 0006
8A0 951 253

Relay, fuel pump

Application info

Superb I (3U) (12/01-03/08)

100 919 0043
059 919 501

Sender unit, coolant temperature



Notes

Number of Poles	with seal
Switch Point [°C]	4
Switch Point [°C]	-40
Switch Point [°C]	150
Diameter [mm]	20

References

059 919 501	078 919 501 B
-------------	---------------

Application info

Octavia I (1U_) (09/96-12/10)

100 919 0017
059 919 501 A

Sender unit, coolant temperature



Notes

Number of Poles	without seal ring
Switch Point [°C]	4
Switch Point [°C]	-40
Switch Point [°C]	150
	NTC Sensor
	Green

References

059 919 501 A	078 919 501 C
---------------	---------------

Application info

Octavia I (1U_) (09/96-12/10)
Octavia II (1Z_) (02/04--)

Superb I (3U) (12/01-03/08)

Sender unit, coolant temperature
100 919 0032
 06A 919 501 A

Notes

Number of Poles	2
Switch Point [°C]	-40
Switch Point [°C]	150
Diameter [mm]	20
	Black

References

06A 919 501	06A 919 501 A
-------------	---------------


Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

 Octavia II (1Z_) (02/04--)
 Roomster (03/06--)

Sender unit, coolant temperature
100 800 0056
 357 919 501

Notes

	with seal
Number of Poles	4
Diameter [mm]	20
	Black

References

357 919 501


Application info

Felicia (10/94-04/02)

Sender unit, fuel tank
100 919 0053
 8L0 919 673 E

Notes

Lever Sensor

References

8L0 919 673 E


Application info

 Octavia I (1U_) (09/96-12/10)
 Octavia II (1Z_) (02/04--)

Roomster (03/06--)

100 899 0013
058 905 161 B

Sensor, camshaft position



Notes

Number of Poles	without cable
Operating Voltage	3
	12
	Hall Sensor

References

058 905 161 B

Application info

Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

100 899 0012
06A 905 161 B

Sensor, camshaft position



Notes

Number of Poles	with bearing(s)
Operating Voltage	3
	12
	Hall Sensor
	with holder

References

06A 905 161	06A 905 161 C
06A 905 161 B	

Application info

Fabia I (08/99-03/08)
Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)
Superb I (3U) (12/01-03/08)

100 899 0046
06B 905 163 A

Sensor, camshaft position



Notes

Number of Poles	without cable
Operating Voltage	3
Fitting Depth [mm]	12
	42.3
	Hall Sensor

References

06B 905 163 A

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Sensor, camshaft position
100 899 0093
 036 907 601 E

Notes

Number of Poles	without cable
Operating Voltage	3
Fitting Depth [mm]	12
	24
	Hall Sensor

References

036 907 601	036 907 601 C
036 907 601 A	036 907 601 D
036 907 601 B	036 907 601 E


Application info

Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)
 Roomster (03/06--)

Sensor, camshaft position
100 899 0035
 045 957 147 B

Notes

Number of Poles	3
Operating Voltage	12
Cable Length [mm]	325
	Hall Sensor

References

045 957 147 A	045 957 147 B
---------------	---------------


Application info

Fabia I (08/99-03/08)
 Fabia II (12/06--)

Octavia I (1U_) (09/96-12/10)
 Roomster (03/06--)

Sensor, engine oil level
100 907 0000
 1J0 907 660 B

Notes

Number of Poles	3
	with seal

References

1J0 907 660 B



100 907 0000
1J0 907 660 B

Sensor, engine oil level

+

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)
Octavia I (1U_) (09/96-12/10)

Roomster (03/06--)
Superb I (3U) (12/01-03/08)

100 907 0001

Sensor, engine oil level



Notes

Number of Poles 3
with seal

References

1J0 907 660 C

Application info

Fabia I (08/99-03/08)
Octavia I (1U_) (09/96-12/10)
Octavia II (1Z_) (02/04--)

Roomster (03/06--)
Superb I (3U) (12/01-03/08)

114 899 0000
036 906 051

Sensor, intake manifold pressure



Notes

without cable
Number of Poles 4
Operating Voltage 12
Pressure from [bar] 0.02
Pressure to [bar] 0.12
Piezoelectric Sensor
Black

References

036 906 051

Application info

Fabia I (08/99-03/08)
Felicia (10/94-04/02)

Octavia I (1U_) (09/96-12/10)

Temperature switch, coolant warning lamp
100 919 0019
 191 919 369 A

Notes

	for vehicles with air conditioning
Number of Poles	2
Switch Point [°C]	120
Diameter [mm]	20
Spanner Size	20

References

191 919 369 A


Application info

Octavia I (1U_) (09/96-12/10)

Temperature switch, radiator fan
100 800 8052
 357 919 369 E

Notes

Number of Poles	4
Switch Point [°C]	112-108
Switch Point [°C]	119-112

References

357 919 369 E


Application info

Octavia I (1U_) (09/96-12/10)

Temperature switch, radiator fan
100 959 0001
 1H0 959 481 B

Notes

Number of Poles	3
Switch Point [°C]	95-84
Switch Point [°C]	102-91
Thread Size	M22 x 1,5
Spanner Size	29
	angular
	Black

References

1H0 959 481	1H0 959 481 C
1H0 959 481 B	


Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 959 9001
1H0 959 481 B

Temperature switch, radiator fan



Notes

Number of Poles	3
Switch Point [°C]	82-77
Switch Point [°C]	75-70
Thread Size	M22 x 1,5
Spanner Size	22
	Black

References

1H0 959 481	1H0 959 481 C
1H0 959 481 B	

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 959 0016
1J0 959 481 A

Temperature switch, radiator fan



Notes

	with seal
	with lock tab
Number of Poles	3
Switch Point [°C]	95-84
Switch Point [°C]	102-91
Thread Size	M22 x 1,5
Spanner Size	29
	triangular
	Black

References

1J0 959 481 A

Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Roomster (03/06--)

100 959 0020
867 959 481

Temperature switch, radiator fan



Notes

	with seal
Number of Poles	2
Switch Point [°C]	95-84
Thread Size	M22 x 1,5
Spanner Size	29

References

867 959 481

Temperature switch, radiator fan
100 959 0020
 867 959 481

Application info
 Octavia I (1U_) (09/96-12/10)

Temperature switch, radiator fan
100 959 0010
 8D0 959 481 B

Notes

Number of Poles	4
Switch Point [°C]	95-84
Switch Point [°C]	102-91
Diameter [mm]	20
	Grey

References

8D0 959 481 B


Application info

Superb I (3U) (12/01-03/08)

Brake light switch
100 890 0020
 1C0 945 511 A

Notes

Number of Poles	4
	Manual (foot operated)
	Directional Contact
	Dark green

Observe the vehicle manufacturer specifications

References

1C0 945 511 A	1J0 945 511 F
1J0 945 511 E	


Application info

Octavia I (1U_) (09/96-12/10)

5

100 890 0010
1J0 945 511 A

Brake light switch



Notes

Number of Poles 4
Manual (foot operated)
Directional Contact angular

Observe the vehicle manufacturer specifications

References

1J0 945 511 A

Application info

Fabia I (08/99-03/08)
Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 890 0019
1K2 945 511

Brake light switch



Notes

Number of Poles 4
for right-hand drive vehicles
Manual (foot operated)
Directional Contact

Observe the vehicle manufacturer specifications

References

1K2 945 511 3B0 945 511 C

Application info

Octavia II (1Z_) (02/04--)

Superb I (3U) (12/01-03/08)

100 890 0018
6Q0 945 511

Brake light switch



Notes

Number of Poles 4
for left-hand drive vehicles
Manual (foot operated)
Directional Contact

Observe the vehicle manufacturer specifications

References

6Q0 945 511

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)

Octavia II (1Z_) (02/04--)
Roomster (03/06--)

5

Brake light switch

100 945 0000
 4A0 945 515 A

Notes

 Number of Poles
 Thread Size

 4
 M12 x 1,5
 Manual (foot operated)
 Directional Contact
 White

Observe the vehicle manufacturer specifications

References

4A0 945 515 A



Application info

Superb I (3U) (12/01-03/08)

Column switch

100 953 0000
 4B0 953 503 E

Notes

Number of Poles

 for vehicles without on-board computer
 for vehicles without rear wind-screen wiper
 10
 with wipe-wash function
 with wipe interval function
 Black

References

4B0 953 503 E



Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

Column switch

100 953 0016
 4B0 953 503 F

Notes

Number of Poles

 for vehicles with controllable wipe intervals
 for vehicles with rear windscreen wiper
 10
 with wipe-wash function
 with wipe interval function
 with rear wipe-wash function
 Black

References

4B0 953 503 F



100 953 0016
4B0 953 503 F

Column switch

Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

100 850 0002
4B0 953 503 G

Column switch



Notes

Number of Poles

for vehicles without rear wind-
screen wiper
14
with board computer function
with wipe-wash function
with wipe interval function
Black

References

4B0 953 503 G

Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Superb I (3U) (12/01-03/08)

100 899 0036
4B0 953 503 H

Column switch



Notes

Number of Poles

for vehicles with controllable wipe
intervals
14
with wipe-wash function
with wipe interval function
with rear wipe-wash function
with board computer function
Black

References

4B0 953 503 H

Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Column switch
100 850 0004
 1K0 953 513 E

Notes

Number of Poles

 for vehicles without cruise control
 4
 with indicator function
 with light dimmer function
 with headlight flasher
 with park light function
 Black

References

1K0 953 513

1K0 953 513 E


Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Column switch
100 850 0005
 1K0 953 513 G

Notes

Number of Poles

 for vehicles with cruise control
 9
 with indicator function
 with light dimmer function
 with headlight flasher
 with park light function
 with cruise control
 Black

References

1K0 953 513 G


Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

Column switch
100 953 0020
 8L0 953 513 G

Notes

Number of Poles

 for vehicles without cruise control
 for left-hand drive vehicles
 11
 with indicator function
 with light dimmer function
 with headlight flasher
 Black

References

8L0 953 513 G



100 953 0020
8L0 953 513 G

Column switch

Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

100 953 0021
8L0 953 513 J

Column switch



Notes

Number of Poles

for vehicles with cruise control
17
with indicator function
with light dimmer function
with headlight flasher
with park light function
Black

References

8L0 953 513 J

Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

100 850 0007
1K0 953 519 H

Column switch



Notes

Number of Poles

for vehicles with controllable wipe
intervals
5
with wipe-wash function
with wipe interval function
with rear wipe-wash function
Black

References

1K0 953 519 H

Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

Column switch

100 850 009
 1K0 953 519 J

Notes

Number of Poles

 for vehicles with controllable wipe intervals
 6
 with wipe-wash function
 with rear wipe-wash function
 with wipe interval function
 with MFD
 Black

References

1K0 953 519 J



Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

Control unit, heating/ventilation

100 880 001
 1J0 907 521

Notes

Number of Poles

Length [mm]

Width [mm]

Height [mm]

for vehicles with automatic climate control

3

75

80

45

References

1J0 907 521



Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Superb I (3U) (12/01-03/08)

Heater fan motor

100 236 0031
 1J1 819 021 C

Notes

Voltage [V]

Diameter [mm]

Rated Power [W]

 for vehicles with/without air conditioning
 for left-hand drive vehicles

12

146

140

References

1J1 819 021 C



100 236 0031
1J1 819 021 C

Heater fan motor

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 236 0001
8D1 820 021 C

Heater fan motor



Notes

Voltage [V]
Diameter [mm]
Rated Power [W]

for vehicles with air conditioning
for left-hand drive vehicles
12
162.5
150

References

8D1 820 021 A

8D1 820 021 C

Application info

Superb I (3U) (12/01-03/08)

100 840 0001
1J0 819 022 A

Resistor, interior blower



Notes

Resistance [Ohm]
Voltage [V]

for vehicles with air conditioning
1,0
12

References

1J0 819 022 A

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Sender unit, interior temperature
100 810 0009
 4A0 820 539 A

Notes

for vehicles with air conditioning

Number of Poles 2
 Operating Voltage 12

References

4A0 820 539 A


Application info

Superb I (3U) (12/01-03/08)

Sender unit, interior temperature
100 899 0095
 1H0 907 543 A

Notes

for vehicles with automatic climate control

Number of Poles 2
 Operating Voltage 12
 Temperature Range [°C] -40 - +85
 NTC Sensor

References

1H0 907 543 A


Application info

Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

Sender unit, interior temperature
100 899 0096
 1J0 907 543 A

Notes

for vehicles with air conditioning

Number of Poles 2
 Operating Voltage 12
 Temperature Range [°C] -40 - +85
 NTC Sensor

References

1J0 907 543 A


Application info

Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

100 830 0014
191 955 531

Wiper intermittent relay



Notes

Number of Poles	6
Port Type	1x 2,8 mm
Port Type	5x 6,3 mm
Operating Voltage	12
Rated current [A]	10

References

191 955 531

Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

100 850 0009
1K0 953 519 J

Wiper switch



Notes

with wipe-wash function
with board computer function
Black

References

1K0 953 519 J

Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

114 890 0007
02T 945 415 P

Back up light switch



Notes

Number of Poles	2
Thread Size	M12 x 1,5
Spanner Size	22
	Lock

References

02K 945 415 C	02T 945 415 D
02K 945 415 E	02T 945 415 P
02T 945 415	



Back up light switch

114 890 0007
 02T 945 415 P

+ Application info

Citigo (10/11--)
 Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Octavia I (1U_) (09/96-12/10)
 Octavia II (1Z_) (02/04--)

Octavia III (5E3/5E5) (11/12--)
 Rapid II (NH) (10/11--)
 Roomster (03/06--)
 Superb II (3T) (03/08--)
 Yeti (5L) (05/09--)

Sensor, odometer

100 409 0001
 012 409 191 D

Notes

Number of Poles	without cable
Operating Voltage	2
	12
	Reed Contact
	Passive sensor

References

012 409 191 D



Application info

Superb I (3U) (12/01-03/08)

Sensor, odometer

100 919 0021
 1H0 919 149 A

Notes

Number of Teeth	15
	without cable
	with seal
Number of Poles	3

References

1H0 919 149 A



Application info

Octavia I (1U_) (09/96-12/10)

114 800 0001
1J0 919 149 A

Sensor, odometer



Notes

Number of Poles

with seal
without cable
3
Manual Transmission, 6-speed
Manual Transmission, 5-speed

References

1J0 919 149 A


Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 830 0003
1J0 906 381 A

Multifunction relay



Notes

Number of Poles 4
Length [mm] 30
Port Type 1x 2,8 mm
Port Type 3x 6,3 mm
Operating Voltage 12
Width [mm] 30
Height [mm] 30
Temperature Range [°C] -40 - +70
Lock
Rated current [A] 15
Normally open contact
Terminal 30
Tailgate
Sunroof
Engine control unit
Fuel Pump
Licence plate light
Shift Lever

References

1J0 906 381 A

357 906 381 A

Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

Multifunction relay

100 906 0001
 191 906 383 C

Notes

Number of Poles	4
Length [mm]	28
Port Type	2x 9,5 mm
Port Type	1x 6,3 mm
Port Type	1x 2,8 mm
Operating Voltage	12
Width [mm]	28
Height [mm]	24.5
Rated current [A]	Lock 40
	Normally open contact Exterior mirror adjustment Fan, engine cooling Fuel Pump Suction pipe pre-heating

References

191 906 383	857 951 253
191 906 383 C	



Application info

Fabia I (08/99-03/08)
 Octavia I (1U_) (09/96-12/10)
 Octavia II (1Z_) (02/04--)

Superb I (3U) (12/01-03/08)
 Superb II (3T) (03/08--)

Multifunction relay


100 927 0000
 191 927 841

Notes

Resistance [Ohm]	680
Number of Poles	6
Length [mm]	28
Port Type	1x 2,8 mm
Port Type	5x 6,3 mm
Operating Voltage	12
Width [mm]	28
Height [mm]	25
Temperature Range [°C]	-40 - +70
Rated current [A]	Directional Contact 40
Rated current [A]	15
	Seat Adjustment Normally open contact ABS Immobilizer Low Beam Central Locking Alarm System Daytime Running Lamp Heated rear window Air Conditioning Fan, engine cooling

References

191 927 841	431 951 253 D
701 927 841	



100 927 0000
191 927 841

Multifunction relay

Application info

Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

114 830 0000
4H0 951 253

Multifunction relay

Notes

Resistance [Ohm]	560
Number of Poles	4
Length [mm]	27.8
Port Type	2 x 6,3 mm
Port Type	2 x 9,5 mm
Operating Voltage	12
Width [mm]	27.8
Height [mm]	25
Temperature Range [°C]	-40 - +85
	Lock
	Green
Rated current [A]	70
	Seat Heating
	Headlight system
	X contact relief
	Normally open contact
	Additional Water Pump
	Clamp 15
	Battery main switch
	Terminal 30
	Water pump after-run
	Heated rear window
	Heated windscreen
	Interior Blower
	Electric booster heater

References

4H0 951 253

Application info

Citigo (10/11--)
Fabia II (12/06--)
Octavia II (1Z_) (02/04--)
Octavia III (5E3/5E5) (11/12--)

Rapid II (NH) (10/11--)
Roomster (03/06--)
Superb II (3T) (03/08--)
Yeti (5L) (05/09--)

5

Multifunction relay
114 830 0002
 4H0 951 253 A

Notes

Resistance [Ohm]	560
Number of Poles	4
Length [mm]	27.8
Port Type	3x 4,8 mm
Port Type	1x 6,3 mm
Operating Voltage	12
Width [mm]	27.8
Height [mm]	25.4
Temperature Range [°C]	-40 - +85
Rated current [A]	40
	Clamp 87
	Head space heating
	Normally open contact
	Engine control unit
	Heated rear window
	Central electrics
	Starter
	Terminal 30
	Fuel Pump
	Wash Water Pump, headlight cleaning
	Air Conditioning
	Clamp 15
	Pump, automatic transmission
	Terminal 50
	Horn
	Safety Belt Tensioner
	Alarm System
	Brake Booster
	Flashing beacon
	Gearbox oil auxiliary hydraulic pump (hybrid)
	Towbar Socket
	Fog Light
	Heated windscreen
	Parking Heater
	Secondary Air System
	Terminal 75

References

4H0 951 253 A

Application info

Citigo (10/11--)	Rapid II (NH) (10/11--)
Fabia II (12/06--)	Roomster (03/06--)
Octavia II (1Z_) (02/04--)	Superb II (3T) (03/08--)
Octavia III (5E3/5E5) (11/12--)	Yeti (5L) (05/09--)

114 830 0001
4H0 951 253 C

Multifunction relay

Notes

Resistance [Ohm]	680
Number of Poles	5
Length [mm]	23
Port Type	2x 6,3 mm
Port Type	3x 4,8 mm
Operating Voltage	12
Width [mm]	15
Height [mm]	26
Temperature Range [°C]	-40 - +85
Rated current [A]	40
Rated current [A]	20
	Clamp 15
	Starter
	Daytime Running Lamp
	Engine control unit
	Terminal 50
	Wash Water Pump, headlight cleaning
	Interior Blower
	Parking Light
	Wash Water Pump, windscreen
	Additional Water Pump
	Remote Lock, boot-/ loading bay hatch
	Low Beam
	Air Horn
	Heated rear window
	Surge protection
	Horn
	Heated windscreen
	Normally open contact
	Terminal 75
	Cigarette Lighter
	Electric booster heater

References

4H0 951 253 C

Application info

Citigo (10/11--)
 Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Octavia II (1Z_) (02/04--)
 Octavia III (5E3/5E5) (11/12--)

Rapid II (NH) (10/11--)
 Roomster (03/06--)
 Superb II (3T) (03/08--)
 Yeti (5L) (05/09--)

5

Multifunction relay

100 830 0015
 7N0 951 253

Notes

Resistance [Ohm]	560
Number of Poles	5
Length [mm]	26
Port Type	2x 9,5 mm
Port Type	2x 6,3 mm
Port Type	1x 2,8 mm
Operating Voltage	12
Width [mm]	26
Height [mm]	25
Temperature Range [°C]	-40 - +85
Rated current [A]	40
	Normally open contact
	Restart lock
	Start-stop system
	Terminal 50
	Engine control unit
	Clamp 15
	Starter

References

3D0 951 253 A	7N0 951 253
---------------	-------------



Application info

 Citigo (10/11--)
 Fabia II (12/06--)
 Octavia II (1Z_) (02/04--

 Roomster (03/06--)
 Superb II (3T) (03/08--)
 Yeti (5L) (05/09--

Multifunction relay

014 830 0005

Notes

Resistance [Ohm]	560
Number of Poles	5
Length [mm]	23
Port Type	2x 6,3 mm
Port Type	3x 4,8 mm
Operating Voltage	12
Width [mm]	15
Height [mm]	26
Temperature Range [°C]	-30 - +80
Rated current [A]	10
Rated current [A]	30
	Directional Contact
	Parking Heater
	Tank Cap
	Seat Heating
	Daytime Running Lamp
	Electric booster heater
	Window Lift
	Air Conditioning
	Trailer brake light
	Central Locking
	Air Horn
	Indicator
	Normally open contact

References

7M0 951 253 C



014 830 0005

Multifunction relay

Application info

Fabia II (12/06--)

Roomster (03/06--)

100 830 0016

Multifunction relay



Notes

Resistance [Ohm]	560
Number of Poles	5
Length [mm]	23
Port Type	2x 6,3 mm
Port Type	3x 4,8 mm
Operating Voltage	12
Width [mm]	15
Height [mm]	26
Temperature Range [°C]	-40 - +120
Rated current [A]	10
Rated current [A]	30
	Directional Contact
	Additional Water Pump
	Daytime Running Lamp
	Exterior mirror adjustment
	Normally open contact
	Terminal 50
	Water pump after-run
	Electric booster heater
	Hinged Window
	Roof ventilation
	Seat Heating
	Terminal 61
	Heatable Outside Mirror
	Parking Heater
	Air Horn
	Central Locking
	Indicator
	Window Lift
	Fan, engine cooling
	Wash Water Pump, headlight cleaning
	Air Conditioning
	Trailer brake light
	Wash Water Pump, windscreen
	Tank Cap

References

7M0 951 253 C

Application info

Fabia II (12/06--)

Roomster (03/06--)

5

Multifunction relay
100 951 0001
Notes

Number of Poles	4
Length [mm]	28
Port Type	4x 6,3 mm
Operating Voltage	12
Width [mm]	28
Height [mm]	25
Rated current [A]	40
	Lock
	Cigarette Lighter
	Alternator
	Fan, engine cooling
	Alarm System
	Daytime Running Lamp
	Normally open contact
	Pump, automatic transmission
	Secondary Air System
	Fuel cooling
	Heated rear window
	Seat Heating
	Rotating Beacon
	Wash Water Pump, headlight cleaning
	Window Lift
	Cooling fan run on
	Rear Fog Light
	Fog Light
	Starter
	Magnetic clutch
	Fuel Pump
	Air Conditioning
	Engine control unit
	ESP
	Horn

References

141 951 253 B	443 951 253 K
431 951 253 H	8D0 951 253 A


Application info

Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Felicia (10/94-04/02)
 Octavia I (1U_) (09/96-12/10)
 Octavia II (1Z_) (02/04--)

Rapid II (NH) (10/11--)
 Roomster (03/06--)
 Superb I (3U) (12/01-03/08)
 Superb II (3T) (03/08--)

100 020 0009

06B 109 477 A

Belt tensioner



Notes

Height [mm] 37
Outer Diameter [mm] 28.3

References

06B 109 477 A

Application info

Superb I (3U) (12/01-03/08)

100 020 0001

030 145 299 F

Belt tensioner



Notes

Height [mm] 26
Outer Diameter [mm] 70

References

030 145 299 C 030 145 299 F

Parts list

100 145 0003 Tension roller, ribbed belt

Application info

Fabia I (08/99-03/08)
Felicia (10/94-04/02)
Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)
Roomster (03/06--)

100 903 0011

058 903 133 D

Belt tensioner



Notes

Height [mm] 21
Outer Diameter [mm] 73
with holder

References

058 903 133 D

Application info

Superb I (3U) (12/01-03/08)

Belt tensioner
100 903 0010
 078 903 133 AB

Notes

 Height [mm] 25
 Outer Diameter [mm] 76
 with holder

References

078 903 133 AB

Parts list

100 903 0003 Tension roller, ribbed belt


Application info

Superb I (3U) (12/01-03/08)

Belt tensioner
100 903 0006
 038 903 315 K

Notes

 Height [mm] 24
 Outer Diameter [mm] 70

References

038 903 315 K


Application info

Octavia I (1U_) (09/96-12/10)

Belt tensioner
100 903 0000
 06A 903 315 E

Notes

 Height [mm] 24
 Outer Diameter [mm] 70
 with holder

References

06A 903 315 E


Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

6

100 145 0005
038 145 276

Tension roller, ribbed belt



Notes

Width [mm]	25
Outer Diameter [mm]	65
Inner Diameter [mm]	8

References

038 145 276

Application info

Octavia I (1U_) (09/96-12/10)

314 112 0000
047 145 276 B

Tension roller, ribbed belt



Notes

Height [mm]	25
Outer Diameter [mm]	70
Inner Diameter [mm]	10

References

047 145 276 B

Application info

Felicia (10/94-04/02)

100 009 0001
059 145 276

Tension roller, ribbed belt



Notes

Height [mm]	25
Outer Diameter [mm]	76
Inner Diameter [mm]	17

References

059 145 276

Application info

Superb I (3U) (12/01-03/08)

Tension roller, ribbed belt
100 145 0003
 030 145 299 F*

Notes

for vehicles with power steering

Height [mm]	26
Outer Diameter [mm]	70
Inner Diameter [mm]	17

References

030 145 299 F*


Application info

Fabia I (08/99-03/08)
 Felicia (10/94-04/02)
 Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)
 Roomster (03/06--)

Tension roller, ribbed belt
100 903 0001
 058 903 133 D*

Notes

Height [mm]	21
Outer Diameter [mm]	73
Inner Diameter [mm]	17

References

058 903 133 D*


Application info

Superb I (3U) (12/01-03/08)

Tension roller, ribbed belt
100 903 0003
 078 903 133 AB*

Notes

Height [mm]	25
Outer Diameter [mm]	76
Inner Diameter [mm]	17

References

078 903 133 AB*


Application info

Superb I (3U) (12/01-03/08)

100 260 0001
058 260 511

Tensioner pulley, ribbed belt



Notes

Height [mm]	15.5
Outer Diameter [mm]	60
Driven unit: aircon compressor with holder	

References

058 260 511

Application info

Superb I (3U) (12/01-03/08)

100 109 0028
030 109 243 K

Tensioner pulley, timing belt



Notes

Height [mm]	22
Outer Diameter [mm]	61
Inner Diameter [mm]	8
with holder	

References

030 109 243 K

Application info

Felicia (10/94-04/02)

Octavia I (1U_) (09/96-12/10)

100 109 0063
038 109 243 N

Tensioner pulley, timing belt



Notes

Height [mm]	25
Outer Diameter [mm]	68
Inner Diameter [mm]	8
with holder	

References

038 109 243 N

Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

Tensioner pulley, timing belt
100 109 0049
 06B 109 243 E

Notes

 Height [mm] 30
 Outer Diameter [mm] 72
 with holder

References

06B 109 243 B 06B 109 243 E


Application info

Superb I (3U) (12/01-03/08)

Tensioner pulley, timing belt
100 109 0054
 06B 109 243 F

Notes

 Height [mm] 31
 Outer Diameter [mm] 72
 with holder

References

06B 109 243 D 06B 109 243 F


Application info

Octavia I (1U_) (09/96-12/10)

Tensioner pulley, timing belt
100 109 0041
 078 109 243 S

Notes

 Height [mm] 32
 Outer Diameter [mm] 73
 without add-on material

References

078 109 243 R 078 109 243 S


Application info

Superb I (3U) (12/01-03/08)

100 109 0051

038 109 244 J

Timing belt roller



Notes

Height [mm]	36
Outer Diameter [mm]	40

References

038 109 244 J

Application info

Fabia I (08/99-03/08)
Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)
Superb I (3U) (12/01-03/08)

100 109 0034

03L 109 244 D

Timing belt roller



Notes

Height [mm]	29
Outer Diameter [mm]	28
Inner Diameter [mm]	8

References

03L 109 244 D 058 109 244

Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

100 109 0052

06B 109 244

Timing belt roller



Notes

Height [mm]	27
Outer Diameter [mm]	28.5
Inner Diameter [mm]	10

References

06B 109 244

Application info

Octavia I (1U_) (09/96-12/10)
Octavia II (1Z_) (02/04--)

Superb I (3U) (12/01-03/08)

Clutch master cylinder

100 142 0004
 1J1 721 388 G

Notes

 Diameter [mm] for left-hand drive vehicles
 15.87

References

 1J1 721 388 A 1J1 721 388 E
 1J1 721 388 C 1J1 721 388 G


Application info

Octavia I (1U_) (09/96-12/10)

Clutch slave cylinder

100 142 0005
 1J0 721 261 J

Notes

Diameter [mm] 19.05

References

1J0 721 261 J 1J0 721 261 L



Application info

Octavia I (1U_) (09/96-12/10)

Pilot bearing, clutch

100 105 0004
 056 105 313 C

Notes

 Height [mm] 15
 Outer Diameter [mm] 21
 Inner Diameter [mm] 14

References

056 105 313 C



Application info

Superb I (3U) (12/01-03/08)

100 226 0005
1J0 121 087 A

Coolant flange



Notes

with seal

References

1J0 121 087 A

Application info

Octavia I (1U_) (09/96-12/10)

100 121 1065
1J0 121 087 B

Coolant flange



Notes

for foreflow
with seal

References

1J0 121 087 B

Application info

Fabia I (08/99-03/08)
Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 121 1051
030 121 121 B

Coolant flange



Notes

with seal

References

030 121 121 B

Application info

Felicia (10/94-04/02)

Coolant flange
114 226 0001
 032 121 121 K

Notes

Manufacturer Restriction

 Henschel
 with seal

References

032 121 121 K


Application info

 Fabia I (08/99-03/08)
 Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Coolant flange
100 121 0052
 038 121 121

Notes

 Front
 with seal

References

038 121 121


Application info

Octavia I (1U_) (09/96-12/10)

Coolant flange
100 121 1052
 06A 121 121 C

Notes

 with seal
 from engine to engine cooler

References

06A 121 121 C


Application info

 Fabia I (08/99-03/08)
 Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 226 0001
028 121 132 B

Coolant flange



Notes

Front
with seal
Piece

References

028 121 132 B

Application info

Felicia (10/94-04/02)

100 121 0057
038 121 132 C

Coolant flange



Notes

with seal

References

038 121 132 C

Application info

Fabia I (08/99-03/08)
Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 121 0113
058 121 132 C

Coolant flange



Notes

with seal

References

058 121 132 A

058 121 132 C

Application info

Superb I (3U) (12/01-03/08)

Coolant flange
100 121 0068
 06A 121 132 A

Notes

with seal

References

06A 121 132 A


Application info

Octavia I (1U_) (09/96-12/10)

Coolant flange
100 121 0059
 06A 121 132 AP

Notes

 with seal
 without holder

References

06A 121 132 AP

06A 121 132 Q


Application info

Octavia I (1U_) (09/96-12/10)

Coolant flange
100 121 0059/C
 06A 121 132 AP

Notes

 with holder
 with seal

References

06A 121 132 AP

06A 121 132 Q

Parts list

100 121 0059

Coolant flange


Application info

Octavia I (1U_) (09/96-12/10)

100 121 0106

026 121 144 E

Coolant flange



Notes

with seal

References

026 121 144 A
026 121 144 E
037 121 144 A

026 121 145 E
037 121 145

Application info

Felicia (10/94-04/02)

114 226 0003

6Q0 122 291 E

Coolant flange



Notes

with seal
from connecting pipe to engine
cooler

References

6Q0 122 291 E

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)
Octavia II (1Z_) (02/04--)

Roomster (03/06--)
Superb II (3T) (03/08--)
Yeti (5L) (05/09--)

114 239 0001

1J0 122 291 B

Cooling water pipe



Notes

Upper

References

1J0 122 291 B

Application info

Octavia I (1U_) (09/96-12/10)

Expansion tank
100 121 0061
 8D0 121 403 L

References

8D0 121 403 L


Application info

Superb I (3U) (12/01-03/08)

Expansion tank
100 223 0005
 6Q0 121 407 B

References

 6Q0 121 407
 6Q0 121 407 A

6Q0 121 407 B


Application info

Fabia I (08/99-03/08)

Expansion tank cap
100 238 0002
 3B0 121 321

Notes

Pressure [bar]

 1.4
 Blue

References

3B0 121 321



6

+

100 238 0002
3B0 121 321

Expansion tank cap

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)
Octavia I (1U_) (09/96-12/10)
Octavia II (1Z_) (02/04--)

Roomster (03/06--)
Superb I (3U) (12/01-03/08)
Superb II (3T) (03/08--)

100 121 0071
058 121 301 B

Fan blade



Notes

Diameter [mm] 353
Number of Wings 11

References

058 121 301 B

Application info

Superb I (3U) (12/01-03/08)

100 121 0089
078 121 301 E

Fan blade



Notes

Diameter [mm] 350
Number of Wings 8

References

078 121 301 E


Application info

Superb I (3U) (12/01-03/08)

Fan clutch
100 121 0036
 058 121 350

References

058 121 350



Application info

Superb I (3U) (12/01-03/08)

Fan clutch
100 121 0038
 078 121 350 A

References

078 121 350 A


Application info

Superb I (3U) (12/01-03/08)

Freeze plug
100 103 0016
 036 103 113 A

Notes

Diameter [mm] 36.6

References

036 103 113 A 059 103 113


Application info

 Fabia I (08/99-03/08)
 Felicia (10/94-04/02)
 Octavia I (1U_) (09/96-12/10)

 Octavia II (1Z_) (02/04--)
 Superb I (3U) (12/01-03/08)

100 121 0080
357 121 140

Plug, coolant flange



Notes

with accessories

References

357 121 140
357 121 140 S

357 121 999 X

Application info

Fabia I (08/99-03/08)
Felicia (10/94-04/02)

Octavia I (1U_) (09/96-12/10)
Superb I (3U) (12/01-03/08)

100 236 0007
1C0 959 455 C

Radiator fan motor



Notes

Diameter [mm]
Rated Power [W]

290
220/60

References

6QD 959 455 C
1C0 959 455 C

1J0 959 455 M

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)

Octavia I (1U_) (09/96-12/10)

120 900 4346
1J0 959 455 P

Radiator fan motor



Notes

Diameter [mm]
Rated Power [W]

290
220/60

References

1J0 959 455 P

Application info

Octavia I (1U_) (09/96-12/10)

Radiator fan motor
100 236 0003
 1K0 959 455 DG

Notes

Diameter [mm]	Right
Rated Power [W]	295
	150

References

1K0 959 455 DG	1K0 959 455 R
1K0 959 455 ES	


Application info

Octavia II (1Z_) (02/04--)

Radiator fan motor
100 236 0050
 1K0 959 455 ET

Notes

Diameter [mm]	Right
Rated Power [W]	295
	200

References

1K0 959 455 DH	1K0 959 455 Q
1K0 959 455 ET	


Application info

Octavia II (1Z_) (02/04--)

Radiator fan motor
100 236 0040
 6Q0 959 455 D

Notes

Manufacturer Restriction	TEMIC
Diameter [mm]	385
Rated Power [W]	100

References

6Q0 959 455 D


Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

Roomster (03/06--)

100 236 0019
6Q0 959 455 J

Radiator fan motor



Notes

Manufacturer Restriction	TEMIC
Diameter [mm]	290
Rated Power [W]	90

References

6Q0 959 455 J

Application info

Fabia I (08/99-03/08)

100 236 0047
6Q0 959 455 N

Radiator fan motor



Notes

Diameter [mm]	385
Rated Power [W]	250/60

References

6Q0 959 455 N

Application info

Fabia I (08/99-03/08)

Roomster (03/06--)

100 236 0008
6X0 959 455 C

Radiator fan motor



Notes

Number of Poles	3
Diameter [mm]	345
Rated Power [W]	250/60

References

6H0 959 455	6X0 959 455
6Q0 959 455 H	6X0 959 455 C

Application info

Fabia I (08/99-03/08)

Roomster (03/06--)

Radiator fan motor
100 236 0009
 6X0 959 455 F

Notes

Number of Poles 3
 Diameter [mm] 345
 Rated Power [W] 250/60

References

6Q0 959 455 K 6X0 959 455 F
 6X0 959 455 A


Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

Radiator fan motor
100 236 0022
 8D0 959 455 R

Notes

Diameter [mm] 280
 Rated Power [W] 300

References

8D0 959 455 P 8D0 959 455 R


Application info

Superb I (3U) (12/01-03/08)

Radiator fan motor
100 236 0027
Notes

Outer Diameter [mm] 280
 Rated Power [W] 300

References

8D0 959 455 P


Application info

Superb I (3U) (12/01-03/08)

119 121 0164
06B 121 058

Radiator hose



Notes

for backflow
from oil cooler to water pipe

References

06B 121 058

Application info

Superb I (3U) (12/01-03/08)

119 121 0165
06B 121 058 S

Radiator hose



Notes

for foreflow
from oil cooler to water pipe

References

06B 121 058 S

Application info

Superb I (3U) (12/01-03/08)

119 121 0132
1J0 121 058 AC

Radiator hose



Notes

Automatic Transmission
from oil cooler to water pipe

References

1J0 121 058 AC

1J0 121 058 E

Application info

Octavia I (1U_) (09/96-12/10)

Radiator hose
119 121 0133
 1J0 121 086 B

Notes

 Centre
 from oil cooler to water pipe

References

1J0 121 086 B


Application info

Octavia I (1U_) (09/96-12/10)

Radiator hose
119 222 0004
 1J0 121 086 BG

Notes

from oil cooler to water pipe

References

1J0 121 086 BG


Application info

Octavia I (1U_) (09/96-12/10)

Radiator hose
119 121 0131
 1J0 121 096 AF

Notes

 from connecting pipe to engine
 cooler

References

1J0 121 096 AF


Application info

Octavia I (1U_) (09/96-12/10)

119 222 0005

1J0 121 096 BK

Radiator hose



Notes

from coupling piece to water pipe

References

1J0 121 096 BK

Application info

Octavia I (1U_) (09/96-12/10)

119 121 0122

1J0 121 109 B

Radiator hose



Notes

from expansion tank to water pipe

References

1J0 121 109 B

Application info

Octavia I (1U_) (09/96-12/10)

119 222 0006

1J0 121 447 L

Radiator hose



Notes

from throttle body to distributor

References

1J0 121 447 L

Application info

Octavia I (1U_) (09/96-12/10)

6

Radiator hose
119 121 0178
 058 121 471 B

Notes

 for backflow
 from engine to water pipe

References

058 121 471 B


Application info

Superb I (3U) (12/01-03/08)

Radiator hose
119 222 0007
 1J0 122 051 H

Notes

 Lower
 Manual Transmission

References

1J0 122 051 H


Application info

Octavia I (1U_) (09/96-12/10)

Radiator hose
119 121 0069
 037 122 058

Notes

from water pump to water pipe

References

037 122 058


Application info

Felicia (10/94-04/02)

119 222 0016
1J0 122 101 D

Radiator hose

Notes

Upper
for vehicles with air conditioning
from connecting pipe to engine
cooler

References

1J0 122 101 D

Application info

Octavia I (1U_) (09/96-12/10)

119 222 0017
6Q0 122 101 AQ

Radiator hose

Notes

Upper
for foreflow
from coolant regulator housing to
engine cooler

References

6Q0 122 101 AQ

Application info

Fabia I (08/99-03/08)

100 121 1025
032 121 110 B

Thermostat



Notes

Manufacturer Restriction
Temperature Range [°C]

Henschel
87 - 102
with seal

References

032 121 110 B

Application info

Fabia I (08/99-03/08)
Felicia (10/94-04/02)

Octavia I (1U_) (09/96-12/10)

6

Thermostat 128 228 0002 03C 121 110 A

Notes
 Opening Temperature [°C] 87

References
 03C 121 110 A



Application info
 Fabia I (08/99-03/08)
 Fabia II (12/06--)

Octavia II (1Z_) (02/04--)
 Roomster (03/06--)

Thermostat 028 287 0009 050 121 113 C

Notes
 Opening Temperature [°C] 87
 with seal

References
 050 121 113 C



Application info
 Fabia I (08/99-03/08)
 Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

Thermostat 100 121 0048 068 121 113 H

Notes
 Temperature Range [°C] 87 - 102
 with seal

References
 068 121 113 068 121 113 D
 068 121 113 B 068 121 113 H



100 121 0048
068 121 113 H

Thermostat

Application info

Fabia I (08/99-03/08)
Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

028 271 0006
078 121 113 F

Thermostat



Notes

Opening Temperature [°C] 71
with seal

References

078 121 113 F

Application info

Superb I (3U) (12/01-03/08)

028 280 0008
078 121 113 F

Thermostat



Notes

Opening Temperature [°C] 80
with seal

References

078 121 113 F

Application info

Superb I (3U) (12/01-03/08)

Thermostat

028 287 0007
 078 121 113 F

Notes

 Opening Temperature [°C] 87
 with seal

References

078 121 113 F



Application info

Superb I (3U) (12/01-03/08)

Thermostat

028 292 0009
 078 121 113 G

Notes

 Opening Temperature [°C] 92
 with seal

References

078 121 113 G



Application info

Superb I (3U) (12/01-03/08)

Thermostat housing

128 228 0005
 03C 121 111 B

Notes

 Opening Temperature [°C] with thermostat
 87
 with thermo sender

References

03C 121 111 B

Parts list

 128 228 0002 Thermostat
 100 919 0032 Sender unit, coolant temperature


Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

Roomster (03/06--)

113 012 0031
028 121 004 X

Water pump



Notes

with seal

References

028 121 004
028 121 004 V

028 121 004 X

Application info

Felicia (10/94-04/02)

113 220 0014
059 121 004 E

Water pump



Notes

with seal
for toothed belt drive

References

059 121 004 D
059 121 004 DX


059 121 004 E
059 121 004 EX

Application info

Superb I (3U) (12/01-03/08)

113 220 0002
03D 121 005

Water pump



Notes

with seal

References

03D 121 005
03D 121 005 X

03D 121 013 B

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)

Roomster (03/06--)

Water pump


113 012 8100
 078 121 006

Notes

 with seal
 for toothed belt drive

References

078 121 004 H	078 121 004 JX
078 121 004 HV	078 121 004 Q
078 121 004 HX	078 121 004 QX
078 121 004 J	078 121 006
078 121 004 JV	078 121 006 X



Application info

Superb I (3U) (12/01-03/08)

Water pump

113 012 0024
 030 121 008 K

Notes

Number of Teeth	27
	with seal
	for toothed belt drive

References

030 121 005 N	030 121 005 TX
030 121 005 NV	030 121 008 D
030 121 005 NX	030 121 008 DX
030 121 005 T	030 121 008 K
030 121 005 TV	030 121 008 M



Application info

Felicia (10/94-04/02)

Octavia I (1U_) (09/96-12/10)

Water pump

113 012 0040
 036 121 008 M

Notes

Number of Teeth	27
	with seal
	for toothed belt drive

References

036 121 005 B	036 121 008 K
036 121 005 E	036 121 008 KX
036 121 005 EX	036 121 008 L
036 121 005 Q	036 121 008 LX
036 121 005 QX	036 121 008 M
036 121 005 S	036 121 008 MX
036 121 005 SX	



113 012 0040

036 121 008 M

Water pump

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)
Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)
Roomster (03/06--)

113 220 0004

03C 121 008 C

Water pump



Notes

with seal

References

03C 121 005 D	03C 121 005 LX
03C 121 005 DX	03C 121 005 S
03C 121 005 K	03C 121 005 SX
03C 121 005 KX	03C 121 008 C
03C 121 005 L	03C 121 008 CX

Application info

Fabia II (12/06--)
Octavia II (1Z_) (02/04--)

Roomster (03/06--)

113 220 0016

03C 121 008 E

Water pump



Notes

with seal

References

03C 121 005 N	03C 121 008 B
03C 121 005 R	03C 121 008 E

Application info

Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Water pump
113 220 0012
 022 121 011 A

Notes

with seal

References

022 121 011 A


Application info

Superb II (3T) (03/08--)

Water pump
113 012 0037
 038 121 011 A

Notes

Number of Teeth

 19
 with seal
 for toothed belt drive

References

 038 121 011
 038 121 011 A

038 121 011 AX


Application info

Octavia I (1U_) (09/96-12/10)

Water pump

113 220 0018/HD
 03L 121 011 G

Notes

Number of Teeth

 19
 with seal
 for toothed belt drive

References

 038 121 011 C
 038 121 011 D
 038 121 011 G
 038 121 011 H

 038 121 011 J
 038 121 011 K
 03G 121 011
 03L 121 011 G

Application info

 Octavia I (1U_) (09/96-12/10)
 Octavia II (1Z_) (02/04--)
 Superb I (3U) (12/01-03/08)

 Superb II (3T) (03/08--)
 Yeti (5L) (05/09--)

113 220 0019

03L 121 011 H

Water pump



Notes

Number of Teeth 19
with seal
for toothed belt drive

References

03L 121 011 03L 121 011 E

Application info

Fabia II (12/06--)
Octavia II (1Z_) (02/04--)
Roomster (03/06--)
Superb II (3T) (03/08--)
Yeti (5L) (05/09--)

113 220 0021

03L 121 011 J

Water pump



Notes

Number of Teeth 19
with seal
for toothed belt drive

References

03L 121 011 C 03L 121 011 J

Application info

Fabia II (12/06--)
Octavia II (1Z_) (02/04--)
Rapid II (NH) (10/11--)
Superb II (3T) (03/08--)
Yeti (5L) (05/09--)

113 012 0050

045 121 011 B

Water pump



Notes

Number of Teeth 19
with seal
for toothed belt drive

References

045 121 011 B 045 121 011 BX

6

+

Water pump
113 012 0050
 045 121 011 B

Application info
 Fabia I (08/99-03/08)

Water pump
113 012 0059
 045 121 011 C

Notes

 Number of Teeth 19
 with seal
 for toothed belt drive

References

045 121 011 C 045 121 011 CX


Application info

Fabia I (08/99-03/08)

Water pump
113 012 0056
 045 121 011 H

Notes

 Number of Teeth 19
 with seal
 for toothed belt drive

References

 045 121 011 F 045 121 011 HX
 045 121 011 H

Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Octavia I (1U_) (09/96-12/10)

 Octavia II (1Z_) (02/04--)
 Roomster (03/06--)
 Superb II (3T) (03/08--)

6

113 012 0057
045 121 011 J

Water pump



Notes

Number of Teeth 19
with seal
for toothed belt drive

References

045 121 011 G 045 121 011 J
045 121 011 J

Application info

Fabia I (08/99-03/08)

013 012 0039
047 121 011

Water pump



Notes

Number of Ribs 4
with seal
for v-ribbed belt use

References

007 070 246 047 121 011

Application info

Felicia (10/94-04/02)

113 005 0001
047 121 011 A

Water pump



Notes

with seal

References

115 050 000 047 121 011 A
115 050 001

Application info

Favorit (05/89-06/97)

Water pump

113 012 0038
 047 121 011 B

Notes


Number of Ribs

 for vehicles with air conditioning
 6
 with seal
 for v-ribbed belt use

References

007 070 251

047 121 011 B



Application info

Felicia (10/94-04/02)

Water pump

113 012 0052
 06B 121 011 M

Notes

Number of Teeth

 23
 with seal
 for toothed belt drive

References

 06B 121 011 H
 06B 121 011 HX

 06B 121 011 M
 06B 121 011 MX


Application info

Octavia II (1Z_) (02/04--)

Water pump


113 012 0033/HD
 06B 121 011 Q

Notes

Number of Teeth

 23
 with seal
 for toothed belt drive

References

 06B 121 011
 06B 121 011 A
 06B 121 011 B
 06B 121 011 C
 06B 121 011 E
 06B 121 011 EX

 06B 121 011 L
 06B 121 011 LX
 06B 121 011 N
 06B 121 011 Q
 06B 121 011 QX

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

113 220 0011/HD
06F 121 011

Water pump 

Notes

Number of Teeth 23
with seal
for toothed belt drive

References

06A 121 011 06F 121 011

Application info

Octavia II (1Z_) (02/04--)

113 012 0027
06A 121 012 G

Water pump



Notes

Number of Teeth 23
with seal
for toothed belt drive

References

06A 121 011 C	06A 121 011 TX
06A 121 011 E	06A 121 012
06A 121 011 F	06A 121 012 D
06A 121 011 G	06A 121 012 E
06A 121 011 H	06A 121 012 G
06A 121 011 L	06A 121 012 GX
06A 121 011 LX	06A 121 012 X
06A 121 011 T	

Application info

Fabia I (08/99-03/08)
Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

113 220 0008
047 121 013 R

Water pump



Notes

with seal

References

047 121 013 L	047 121 013 P
047 121 013 M	047 121 013 R

Water pump
113 220 0008
 047 121 013 R

Application info
 Fabia I (08/99-03/08)

Water pump

113 220 0023/HD
 06H 121 026 CC

Notes

Number of Teeth 29
 without housing
 with seal
 for toothed belt drive

References

06H 121 026 AB	06H 121 026 N
06H 121 026 AF	06J 121 026 A
06H 121 026 AG	06J 121 026 AG
06H 121 026 B	06J 121 026 B
06H 121 026 BA	06J 121 026 F
06H 121 026 BE	06J 121 026 G
06H 121 026 BF	06J 121 026 J
06H 121 026 CC	06J 121 026 L
06H 121 026 CF	06J 121 026 M

Application info

Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Breather hose
100 036 0007
 06A 133 240

Notes

with holder

References

06A 133 240


Application info

Octavia I (1U_) (09/96-12/10)

6

100 899 0078
077 103 245 B

Breather valve



References
077 103 245 B

Application info

Superb I (3U) (12/01-03/08)

100 224 0006
06A 103 213 F

Breather hose



References
06A 103 213 F

Application info

Octavia I (1U_) (09/96-12/10)

Superb II (3T) (03/08--)

100 036 0020
06B 103 217 AC

Breather hose



References
06B 103 217 AC

Application info

Superb I (3U) (12/01-03/08)

6

Breather hose
100 036 0032
 06B 103 221 P

References

 06B 103 221 A 06B 103 221 P
 06B 103 221 B

Application info

Superb I (3U) (12/01-03/08)

Oil seal, camshaft
100 103 0100
 068 103 085 E

Notes

	Transmission End
Height [mm]	10
Outer Diameter [mm]	47
Inner Diameter [mm]	32

References

026 103 085 E 068 103 085 E


Application info

Felicia (10/94-04/02)

Octavia I (1U_) (09/96-12/10)

Valve guide
100 103 0015
 056 103 419 A

Notes

Outer Diameter [mm]	12
Inner Diameter [mm]	7.8

References

056 103 419 A


Application info

Felicia (10/94-04/02)

100 109 0027
034 109 309 AD

Valve lifter



Notes

Height [mm]	26
Outer Diameter [mm]	35
	Hydraulic

References

034 109 309 AD

Application info

Octavia I (1U_) (09/96-12/10)

112 321 0010
6K0 129 607 T

Air filter



Notes

	Filter Insert
Length [mm]	275
Width [mm]	184.5
Height [mm]	57

References

6K0 129 607 T

Application info

Felicia (10/94-04/02)

112 129 0019
036 129 620 F

Air filter



Notes

	Filter Insert
Length [mm]	418
Width [mm]	187
Height [mm]	32

References

036 129 620 F

Application info

Octavia I (1U_) (09/96-12/10)

6

Air filter
112 321 0007
 036 129 620 H

Notes

	Filter Insert
Length [mm]	372
Width [mm]	190
Height [mm]	42.5

References

036 129 620 H


Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

Roomster (03/06--)


Air filter
112 321 0004
 03D 129 620

Notes

	Filter Insert
Length [mm]	359.5
Width [mm]	247
Height [mm]	33

References

03D 129 620


Application info

Fabia I (08/99-03/08)

Air filter
112 129 0033
 03E 129 620

Notes

	Filter Insert
Length [mm]	300
Width [mm]	155
Height [mm]	46.9

References

03E 129 620


Application info

Fabia I (08/99-03/08)

Roomster (03/06--)

112 129 0005
056 129 620

Air filter



Notes

Height [mm]	Filter Insert
Outer Diameter [mm]	62
Inner Diameter [mm]	282
	222

References

056 129 620	551 129 620
-------------	-------------

Application info

Favorit (05/89-06/97)
Felicia (10/94-04/02)

Octavia I (1U_) (09/96-12/10)

100 321 0008
1F0 129 620

Air filter



Notes

Height [mm]	Filter Insert
Outer Diameter [mm]	221
Inner Diameter [mm]	136
	68

References

1F0 129 620


Application info

Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

112 129 0010
1J0 129 620

Air filter



Notes

	without pre-filter
	Filter Insert
Length [mm]	359
Width [mm]	184.5
Height [mm]	50

References

1J0 129 620

Application info

Octavia I (1U_) (09/96-12/10)

Air filter
112 129 0035
 1J0 129 620 A

Notes

	with pre-filter
	Filter Insert
Length [mm]	359
Width [mm]	184.5
Height [mm]	65

References

1J0 129 620 A


Application info

Octavia I (1U_) (09/96-12/10)

Air filter
112 321 0006
 1K0 129 620

Notes

	Filter Insert
Length [mm]	347
Width [mm]	223
Height [mm]	50

References

1K0 129 620


Application info

Superb II (3T) (03/08--)


Air filter
112 129 0040
 1K0 129 620 D

Notes

	Filter Insert
Length [mm]	344
Width [mm]	135
Height [mm]	70

References

1K0 129 620 D


Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

112 129 0015
1L0 129 620 A

Air filter



Notes

	Filter Insert
Length [mm]	275
Width [mm]	184.5
Height [mm]	65

References


1L0 129 620 A	1L0 129 620 C
---------------	---------------

Application info

Felicia (10/94-04/02)

112 321 0030
5Q0 129 620 B

Air filter



Notes

	Filter Insert
Length [mm]	292
Width [mm]	176.5
Height [mm]	70

References


5Q0 129 620 B

Application info

Octavia III (5E3/5E5) (11/12--)

112 129 0000
6Q0 129 620

Air filter



Notes

	Filter Insert
Length [mm]	213
Width [mm]	218.3
Height [mm]	70.3

References

5Z0 129 620 A	6Q0 129 620
---------------	-------------

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)

Roomster (03/06--)

Air filter
112 321 0008
 6R0 129 620 A

Notes

	Filter Insert
Height [mm]	170
Outer Diameter [mm]	142
Inner Diameter [mm]	72

References

6R0 129 620 A


Application info

 Fabia II (12/06--)
 Rapid II (NH) (10/11--)

Roomster (03/06--)


Air filter
112 129 0047
 6U0 129 620

Notes

	Filter Insert
Length [mm]	275
Width [mm]	184.5
Height [mm]	57

References

6U0 129 620


Application info

Felicia (10/94-04/02)


Air filter
100 321 0009
 6Y0 129 620

Notes

	Filter Insert
Length [mm]	213
Width [mm]	219.5
Height [mm]	58

References

6Y0 129 620


Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

Roomster (03/06--)

112 133 0001
058 133 843

Air filter



Notes

Length [mm]	Filter Insert
Width [mm]	254
Height [mm]	212.5
	57.3

References

058 133 843

Application info

Superb I (3U) (12/01-03/08)

100 321 0012
059 133 843 A

Air filter



Notes

Length [mm]	Filter Insert
Width [mm]	254
Height [mm]	212.5
	69

References


059 133 843 A

Application info

Superb I (3U) (12/01-03/08)

112 321 0026
06F 133 843 A

Air filter



Notes

Length [mm]	Filter Insert
Width 1 [mm]	407
Width [mm]	140
Height [mm]	172
	35

References

06F 133 843 A

Application info

Octavia II (1Z_) (02/04--)

Air filter
112 129 0021
 036 198 620

Notes

	Filter Insert
Length [mm]	288
Width [mm]	188
Height [mm]	42

References

036 198 620


Application info

Fabia I (08/99-03/08)

Octavia II (1Z_) (02/04--)

Air filter
112 321 0032
Notes

	Filter Insert
Length [mm]	300
Width [mm]	285
Height [mm]	35

References

04C 129 620 C

Application info

Citigo (10/11--)

Fuel filter
100 323 0013
 6Q0 127 400 H

Notes

Height [mm]	109
Diameter [mm]	80
	Aluminium with gaskets/seals

References

6Q0 127 400 H


Application info

Fabia I (08/99-03/08)

Roomster (03/06--)

100 323 0025

6R0 127 400 C

Fuel filter

Notes

Height [mm]	109
Diameter [mm]	80
	Metal

References

6R0 127 400 C

Application info

Fabia II (12/06--)

Roomster (03/06--)

100 127 0007

1J0 127 401 A

Fuel filter



Notes

Height [mm]	176.5
Diameter [mm]	80
	Steel

References

1J0 127 401 A

Application info

Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

100 201 0011

6N0 127 401 R

Fuel filter



Notes

Height [mm]	143
Diameter [mm]	80
	Steel

References

6N0 127 401 R

Application info

Felicia (10/94-04/02)

Fuel filter
100 127 0000
 6Q0 127 401 B

Notes

Height [mm]	200
Diameter [mm]	89
	Steel
	Zinc-coated

References

6Q0 127 401 B


Application info

Fabia I (08/99-03/08)

Fuel filter
100 323 0017
 6Q0 127 401 F

Notes

Height [mm]	109
Diameter [mm]	80
	Metal

References

6Q0 127 401 F


Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

 Rapid II (NH) (10/11--)
 Roomster (03/06--)

Fuel filter
100 201 0012
 1K0 127 434 A

Notes

Height [mm]	Filter Insert
Diameter [mm]	142
	83
	with seal

References

1K0 127 434 A


Application info

Octavia II (1Z_) (02/04--)

100 323 0005
1K0 127 434 B

Fuel filter



Notes

Height [mm]
Diameter [mm]

Filter Insert
116.1
83.5
with seal

References

1K0 127 434 B

Application info

Octavia II (1Z_) (02/04--)

100 323 0004
3C0 127 434

Fuel filter



Notes

Height [mm]
Diameter [mm]

Filter Insert
136
78
with seal

References

3C0 127 434

Application info

Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

114 323 0000
057 127 435 D

Fuel filter



Notes

Height [mm]
Diameter [mm]

169
81
Steel
Zinc-coated

References

057 127 435 D

Application info

Superb I (3U) (12/01-03/08)

Fuel filter
100 127 0013
 8D0 127 435

Notes

 Port Thread
 Height [mm]
 Diameter [mm]

 Screw-on Filter
 M16x1,5
 158.5
 81
 Steel

References

8D0 127 435


Application info

Superb I (3U) (12/01-03/08)

Fuel filter
100 323 0011
 6Q0 201 051 H

Notes

 Height [mm]
 Diameter [mm]

 164
 61
 Steel

References

6Q0 201 051 B

6Q0 201 051 H


Application info

Fabia I (08/99-03/08)

Fuel filter
100 323 0003
 6Q0 201 051 J

Notes

 Height [mm]
 Diameter [mm]

 164
 61
 Aluminium

References

6Q0 201 051 C

6Q0 201 051 J


Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

 Octavia II (1Z_) (02/04--)
 Roomster (03/06--)

314 133 2107

1H0 201 511 A

Fuel filter



Notes

Height [mm]	157
Diameter [mm]	81
	Aluminium

References

1H0 201 511 A

Application info

Superb I (3U) (12/01-03/08)

314 133 2108

1H0 201 511 A

Fuel filter



Notes

Height [mm]	157
Diameter [mm]	81
	Steel

References

1H0 201 511 A

Application info

Superb I (3U) (12/01-03/08)

100 201 0007

1J0 201 511 A

Fuel filter



Notes

Height [mm]	170
Diameter [mm]	82
	Steel

References

1J0 201 511 A

Application info

Octavia I (1U_) (09/96-12/10)

6

Fuel filter
100 201 0001
 251 201 511 G

Notes

 Height [mm] 140
 Diameter [mm] 31
 Plastic

References

251 201 511 G


Application info

Favorit (05/89-06/97)

Fuel filter
100 323 0002
 6Q0 201 511

Notes

 Height [mm] 151
 Diameter [mm] 62
 Aluminium with seal

References

6Q0 201 511


Application info

Fabia I (08/99-03/08)

Octavia II (1Z_) (02/04--)

Fuel filter
100 323 0012
 6U0 201 511 D

Notes

 Height [mm] 140
 Diameter [mm] 55
 Aluminium

References

6U0 201 511 D


Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

100 201 0000
6X0 201 511 B

Fuel filter



Notes

Height [mm] 160
Diameter [mm] 60
Aluminium

References

6X0 201 511 B

Application info

Fabia I (08/99-03/08)

100 201 0013
6X0 201 511 B

Fuel filter



Notes

Height [mm] 163
Diameter [mm] 55
Steel

References

6X0 201 511 B

Application info

Fabia I (08/99-03/08)

100 034 0004
1J0 919 050

Fuel pump



Notes

Voltage [V] 12
Pressure [bar] 0.5
Electric
with fuel sender unit

References

1J0 919 050 1J0 919 050 B

Application info

Octavia I (1U_) (09/96-12/10)

Roomster (03/06--)

Fuel pump

100 919 0075
 3B0 919 050 B

Notes

Voltage [V]	12
Pressure [bar]	0.5
	Electric

References

3B0 919 050 B



Application info

Superb I (3U) (12/01-03/08)

Fuel pump

100 919 0071
 1K0 919 051 AP

Notes

Voltage [V]	12
Pressure [bar]	4
	Electric with fuel sender unit

References

1K0 919 051 AP	1K0 919 051 M
----------------	---------------



Application info

Octavia II (1Z_) (02/04--)

Fuel pump

100 919 0082
 1K0 919 051 DB

Notes

Voltage [V]	12
Pressure [bar]	4
	Electric with fuel sender unit

References

1K0 919 051 DB



Application info

Octavia II (1Z_) (02/04--)

Yeti (5L) (05/09--)

100 919 0051
3B0 919 051 C

Fuel pump



Notes

Voltage [V]	12
Pressure [bar]	4
	Electric with fuel sender unit

References

3B0 919 051 C

Application info

Superb I (3U) (12/01-03/08)

100 919 0049
6Q0 919 051 F

Fuel pump



Notes

Voltage [V]	12
Pressure [bar]	3
	Electric with fuel sender unit

References

6Q0 919 051 F

Application info

Fabia II (12/06--)

100 919 0070
6R0 919 051

Fuel pump



Notes

Voltage [V]	12
Pressure [bar]	4
	Electric with fuel sender unit

References

6R0 919 051

Application info

Fabia II (12/06--)

Fuel pump
100 919 0046

1J0 919 087 J

Notes

 Voltage [V] 12
 Pressure [bar] 3
 Electric
 with fuel sender unit

References

1J0 919 087 J

Parts list

100 919 0057 Fuel pump


Application info

 Octavia I (1U_) (09/96-12/10)
 Octavia II (1Z_) (02/04--)

Roomster (03/06--)

Fuel pump
100 034 0007

6X0 919 050

Notes

 Voltage [V] 12
 Pressure [bar] 0.5
 Electric
 with housing
 without tank sender unit

References

6X0 919 050


Application info

Fabia I (08/99-03/08)

Fuel pump
100 919 0057

1J0 919 087 J*

Notes

 Voltage [V] 12
 Pressure [bar] 3
 Electric
 without housing
 without tank sender unit

References

 1J0 919 051 B* 1J0 919 087 D*
 1J0 919 051 C* 1J0 919 087 H*
 1J0 919 051 H* 1J0 919 087 J*
 1J0 919 087 C*


100 919 0057

1J0 919 087 J*

Fuel pump

Application info

Octavia I (1U_) (09/96-12/10)
Octavia II (1Z_) (02/04--)

Roomster (03/06--)

100 036 0018

1J0 129 684 CG

Suction hose, air filter



References

1J0 129 684 CG

Application info

Octavia I (1U_) (09/96-12/10)

100 034 0009

057 127 247 A

Valve, fuel supply system



References

057 127 247 A

Application info

Superb I (3U) (12/01-03/08)

Valve, fuel supply system
100 034 0002
 191 127 247 A

References

191 127 247 A


Application info

Felicia (10/94-04/02)

Valve, fuel supply system
100 034 0003
 1J0 127 247 A

References

1J0 127 247 A


Application info

Octavia I (1U_) (09/96-12/10)


A/T oil pan gasket
100 321 0001
 096 321 370

Notes

 with fastening material
 Automatic Transmission, 4-speed
 Elastomer

References

096 321 370


Application info

Octavia I (1U_) (09/96-12/10)

100 139 0002
09G 321 370

A/T oil pan gasket



Notes

with fastening material
Automatic Transmission, 6-speed
Elastomer

References

09G 321 370

Application info

Octavia II (1Z_) (02/04--)
Rapid II (NH) (10/11--)

Roomster (03/06--)
Superb II (3T) (03/08--)

100 321 0004
01V 321 371

A/T oil pan gasket



Notes

Manufacturer Restriction

Armstrong Paper
Automatic Transmission, 5-speed

References

01V 321 371

Application info

Superb I (3U) (12/01-03/08)

100 117 0005
028 117 021 L

Oil cooler



Notes

Core Dimensions

90-90-54

References

028 117 021 L

Application info

Fabia I (08/99-03/08)
Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

Oil cooler
100 117 0002
 068 117 021 B

Notes

 Core Dimensions 90-90-54
 Height [mm] 90

References

068 117 021 B


Application info

Felicia (10/94-04/02)

Octavia I (1U_) (09/96-12/10)

Oil cooler
100 117 0004
 078 117 021 A

Notes

Core Dimensions 90-90-54

References

078 117 021 A


Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Oil cooler
100 038 0001
 096 409 061 G

Notes

Core Dimensions 189-89-55

References

096 409 061 F

096 409 061 G



Application info

Octavia I (1U_) (09/96-12/10)

6

100 103 0046
06A 103 663 B

Oil dipstick funnel



Notes

Plastic
Orange

References


06A 103 663 B

Application info

Octavia I (1U_) (09/96-12/10)

100 103 0045
06A 103 663 C

Oil dipstick funnel



Notes

Plastic
Orange

References

06A 103 663 C

Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

100 038 0014
06B 103 663 G

Oil dipstick funnel



Notes

Plastic
Orange

References

06B 103 663 B

06B 103 663 G

Application info

Superb I (3U) (12/01-03/08)

Oil filter
100 115 0004
 030 115 561 AN

Notes

Thread Size 3/4"-16 UNF
 Height [mm] 79
 Diameter [mm] 76

References

030 115 561 AB 030 115 561 AN


Application info

Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Felicia (10/94-04/02)

Octavia I (1U_) (09/96-12/10)
 Octavia II (1Z_) (02/04--)
 Roomster (03/06--)

Oil filter
100 115 0002
 030 115 561 C

Notes

Thread Size 3/4"-16 UNF
 Height [mm] 95
 Diameter [mm] 93

References

030 115 561 C


Application info

Felicia (10/94-04/02)

Oil filter
100 322 0015
 03C 115 561 B

Notes

Thread Size 3/4"-16 UNF
 Height [mm] 79
 Diameter [mm] 76

References

03C 115 561 B



6

+

100 322 0015

03C 115 561 B

Oil filter

Application info

Fabia II (12/06--)
 Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

100 322 0000

047 115 561 B

Oil filter



Notes

Thread Size
 Height [mm]
 Diameter [mm]

Screw-on Filter
 3/4"-16 UNF
 93
 76

References

047 115 561 B

047 115 561 C

Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

714 322 0001

047 115 561 F

Oil filter



Notes

Thread Size
 Height [mm]
 Diameter [mm]

Screw-on Filter
 3/4"-16 UNF
 79
 76

References

047 115 561 F

Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

Oil filter		100 322 0021 04E 115 561 H
Notes		
Thread Size	Screw-on Filter	
Height [mm]	3/4"-16 UNF-1B	
Diameter [mm]	79	
	76	
References		
04E 115 561 H		
Application info		
Citigo (10/11--)		Octavia III (5E3/5E5) (11/12--)
Oil filter		100 322 0017 068 115 561 F
Notes		
Thread Size	Screw-on Filter	
Height [mm]	3/4"-16 UNF	
Diameter [mm]	150	
	93	
References		
068 115 561 F		
Application info		
Superb I (3U) (12/01-03/08)		
Oil filter		100 115 0009 06A 115 561 B
Notes		
Thread Size	Screw-on Filter	
Height [mm]	3/4"-16 UNF	
Diameter [mm]	123	
	76	
References		
06A 115 561 B	1JM 115 561 BZ	
Application info		
Fabia I (08/99-03/08)		Octavia II (1Z_) (02/04--)
Octavia I (1U_) (09/96-12/10)		Superb I (3U) (12/01-03/08)



100 115 0005
078 115 561 J

Oil filter



Notes

Thread Size
Height [mm]
Diameter [mm]

Screw-on Filter
Long-life Filter
3/4"-16 UNF
114
93

References

078 115 561 J

Application info

Superb I (3U) (12/01-03/08)

100 322 0011
03L 115 562

Oil filter



Notes

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Filter Insert
101
65
29
with seal

References

03L 115 466

03L 115 562

Application info

Fabia II (12/06--)
Octavia II (1Z_) (02/04--)
Rapid II (NH) (10/11--)

Roomster (03/06--)
Superb II (3T) (03/08--)
Yeti (5L) (05/09--)

100 322 0019
03N 115 562

Oil filter

Notes

Filter Insert

References

03N 115 562

Application info

Octavia III (5E3/5E5) (11/12--)

100 322 0022
06L 115 562

Oil filter



Notes

	Filter Insert
Height [mm]	112
Outer Diameter [mm]	52
Inner Diameter [mm]	24

References

06L 115 562

Application info

Octavia III (5E3/5E5) (11/12--)

100 115 0000
071 115 562 C

Oil filter



Notes

	Filter Insert
Height [mm]	141
Outer Diameter [mm]	70
Inner Diameter [mm]	29 with seal

References

071 115 562 A

071 115 562 C

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)
Octavia II (1Z_) (02/04--)

Roomster (03/06--)
Superb II (3T) (03/08--)
Yeti (5L) (05/09--)

100 115 0007
074 115 562

Oil filter



Notes

	Filter Insert
Height [mm]	153
Outer Diameter [mm]	64
Inner Diameter [mm]	21
Inner Diameter [mm]	25 with gaskets/seals

References

074 115 562

Application info

Octavia I (1U_) (09/96-12/10)

Superb I (3U) (12/01-03/08)

Oil filter
100 322 0007
 03D 198 819 A

Notes

Height [mm]	Filter Insert
Outer Diameter [mm]	62
Inner Diameter [mm]	63.5
	31
	with seal

References

03D 198 819 A

Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

Roomster (03/06--)

Oil pan
100 103 0054
 038 103 601 AQ

Notes

 without bore for oil level sensor
 Aluminium
 without gasket / seal

References

038 103 601 AQ

038 103 601 MA


Application info

Octavia I (1U_) (09/96-12/10)

Oil pan
100 103 0053
 038 103 603 M

Notes

 with bore for oil-level sensor
 Aluminium
 without gasket / seal

References

038 103 603 M


Application info

Octavia I (1U_) (09/96-12/10)

100 103 0041

038 103 603 N

Oil pan



Notes

with bore for oil-level sensor
Aluminium
without gasket / seal

References

038 103 603 N

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)

Octavia I (1U_) (09/96-12/10)
Roomster (03/06--)

100 038 0023

03G 103 603 AD

Oil pan



Notes

Aluminium
without gasket / seal

References

03G 103 603 AD

Application info

Fabia II (12/06--)
Octavia II (1Z_) (02/04--)
Rapid II (NH) (10/11--)

Roomster (03/06--)
Superb II (3T) (03/08--)
Yeti (5L) (05/09--)

100 103 0050

078 103 604 AA

Oil pan



Notes

with bore for oil-level sensor
Aluminium
Lower Section
without gasket / seal

References

078 103 604 AA



Oil pan
100 103 0050
 078 103 604 AA

Application info
 Superb I (3U) (12/01-03/08)

Oil pressure switch
100 919 0030
 028 919 081 H

Notes

Number of Poles	1
Thread Size	M10 x 1,0
Spanner Size	24
Pressure from [bar]	0.15
Pressure to [bar]	0.35
	Manual (foot operated)
	Lock with seal
	Grey


References

028 919 081 H

Application info

Felicia (10/94-04/02)

Oil pressure switch
100 919 0031
 028 919 081 H

Notes

Number of Poles	1
Thread Size	M10 x 1,0
Spanner Size	24
Pressure from [bar]	0.15
Pressure to [bar]	0.35
	Hydraulic
	Lock
	Blue


References

028 919 081 D

028 919 081 H

Application info

Felicia (10/94-04/02)

6

100 800 9068
038 919 081 M

Oil pressure switch



Notes

Number of Poles	1
Thread Size	M10 x 1,0
Spanner Size	24
Pressure from [bar]	0.75
Pressure to [bar]	1.05
	Hydraulic
	Opener
	Grey

References

038 919 081 M

Application info

Superb I (3U) (12/01-03/08)

100 919 0025
056 919 081

Oil pressure switch



Notes

Number of Poles	1
Thread Size	M10 x 1,0
Spanner Size	24
Pressure from [bar]	1.6
Pressure to [bar]	2
	Hydraulic
	Lock
	with seal
	White

References

056 919 081

Application info

Felicia (10/94-04/02)

100 919 0014
068 919 081 D

Oil pressure switch



Notes

Number of Poles	1
Thread Size	M10 x 1
Spanner Size	24
Pressure from [bar]	1.2
Pressure to [bar]	1.6
	Hydraulic
	Lock
	Black

References

068 919 081

068 919 081 D

Oil pressure switch
100 919 0014
 068 919 081 D

Application info

Octavia I (1U_) (09/96-12/10)

Oil pressure switch
100 919 0020
 06A 919 081 J

Notes

Number of Poles	1
Thread Size	M10 x 1,0
Spanner Size	24
Pressure from [bar]	1.2
Pressure to [bar]	1.6
	Hydraulic
	Lock
	Black


References

06A 919 081 D	06A 919 081 J
---------------	---------------

Application info

Fabia I (08/99-03/08)

Octavia I (1U_) (09/96-12/10)

Oil pressure switch
100 919 0034
 1J0 919 081

Notes

Number of Poles	2
Thread Size	M10 x 1,0
Spanner Size	22
Pressure from [bar]	0.28
Pressure to [bar]	0.4
	Hydraulic
	Lock
	Grey


References

1J0 919 081

Application info

Octavia I (1U_) (09/96-12/10)

100 199 0135
 8D0 199 339 E

Anti torque mount



Notes

Front
 Elastomer

References

8D0 199 339 E

Application info

Superb I (3U) (12/01-03/08)

100 030 0005
 8D0 199 339 M

Anti torque mount



Notes

Front
 Elastomer

References

8D0 199 339 M

Application info

Superb I (3U) (12/01-03/08)

100 199 0132
 6Q0 199 167 DK

Engine mount



Notes

Right
 Hydro Bearing

References

6Q0 199 167 DK

Application info

Fabia I (08/99-03/08)

6

Engine mount
100 199 0128
 6R0 199 167 AA

Notes

 Right
 Hydro Bearing

References

6Q0 199 167 DM 6R0 199 167 AA


Application info

Roomster (03/06--)

Engine mount
100 199 0115
 6R0 199 167 AB

Notes

 Right
 Hydro Bearing

References

 6Q0 199 167 DB 6R0 199 167 AB
 6Q0 199 167 DN

Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

Roomster (03/06--)

Engine mount
100 199 0127
 6R0 199 167 R

Notes

 Right
 Hydro Bearing

References

 6Q0 199 167 CQ 6R0 199 167 R
 6Q0 199 167 DH

Application info

Roomster (03/06--)

100 199 0116

6R0 199 167 S

Engine mount



Notes

Right
Hydro Bearing

References

6Q0 199 167 BQ
6Q0 199 167 CR

6Q0 199 167 DJ
6R0 199 167 S

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)

Roomster (03/06--)

100 030 0004

1J0 199 262 BK

Engine mount



Notes

Right Front
Rubber-metal Bearing

References

1J0 199 262 BK

Application info

Octavia I (1U_) (09/96-12/10)

100 199 0112

1K0 199 262 AS

Engine mount



Notes

Right
Rubber-metal Bearing




References

1K0 199 262 AS

Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

Engine mount		100 199 0129 1K0 199 262 AT
Notes Right Rubber-metal Bearing References 1K0 199 262 AT		
Application info Octavia II (1Z_) (02/04--) Superb II (3T) (03/08--) 		
Engine mount		100 199 0108 1K0 199 262 K
Notes Right Hydro Bearing References 1K0 199 262 K		
Application info Octavia II (1Z_) (02/04--) Superb II (3T) (03/08--) Yeti (5L) (05/09--) 		
Engine mount		100 199 0122 1K0 199 262 L
Notes Right Rubber-metal Bearing References 1K0 199 262 L		
Application info Octavia I (1U_) (09/96-12/10) Octavia II (1Z_) (02/04--) 		

100 199 0134
 4B0 199 379 E

Engine mount



Notes

Left and right
 Electronically controlled hydro
 mount

References

4B0 199 379 E

Application info

Superb I (3U) (12/01-03/08)

100 199 0040
 8D0 199 379 AQ

Engine mount



Notes

Left Front
 Hydro Bearing

References

8D0 199 379 AQ

8D0 199 379 J

Application info

Superb I (3U) (12/01-03/08)

100 199 0056
 8D0 199 379 AT

Engine mount



Notes

Front
 Left and right
 Hydro Bearing

References

8D0 199 379 AT

Application info

Superb I (3U) (12/01-03/08)

Engine mount
100 199 0048
 8D0 199 382 AN

Notes

 Right Front
 Hydro Bearing

References

8D0 199 382 AN

8D0 199 382 L


Application info

Superb I (3U) (12/01-03/08)

Engine mount
100 199 0068
 1J0 199 555 AH

Notes

 Left Front
 Hydro Bearing

References

1J0 199 555 AH


Application info

Octavia I (1U_) (09/96-12/10)

Engine mount
100 199 0053
 1J0 199 555 AJ

Notes

 Left Front
 Rubber-metal Bearing

References

1J0 199 555 AJ


Application info

Octavia I (1U_) (09/96-12/10)

100 199 0069
1J0 199 555 AK

Engine mount



Notes

Left Front
Hydro Bearing

References

1J0 199 555 AK

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 199 0070
1J0 199 555 AL

Engine mount



Notes

Left Front
Rubber-metal Bearing

References

1J0 199 555 AL

Application info

Octavia I (1U_) (09/96-12/10)

100 199 0097
1K0 199 555 L

Engine mount



Notes

Left
Rubber-metal Bearing

References

1K0 199 555 L

Application info

Octavia II (1Z_) (02/04--)

Engine mount		100 199 0098 1K0 199 555 M
Notes Left Rubber-metal Bearing References 1K0 199 555 M		
Application info Octavia II (1Z_) (02/04--) Superb II (3T) (03/08--) 		
Engine mount		100 199 0099 1K0 199 555 N
Notes Left Rubber-metal Bearing References 1K0 199 555 N		
Application info Octavia II (1Z_) (02/04--) 		
Engine mount		100 199 0096 1K0 199 555 Q
Notes Left Rubber-metal Bearing References 1K0 199 555 Q		
Application info Octavia II (1Z_) (02/04--) Superb II (3T) (03/08--) 		

100 199 0095

1K0 199 555 T

Engine mount



Notes

Left
Rubber-metal Bearing

References

1K0 199 555 T

Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

100 199 0150

3C0 199 555 P

Engine mount



Notes

Left
for manual transmission
Hydro Bearing

References

3C0 199 555 P

Application info

Superb II (3T) (03/08--)

100 199 0045

1J0 199 851 AA

Engine mount



Notes

Rear
Rubber-metal Bearing

References

1J0 199 851 AA
1J0 199 851 M

1J0 199 851 N

Application info


Octavia I (1U_) (09/96-12/10)

Engine mount	100 199 0160 1J0 199 851 AB
---------------------	---------------------------------------

<p>Notes</p> <p style="padding-left: 40px;">Rear Rubber-metal Bearing</p> <p>References</p> <p>1J0 199 851 AB 1J0 199 851 R</p>	
--	--


Application info
 Octavia I (1U_) (09/96-12/10)

Engine mount	100 199 0137 6Q0 199 851 AJ
---------------------	---------------------------------------

<p>Notes</p> <p style="padding-left: 40px;">Rear Rubber-metal Bearing</p> <p>References</p> <p>6Q0 199 851 AE 6Q0 199 851 AJ</p>	
---	---

Application info
 Fabia I (08/99-03/08) Roomster (03/06--)
 Fabia II (12/06--)

Engine mount	100 199 0119 6Q0 199 851 AK
---------------------	---------------------------------------

<p>Notes</p> <p style="padding-left: 40px;">Rear Rubber-metal Bearing</p> <p>References</p> <p>6Q0 199 851 AK</p>	
---	--

Application info
 Fabia I (08/99-03/08) Roomster (03/06--)
 Fabia II (12/06--)

100 130 0004

6Q0 199 851 AL

Engine mount



Notes

Rear
Rubber-metal Bearing

References

6Q0 199 851 AL

Application info

Fabia I (08/99-03/08)

100 199 0178

6Q0 199 851 AP

Engine mount



Notes

Rear
Rubber-metal Bearing

References

6Q0 199 851 AP

Application info

Fabia I (08/99-03/08)

Fabia II (12/06--)

Roomster (03/06--)

100 199 0181

6Q0 199 851 AR

Engine mount



Notes

Rear
Rubber-metal Bearing

References

6Q0 199 851 AR

Application info

Fabia I (08/99-03/08)

Fabia II (12/06--)

Roomster (03/06--)

Engine mount
100 199 0094
 1K0 199 855 BA

Notes

 Rear
 Rubber-metal Bearing

References

 1K0 199 855 AD
 1K0 199 855 BA

1K0 199 855 K


Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Engine mount
100 199 0105
 1K0 199 867 B

Notes

 Rear
 Lower
 Rubber-metal Bearing

References

1K0 199 867 B


Application info

Octavia II (1Z_) (02/04--)

Engine mount
100 199 0161
 1K0 199 867 P

Notes

 Rear
 Lower
 Rubber-metal Bearing

References

1K0 199 867 P

1K0 199 867 Q

Counterpart

 100 199 0162
 100 199 0162

Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

6

100 199 0162
1K0 199 868 P

Engine mount



Notes

Rear
 Upper
 Rubber-metal Bearing

References

1K0 199 868 P

1K0 199 868 Q

Counterpart

100 199 0161
 100 199 0161

Application info

Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

100 199 0184

Engine mount

Notes

Left
 Hydro Bearing

Application info

Octavia I (1U_) (09/96-12/10)

6

Hydraulic pump, P/S
114 631 0022
 8D0 145 156 F

Notes

 Manufacturer Restriction ZF
 Hydraulic

References

8D0 145 156 F 8D0 145 156 FX


Application info

Superb I (3U) (12/01-03/08)

Hydraulic pump, P/S
114 631 0006
 8D0 145 156 KX

Notes

 Operating Pressure [bar] 120
 Aluminium
 Hydraulic

References

8D0 145 156 KX


Application info

Superb I (3U) (12/01-03/08)

Hydraulic pump, P/S
114 631 0007
 8D0 145 156 T

Notes

 Operating Pressure [bar] 110
 Manufacturer Restriction ZF
 Aluminium
 Hydraulic

References

8D0 145 156 T 8D0 145 156 TX


Application info

Superb I (3U) (12/01-03/08)

114 631 0016
6N0 145 157

Hydraulic pump, P/S



Notes

Operating Pressure [bar] 90
Aluminium Hydraulic

References

535 145 157 6N0 145 157

Application info

Felicia (10/94-04/02)

Octavia I (1U_) (09/96-12/10)

114 631 0003
1J0 422 154 H

Hydraulic pump, P/S



Notes

Aluminium Hydraulic

References

1J0 422 154 E 1J0 422 154 HX
1J0 422 154 H

Application info

Octavia I (1U_) (09/96-12/10)

114 631 0004
2K0 422 154 A

Hydraulic pump, P/S



Notes

Aluminium Hydraulic

References

1J0 422 154 1J0 422 154 JX
1J0 422 154 A 2K0 422 154
1J0 422 154 AX 2K0 422 154 A
1J0 422 154 J

Application info


Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

P/S hose
159 630 001
 1J0 422 893 CN

References

1J0 422 893 CN


Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

P/S fluid reservoir
100 623 000
 1J0 422 371 C

References

1J0 422 371 C


Application info

Octavia I (1U_) (09/96-12/10)

Steering boot
100 419 0016
 4D0 419 831 E

Notes

 for vehicles with power steering
 Elastomer

References

4D0 419 831 E


Application info

Superb I (3U) (12/01-03/08)

7

100 419 0017
8D0 419 831 J

Steering boot



Notes

for vehicles with power steering

References

8D0 419 831 J

Application info

Superb I (3U) (12/01-03/08)

100 422 9010
1J0 422 831 B

Steering boot



Notes

Front Axle Left
Front Axle Right
for vehicles with power steering

References

1J0 422 831 B

Application info

Octavia I (1U_) (09/96-12/10)

100 620 0002
1K0 423 831 A

Steering boot



Notes

Front Axle Left
Front Axle Right
for vehicles with power steering
with accessories

References

1K0 423 831 A

Application info

Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Steering boot kit
100 620 0006
 1S0 423 831 A

Notes

 Front Axle Left
 Front Axle Right
 with accessories

References

1S0 423 831 A


Application info

Citigo (10/11--)

Steering boot kit
100 620 0004
 6Q0 423 831 D

Notes

with accessories

References

6Q0 423 831 D


Application info

Fabia I (08/99-03/08)

Roomster (03/06--)

Steering gear
100 500 0001
 6U1 422 051 B


Notes

 for left-hand drive vehicles
 Manual

References

 007 350 027 A
 6U1 422 051 B

115 500 000


Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

7

116 031 0003
007 350 278 N

Axial rod



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
for vehicles without power steering
355
M14x1,5
M12x1

References

007 350 278 N

Application info

Felicia (10/94-04/02)

116 030 4680
4B0 419 801 M

Axial rod



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
128
M16x1,5
M14x1,5

References

4B0 419 801 M

Application info

Superb I (3U) (12/01-03/08)

116 031 0021
6Q0 419 803 F*

Axial rod



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
for vehicles without power steering
305
M14x1,5
M14x1,5

References

6Q0 419 803 F*

6Q0 419 804 F*

Application info

Fabia I (08/99-03/08)

Axial rod
116 030 8286

1J0 422 803 A*

Notes

Length [mm]
 Manufacturer Restriction
 Thread Measurement 1
 Thread Measurement 2

Front Axle Left
 Front Axle Right
 for vehicles with power steering
 339
 ZF
 M16x1,5
 M14x1,5

References

1J0 422 803 A* 1J0 422 804 A*


Application info

Octavia I (1U_) (09/96-12/10)

Axial rod
116 030 8504

1J0 422 803 H*

Notes

Length [mm]
 Manufacturer Restriction
 Thread Measurement 1
 Thread Measurement 2

Front Axle Left
 Front Axle Right
 for vehicles with power steering
 319
 ZF
 M16x1,5
 M14x1,5

References

1J0 422 803 H* 1J0 422 804 H*


Application info

Octavia I (1U_) (09/96-12/10)

Axial rod
116 031 0002

6U0 422 807

Notes

Length [mm]
 Thread Measurement 1
 Thread Measurement 2

Front Axle Left
 Front Axle Right
 for vehicles with power steering
 325
 M14x1,5
 M12x1

References

6U0 422 807


Application info

Felicia (10/94-04/02)

7

116 031 0006
6Q0 423 803 P*

Axial rod



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
297
M14x1,5
M14x1,5

References

6Q0 423 803 E*
6Q0 423 803 P*

6Q0 423 804 E*
6Q0 423 804 P*

Application info

Fabia I (08/99-03/08)

Roomster (03/06--)

116 031 0000
1K0 423 810 A

Axial rod



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
310
M16x1,5
M16x1,5

References

1K0 423 810 A

Application info

Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

116 031 0020
1S0 423 810 A

Axial rod



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
306
M14x1,5
M14x1,5

References

1S0 423 810 A

Application info

Citigo (10/11--)

Axial rod
116 031 0010
 6Q0 423 810 C*

Notes

 Length [mm]
 Manufacturer Restriction
 Thread Measurement 1
 Thread Measurement 2

 Front Axle Left
 Front Axle Right
 for vehicles with power steering
 298
 SMI / Koyo
 M16x1,5
 M14x1,5

References

6Q0 423 810 C*


Application info

Fabia I (08/99-03/08)

Roomster (03/06--)

Axial rod
116 030 1120
 115 500 420

Notes

 Length [mm]
 Thread Measurement 2

 Front Axle Left
 Front Axle Right
 331
 M12x1
 with right-hand thread

References

115 500 420


Application info

Favorit (05/89-06/97)

Axial rod
116 031 0012
Notes

 Length [mm]
 Manufacturer Restriction
 Thread Measurement 1
 Thread Measurement 2

 Front Axle Left
 Front Axle Right
 for vehicles with power steering
 297
 TRW
 M14x1,5
 M14x1,5

References

6Q0 423 803 B*

6Q0 423 804 B*


Application info

Fabia I (08/99-03/08)

100 710 0006
1K0 505 543 A*

Mounting, track rod



Notes

	Rear Axle Left
	Rear Axle Right
	Outer
Height [mm]	45
Outer Diameter [mm]	40
Inner Diameter [mm]	14

References

1K0 505 543 A*

Application info

Octavia II (1Z_) (02/04--)

116 030 8227/HD
4B0 419 801 B

Tie rod assembly



Notes

Reinforced Version	Front Axle Left
	Front Axle Right
Thread Measurement 1	M8x1,25
Thread Measurement 2	M16x1,5

References

4B0 419 801 B	4D0 419 801 E
4B0 419 801 M	4D0 419 801 L
4D0 419 801 B	8E0 419 801 B

Parts list

116 030 4680	Axial rod
116 020 8228/HD	Tie rod end

Application info

Superb I (3U) (12/01-03/08)

116 030 0022
6Q0 419 803 F

Tie rod assembly



Notes

	Front Axle Left
	for vehicles without power steering
Thread Measurement 1	M12x1,5
Thread Measurement 2	M14x1,5

References

6Q0 419 803 B	6Q0 419 803 F
6Q0 419 803 D	

Parts list

116 031 0021	Axial rod
116 020 0000	Tie rod end

Counterpart

116 030 0023

Tie rod assembly
116 030 0022
 6Q0 419 803 F

Application info

Fabia I (08/99-03/08)

Tie rod assembly
116 030 0023
 6Q0 419 804 F

Notes

 Thread Measurement 1
 Thread Measurement 2

 Front Axle Right
 for vehicles without power steering
 M12x1,5
 M14x1,5

References

 6Q0 419 804 B
 6Q0 419 804 D

6Q0 419 804 F

Parts list

 116 031 0021
 116 020 0004

 Axial rod
 Tie rod end

Counterpart

116 030 0022


Application info

Fabia I (08/99-03/08)

Tie rod assembly
116 030 8281
 1J0 422 803 A

Notes

 Manufacturer Restriction
 Thread Measurement 1
 Thread Measurement 2

 Front Axle Left
 for vehicles with power steering
 ZF
 M12x1,5
 M16x1,5

References

 1J0 422 803
 1J0 422 803 A

1J0 422 803 C

Parts list

 116 030 8286
 116 020 8283

 Axial rod
 Tie rod end

Counterpart

116 030 8284


Application info

Octavia I (1U_) (09/96-12/10)

116 030 8500

1J0 422 803 H

Tie rod assembly



Notes

Manufacturer Restriction
Thread Measurement 1
Thread Measurement 2

Front Axle Left
for vehicles with power steering
ZF
M12x1,5
M16x1,5

References

1J0 422 803 B

1J0 422 803 H

Parts list

116 030 8504
116 020 8502

Axial rod
Tie rod end

Counterpart

116 030 8501

Application info

Octavia I (1U_) (09/96-12/10)

116 030 8284

1J0 422 804 A

Tie rod assembly



Notes

Manufacturer Restriction
Thread Measurement 1
Thread Measurement 2

Front Axle Right
for vehicles with power steering
ZF
M12x1,5
M16x1,5
with left-hand thread

References

1J0 422 804
1J0 422 804 A

1J0 422 804 C

Parts list

116 030 8286
116 020 8285

Axial rod
Tie rod end

Counterpart

116 030 8281

Application info

Octavia I (1U_) (09/96-12/10)

Tie rod assembly
116 030 8501
 1J0 422 804 H

Notes

Manufacturer Restriction
 Thread Measurement 1
 Thread Measurement 2

Front Axle Right
 for vehicles with power steering
 ZF
 M12x1,5
 M16x1,5

References

1J0 422 804 B 1J0 422 804 H

Parts list

116 030 8504 Axial rod
 116 020 8503 Tie rod end

Counterpart

116 030 8500


Application info

Octavia I (1U_) (09/96-12/10)

Tie rod assembly
116 030 0010
 6Q0 423 803 B

Notes

Manufacturer Restriction
 Thread Measurement 1
 Thread Measurement 2

Front Axle Left
 for vehicles with power steering
 TRW
 M12x1,5
 M14x1,5

References

6Q0 423 803 B

Parts list

116 031 0012 Axial rod
 116 020 0000 Tie rod end

Counterpart

116 030 0011


Application info

Fabia I (08/99-03/08)

116 030 0029
6Q0 423 803 G

Tie rod assembly



Notes

Manufacturer Restriction
Thread Measurement 1
Thread Measurement 2

Front Axle Left
for vehicles with power steering
SMI / Koyo
M12x1,5
M16x1,5

References

6Q0 423 803 C

6Q0 423 803 G

Parts list

116 031 0010
116 020 0000

Axial rod
Tie rod end

Counterpart

116 030 0030

Application info

Fabia I (08/99-03/08)

Roomster (03/06--)

116 030 0011
6Q0 423 804 B

Tie rod assembly



Notes

Manufacturer Restriction
Thread Measurement 1
Thread Measurement 2

Front Axle Right
for vehicles with power steering
TRW
M12x1,5
M14x1,5

References

6Q0 423 804 B

Parts list

116 031 0012
116 020 0004

Axial rod
Tie rod end

Counterpart

116 030 0010

Application info

Fabia I (08/99-03/08)

Tie rod assembly
116 030 0030
 6Q0 423 804 G

Notes

Manufacturer Restriction Front Axle Right for vehicles with power steering
 Thread Measurement 1 M12x1,5
 Thread Measurement 2 M14x1,5

References

6Q0 423 804 A 6Q0 423 804 G

Parts list

116 031 0010 Axial rod
 116 020 0004 Tie rod end

Counterpart

116 030 0029


Application info

Fabia I (08/99-03/08)

Roomster (03/06--)

Tie rod assembly
116 030 0018
 1K0 423 811 G*

Notes

Thread Measurement 1 Front Axle Left M12x1,5
 Thread Measurement 2 M16x1,5

References

1K0 423 811 G*

Parts list

116 031 0000 Axial rod
 116 020 0025 Tie rod end

Counterpart

116 030 0019


Application info

Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

116 030 0019
1K0 423 812 G*

Tie rod assembly



Notes

Thread Measurement 1
Thread Measurement 2

Front Axle Right
M12x1,5
M16x1,5

References

1K0 423 812 G*

Parts list

116 031 0000
116 020 0026

Axial rod
Tie rod end

Counterpart

116 030 0018

Application info

Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

116 020 0008/HD
4F0 419 811 A

Tie rod end



Notes

Reinforced Version

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
155
M8x1,25
M14x1,5

References

4F0 419 811 A
4F0 419 811 C

4F0 419 811 D

Application info

Superb I (3U) (12/01-03/08)

116 020 8228/HD
8E0 419 811 B

Tie rod end



Notes

Reinforced Version

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
156
M8x1,25
M14x1,5

References

8E0 419 811 B

Tie rod end

116 020 8228/HD

8E0 419 811 B

Application info

Superb I (3U) (12/01-03/08)

Tie rod end
116 020 8283

1J0 422 811 A

Notes

 Length [mm]
 Manufacturer Restriction
 Thread Measurement 1
 Thread Measurement 2

 Front Axle Left
 for vehicles with power steering
 75
 ZF
 M12x1,5
 M14x1,5

References

1J0 422 811 A

Counterpart

116 020 8285


Application info

Octavia I (1U_) (09/96-12/10)

Tie rod end
116 020 8502

1J0 422 811 B

Notes

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 94
 M12x1,5
 M14x1,5

References

1J0 422 811 B

Counterpart

116 020 8503


Application info

Octavia I (1U_) (09/96-12/10)

116 020 8222
6U0 422 811

Tie rod end



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
79
M12x1,5
M12x1

References

6U0 422 811

Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

116 020 8285
1J0 422 812 A

Tie rod end



Notes

Length [mm]
Manufacturer Restriction
Thread Measurement 1
Thread Measurement 2

Front Axle Right
for vehicles with power steering
75
ZF
M12x1,5
M14x1,5
with left-hand thread

References

1J0 422 812 A

Counterpart

116 020 8283

Application info

Octavia I (1U_) (09/96-12/10)

116 020 8503
1J0 422 812 B

Tie rod end



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

94
M12x1,5
M14x1,5

References

1J0 422 812 B

Counterpart

116 020 8502

Tie rod end
116 020 8503
 1J0 422 812 B

Application info

Octavia I (1U_) (09/96-12/10)

Tie rod end
116 020 0025
 1K0 423 811 E

Notes

Length [mm]	Front Axle Left
Thread Measurement 1	59
Thread Measurement 2	M12x1,5
	M16x1,5

References

1K0 423 811 E	1K0 423 811 K
---------------	---------------

Counterpart

116 020 0026


Application info

 Octavia II (1Z_) (02/04--)
 Octavia III (5E3/5E5) (11/12--)
 Superb I (3U) (12/01-03/08)

 Superb II (3T) (03/08--)
 Yeti (5L) (05/09--)
Tie rod end
116 020 0035
 150 423 811 A

Notes

Length [mm]	Front Axle Left
Thread Measurement 1	94
Thread Measurement 2	M12x1,5
	M14x1,5

References

150 423 811 A

Counterpart

116 020 0036

Application info

Citigo (10/11--)

116 020 0000
6Q0 423 811 C

Tie rod end



Notes

Length [mm]	Front Axle Left
Thread Measurement 1	94
Thread Measurement 2	M12x1,5
	M14x1,5

References

6Q0 423 811 C	6R0 423 811
---------------	-------------

Counterpart

116 020 0004

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)

Roomster (03/06--)

116 020 0026
1K0 423 812 E

Tie rod end



Notes

Length [mm]	Front Axle Right
Thread Measurement 1	94
Thread Measurement 2	M12x1,5
	M16x1,5

References

1K0 423 812 E	1K0 423 812 K
---------------	---------------

Counterpart

116 020 0025

Application info

Octavia II (1Z_) (02/04--)
Octavia III (5E3/5E5) (11/12--)
Superb I (3U) (12/01-03/08)

Superb II (3T) (03/08--)
Yeti (5L) (05/09--)

116 020 0036
1S0 423 812 A

Tie rod end

Notes

Length [mm]	Front Axle Right
Thread Measurement 1	94
Thread Measurement 2	M12x1,5
	M14x1,5

References

1S0 423 812 A

Counterpart

116 020 0035

Tie rod end
116 020 0036
 1S0 423 812 A

+ **Application info**
 Citigo (10/11--)
Tie rod end
116 020 0004
 6Q0 423 812 C

Notes

Length [mm]	Front Axle Right
Thread Measurement 1	94
Thread Measurement 2	M12x1,5
	M14x1,5

References

6Q0 423 812 C	6R0 423 812
---------------	-------------

Counterpart

116 020 0000


Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

 Roomster (03/06--)

116 010 8287
1J0 407 365 H

Ball joint



Notes

Thread Size

Front Axle Left
Lower
M12x1,5
with accessories

References

1J0 407 365 H

Counterpart

116 010 8288

Application info

Octavia I (1U_) (09/96-12/10)

116 010 8287/HD
1J0 407 365 H

Ball joint

Notes

Reinforced Version

Front Axle Left
Lower

References

1J0 407 365 H

Counterpart

116 010 8288/HD

Application info

Octavia I (1U_) (09/96-12/10)

116 010 0015
1K0 407 365 C

Ball joint



Notes

Thread Measurement 1
Thread Measurement 2

Front Axle Left
Lower
M12x1,5
M10x1,5
with accessories

References

1K0 407 365 C

Counterpart

116 010 0016

Application info

Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

8

Ball joint

116 010 0033
 5Q0 407 365 A

Notes

 Thread Measurement 1
 Thread Measurement 2

 Front Axle Left
 M12x1,5
 M10x1,5
 with accessories

References

5Q0 407 365 A

Counterpart

116 010 0034



Application info

Octavia III (5E3/5E5) (11/12--)

Ball joint

116 010 0007
 6Q0 407 365 M

Notes

Thread Size

 Front Axle Left
 Lower
 M12x1,5
 with accessories

References

6Q0 407 365 M

Counterpart

116 010 0008



Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

Roomster (03/06--)

Ball joint

116 010 0024
 6R0 407 365

Notes

 Thread Measurement 1
 Thread Measurement 2

 M12x1,5
 M10x1,5
 with accessories

References

6R0 407 365

Counterpart

116 010 0025



Application info

 Citigo (10/11--)
 Fabia II (12/06--)

 Rapid II (NH) (10/11--)
 Roomster (03/06--)

116 010 8223
6U0 407 365

Ball joint



Notes

Front Axle Left
Front Axle Right
Lower
with accessories

References

6U0 407 365

Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

116 010 8288
1J0 407 366 H

Ball joint



Notes

Front Axle Right
Lower
M12x1,5
with accessories

Thread Size

References

1J0 407 366 H

Counterpart

116 010 8287

Application info

Octavia I (1U_) (09/96-12/10)

116 010 8288/HD
1J0 407 366 H

Ball joint 

Notes

Reinforced Version

Front Axle Right
Lower
with accessories

References

1J0 407 366 H

Counterpart

116 010 8287/HD

Application info

Octavia I (1U_) (09/96-12/10)

8

Ball joint
116 010 0016
 1K0 407 366 C

Notes

Thread Size

 Front Axle Right
 Lower
 M12x1,5
 with accessories

References

1K0 407 366 C

Counterpart

116 010 0015


Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--

Yeti (5L) (05/09--

Ball joint
116 010 0034
 5Q0 407 366 A

Notes

 Thread Measurement 1
 Thread Measurement 2

 Front Axle Right
 M12x1,5
 M10x1,5
 with accessories

References

5Q0 407 366 A

Counterpart

116 010 0033


Application info

Octavia III (5E3/5E5) (11/12--

Ball joint
116 010 0008
 6Q0 407 366 M

Notes

Thread Size

 Front Axle Right
 Lower
 M12x1,5
 with accessories

References

6Q0 407 366 M

Counterpart

116 010 0007


Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--

Roomster (03/06--

116 010 0025
6R0 407 366

Ball joint



Notes

Thread Measurement 1
Thread Measurement 2

M12x1,5
M10x1,5
with accessories

References

6R0 407 366

Counterpart

116 010 0024

Application info

Citigo (10/11--)
Fabia II (12/06--)

Rapid II (NH) (10/11--)
Roomster (03/06--)

116 010 0017

Ball joint



Notes

Thread Measurement 1

Front Axle Left
Lower
M12x1,5
with accessories

Counterpart

116 010 0018

Application info

Octavia III (5E3/5E5) (11/12--)

116 010 0018

Ball joint



Notes

Thread Measurement 1

Front Axle Right
Lower
M12x1,5
with accessories

Counterpart

116 010 0017

Application info

Octavia III (5E3/5E5) (11/12--)

8

Control arm
116 050 0009
 1J0 407 151 C

Notes

 Front Axle Left
 Lower
 Control Arm
 with ball joint
 with rubber mounting
 Sheet Steel

References

1J0 407 151 C

Parts list

 116 010 8287
 116 050 0156

 Ball joint
 Control arm

Counterpart

116 050 0010


Application info

Octavia I (1U_) (09/96-12/10)

Control arm
116 050 0010
 1J0 407 151 C

Notes

 Front Axle Right
 Lower
 Control Arm
 with ball joint
 with rubber mounting
 Sheet Steel

References

1J0 407 151 C

Parts list

 116 010 8288
 116 050 0156

 Ball joint
 Control arm

Counterpart

116 050 0009


Application info

Octavia I (1U_) (09/96-12/10)

116 050 0156
1J0 407 151 C

Control arm



Notes

Front Axle Left
Front Axle Right
Lower
Control Arm
with rubber mounting
Sheet Steel

References

1J0 407 151 C

Parts list

100 407 0015 Control arm bushing
100 407 0043 Control arm bushing

Application info

Octavia I (1U_) (09/96-12/10)

116 050 0032/HD
1K0 407 151 AC

Control arm



Notes

Reinforced Version

Front Axle Left
Control Arm
with rubber mounting

References

1K0 407 151 AC 1K0 407 151 T

Parts list

100 199 0085/HD Mount, control arm
100 407 0086 Control arm bushing

Counterpart

116 050 0033/HD

Application info

Octavia II (1Z_) (02/04--)

8

Control arm

116 050 0002/HD
 1K0 407 151 AH

Notes

Reinforced Version

 Front Axle Left
 Control Arm
 with rubber mounting

References

 1K0 407 151 AA
 1K0 407 151 AB
 1K0 407 151 AE
 1K0 407 151 AH

 1K0 407 151 BC
 1K0 407 151 N
 1K0 407 151 P

Parts list

 100 199 0085/HD
 100 407 0086

 Mount, control arm
 Control arm bushing

Counterpart

116 050 0003/HD


Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Control arm
116 050 0114
 1S0 407 151

Notes

 Front Axle Left
 Control Arm
 with rubber mounting

References

1S0 407 151

Parts list

 100 407 0015
 100 407 0043

 Control arm bushing
 Control arm bushing

Counterpart


116 050 0115


Application info

Citigo (10/11--)

116 050 0031/HD
4B3 407 151 K

Control arm



Notes

Reinforced Version

Front Axle Left
Front Axle Right
Front
Lower
Control Arm

Cone Size [mm]

16

Length [mm]

with rubber mounting
365
Aluminium

References

4B0 407 151
4B3 407 151 A
4B3 407 151 C

4B3 407 151 E
4B3 407 151 F
4B3 407 151 K

Parts list

100 407 0022/HD
100 407 0047/HD

Control arm bushing
Control arm bushing

Application info

Superb I (3U) (12/01-03/08)

116 050 0018
6Q0 407 151 L

Control arm



Notes

Front Axle Left
Control Arm
with ball joint
with rubber mounting

References

6Q0 407 151 L

Parts list

116 010 0007
100 407 0094

Ball joint
Control arm bushing

Counterpart

116 050 0019

Application info

Fabia I (08/99-03/08)

Roomster (03/06--)

8

Control arm
116 050 0019
 6Q0 407 151 L

Notes

 Front Axle Right
 Control Arm
 with ball joint
 with rubber mounting

References

6Q0 407 151 L

Parts list

 116 010 0008
 100 407 0094

 Ball joint
 Control arm bushing

Counterpart

116 050 0018


Application info

Fabia I (08/99-03/08)

Roomster (03/06--)

Control arm
116 050 0028
 6Q0 407 151 L

Notes

 Front Axle Left
 Front Axle Right
 Lower
 Control Arm
 with rubber mounting
 Sheet Steel

References

6Q0 407 151 L

Parts list

100 407 0094

Control arm bushing


Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

Roomster (03/06--)

116 050 0093
6R0 407 151 E

Control arm

Notes

Front Axle Left
Control Arm
with rubber mounting

References

6R0 407 151

6R0 407 151 E

Parts list

100 407 0015
100 407 0043

Control arm bushing
Control arm bushing

Counterpart

116 050 0094

Application info

Fabia II (12/06--)

Roomster (03/06--)

116 050 0005
6U0 407 151 A

Control arm



Notes

Front Axle Left
Lower
Control Arm
with ball joint
with rubber mounting
Sheet Steel

References

007 304 447
6U0 407 151

6U0 407 151 A
6U0 407 151 B

Parts list

116 010 8223
100 422 1190

Ball joint
Control arm bushing

Counterpart

116 050 0006

Application info

Felicia (10/94-04/02)

8

Control arm

116 050 8228/HD
 8D0 407 151 E

Notes

Reinforced Version

 Front Axle Left
 Front Axle Right
 Front
 Lower
 Control Arm
 20
 with rubber mounting
 365
 Aluminium

Cone Size [mm]

Length [mm]

References

8D0 407 151 E

Parts list

 100 407 0022/HD Control arm bushing
 100 407 0047/HD Control arm bushing

Application info

Superb I (3U) (12/01-03/08)

Control arm

116 050 0033/HD
 1K0 407 152 AC

Notes

Reinforced Version

 Front Axle Right
 Control Arm
 with rubber mounting

References

1K0 407 152 AC

1K0 407 152 T

Parts list

 100 199 0086/HD Mount, control arm
 100 407 0086 Control arm bushing

Counterpart

116 050 0032/HD


Application info

Octavia II (1Z_) (02/04--)

116 050 0003/HD
1K0 407 152 BC

Control arm



Notes

Reinforced Version

Front Axle Right
Control Arm
with rubber mounting

References

1K0 407 152 AA
1K0 407 152 AB
1K0 407 152 AE
1K0 407 152 AH

1K0 407 152 BC
1K0 407 152 N
1K0 407 152 P

Parts list

100 199 0086/HD
100 407 0086

Mount, control arm
Control arm bushing

Counterpart

116 050 0002/HD

Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

116 050 0115

1S0 407 152

Control arm



Notes

Front Axle Right
Control Arm
with rubber mounting

References

1S0 407 152

Parts list

100 407 0015
100 407 0043

Control arm bushing
Control arm bushing

Counterpart

116 050 0114

Application info

Citigo (10/11--)

8

Control arm
116 050 0094
 6R0 407 152 E

Notes

 Front Axle Right
 Control Arm
 with rubber mounting

References

6R0 407 152 6R0 407 152 E

Parts list

 100 407 0015 Control arm bushing
 100 407 0043 Control arm bushing

Counterpart

116 050 0093

Application info

 Fabia II (12/06--)
 Roomster (03/06--)

Roomster (03/06--)

Control arm
116 050 0006
 6U0 407 152 A

Notes

 Front Axle Right
 Lower
 Control Arm
 with ball joint
 with rubber mounting
 Steel

References

 007 304 448 6U0 407 152 A
 6U0 407 152 6U0 407 152 B

Parts list

 116 010 8223 Ball joint
 100 422 1190 Control arm bushing

Counterpart

116 050 0005


Application info

Felicia (10/94-04/02)

116 050 8297/HD
8E0 407 505 A

Control arm



Notes

Reinforced Version

Front Axle Left
Front
Upper
Control Arm
with rubber mounting
273
Aluminium

Length [mm]

References

8E0 407 505 A

8E0 407 505 P

Parts list

100 407 0024/HD

Control arm bushing

Counterpart

116 050 8298/HD

Application info

Superb I (3U) (12/01-03/08)

116 050 8298/HD
8E0 407 506 A

Control arm



Notes

Reinforced Version

Front Axle Right
Front
Upper
Control Arm
with rubber mounting
273
Aluminium

Length [mm]

References

8E0 407 506 A

Parts list

100 407 0024/HD

Control arm bushing

Counterpart

116 050 8297/HD

Application info

Superb I (3U) (12/01-03/08)

8

Control arm 
116 050 8292/HD
 4D0 407 509 G

Notes

Reinforced Version

 Front Axle Left
 Rear
 Upper
 Control Arm
 with rubber mounting
 248
 Aluminium

Length [mm]

References

4D0 407 509 G

Parts list

100 407 0024/HD Control arm bushing

Counterpart

116 050 8293/HD


Application info

Superb I (3U) (12/01-03/08)

Control arm 
116 050 8293/HD
 8D0 407 510 G

Notes

Reinforced Version

 Front Axle Right
 Rear
 Upper
 Control Arm
 with rubber mounting
 248
 Aluminium

Length [mm]

References

8D0 407 510 G

Parts list

100 407 0024/HD Control arm bushing

Counterpart

116 050 8292/HD


Application info

Superb I (3U) (12/01-03/08)

116 050 8299/HD
8E0 407 693 AG

Control arm



Notes

Reinforced Version

Front Axle Left
Rear
Lower
Control Arm
with rubber mounting
386
Aluminium

Length [mm]

References

8E0 407 693 AG

Parts list

100 407 0060/HD

Control arm bushing

Counterpart

116 050 8300/HD

Application info

Superb I (3U) (12/01-03/08)

116 050 8300/HD
8E0 407 694 AG

Control arm



Notes

Reinforced Version

Front Axle Right
Rear
Lower
Control Arm
with rubber mounting
386
Aluminium

Length [mm]

References

8E0 407 694 AG

Parts list

100 407 0060/HD

Control arm bushing

Counterpart

116 050 8299/HD

Application info

Superb I (3U) (12/01-03/08)

8

Control arm
116 050 0080
 1K0 505 223 K

Notes

 Rear Axle Left
 Front
 Trailing Arm
 with rubber mounting

References

1K0 505 223 K

Parts list

100 505 0014

Mount, control arm

Counterpart

116 050 0081


Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Control arm
116 050 0081
 1K0 505 224 K

Notes

 Rear Axle Right
 Front
 Trailing Arm
 with rubber mounting

References

1K0 505 224 K

Parts list

100 505 0014

Mount, control arm

Counterpart

116 050 0080


Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Control arm
116 050 0079
 1K0 505 311 AB

Notes

 Rear Axle Left
 Rear Axle Right
 Lower
 Control Arm
 Sheet Steel

References

1K0 505 311 AB

Parts list

100 505 0016

Control arm bushing



116 050 0079
1K0 505 311 AB

Control arm

Application info

Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

100 407 0043
1J0 407 181

Control arm bushing



Notes

	Front Axle Left
	Front Axle Right
	Rear
	Lower
Height [mm]	41
Outer Diameter [mm]	60
Inner Diameter [mm]	13

References

1J0 407 181	1J0 407 181 A
-------------	---------------

Application info

Fabia II (12/06--)
Octavia I (1U_) (09/96-12/10)

Roomster (03/06--)

100 407 0047/HD
4D0 407 181 H

Control arm bushing



Notes

Reinforced Version	Front Axle Left
	Front Axle Right
	Front
	Lower
	Outer
Height [mm]	50
Outer Diameter [mm]	40
Inner Diameter [mm]	12

References

4D0 407 181 F	4D0 407 181 H
---------------	---------------

Application info

Superb I (3U) (12/01-03/08)

Control arm bushing
100 422 1190
 6U0 407 181

Notes

	Front Axle Left
	Front Axle Right
	Front
	Lower
Height [mm]	70
Outer Diameter [mm]	32
Inner Diameter [mm]	12

References

6U0 407 181


Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

Control arm bushing
100 407 0086
 1K0 407 182

Notes

	Front Axle Left
	Front Axle Right
	Front
	Lower
Height [mm]	54
Outer Diameter [mm]	40
Inner Diameter [mm]	12

References

 1K0 407 182
 1K0 407 182 A

5Q0 407 182


Application info

Octavia II (1Z_) (02/04--)

Octavia III (5E3/5E5) (11/12--)

Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Control arm bushing
100 407 0015
 357 407 182

Notes

	Front Axle Left
	Front Axle Right
	Front
	Lower
Height [mm]	54
Outer Diameter [mm]	33
Inner Diameter [mm]	12

References

191 407 182

357 407 182



100 407 0015
357 407 182

Control arm bushing

Application info

Citigo (10/11--)
Fabia II (12/06--)

Octavia I (1U_) (09/96-12/10)
Roomster (03/06--)

100 407 0022/HD
4D0 407 182 G

Control arm bushing



Notes

Reinforced Version

Front Axle Left
Front Axle Right
Front
Lower
inner

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

60
50
32

References

4D0 407 182 G

Application info

Superb I (3U) (12/01-03/08)

100 407 0094
6Q0 407 182 A

Control arm bushing



Notes

Front Axle Left
Front Axle Right
Front
Lower

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

54
34
12

References

6Q0 407 182 A

Application info

Fabia I (08/99-03/08)

Roomster (03/06--)

Control arm bushing

100 610 0027/HD
1K0 407 183 E
Notes

Reinforced Version	Front Axle Left Front Axle Right
Height [mm]	50
Outer Diameter [mm]	65
Inner Diameter [mm]	19

References

1K0 199 231 J*	1K0 407 183 E
1K0 199 232 J*	6Q0 407 183


Application info

Fabia I (08/99-03/08)	Roomster (03/06--)
Fabia II (12/06--)	Superb II (3T) (03/08--)
Octavia II (1Z_) (02/04--)	Yeti (5L) (05/09--)

Control arm bushing

100 407 0060/HD
4D0 407 183 AC
Notes

Reinforced Version	Front Axle Left Front Axle Right Rear Lower
Height [mm]	80
Outer Diameter [mm]	65
Inner Diameter [mm]	12

References

4D0 407 183 AB	4D0 407 183 Q
4D0 407 183 AC	4F0 407 183 A
4D0 407 183 P	


Application info

Superb I (3U) (12/01-03/08)

Control arm bushing
100 610 0034
5C0 407 183 A
Notes

	Front Axle Left Front Axle Right Rear
Height [mm]	50
Outer Diameter [mm]	64
Inner Diameter [mm]	14

References

1K0 407 183 M	5C0 407 183 A
---------------	---------------

100 610 0034
5C0 407 183 A

Control arm bushing

Application info
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

100 407 0024/HD
4D0 407 515 C

Control arm bushing 



Notes

Reinforced Version

Front Axle Left
Front Axle Right
Upper

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

40
47
10

References

4B0 407 515

4D0 407 515 C

Application info
Superb I (3U) (12/01-03/08)

100 505 0016
1K0 505 311 AB*

Control arm bushing



Notes

Rear Axle Left
Rear Axle Right
Lower
inner

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

60
42
12

References

1K0 505 311 AB*

Application info
Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Control arm bushing
100 710 0012

1K0 505 323 N*

Notes

	Rear Axle Left
	Rear Axle Right
	Upper
	Outer
Height [mm]	38
Outer Diameter [mm]	45
Inner Diameter [mm]	14

References

1K0 505 203 A	1K0 505 323 N*
---------------	----------------


Application info

Octavia II (1Z_) (02/04--)	Yeti (5L) (05/09--)
Superb II (3T) (03/08--)	

Control arm bushing
100 710 0013

1K0 505 323 N*

Notes

	Rear Axle Left
	Rear Axle Right
	Upper
	inner
Height [mm]	45
Outer Diameter [mm]	39
Inner Diameter [mm]	12

References

1K0 505 279 A	1K0 505 323 N*
---------------	----------------


Application info

Octavia II (1Z_) (02/04--)	Yeti (5L) (05/09--)
Superb II (3T) (03/08--)	

Control arm bushing
100 505 0011

1K0 505 553 A

Notes

	Rear Axle Left
	Rear Axle Right
	Lower
	Outer
Height [mm]	50
Outer Diameter [mm]	38
Inner Diameter [mm]	12

References

1K0 505 553	1K0 505 553 A
-------------	---------------



100 505 0011
1K0 505 553 A

Control arm bushing

Application info

Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

116 050 0022/HD
3B0 498 798 A

Control arm set



Notes

Reinforced Version
Slim Set

Front Axle Left
Front Axle Right
Aluminium
with accessories

References

3B0 498 798 A

Parts list

116 050 8228/HD
116 050 8299/HD
116 050 8300/HD

Control arm
Control arm
Control arm

Application info

Superb I (3U) (12/01-03/08)

116 050 0020/HD
8D0 498 998 B

Control arm set



Notes

Reinforced Version

Front Axle Left
Front Axle Right
without suspension rod
Aluminium
with accessories

References

8D0 498 998

8D0 498 998 B

Parts list

116 050 8228/HD
116 050 8292/HD
116 050 8293/HD
116 050 8297/HD
116 050 8298/HD
116 050 8299/HD
116 050 8300/HD
116 020 0008/HD

Control arm
Control arm
Control arm
Control arm
Control arm
Control arm
Control arm
Tie rod end

Application info

Superb I (3U) (12/01-03/08)

Control arm set

116 050 0029/HD
8D0 498 998 B
Notes

Reinforced Version

 Front Axle Left
 Front Axle Right
 with suspension rod
 Aluminium
 with accessories

References

8D0 498 998

8D0 498 998 B

Parts list

116 050 8228/HD	Control arm
116 050 8292/HD	Control arm
116 050 8293/HD	Control arm
116 050 8297/HD	Control arm
116 050 8298/HD	Control arm
116 050 8299/HD	Control arm
116 050 8300/HD	Control arm
116 060 0007	Stabilizer link
116 060 0008	Stabilizer link
116 020 0008/HD	Tie rod end


Application info

Superb I (3U) (12/01-03/08)

Control arm set

116 050 0086/HD
Notes

Reinforced Version

 Front Axle Left
 Front Axle Right
 Control Arm
 without suspension rod
 Aluminium
 with accessories

Parts list


116 050 0031/HD	Control arm
116 050 8292/HD	Control arm
116 050 8293/HD	Control arm
116 050 8297/HD	Control arm
116 050 8298/HD	Control arm
116 050 8299/HD	Control arm
116 050 8300/HD	Control arm
116 020 0008/HD	Tie rod end


Application info

Superb I (3U) (12/01-03/08)

116 050 0087/HD

Control arm set



Notes

Reinforced Version

Front Axle Left
Front Axle Right
Control Arm
with suspension rod
Aluminium
with accessories

Parts list

116 050 0031/HD	Control arm
116 050 8292/HD	Control arm
116 050 8293/HD	Control arm
116 050 8297/HD	Control arm
116 050 8298/HD	Control arm
116 050 8299/HD	Control arm
116 050 8300/HD	Control arm
116 060 0007	Stabilizer link
116 060 0008	Stabilizer link
116 020 0008/HD	Tie rod end

Application info

Superb I (3U) (12/01-03/08)

100 199 0085/HD

1K0 199 231 J

Mount, control arm



Notes

Reinforced Version

Front Axle Left
with rubber mounting

References

1K0 199 231 J

Parts list

100 610 0027/HD	Control arm bushing
-----------------	---------------------

Counterpart

100 199 0086/HD

Application info

Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

8

Mount, control arm

100 199 0086/HD

1K0 199 232 J

Notes

Reinforced Version

 Front Axle Right
 with rubber mounting

References

1K0 199 232 J

Parts list

100 610 0027/HD

Control arm bushing

Counterpart

100 199 0085/HD


Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--

Yeti (5L) (05/09--

Mount, control arm
100 505 0015

1J0 505 171 B

Notes

 Rear Axle Left
 Rear Axle Right
 Lower
 for drag link

 Height [mm]
 Outer Diameter [mm]
 Inner Diameter [mm]

 60
 72
 12

References

1J0 505 171 B


Application info

Octavia I (1U_) (09/96-12/10)

Mount, control arm
100 505 0014

1K0 505 541 D

Notes

 Rear Axle Left
 Rear Axle Right
 for drag link

 Height [mm]
 Outer Diameter [mm]
 Inner Diameter [mm]

 64
 60
 12

References

 1K0 505 541 B
 1K0 505 541 C

 1K0 505 541 D
 5Q0 505 541 A

8

+

100 505 0014
1K0 505 541 D

Mount, control arm

Application info

Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

100 654 0000

Mounting kit, control arm



Notes

Front Axle Left
Front Axle Right
Upper

Application info

Superb I (3U) (12/01-03/08)

100 610 0085/HD
1K0 199 231 J

Repair kit, control arm



Notes

Reinforced Version

Front Axle Left
Kit

References

1K0 199 231 J

Parts list

100 199 0085/HD

Mount, control arm

Counterpart

100 610 0086/HD

Application info

Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Repair kit, control arm

100 610 0086/HD

1K0 199 232 J

Notes

Reinforced Version

 Front Axle Right
 Kit

References

1K0 199 232 J

Parts list

100 199 0086/HD

Mount, control arm

Counterpart

100 610 0085/HD


Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Rod/strut, suspension
116 035 0002

1K0 501 529 F

Notes

Length [mm]

 Rear Axle Left
 Lower
 298
 Guide Rod

References

1K0 501 529 F

Parts list

100 710 0006

Mounting, track rod

Counterpart

116 035 0003


Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Superb II (3T) (03/08--)

Rod/strut, suspension
116 035 0014

1K0 501 529 J

Notes

Length [mm]

 Rear Axle Left
 Rear Axle Right
 with rubber mounting
 298
 Push Rod

References

1K0 501 529 J



116 035 0014
1K0 501 529 J

Rod/strut, suspension

Application info

Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

116 035 0003
1K0 501 530 C

Rod/strut, suspension



Notes

Length [mm]

Rear Axle Right
Lower
298
Guide Rod

References

1K0 501 530 C

Parts list

100 710 0006

Mounting, track rod

Counterpart

116 035 0002

Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

116 050 0027
1K0 505 323 N

Rod/strut, suspension



Notes

Length [mm]

Rear Axle Left
Rear Axle Right
Upper
305
Guide Rod

References

1K0 505 323 H

1K0 505 323 N

Parts list

100 710 0012

Control arm bushing

100 710 0013

Control arm bushing

Application info

Octavia II (1Z_) (02/04--)
Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Bracket, stabilizer bushing
100 411 0053
 1J0 411 336 D

Notes

Front Axle

References

1J0 411 336 C

1J0 411 336 D


Application info

Octavia I (1U_) (09/96-12/10)

Bracket, stabilizer bushing
100 511 0016
 1K0 511 439 E

Notes

Rear Axle

References

1K0 511 439 E


Application info

Octavia II (1Z_) (02/04--)

Mount, rod/strut stabilizer
100 411 0044
 1J0 411 327

Notes

 Front Axle Left
 Front Axle Right
 15

Inner Diameter [mm]

References

1J0 411 327


Application info

Octavia I (1U_) (09/96-12/10)

100 411 0033
1J0 411 314 R

Mount, stabilizer



Notes

Inner Diameter [mm]

Front Axle Left
Front Axle Right
19
Piece

References

1J0 411 314 R

Application info

Octavia I (1U_) (09/96-12/10)

100 411 0033/S
1J0 411 314 R

Mount, stabilizer



Notes

Inner Diameter [mm]

Front Axle Left
Front Axle Right
19
Kit

References

1J0 411 314 R

Parts list

100 411 0033
100 411 0053

Mount, stabilizer
Bracket, stabilizer bushing

Application info

Octavia I (1U_) (09/96-12/10)

100 411 0048
1J0 411 314 S

Mount, stabilizer



Notes

Inner Diameter [mm]

Front Axle Left
Front Axle Right
17

References

1J0 411 314 S

Application info

Octavia I (1U_) (09/96-12/10)

8

Mount, stabilizer
100 411 0048/S
 1J0 411 314 S

Notes

Inner Diameter [mm]

 Front Axle Left
 Front Axle Right
 17
 Kit

References

1J0 411 314 S

Parts list

 100 411 0048
 100 411 0053
 Mount, stabilizer
 Bracket, stabilizer bushing

Application info

Octavia I (1U_) (09/96-12/10)

Mount, stabilizer
100 411 0040
 1J0 411 314 T

Notes

 Inner Diameter [mm]
 Version

 Front Axle Left
 Front Axle Right
 21
 new

References

1J0 411 314 T


Application info

Octavia I (1U_) (09/96-12/10)

Mount, stabilizer
100 411 0040/S
 1J0 411 314 T

Notes

Inner Diameter [mm]

Version

 Front Axle Left
 Front Axle Right
 21
 Kit
 new

References

1J0 411 314 T

Parts list

 100 411 0040
 100 411 0053
 Mount, stabilizer
 Bracket, stabilizer bushing


100 411 0040/S
1J0 411 314 T

Mount, stabilizer

Application info

Octavia I (1U_) (09/96-12/10)

100 411 0049
6Q0 411 314 F

Mount, stabilizer



Notes

Inner Diameter [mm]

Front Axle Left
Front Axle Right
20

References

6Q0 411 314 F

Application info

Fabia I (08/99-03/08)

100 411 0050
6Q0 411 314 P

Mount, stabilizer



Notes

Inner Diameter [mm]

Front Axle Left
Front Axle Right
16

References

6Q0 411 314 P

Application info

Citigo (10/11--)
Fabia I (08/99-03/08)

Fabia II (12/06--)
Rapid II (NH) (10/11--)

Mount, stabilizer
100 411 0050/S
 6Q0 411 314 P

Notes

Inner Diameter [mm]

 Front Axle Left
 Front Axle Right
 16
 Kit

References

6Q0 411 314 P

Parts list

100 411 0050

Mount, stabilizer


Application info

 Citigo (10/11--)
 Fabia I (08/99-03/08)

 Fabia II (12/06--)
 Rapid II (NH) (10/11--)

Mount, stabilizer
100 411 0051
 6Q0 411 314 Q

Notes

Inner Diameter [mm]

 Front Axle Left
 Front Axle Right
 17

References

6Q0 411 314 Q


Application info

Fabia I (08/99-03/08)

Mount, stabilizer
100 411 0051/S
 6Q0 411 314 Q

Notes

Inner Diameter [mm]

 Front Axle Left
 Front Axle Right
 17
 Kit

References

 6Q0 411 314 Q
 6Q0 411 333 A

6Q0 411 334 A

Parts list

100 411 0051

Mount, stabilizer


Application info

Fabia I (08/99-03/08)

Fabia II (12/06--)

100 411 0052
6Q0 411 314 R

Mount, stabilizer



Notes

Inner Diameter [mm]

Front Axle Left
Front Axle Right
18

References

6Q0 411 314 N

6Q0 411 314 R

Application info

Fabia I (08/99-03/08)

Roomster (03/06--)

100 411 0052/S
6Q0 411 314 R

Mount, stabilizer



Notes

Inner Diameter [mm]

Front Axle Left
Front Axle Right
18

References

6Q0 411 314 E
6Q0 411 314 N

6Q0 411 314 R

Parts list

100 411 0052

Mount, stabilizer

Application info

Fabia I (08/99-03/08)

Roomster (03/06--)

100 615 0004
8Z0 411 314 B

Mount, stabilizer



Notes

Inner Diameter [mm]

Front Axle Left
Front Axle Right
21

References

8Z0 411 314 B

Application info

Fabia I (08/99-03/08)

8

Mount, stabilizer
100 411 0021
 4D0 411 327 G

Notes

 Front Axle Left
 Front Axle Right
 inner
 25

Inner Diameter [mm]

References

4D0 411 327 G


Application info

Superb I (3U) (12/01-03/08)

Mount, stabilizer
100 411 0026
 4D0 411 327 H

Notes

 Front Axle Left
 Front Axle Right
 inner
 27

Inner Diameter [mm]

References

4D0 411 327 H


Application info

Superb I (3U) (12/01-03/08)

Mount, stabilizer
100 511 0011
 1K0 511 327 AP

Notes

 Rear Axle Left
 Rear Axle Right
 19

Inner Diameter [mm]

References

1K0 511 327 AP


Application info

Octavia II (1Z_) (02/04--

Superb II (3T) (03/08--

100 511 0012
1K0 511 327 AQ

Mount, stabilizer



Notes

Inner Diameter [mm]

Rear Axle Left
Rear Axle Right
20

References

1K0 511 327 AQ

Application info

Octavia II (1Z_) (02/04--)

100 511 0013
1K0 511 327 AR

Mount, stabilizer



Notes

Inner Diameter [mm]

Rear Axle Left
Rear Axle Right
21

References

1K0 511 327 AR

Application info

Octavia II (1Z_) (02/04--)

100 511 0014
1K0 511 327 AS

Mount, stabilizer



Notes

Inner Diameter [mm]

Rear Axle Left
Rear Axle Right
22

References

1K0 511 327 AS

Application info

Octavia II (1Z_) (02/04--)

8

Mount, stabilizer
100 511 0017
 1J0 511 423


Notes

Inner Diameter [mm]

 Rear Axle
 22

References

1J0 511 423


Application info

Octavia I (1U_) (09/96-12/10)

Stabilizer link

116 060 0011/HD
 1J0 411 315 D

Notes

Reinforced Version

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Front Axle Left
 336
 M12x1,75
 M12x1,75
 Coupling Rod

References

1J0 411 315 D

Counterpart

116 060 0012/HD


Application info

Octavia I (1U_) (09/96-12/10)

Stabilizer link
100 411 0007
 1J0 411 315 G

Notes

 Length [mm]
 Thread Measurement 1
 Inner Diameter [mm]

Stabiliser Diameter [mm]

 Front Axle Left
 Front Axle Right
 105
 M10x1,5
 10
 Coupling Rod
 23

References

1J0 411 315 G


Application info

Octavia I (1U_) (09/96-12/10)

100 411 0043
1J0 411 315 H

Stabilizer link



Notes

Length [mm]

Stabiliser Diameter [mm]

Front Axle Left
Front Axle Right
105
Plastic
Coupling Rod
23

References

1J0 411 315 H

Application info

Octavia I (1U_) (09/96-12/10)

116 060 0020/HD
1K0 411 315 K

Stabilizer link



Notes

Reinforced Version

Length [mm]

Thread Measurement 1

Thread Measurement 2

Front Axle Left
Front Axle Right
335
M12x1,75
M12x1,75
Coupling Rod

References

1K0 411 315 K
1K0 411 315 P

5Q0 411 315 B

Application info

Octavia II (1Z_) (02/04--)
Octavia III (5E3/5E5) (11/12--)

Superb II (3T) (03/08--)
Yeti (5L) (05/09--)

116 060 0000/HD
6Q0 411 315 N

Stabilizer link



Notes

Reinforced Version

Length [mm]

Thread Measurement 1

Thread Measurement 2

Front Axle Left
Front Axle Right
270
M10x1,5
M10x1,5
Coupling Rod

References

6Q0 411 315 J
6Q0 411 315 N

6R0 411 315
6R0 411 315 A

Stabilizer link

116 060 0000/HD
 6Q0 411 315 N

Application info

 Citigo (10/11--)
 Fabia I (08/99-03/08)

 Fabia II (12/06--)
 Roomster (03/06--)

Stabilizer link
100 411 0009
 6U0 411 315

Notes

 Length [mm]
 Thread Size
 Inner Diameter [mm]

 Front Axle Left
 Front Axle Right
 76
 M8x1,25
 18
 Coupling Rod
 Piece

References

6U0 411 315


Application info

Felicia (10/94-04/02)

Stabilizer link
100 411 0009/S
 6U0 411 315

Notes

 Length [mm]
 Thread Size

 Front Axle Left
 Front Axle Right
 76
 M8x1,25
 Coupling Rod
 with accessories
 Kit

References

6U0 411 315

Parts list

100 411 0009

Stabilizer link


Application info

Felicia (10/94-04/02)

116 060 0012/HD
1J0 411 316 D

Stabilizer link



Notes

Reinforced Version

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Right
336
M12x1,75
M12x1,75
Coupling Rod

References

1J0 411 316 D

Counterpart

116 060 0011/HD

Application info

Octavia I (1U_) (09/96-12/10)

116 060 0007
8D0 411 317 D

Stabilizer link



Notes

Length [mm]

Front Axle Left
90
Aluminium
Coupling Rod
with accessories

References

8D0 411 317 D

Counterpart

116 060 0008

Application info

Superb I (3U) (12/01-03/08)

116 060 0008
8D0 411 318 D

Stabilizer link



Notes

Length [mm]

Front Axle Right
90
Aluminium
Coupling Rod
with accessories

References

8D0 411 318 D

Counterpart

116 060 0007

Stabilizer link
116 060 0008
 8D0 411 318 D

Application info

Superb I (3U) (12/01-03/08)

Stabilizer link
116 060 0023
 1K0 505 465 K

Notes

 Length [mm]
 Thread Measurement 1
 Inner Diameter [mm]

 Rear Axle Left
 Rear Axle Right
 95
 M10x1,5
 10
 Coupling Rod

References

1K0 505 465 K


Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--

Yeti (5L) (05/09--)

Stabilizer link
116 060 0023/S
 1K0 505 465 K

Notes

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2
 Inner Diameter [mm]

 Rear Axle Left
 Rear Axle Right
 95
 M10x1,5
 M10x1,5
 10
 Coupling Rod
 with accessories
 Kit

References

1K0 505 465 K

Parts list

116 060 0023

Stabilizer link


Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--

Yeti (5L) (05/09--)

116 060 0002/HD
1J0 505 466 C

Stabilizer link



Notes

Reinforced Version

Length [mm]
Thread Measurement 1

Rear Axle Left
Rear Axle Right
195
M10x1,5
for vehicles with off-road suspension
Coupling Rod

References

1J0 505 466 C

Application info

Octavia I (1U_) (09/96-12/10)

100 653 0002/HD
6Q0 411 305 AL

Sway bar



Notes

Reinforced Version

Stabiliser Diameter [mm]

Front Axle
Kit
18

References

6Q0 411 305 AL

Parts list

100 411 0050/S
116 060 0000/HD

Mount, stabilizer
Stabilizer link

Application info

Fabia I (08/99-03/08)

100 653 0003/HD
6Q0 411 305 AM

Sway bar



Notes

Reinforced Version

Stabiliser Diameter [mm]

Front Axle
Kit
19

References

6Q0 411 305 AM

Parts list

100 411 0051/S
116 060 0000/HD

Mount, stabilizer
Stabilizer link

Sway bar

100 653 0003/HD
 6Q0 411 305 AM

Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

Rapid II (NH) (10/11--)

Sway bar

100 653 0004/HD
 6Q0 411 305 AN

Notes

Reinforced Version

 Front Axle
 Kit
 20

Stabiliser Diameter [mm]

References

6Q0 411 305 AC

6Q0 411 305 AN

Parts list

 100 411 0052/S
 116 060 0000/HD

 Mount, stabilizer
 Stabilizer link

Application info

 Fabia II (12/06--)
 Rapid II (NH) (10/11--)

Roomster (03/06--)

Stub axle
100 501 0029
 1J0 501 117 B

Notes

Number of Holes

 Rear Axle
 4

References

1J0 501 117 B


Application info

Octavia I (1U_) (09/96-12/10)

100 710 0002
4B0 501 521 E

Axle support bushing



Notes

Rear Axle Left

References

4B0 501 521 E

Counterpart

100 710 0003

Application info

Superb I (3U) (12/01-03/08)

100 710 0003
4B0 501 522 E

Axle support bushing



Notes

Rear Axle Right

References

4B0 501 522 E

Counterpart

100 710 0002

Application info

Superb I (3U) (12/01-03/08)

114 710 0009
1J0 501 541 C

Axle support bushing



Notes

Rear Axle Left
Rear Axle Right
90
72
Plastic
Rubber Bearing

Height [mm]
Outer Diameter [mm]

References

1J0 501 541 C

6R0 501 541 A

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)

Octavia I (1U_) (09/96-12/10)
Roomster (03/06--)

8

Axle support bushing
100 710 0008
 6Q0 501 541 E

Notes

	Rear Axle Left
	Rear Axle Right
Height [mm]	90
Outer Diameter [mm]	71

References

6Q0 501 541 E


Application info

Fabia I (08/99-03/08)

Fabia II (12/06--)

Axle support bushing
114 710 0009/S
 6R0 501 541 A

Notes

	Rear Axle Left
	Rear Axle Right
Height [mm]	90
Outer Diameter [mm]	72
	Kit

References

1J0 501 541 C

6R0 501 541 A

Parts list

114 710 0009

Axle support bushing


Application info

Fabia I (08/99-03/08)

Fabia II (12/06--)

Octavia I (1U_) (09/96-12/10)

Roomster (03/06--)

Axle support bushing
100 710 0009
 1J0 505 145 B

Notes

	Rear Axle
	Left and right
Height [mm]	56
Outer Diameter [mm]	52
Inner Diameter [mm]	16

References

1J0 505 145 B


Application info

Octavia I (1U_) (09/96-12/10)

100 199 0063
1J0 199 429

Mount, axle carrier



Notes

	Front Axle Left
	Front Axle Right
Height [mm]	31
Outer Diameter [mm]	50
Inner Diameter [mm]	18

References

1J0 199 429

Application info

Octavia I (1U_) (09/96-12/10)

100 399 0016
8D0 399 415 E

Mount, axle carrier



Notes

Required quantity	Front 2 Rubber-metal Bearing
-------------------	------------------------------------

References


8D0 399 415 E

Application info

Superb I (3U) (12/01-03/08)

100 710 0000/S
4B0 501 521 E*

Repair kit, subframe



Notes

Rear Axle Left
Rear Axle Right
with accessories

References

4B0 501 521 E*

4B0 501 522 E*

Parts list

100 710 0002	Axle support bushing
100 710 0003	Axle support bushing

Application info

Superb I (3U) (12/01-03/08)

8

Repair kit, subframe
100 710 0008/S
 6Q0 501 541 E*

Notes

 Rear Axle Left
 Rear Axle Right
 with accessories

References

6Q0 501 541 E*

Parts list

100 710 0008 Axle support bushing


Application info

Fabia I (08/99-03/08)

Fabia II (12/06--)

Subframe mount
100 199 0161
 1K0 199 867 P

Notes

 Rear
 Rubber-metal Bearing

References

1K0 199 867 P

1K0 199 867 Q

Counterpart

 100 199 0162
 100 199 0162

Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Subframe mount
100 199 0162
 1K0 199 868 P

Notes

 Rear
 Rubber-metal Bearing

References

1K0 199 868 P

1K0 199 868 Q

Counterpart

 100 199 0161
 100 199 0161

Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

100 399 0028
8D0 399 415 D

Subframe mount



Notes

Rubber-metal Bearing

References

8D0 399 415 D

Application info

Superb I (3U) (12/01-03/08)

100 399 0016
8D0 399 415 E

Subframe mount



Notes

Required quantity

Front
2
Rubber-metal Bearing

References

8D0 399 415 E

Application info

Superb I (3U) (12/01-03/08)

100 399 0027
8D0 399 419 G

Subframe mount



Notes

Rubber-metal Bearing

References

8D0 399 419 G

Application info

Superb I (3U) (12/01-03/08)

8

Coil spring

114 639 0002
 357 411 105 AB

Notes


Replace in pairs only

 Height [mm]
 Thickness [mm]

 Front Axle
 362
 12.5

References

357 411 105 AB



Application info

Octavia I (1U_) (09/96-12/10)

Dust cover kit, shock absorber

100 640 0004

Notes

 Front Axle
 Kit


Application info

Superb I (3U) (12/01-03/08)

Dust cover kit, shock absorber

100 640 0005

Notes

 Front Axle
 Kit


Application info

Favorit (05/89-06/97)

100 640 0006

Dust cover kit, shock absorber



Notes

Front Axle
Kit

Application info

Octavia I (1U_) (09/96-12/10)

100 640 0007

Dust cover kit, shock absorber



Notes

Front Axle
Kit

Application info

Roomster (03/06--)

100 640 0008

Dust cover kit, shock absorber



Notes

Front Axle
Kit

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)
Octavia II (1Z_) (02/04--)

Roomster (03/06--)
Superb II (3T) (03/08--)

8

100 740 0008

Dust cover kit, shock absorber



Notes

Rear Axle
Kit

Application info

Superb I (3U) (12/01-03/08)

100 740 0010

Dust cover kit, shock absorber



Notes

Rear Axle
Kit

Application info

Octavia II (1Z_) (02/04--)

100 740 0011

Dust cover kit, shock absorber



Notes

Rear Axle
Kit

Application info

Octavia II (1Z_) (02/04--)

8

Dust cover kit, shock absorber
100 740 0012
Notes

 Rear Axle
 Round
 Kit

Application info

Fabia I (08/99-03/08)

Fabia II (12/06--)

Dust cover kit, shock absorber
100 740 0013
Notes

 Rear Axle
 Kit

Application info

Octavia II (1Z_) (02/04--)

Dust cover kit, shock absorber
100 740 0014
Notes

 Rear Axle
 Kit

Application info

Octavia II (1Z_) (02/04--)

100 740 0015

Dust cover kit, shock absorber



Notes

Rear Axle
Kit

Application info

Superb II (3T) (03/08--)

100 740 0016

Dust cover kit, shock absorber



Notes

Rear Axle
Kit

Application info

Superb II (3T) (03/08--)

100 740 0017

Dust cover kit, shock absorber



Notes

Rear Axle
Kit

Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

8

Dust cover/boot, strut

100 412 0042
4D0 412 137 C

Notes

Height [mm] Front Axle
80

References

4D0 412 137 C



Application info

Superb I (3U) (12/01-03/08)

Dust cover/boot, strut

100 413 0000
357 413 175 A

Notes

Height [mm] Front Axle
221.5

References

357 413 175 A



Application info

Octavia I (1U_) (09/96-12/10)

Dust cover/boot, strut

100 643 0003
6N0 413 175 A

Notes

Height [mm] Front Axle
206

References

6N0 413 175 A



Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)
Octavia II (1Z_) (02/04--)

Roomster (03/06--)
Superb II (3T) (03/08--)

100 513 0006
1J0 513 425

Dust cover/boot, strut



Notes

Height [mm]

Rear Axle
160

References

1J0 513 425

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)
Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)
Rapid II (NH) (10/11--)
Roomster (03/06--)

100 513 0007
1J0 513 425 A

Dust cover/boot, strut



Notes

Height [mm]

Rear Axle
180

References

1J0 513 425 A

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 412 0033/S
8D0 412 131 F

Rubber stop, suspension



Notes

Height [mm]

Front Axle
85
for vehicles without sports suspen-
sion
for vehicles without off-road sus-
pension
Kit

References

8D0 412 131 F

Application info

Superb I (3U) (12/01-03/08)

Rubber stop, suspension
100 642 0000
 6Q0 412 301

Notes

Height [mm]

 Front Axle
 84
 for vehicles with off-road suspen-
 sion

References

6Q0 412 301


Application info

Fabia I (08/99-03/08)

Rubber stop, suspension
100 642 0010
 6Q0 412 301 A

Notes

Height [mm]

 Front Axle
 56

References

6Q0 412 301 A


Application info

Fabia I (08/99-03/08)

Roomster (03/06--)

Rubber stop, suspension
100 412 0014
 1H0 412 303 B

Notes

Height [mm]

Outer Diameter [mm]

Inner Diameter [mm]

 Front Axle
 63
 132
 14

References

1H0 412 303 B


Application info

Octavia I (1U_) (09/96-12/10)

100 512 0029

1J0 412 303

Rubber stop, suspension



Notes

Height [mm]

Front Axle

53

for vehicles with sports suspension

References

1J0 412 303

Application info

Octavia I (1U_) (09/96-12/10)

100 642 0002

1K0 412 303 B

Rubber stop, suspension



Notes

Height [mm]

Front Axle

70

References

1K0 412 303 B

Application info

Octavia II (1Z_) (02/04--)

100 642 0004

1K0 412 303 F

Rubber stop, suspension



Notes

Height [mm]

Front Axle

55

Inner Diameter [mm]

30

References

1K0 412 303 F

Application info

Octavia II (1Z_) (02/04--)

8

Rubber stop, suspension
100 642 0005
 1K0 412 303 G

Notes

	Front Axle
Height [mm]	90
Inner Diameter [mm]	25

References

1K0 412 303 G


Application info

Octavia II (1Z_) (02/04--)

Rubber stop, suspension
100 642 0006
 1K0 412 303 H

Notes

	Front Axle
Height [mm]	90
Inner Diameter [mm]	28

References

1K0 412 303 H


Application info

Octavia II (1Z_) (02/04--)

Rubber stop, suspension
100 412 0015
 357 412 303 F

Notes

	Front Axle
Height [mm]	83
Inner Diameter [mm]	18

References

357 412 303 F


Application info

 Favorit (05/89-06/97)
 Felicia (10/94-04/02)

Octavia I (1U_) (09/96-12/10)

100 742 0019
1K0 511 353 P

Rubber stop, suspension



Notes

Height [mm]

Rear Axle
135

References

1K0 511 353 P

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 512 0011
1J0 512 131

Rubber stop, suspension



Notes

Height [mm]

Rear Axle
143
for vehicles with off-road suspen-
sion

References

1J0 512 131

Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

100 512 0014
1J0 512 131 B

Rubber stop, suspension



Notes

Height [mm]

Rear Axle
128
for vehicles without sports suspen-
sion
for vehicles without off-road sus-
pension

References

1J0 512 131 B

Application info

Octavia I (1U_) (09/96-12/10)

8

Rubber stop, suspension
100 512 0018

1J0 512 131 C

Notes

Height [mm]

 Rear Axle
 105
 for vehicles with sports suspension

References

1J0 512 131 C


Application info

Octavia I (1U_) (09/96-12/10)

Rubber stop, suspension
100 512 0027

3B0 512 131 H

Notes

Height [mm]

 Rear Axle
 134
 for vehicles without sports suspen-
 sion
 for vehicles without off-road sus-
 pension

References

3B0 512 131 H


Application info

Superb I (3U) (12/01-03/08)

Rubber stop, suspension
100 742 0002

4B0 512 131 B

Notes

Height [mm]

 Rear Axle
 103.5
 for vehicles with sports suspension

References

4B0 512 131 B


Application info

Superb I (3U) (12/01-03/08)

100 742 0021
6Q0 512 131 C

Rubber stop, suspension



Notes

Height [mm]

Rear Axle
113.5

References

6Q0 512 131 C

Application info

Fabia II (12/06--)

100 512 0019
6U0 512 131

Rubber stop, suspension



Notes

Height [mm]

Inner Diameter [mm]

Rear Axle
120
18

References

6U0 512 131

Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

100 742 0022
6U0 512 131 B

Rubber stop, suspension



Notes

Height [mm]

Rear Axle
120

References

6U0 512 131 B

Application info

Felicia (10/94-04/02)

8

Rubber stop, suspension
100 742 0023
 6U0 512 131 C

Notes

Height [mm]

 Rear Axle
 155

References

6U0 512 131 C


Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

Rubber stop, suspension
114 742 0001
 6X0 512 131 A

Notes

Height [mm]

 Rear Axle
 120

References

6X0 512 131 A


Application info

Fabia I (08/99-03/08)

Rubber stop, suspension
100 742 0015
Notes

Height [mm]

 Rear Axle
 133

Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--

Yeti (5L) (05/09--

126 623 0011
1J0 413 031 BJ

Shock absorber



Notes

Front Axle
Twin-Tube
Gas Pressure
Suspension Strut

References

1J0 413 031 AG
1J0 413 031 AM

1J0 413 031 BJ

Application info

Octavia I (1U_) (09/96-12/10)

126 623 0050
1K0 413 031 AS

Shock absorber



Notes

Housing Diameter [mm]

Front Axle
50
Twin-Tube
Gas Pressure
Suspension Strut

References

1K0 413 031 AS

1K0 413 031 CM

Application info

Octavia II (1Z_) (02/04--)

Yeti (5L) (05/09--)

126 623 0055
1T0 413 031 CF

Shock absorber



Notes

Housing Diameter [mm]

Front Axle
55
Twin-Tube
Gas Pressure
Suspension Strut

References

1T0 413 031 CF

Application info

Octavia II (1Z_) (02/04--)

Superb II (3T) (03/08--)

8

Shock absorber
126 623 0004
 6Q0 413 031 BN

Notes

 Front Axle
 Twin-Tube
 Gas Pressure
 Suspension Strut

References

 6Q0 413 031 BH
 6Q0 413 031 BN

6Q0 413 031 BR


Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

Roomster (03/06--)

Shock absorber
126 613 0006
 6U0 413 031 L

Notes

 Front Axle
 for vehicles with ABS
 Twin-Tube
 Oil Pressure
 Suspension Strut

References

 6U0 413 031 H
 6U0 413 031 K
 6U0 413 031 L
 6U6 413 031

 6U6 413 031 C
 441 073 261 046
 441 073 261 056
 441 073 261 066

Application info

Felicia (10/94-04/02)

Shock absorber
126 613 0003
 6U6 413 031 B

Notes

 Front Axle
 for vehicles without ABS
 Twin-Tube
 Oil Pressure
 Suspension Strut

References

 6U0 413 031 N
 6U6 413 031 B

443 621 251 010


Application info

Felicia (10/94-04/02)

126 625 0003
8D0 413 031 BM

Shock absorber



Notes

Front Axle
Twin-Tube
Gas Pressure
Bottom Fork
Top pin

References

8D0 413 031 BM

Application info

Superb I (3U) (12/01-03/08)

126 613 0001
115 495 001

Shock absorber



Notes

Front Axle
Twin-Tube
Oil Pressure
Suspension Strut

References

441 073 260 036
441 073 260 136
441 073 260 196
115 495 000

116 495 000
115 495 001
116 495 001

Application info

Favorit (05/89-06/97)

126 725 0010
1J0 513 025 BG

Shock absorber



Notes

Rear Axle
Twin-Tube
Gas Pressure
Bottom eye
Top pin

References

1J0 513 025 AJ
1J0 513 025 AK

1J0 513 025 BG

Application info

Octavia I (1U_) (09/96-12/10)

8

Shock absorber
126 725 0011
 1J9 513 025 E

Notes

 Rear Axle
 Twin-Tube
 Gas Pressure
 Bottom eye
 Top pin

References

 1J9 513 025 A
 1J9 513 025 E

1J9 513 025 F


Application info

Octavia I (1U_) (09/96-12/10)

Roomster (03/06--

Shock absorber
126 725 0015
 6Q0 513 025 BN

Notes

 Rear Axle
 Twin-Tube
 Gas Pressure
 Bottom eye
 Top pin

References

6Q0 513 025 BN


Application info

Fabia I (08/99-03/08)

Fabia II (12/06--

Shock absorber
126 725 0024
 1K0 513 029 FA

Notes

 Rear Axle
 Twin-Tube
 Gas Pressure
 Bottom eye
 Top pin

References

1K0 513 029 FA


Application info

Octavia II (1Z_) (02/04--

Yeti (5L) (05/09--

126 725 0009
3B5 513 031 B

Shock absorber



Notes

Rear Axle
Twin-Tube
Gas Pressure
Bottom eye
Top pin

References

3B5 513 031 B

Application info

Superb I (3U) (12/01-03/08)

126 715 0008
6U9 513 031 D

Shock absorber



Notes

Rear Axle
Twin-Tube
Oil Pressure
Bottom eye
Top pin

References

115 395 000	6U0 513 031 C
115 395 001	6U6 513 031
441 075 803 116	6U6 513 031 C
441 075 803 146	6U6 513 031 D
441 075 803 196	6U9 513 031
441 075 803 246	6U9 513 031 B
441 075 803 266	6U9 513 031 D
443 621 251 002	6U9 513 031 E
443 621 251 012	007 580 319
443 621 251 021	007 580 324
443 621 251 023	007 580 326

Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

100 412 0044
8D0 412 065 G

Spring seat



Notes

Front Axle

References

8D0 412 065 D	8D0 412 065 F
8D0 412 065 E	8D0 412 065 G

Spring seat
100 412 0044
 8D0 412 065 G

Application info

Superb I (3U) (12/01-03/08)

Spring seat
100 412 0022
 1J0 412 341

Notes

 Front Axle
 Upper

References

1J0 412 341


Application info

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Strut mount
100 412 0019
 1J0 412 331 C

Notes

 Front Axle
 without ball bearing
 82
 30

 Outer Diameter [mm]
 Inner Diameter [mm]

References

1J0 412 331 B

1J0 412 331 C


Application info

Fabia II (12/06--)

Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)

Roomster (03/06--)

100 412 0019/S
1J0 412 331 C

Strut mount



Notes

Front Axle
with ball bearing
Kit

References

1J0 412 331 B

1J0 412 331 C

Parts list

100 412 0019
100 412 0017

Strut mount
Strut mount bearing

Application info

Fabia II (12/06--)
Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)
Roomster (03/06--)

100 412 1019/S
1J0 412 331 C

Strut mount



Notes

Full Set

Alternative Repair Kit

Front Axle
with ball bearing
100 412 0019/S
Kit

References

1J0 412 331 B

1J0 412 331 C

Parts list

100 412 0019/S

Strut mount

Application info

Fabia II (12/06--)
Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)
Roomster (03/06--)

100 412 0039
1K0 412 331 B

Strut mount



Notes

Front Axle
without ball bearing

References

1K0 412 331 B

8

+

Strut mount
100 412 0039
 1K0 412 331 B

Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Strut mount
100 412 0039/S
 1K0 412 331 B

Notes

Full Set

 Front Axle
 with ball bearing
 Kit

References

1K0 412 331 B

Parts list

 100 412 0039
 100 641 0003

 Strut mount
 Strut mount bearing

Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--)

Yeti (5L) (05/09--)

Strut mount
100 412 0029
 6N0 412 331 E

Notes

 Front Axle
 without ball bearing

References

6N0 412 331 E


Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

Roomster (03/06--)

100 412 0029/S
6N0 412 331 E

Strut mount



Notes

Full Set

Front Axle
with ball bearing
Kit

References

5Z0 412 331 B
6N0 412 331 D

6N0 412 331 E

Parts list

100 412 0029
100 641 0003

Strut mount
Strut mount bearing

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)

Roomster (03/06--)

100 641 0006
6Q0 412 331 B

Strut mount



Notes

Front Axle
without ball bearing

References

6Q0 412 331 B

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)

Roomster (03/06--)

100 412 0021
6U0 412 355

Strut mount



Notes

Front Axle
without ball bearing

References

6U0 412 355

8

+

Strut mount
100 412 0021
 6U0 412 355

Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

Strut mount
100 412 0021/S
 6U0 412 355

Notes

 Front Axle
 with ball bearing
 Piece

References

6U0 412 355

Parts list

100 412 0021

Strut mount


Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

Strut mount
100 641 0007
 3B7 412 377 A

Notes

 Front Axle
 without ball bearing

References

3B7 412 377 A


Application info

Superb I (3U) (12/01-03/08)

100 513 0001
1J0 513 353 B

Strut mount



Notes

Rear Axle
without ball bearing

References

1J0 513 353 A
1J0 513 353 B

1J0 513 353 C
1J0 513 353 G

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)

Octavia I (1U_) (09/96-12/10)

100 741 0001
3B0 513 353

Strut mount



Notes

Rear Axle
without ball bearing

References

3B0 513 353

Application info

Superb I (3U) (12/01-03/08)

100 513 0010
3C0 513 353 C

Strut mount



Notes

Rear Axle
without ball bearing

References

1K0 513 353 J
3C0 513 353

3C0 513 353 C

Application info

Octavia II (1Z_) (02/04--)

Strut mount bearing
100 412 0017
 1J0 412 249

Notes

	Front Axle
Height [mm]	13.5
Outer Diameter [mm]	45
Inner Diameter [mm]	14

References

1J0 412 249


Application info

Octavia I (1U_) (09/96-12/10)

Strut mount bearing
100 641 0003
 6N0 412 249 C

Notes

	Front Axle
Outer Diameter [mm]	112

References

6N0 412 249 C	6N0 412 249 E
---------------	---------------


Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)
 Octavia II (1Z_) (02/04--)

 Roomster (03/06--)
 Superb II (3T) (03/08--)
 Yeti (5L) (05/09--)
Strut mount bearing
100 641 0001
 6U0 412 249

Notes

Front Axle

References

6U0 412 249


Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

116 010 0006
1J0 505 203

Mount, wheel bearing housing



Notes

Rear Axle Left
Rear Axle Right
Rear
for drag link

Outer Diameter [mm]
Inner Diameter [mm]

44
12

References

1J0 505 203

1J0 505 365 N

Application info

Octavia I (1U_) (09/96-12/10)

100 752 0006
1J0 501 249 C

Protection lid, wheel hub



Notes

Rear Axle

References

1J0 501 249 A

1J0 501 249 C

Application info

Fabia I (08/99-03/08)
Fabia II (12/06--)
Octavia I (1U_) (09/96-12/10)

Octavia II (1Z_) (02/04--)
Superb I (3U) (12/01-03/08)

100 614 0000
1J0 614 149

Sensor ring, ABS



Notes

Rear Axle left and right

References

1J0 614 149

Application info

Felicia (10/94-04/02)

Octavia I (1U_) (09/96-12/10)

Wheel bearing
100 405 0101
 311 405 625 F

Notes

	Rear Axle
	inner
Height [mm]	14.73
Outer Diameter [mm]	50
Inner Diameter [mm]	29
Alternative Repair Kit	100 598 0101
Alternative Repair Kit	100 598 0101/SK

References

311 405 625 F	311 405 625 N
---------------	---------------


Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

Wheel bearing
100 407 0048
 1J0 407 625

Notes

	Front Axle
Height [mm]	39.9
Outer Diameter [mm]	74
Inner Diameter [mm]	40
Alternative Repair Kit	100 498 0048

References

1J0 407 625


Application info

Octavia I (1U_) (09/96-12/10)

Wheel bearing
100 407 0037
 4D0 407 625 E

Notes

	Front Axle
Height [mm]	37
Outer Diameter [mm]	82
Inner Diameter [mm]	43
Alternative Repair Kit	100 498 0037

References

4D0 407 625 E


Application info

Superb I (3U) (12/01-03/08)

100 407 0080
6U0 498 002

Wheel bearing



Notes

Height [mm]	37
Outer Diameter [mm]	68
Inner Diameter [mm]	35
Alternative Repair Kit	100 650 0002

References

6U0 407 625 A*	6U0 498 002
----------------	-------------

Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

100 650 0002
6U0 498 003

Wheel bearing kit



Notes

Height [mm]	37
Outer Diameter [mm]	68
Inner Diameter [mm]	35
	with add-on material

References

6U0 498 003

Parts list

100 407 0080	Wheel bearing
--------------	---------------

Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

100 498 0048
1J0 498 625 A

Wheel bearing kit



Notes

Height [mm]	39.9
Outer Diameter [mm]	74
Inner Diameter [mm]	40
	with add-on material

References

1J0 498 625	1J0 498 625 A
-------------	---------------

Parts list

100 407 0048	Wheel bearing
--------------	---------------

8

+

Wheel bearing kit
100 498 0048
 1J0 498 625 A

Application info

 Fabia I (08/99-03/08)
 Felicia (10/94-04/02)

 Octavia I (1U_) (09/96-12/10)
 Octavia II (1Z_) (02/04--)

Wheel bearing kit
100 498 0220
 1S0 498 625

Notes

 Height 1 [mm]
 Outer Diameter [mm]
 Inner Diameter [mm]

 Front Axle left and right
 37
 66
 35
 with add-on material

References

1S0 498 625


Application info

Citigo (10/11--)

Wheel bearing kit
100 498 0037
 4A0 498 625

Notes

 Thread Size
 Height [mm]
 Outer Diameter [mm]
 Inner Diameter [mm]

 Front Axle left and right
 M16x1,5x77
 37
 82
 43
 with add-on material
 with accessories

References

4A0 498 625

Parts list

100 407 0037

Wheel bearing


Application info

Superb I (3U) (12/01-03/08)

100 498 0137
4A0 498 625

Wheel bearing kit



Notes

Thread Size
Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Front Axle left and right
with lock ring
M16x1,5x77
37
82
43
with add-on material

References

4A0 498 625

Parts list

100 407 0037

Wheel bearing

Application info

Superb I (3U) (12/01-03/08)

100 498 0337
4A0 498 625

Wheel bearing kit



Notes

Thread Size
Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Front Axle left and right
M16x1,5x77
37
82
43
with add-on material

References

4A0 498 625

Parts list

100 407 0037

Wheel bearing

Application info

Superb I (3U) (12/01-03/08)

100 498 0138
4B0 498 625

Wheel bearing kit



Notes

Thread Size
Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Front Axle left and right
M14x1,5x73
37
75
39
with add-on material

References

4B0 498 625

Parts list

100 407 0038

Wheel bearing

8

Wheel bearing kit
100 498 0138
 4B0 498 625

Application info

Superb I (3U) (12/01-03/08)

Wheel bearing kit
100 598 0101
 191 598 625

Notes

Height 1 [mm]	Rear Axle left and right
Height 2 [mm]	15
Outer Diameter 1 [mm]	14.73
Outer Diameter 2 [mm]	50
Inner Diameter 1 [mm]	40
Inner Diameter 2 [mm]	29
	17.5
	with add-on material

References

191 598 625	6U0 598 625
-------------	-------------


Application info

Favorit (05/89-06/97)

Felicia (10/94-04/02)

Wheel hub
100 407 6007
 1J0 407 613 G

Notes

Rim Hole Number	without wheel bearing
Bolt Hole Circle Ø [mm]	5
Outer Diameter [mm]	100
	120
	without add-on material

References

1J0 407 613 G


Application info

Octavia I (1U_) (09/96-12/10)

100 407 0068
4A0 407 615 G

Wheel hub



Notes

Rim Hole Number
Bolt Hole Circle Ø [mm]
Outer Diameter [mm]

Front Axle left and right
without wheel bearing
5
112
130
without add-on material

References

4A0 407 615 G

Application info

Superb I (3U) (12/01-03/08)

100 407 0067
6U0 407 615

Wheel hub



Notes

Rim Hole Number
Bolt Hole Circle Ø [mm]
Outer Diameter [mm]

Front Axle left and right
without wheel bearing
4
100
121
without add-on material

References

6U0 407 615
6U0 407 615 A

115 430 011

Application info

Felicia (10/94-04/02)

100 407 0079
8D0 407 615 E

Wheel hub



Notes

Rim Hole Number
Bolt Hole Circle Ø [mm]
Outer Diameter [mm]

Front Axle left and right
without wheel bearing
5
112
131
without add-on material

References

8D0 407 615 E

Application info

Superb I (3U) (12/01-03/08)

8

Wheel hub

100 752 0004
 6Q0 407 621 BK

Notes

	Front Axle left and right with wheel bearing with integrated sensor ring
Rim Hole Number	5
Bolt Hole Circle Ø [mm]	100
Outer Diameter [mm]	121
Diameter [mm]	66
	Disc Brake with add-on material
for brake disc thickness [mm]	18
for brake disc diameter [mm]	239

References

6Q0 407 621 BK	6Q0 407 621 BP
----------------	----------------



Application info

Fabia I (08/99-03/08)

Wheel hub

100 652 0001
 6R0 407 621 E

Notes

	Front Axle left and right with wheel bearing with integrated sensor ring
Rim Hole Number	5
Bolt Hole Circle Ø [mm]	100
Outer Diameter [mm]	126
Diameter [mm]	73
	Disc Brake with add-on material
for brake disc thickness [mm]	22
for brake disc thickness [mm]	25
for brake disc diameter [mm]	256
for brake disc diameter [mm]	288

References

6Q0 407 621 BR	6R0 407 621 E
6R0 407 621 A	



Application info

 Fabia I (08/99-03/08)
 Fabia II (12/06--)

Roomster (03/06--)

100 650 0003
1K0 498 621

Wheel hub



Notes

Rim Hole Number
Bolt Hole Circle Ø [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Front Axle left and right
with integrated wheel bearing
with integrated sensor ring
Three-point mounting
5
112
136
27
with add-on material

References

1K0 498 621

5K0 498 621 A

Application info

Octavia II (1Z_) (02/04--)

Yeti (5L) (05/09--)

100 650 0005
1T0 498 621

Wheel hub



Notes

Rim Hole Number
Bolt Hole Circle Ø [mm]
Outer Diameter [mm]
Inner Diameter [mm]

with integrated wheel bearing
with integrated sensor ring
Four-point mounting
5
112
136
27.5
for vehicles with ABS
with add-on material

References

1T0 498 621
5K0 498 621

8J0 598 625

Application info

Octavia II (1Z_) (02/04--)
Superb I (3U) (12/01-03/08)

Superb II (3T) (03/08--)
Yeti (5L) (05/09--)

Wheel hub
100 650 1003
 8V0 498 625

Notes

 Rim Hole Number
 Bolt Hole Circle Ø [mm]
 Outer Diameter 2 [mm]
 Outer Diameter [mm]
 for brake disc diameter [mm]

 Front Axle left and right
 with integrated wheel bearing
 with integrated sensor ring
 Three-point mounting
 5
 112
 80
 136
 with add-on material
 288

References

8V0 498 625


Application info

Octavia III (5E3/5E5) (11/12--)

Wheel hub
100 650 1005
 8V0 498 625 A

Notes

 Rim Hole Number
 Bolt Hole Circle Ø [mm]
 Outer Diameter 2 [mm]
 Outer Diameter [mm]
 for brake disc diameter [mm]

 Front Axle left and right
 with integrated wheel bearing
 with integrated sensor ring
 Three-point mounting
 5
 112
 85
 136
 with add-on material
 312

References

8V0 498 625 A


Application info

Octavia III (5E3/5E5) (11/12--)

Wheel hub
100 752 0001
 8E0 501 611 J

Notes

 Rim Hole Number
 Bolt Hole Circle Ø [mm]
 Outer Diameter [mm]
 Inner Diameter [mm]

 Rear Axle left and right
 with integrated wheel bearing
 5
 112
 130
 39
 with add-on material

References

8E0 501 611 J



100 752 0001
8E0 501 611 J

Wheel hub

Application info

Superb I (3U) (12/01-03/08)

100 598 0181
1J0 598 477

Wheel hub



Notes

Rim Hole Number
Bolt Hole Circle Ø [mm]
Outer Diameter [mm]
Inner Diameter 1 [mm]
Number of Teeth, ABS ring

Rear Axle left and right
with ABS sensor ring
with integrated wheel bearing
5
100
120
30
43
with add-on material

References

1J0 598 477

Parts list

100 752 0006

Protection lid, wheel hub

Application info

Octavia I (1U_) (09/96-12/10)

100 752 0010
150 598 611

Wheel hub



Notes

Rim Hole Number
Bolt Hole Circle Ø [mm]
Width [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Rear Axle left and right
with integrated sensor ring
with wheel bearing
4
100
63
121
28
with add-on material

References

150 598 611

Application info

Citigo (10/11--)

Wheel hub
100 752 0003
 1T0 598 611 B

Notes

 Rim Hole Number
 Bolt Hole Circle Ø [mm]
 Outer Diameter [mm]
 Inner Diameter [mm]

 Rear Axle left and right
 with integrated wheel bearing
 with integrated sensor ring
 5
 112
 137
 32
 with add-on material

References

1T0 598 611 B

Parts list

100 752 0006 Protection lid, wheel hub


Application info

 Octavia II (1Z_) (02/04--)
 Superb II (3T) (03/08--

Yeti (5L) (05/09--

Wheel hub
114 750 0001
 6Q0 598 611

Notes

 Axle Version
 Rim Hole Number
 Bolt Hole Circle Ø [mm]
 Outer Diameter [mm]
 Inner Diameter [mm]

 Rear Axle left and right
 Standard
 with integrated wheel bearing
 5
 100
 120
 28
 with add-on material

References

6Q0 598 611


Application info

Fabia I (08/99-03/08)

Fabia II (12/06--

MEYLE no.	Ref. no.	Page
Skoda		
013 012 0039	007 070 246 047 121 011	180
014 830 0005	7M0 951 253 C	143
025 208 6117	115 430 261 115 430 284 115 430 285 6U0 698 151 6U0 698 151 A 6U0 698 151 B 6U0 698 151 C 6U0 698 151 E	44
025 209 6117	1J0 698 451 F 1J0 698 451 K 1J0 698 451 P 1J0 698 451 S 1K0 698 451 C 1K0 698 451 J 3B0 698 451 A 8E0 698 451 A 8E0 698 451 K	45
025 209 6117/PD	1J0 698 451 F 1J0 698 451 K 1J0 698 451 P 1J0 698 451 S 1K0 698 451 C 1K0 698 451 J 3B0 698 451 A 8E0 698 451 A 8E0 698 451 K	45
025 218 6817/W	6Q0 698 151 B	43
025 219 1119	1J0 698 151 L 8N0 698 151	44
025 230 1820/W	4B0 698 151 J 4B0 698 151 N 8E0 698 151 J	42
025 231 3019/A	1J0 698 151 J 5C0 698 151 6Q0 698 151 6R0 698 151 A	40
025 231 3019/PD	1J0 698 151 J 5C0 698 151 6Q0 698 151 6R0 698 151 A	40
025 231 3119/PD	1J0 698 151 D 1J0 698 151 E 1J0 698 151 G	39

MEYLE no.	Ref. no.	Page
Skoda		
	1K0 698 151 A 1K0 698 151 D 1K0 698 151 F 8Z0 698 151 A	
025 231 3119/W	1J0 698 151 D 1J0 698 151 E 1J0 698 151 G 1K0 698 151 A 1K0 698 151 D 1K0 698 151 F 8Z0 698 151 A	39
025 233 9219/W	1J0 698 151 M	40
025 235 8118	6Q0 698 151 A	42
025 235 8118/W	6Q0 698 151 C	43
025 235 8720/PD	3C0 698 151 A 5K0 698 151	41
025 235 8720/W	3C0 698 151 A 3C0 698 151 C 3C0 698 151 D 5K0 698 151	41
025 238 0120/W	1K0 698 151 B 8J0 698 151 F	44
025 238 2317/W	6Q0 698 451 6Q0 698 451 B	46
025 239 1417	1K0 698 451 D 1K0 698 451 G 1K0 698 451 H 1K0 698 451 K	46
025 239 1417/PD	1K0 698 451 D 1K0 698 451 G 1K0 698 451 H 1K0 698 451 K	46
025 245 6317	5K0 698 451	47
028 271 0006	078 121 113 F	172
028 280 0008	078 121 113 F	172
028 287 0007	078 121 113 F	173
028 287 0009	050 121 113 C	171
028 292 0009	078 121 113 G	173
029 280 1210	-	10
029 330 1311	-	11
029 400 1611	-	11
029 450 1800	-	12
029 475 1900	-	12
029 500 2000	-	12
029 530 2100	-	13
029 600 2400	-	13

MEYLE no.	Ref. no.	Page
Skoda		
100 009 0001	059 145 276	148
100 020 0001	030 145 299 C 030 145 299 F	146
100 020 0009	06B 109 477 A	146
100 020 1032	068 905 061 N 019 081 1 N 019 100 1 N 102 130 02	107
100 020 1036	N 103 021 02	108
100 020 2022	N 101 401 05	107
100 030 0001	6Q0 199 851 AS 6Q0 199 851 T	90
100 030 0004	1J0 199 262 BK	222
100 030 0005	8D0 199 339 M	220
100 034 0002	191 127 247 A	205
100 034 0003	1J0 127 247 A	205
100 034 0004	1J0 919 050 1J0 919 050 B	200
100 034 0007	6X0 919 050	203
100 034 0009	057 127 247 A	204
100 036 0007	06A 133 240	183
100 036 0018	1J0 129 684 CG	204
100 036 0020	06B 103 217 AC	184
100 036 0032	06B 103 221 A 06B 103 221 B 06B 103 221 P	185
100 038 0001	096 409 061 F 096 409 061 G	207
100 038 0014	06B 103 663 B 06B 103 663 G	208
100 038 0023	03G 103 603 AD	216
100 103 0015	056 103 419 A	185
100 103 0016	036 103 113 A 059 103 113	161
100 103 0041	038 103 603 N	216
100 103 0045	06A 103 663 C	208
100 103 0046	06A 103 663 B	208
100 103 0050	078 103 604 AA	216
100 103 0053	038 103 603 M	215
100 103 0054	038 103 601 AQ 038 103 601 MA	215
100 103 0100	026 103 085 E 068 103 085 E	185
100 105 0004	056 105 313 C	153
100 109 0027	034 109 309 AD	186
100 109 0028	030 109 243 K	150

MEYLE no.	Ref. no.	Page
Skoda		
100 109 0034	03L 109 244 D 058 109 244	152
100 109 0041	078 109 243 R 078 109 243 S	151
100 109 0049	06B 109 243 B 06B 109 243 E	151
100 109 0051	038 109 244 J	152
100 109 0052	06B 109 244	152
100 109 0054	06B 109 243 D 06B 109 243 F	151
100 109 0063	038 109 243 N	150
100 115 0000	071 115 562 A 071 115 562 C	214
100 115 0002	030 115 561 C	209
100 115 0004	030 115 561 AB 030 115 561 AN	209
100 115 0005	078 115 561 J	212
100 115 0007	074 115 562	214
100 115 0009	06A 115 561 B 1JM 115 561 BZ	211
100 115 0011	059 115 562	213
100 115 0016	06D 115 562	213
100 117 0002	068 117 021 B	207
100 117 0004	078 117 021 A	207
100 117 0005	028 117 021 L	206
100 121 0036	058 121 350	161
100 121 0038	078 121 350 A	161
100 121 0048	068 121 113 068 121 113 B 068 121 113 D 068 121 113 H	171
100 121 0052	038 121 121	155
100 121 0057	038 121 132 C	156
100 121 0059	06A 121 132 AP 06A 121 132 Q	157
100 121 0059/C	06A 121 132 AP 06A 121 132 Q	157
100 121 0061	8D0 121 403 L	159
100 121 0068	06A 121 132 A	157
100 121 0071	058 121 301 B	160
100 121 0080	357 121 140 357 121 140 S 357 121 999 X	162
100 121 0089	078 121 301 E	160
100 121 0106	026 121 144 A 026 121 144 E	158

MEYLE no.	Ref. no.	Page
Skoda		
	037 121 144 A 026 121 145 E 037 121 145	
100 121 0113	058 121 132 A 058 121 132 C	156
100 121 1025	032 121 110 B	170
100 121 1051	030 121 121 B	154
100 121 1052	06A 121 121 C	155
100 121 1065	1J0 121 087 B	154
100 127 0000	6Q0 127 401 B	195
100 127 0007	1J0 127 401 A	194
100 127 0013	8D0 127 435	197
100 130 0004	6Q0 199 851 AL	86, 89, 230
100 130 0004	6Q0 199 851 AL	86, 89, 230
100 130 0004	6Q0 199 851 AL	86, 89, 230
100 130 0011	4B0 399 151 M	87
100 135 0001	01V 325 429	94
100 135 0100	-	94
100 135 0101	-	94
100 135 0102	02E 305 051 C 2E0 398 051	93
100 136 0003	02E 305 051 C 02E 398 051	83
100 137 0001	09G 325 429	83
100 139 0002	09G 321 370	206
100 140 0001	02E 321 371 E	81
100 142 0003	1J0 711 803 C	18
100 142 0004	1J1 721 388 A 1J1 721 388 C 1J1 721 388 E 1J1 721 388 G	153
100 142 0005	1J0 721 261 J 1J0 721 261 L	153
100 142 0010	1J0 711 183 D	17
100 145 0003	030 145 299 F*	149
100 145 0005	038 145 276	148
100 199 0040	8D0 199 379 AQ 8D0 199 379 J	224
100 199 0045	1J0 199 851 AA 1J0 199 851 M 1J0 199 851 N	86, 89, 228
100 199 0045	1J0 199 851 AA 1J0 199 851 M 1J0 199 851 N	86, 89, 228
100 199 0045	1J0 199 851 AA 1J0 199 851 M	86, 89, 228

MEYLE no.	Ref. no.	Page
Skoda		
	1J0 199 851 N	
100 199 0048	8D0 199 382 AN 8D0 199 382 L	225
100 199 0053	1J0 199 555 AJ	85, 88, 225
100 199 0053	1J0 199 555 AJ	85, 88, 225
100 199 0053	1J0 199 555 AJ	85, 88, 225
100 199 0056	8D0 199 379 AT	224
100 199 0063	1J0 199 429	302
100 199 0068	1J0 199 555 AH	225
100 199 0069	1J0 199 555 AK	226
100 199 0070	1J0 199 555 AL	226
100 199 0085/HD	1K0 199 231 J	280
100 199 0086/HD	1K0 199 232 J	281
100 199 0094	1K0 199 855 AD 1K0 199 855 BA 1K0 199 855 K	90, 231
100 199 0094	1K0 199 855 AD 1K0 199 855 BA 1K0 199 855 K	90, 231
100 199 0095	1K0 199 555 T	228
100 199 0096	1K0 199 555 Q	86, 88, 227
100 199 0096	1K0 199 555 Q	86, 88, 227
100 199 0096	1K0 199 555 Q	86, 88, 227
100 199 0097	1K0 199 555 L	226
100 199 0098	1K0 199 555 M	227
100 199 0099	1K0 199 555 N	227
100 199 0105	1K0 199 867 B	231
100 199 0108	1K0 199 262 K	223
100 199 0112	1K0 199 262 AS	222
100 199 0115	6Q0 199 167 DB 6Q0 199 167 DN 6R0 199 167 AB	221
100 199 0116	6Q0 199 167 BQ 6Q0 199 167 CR 6Q0 199 167 DJ 6R0 199 167 S	222
100 199 0119	6Q0 199 851 AK	229
100 199 0122	1K0 199 262 L	223
100 199 0127	6Q0 199 167 CQ 6Q0 199 167 DH 6R0 199 167 R	221
100 199 0128	6Q0 199 167 DM 6R0 199 167 AA	221
100 199 0129	1K0 199 262 AT	85, 88, 223
100 199 0129	1K0 199 262 AT	85, 88, 223
100 199 0129	1K0 199 262 AT	85, 88, 223

MEYLE no.	Ref. no.	Page
Skoda		
100 199 0132	6Q0 199 167 DK	220
100 199 0134	4B0 199 379 E	224
100 199 0135	8D0 199 339 E	220
100 199 0137	6Q0 199 851 AE 6Q0 199 851 AJ	229
100 199 0150	3C0 199 555 P	89, 228
100 199 0150	3C0 199 555 P	89, 228
100 199 0160	1J0 199 851 AB 1J0 199 851 R	229
100 199 0161	1K0 199 867 P 1K0 199 867 Q	231, 303
100 199 0161	1K0 199 867 P 1K0 199 867 Q	231, 303
100 199 0162	1K0 199 868 P 1K0 199 868 Q	232, 303
100 199 0162	1K0 199 868 P 1K0 199 868 Q	232, 303
100 199 0178	6Q0 199 851 AP	230
100 199 0181	6Q0 199 851 AR	230
100 199 0184	-	91, 232
100 199 0184	-	91, 232
100 201 0000	6X0 201 511 B	200
100 201 0001	251 201 511 G	199
100 201 0007	1J0 201 511 A	198
100 201 0011	6N0 127 401 R	194
100 201 0012	1K0 127 434 A	195
100 201 0013	6X0 201 511 B	200
100 223 0005	6Q0 121 407 6Q0 121 407 A 6Q0 121 407 B	159
100 224 0006	06A 103 213 F	184
100 226 0001	028 121 132 B	156
100 226 0005	1J0 121 087 A	154
100 236 0001	8D1 820 021 A 8D1 820 021 C	134
100 236 0003	1K0 959 455 DG 1K0 959 455 ES 1K0 959 455 R	163
100 236 0007	6QD 959 455 C 1C0 959 455 C 1J0 959 455 M	162
100 236 0008	6H0 959 455 6Q0 959 455 H 6X0 959 455 6X0 959 455 C	164
100 236 0009	6Q0 959 455 K	165

MEYLE no.	Ref. no.	Page
Skoda		
	6X0 959 455 A 6X0 959 455 F	
100 236 0019	6Q0 959 455 J	164
100 236 0022	8D0 959 455 P 8D0 959 455 R	165
100 236 0027	8D0 959 455 P	165
100 236 0031	1J1 819 021 C	133
100 236 0040	6Q0 959 455 D	163
100 236 0047	6Q0 959 455 N	164
100 236 0050	1K0 959 455 DH 1K0 959 455 ET 1K0 959 455 Q	163
100 238 0002	3B0 121 321	159
100 260 0001	058 260 511	150
100 321 0001	096 321 370	205
100 321 0004	01V 321 371	206
100 321 0008	1F0 129 620	188
100 321 0009	6Y0 129 620	191
100 321 0012	059 133 843 A	192
100 322 0000	047 115 561 B 047 115 561 C	210
100 322 0007	03D 198 819 A	215
100 322 0011	03L 115 466 03L 115 562	212
100 322 0012	03P 115 562	213
100 322 0015	03C 115 561 B	209
100 322 0017	068 115 561 F	211
100 322 0019	03N 115 562	212
100 322 0021	04E 115 561 H	211
100 322 0022	06L 115 562	214
100 323 0002	6Q0 201 511	199
100 323 0003	6Q0 201 051 C 6Q0 201 051 J	197
100 323 0004	3C0 127 434	196
100 323 0005	1K0 127 434 B	196
100 323 0011	6Q0 201 051 B 6Q0 201 051 H	197
100 323 0012	6U0 201 511 D	199
100 323 0013	6Q0 127 400 H	193
100 323 0017	6Q0 127 401 F	195
100 323 0025	6R0 127 400 C	194
100 325 0001	01M 325 429	84
100 325 0004	01M 325 443	81
100 325 0005	01V 325 429	84
100 325 0007	09G 325 429	85
100 325 0013	001 325 429 A	84

MEYLE no.	Ref. no.	Page
Skoda		
100 398 0003	01V 325 429	82
100 398 0006	01M 325 429	82
100 399 0009	8D0 399 151 M	87, 91
100 399 0009	8D0 399 151 M	87, 91
100 399 0013	8D0 399 151 H	90
100 399 0015	8D0 399 151 J	87, 91
100 399 0015	8D0 399 151 J	87, 91
100 399 0016	8D0 399 415 E	302, 304
100 399 0016	8D0 399 415 E	302, 304
100 399 0027	8D0 399 419 G	92–93, 304
100 399 0027	8D0 399 419 G	92–93, 304
100 399 0027	8D0 399 419 G	92–93, 304
100 399 0027	8D0 399 419 G	92–93, 304
100 399 0028	8D0 399 415 D	92, 304
100 399 0028	8D0 399 415 D	92, 304
100 399 0028	8D0 399 415 D	92, 304
100 399 0028	8D0 399 415 D	92, 304
100 405 0101	311 405 625 F 311 405 625 N	333
100 407 0015	191 407 182 357 407 182	273
100 407 0022/HD	4D0 407 182 G	274
100 407 0024/HD	4B0 407 515 4D0 407 515 C	276
100 407 0037	4D0 407 625 E	333
100 407 0043	1J0 407 181 1J0 407 181 A	272
100 407 0047/HD	4D0 407 181 F 4D0 407 181 H	272
100 407 0048	1J0 407 625	333
100 407 0060/HD	4D0 407 183 AB 4D0 407 183 AC 4D0 407 183 P 4D0 407 183 Q 4F0 407 183 A	275
100 407 0067	6U0 407 615 6U0 407 615 A 115 430 011	338
100 407 0068	4A0 407 615 G	338
100 407 0079	8D0 407 615 E	338
100 407 0080	6U0 407 625 A* 6U0 498 002	334
100 407 0086	1K0 407 182 1K0 407 182 A 5Q0 407 182	273
100 407 0094	6Q0 407 182 A	274
100 407 6007	1J0 407 613 G	337
100 409 0001	012 409 191 D	137

MEYLE no.	Ref. no.	Page
Skoda		
100 411 0007	1J0 411 315 G	293
100 411 0009	6U0 411 315	295
100 411 0009/S	6U0 411 315	295
100 411 0021	4D0 411 327 G	291
100 411 0026	4D0 411 327 H	291
100 411 0033	1J0 411 314 R	286
100 411 0033/S	1J0 411 314 R	286
100 411 0040	1J0 411 314 T	287
100 411 0040/S	1J0 411 314 T	287
100 411 0043	1J0 411 315 H	294
100 411 0044	1J0 411 327	285
100 411 0048	1J0 411 314 S	286
100 411 0048/S	1J0 411 314 S	287
100 411 0049	6Q0 411 314 F	288
100 411 0050	6Q0 411 314 P	288
100 411 0050/S	6Q0 411 314 P	289
100 411 0051	6Q0 411 314 Q	289
100 411 0051/S	6Q0 411 314 Q 6Q0 411 333 A 6Q0 411 334 A	289
100 411 0052	6Q0 411 314 N 6Q0 411 314 R	290
100 411 0052/S	6Q0 411 314 E 6Q0 411 314 N 6Q0 411 314 R	290
100 411 0053	1J0 411 336 C 1J0 411 336 D	285
100 412 0014	1H0 412 303 B	313
100 412 0015	357 412 303 F	315
100 412 0017	1J0 412 249	331
100 412 0019	1J0 412 331 B 1J0 412 331 C	325
100 412 0019/S	1J0 412 331 B 1J0 412 331 C	326
100 412 0021	6U0 412 355	328
100 412 0021/S	6U0 412 355	329
100 412 0022	1J0 412 341	325
100 412 0029	6N0 412 331 E	327
100 412 0029/S	5Z0 412 331 B 6N0 412 331 D 6N0 412 331 E	328
100 412 0033/S	8D0 412 131 F	312
100 412 0039	1K0 412 331 B	326
100 412 0039/S	1K0 412 331 B	327
100 412 0042	4D0 412 137 C	311
100 412 0044	8D0 412 065 D	324

MEYLE no.	Ref. no.	Page
Skoda		
	8D0 412 065 E 8D0 412 065 F 8D0 412 065 G	
100 412 1019/S	1J0 412 331 B 1J0 412 331 C	326
100 413 0000	357 413 175 A	311
100 419 0016	4D0 419 831 E	235
100 419 0017	8D0 419 831 J	236
100 420 0001	6U0 407 271 F* 6U0 407 271 FX* 6U0 407 272 F* 6U0 407 272 FX* 6U0 407 311 115 420 174 115 420 214 115 420 217 6U0 498 099 6U0 498 099 A	78
100 422 1190	6U0 407 181	273
100 422 9010	1J0 422 831 B	236
100 495 0002	1K0 498 201 C	63
100 495 0004	6Q0 498 203	69
100 495 0005	3B0 498 203 B 3B0 498 203 F	68
100 495 0007	1K0 498 203 A	67
100 495 0010	1K0 498 203 B	67
100 495 0013	7M3 498 201 B 7M3 498 201 J	66
100 495 0018	1K0 498 201 A	62
100 495 0019	3B0 498 203 E	68
100 495 0021	6U0 498 201 A	66
100 495 0027	6Q0 498 201 D	65
100 498 0003 C	020 498 085 G	95
100 498 0016	171 498 103 C 171 498 103 CX 321 498 103 321 498 103 A 321 498 103 X 321 498 350 X 113 598 101 JZW 498 350 AX ZBC 407 331	79
100 498 0018	191 498 103 191 498 103 A 191 498 103 C 191 498 103 CV	78

MEYLE no.	Ref. no.	Page
Skoda		
	191 498 103 CX 191 498 103 X 1K0 498 103 1K0 498 103 X 321 498 103 D 357 498 103 357 498 103 A 357 498 103 B 357 498 103 BX 357 498 103 V 357 498 103 X 191 498 104 C	
100 498 0037	4A0 498 625	335
100 498 0041	1K0 498 201 357 498 201 A	62
100 498 0042	1J0 498 201 A	61
100 498 0043	443 498 201 B	64
100 498 0047	1K0 498 203	66
100 498 0048	1J0 498 625 1J0 498 625 A	334
100 498 0051	321 498 103 C 321 498 103 CX 191 498 104 191 498 104 A 191 498 104 X 357 498 104 357 498 104 V 357 498 104 X 535 498 104	81
100 498 0052	1J0 498 099 1J0 498 099 A	72
100 498 0061	1H0 498 099 A 357 498 099 E 357 498 099 EV 357 498 099 EX	74
100 498 0062	431 498 103 C 431 498 103 CX 443 498 103 A 431 498 104 CX 251 598 101 A	80
100 498 0064	4D0 407 305 B 4D0 498 099 4D0 498 099 A 4D0 498 099 AX 4D0 498 099 X 8D0 498 099 D	76

MEYLE no.	Ref. no.	Page
Skoda		
	8D0 498 099 E 8E0 498 099 A 8E0 498 099 G 4D0 598 099	
100 498 0072	3B0 498 203 A 3B0 498 203 G 8D0 498 203 A	67
100 498 0075	3B0 498 203 F 441 498 203 A	69
100 498 0078	1J0 498 203	70
100 498 0084	6N0 498 201	64
100 498 0088	8D0 407 305 M 3B0 498 099 B 3B0 498 099 BX 3B0 498 099 C 3B0 498 099 CX 3B0 498 099 H	75
100 498 0089	4B0 498 201	64
100 498 0091	3B0 498 203 F 8D0 498 203 B 8D0 498 203 C	69
100 498 0091/SK	8D0 498 203 B	70
100 498 0095	1J0 498 201	61
100 498 0117	6Q0 498 099 D 6Q0 498 099 DX 6R0 498 099	77
100 498 0118	6Q0 498 099 E 6Q0 498 099 EX	77
100 498 0119	6Q0 498 099 F	77
100 498 0121	1J0 407 311 R 1J0 498 099 E 1J0 498 099 EX	72
100 498 0125	6Q0 498 201 C	65
100 498 0132	1J0 498 201 E	61
100 498 0137	4A0 498 625	336
100 498 0138	4B0 498 625	336
100 498 0139	1K0 498 201 D	63
100 498 0140	1K0 407 271 CQ 1K0 407 451 PX	71
100 498 0141	1K0 407 272 FS 1K0 407 452 QX	71
100 498 0147	1J0 407 271 AP 1J0 407 271 H 1J0 407 271 JD 1J0 407 451 AX	72
100 498 0148	1J0 407 272	71

MEYLE no.	Ref. no.	Page
Skoda		
100 498 0179	1J0 498 103 K 1J0 498 103 KX	79
100 498 0183	8D0 407 305 Q 3B0 498 099 D 3B0 498 099 DX	75
100 498 0189	6Q0 498 099 C	76
100 498 0193	1KM 498 099 1K0 407 311 J 1K0 498 099 B 1K0 498 099 BX	73
100 498 0195	1K0 407 311 L 1K0 498 099 1K0 498 099 A 1K0 498 099 AX 1K0 498 099 E 1K0 498 099 X	73
100 498 0196	1K0 407 311 F 1K0 498 099 D	74
100 498 0200	115 420 171 6U0 498 103 A	80
100 498 0203	1K0 498 103 C	79
100 498 0220	1S0 498 625	335
100 498 0337	4A0 498 625	336
100 498 1072	3B0 498 203 A 3B0 498 203 G 8D0 498 203 A	68
100 498 1084	6N0 498 201	65
100 498 1086	1J0 498 201 J	62
100 498 1123	1K0 498 201 B	63
100 500 0001	007 350 027 A 6U1 422 051 B 115 500 000	237
100 501 0029	1J0 501 117 B	299
100 505 0011	1K0 505 553 1K0 505 553 A	277
100 505 0014	1K0 505 541 B 1K0 505 541 C 1K0 505 541 D 5Q0 505 541 A	281
100 505 0015	1J0 505 171 B	281
100 505 0016	1K0 505 311 AB*	276
100 511 0011	1K0 511 327 AP	291
100 511 0012	1K0 511 327 AQ	292
100 511 0013	1K0 511 327 AR	292
100 511 0014	1K0 511 327 AS	292
100 511 0016	1K0 511 439 E	285

MEYLE no.	Ref. no.	Page
Skoda		
100 511 0017	1J0 511 423	293
100 512 0011	1J0 512 131	316
100 512 0014	1J0 512 131 B	316
100 512 0018	1J0 512 131 C	317
100 512 0019	6U0 512 131	318
100 512 0027	3B0 512 131 H	317
100 512 0028	1J0 512 149 B	3
100 512 0029	1J0 412 303	314
100 513 0001	1J0 513 353 A 1J0 513 353 B 1J0 513 353 C 1J0 513 353 G	330
100 513 0006	1J0 513 425	312
100 513 0007	1J0 513 425 A	312
100 513 0010	1K0 513 353 J 3C0 513 353 3C0 513 353 C	330
100 525 0018/S	3AA 611 701 A	51
100 525 0042	6U0 611 707 6U0 611 775 6U0 611 775 A 6U0 611 775 B	57
100 525 0054/S	1J0 611 763 AD 1J0 611 763 R	54
100 525 0055/S	1J0 611 764 AD 1J0 611 764 R	55
100 525 0058/S	1K0 611 775 D 5C0 611 775 C 1K0 611 776	56
100 525 0062/S	8E0 611 763 E 8E0 611 763 F 8E0 611 763 K	54
100 525 0063/S	8E0 611 764 E 8E0 611 764 F 8E0 611 764 K	55
100 532 0003	1J1 614 019 A	58
100 532 0004	1J1 614 019 C 1J1 614 019 F	59
100 532 0005	8E0 611 021	57
100 532 0006	8E0 611 021 A 8E0 611 021 B	58
100 598 0101	191 598 625 6U0 598 625	337
100 598 0181	1J0 598 477	342
100 610 0027/HD	1K0 199 231 J* 1K0 199 232 J*	275

MEYLE no.	Ref. no.	Page
Skoda		
	1K0 407 183 E 6Q0 407 183	
100 610 0034	1K0 407 183 M 5C0 407 183 A	275
100 610 0085/HD	1K0 199 231 J	282
100 610 0086/HD	1K0 199 232 J	283
100 611 0037	6U0 611 053 B	60
100 611 0040	4E0 611 775 L 8D0 611 775 E	56
100 611 0042	3U0 611 707 8D0 611 707 D	53
100 611 0043	6Q0 611 775 B	57
100 611 0053/S	1J0 611 701 1J0 611 701 L 1J0 611 701 N	51
100 611 0054	6U0 611 701 A 6U0 611 701 B	53
100 611 0058	1H0 611 053 6Q0 611 053 B	59
100 611 0068	1J0 611 053 3A0 611 053	59
100 611 0071/S	1K0 611 701 D 1K0 611 701 H 1K0 611 701 K 1K0 611 701 M	52
100 611 0073	1K0 611 775 A 1K0 611 775 C	55
100 611 0075	1J1 614 019	58
100 611 0079/S	6Q0 611 701 B 6Q0 611 701 C 6Q0 611 701 E 6Q0 611 701 F	52
100 611 0083/S	1J0 611 701 G 1J0 611 701 M	52
100 614 0000	1J0 614 149	332
100 615 0004	8Z0 411 314 B	290
100 620 0002	1K0 423 831 A	236
100 620 0004	6Q0 423 831 D	237
100 620 0006	1S0 423 831 A	237
100 623 0000	1J0 422 371 C	235
100 640 0004	-	305
100 640 0005	-	305
100 640 0006	-	306
100 640 0007	-	306
100 640 0008	-	306
100 640 0009	-	307

MEYLE no.	Ref. no.	Page
Skoda		
100 641 0001	6U0 412 249	331
100 641 0003	6N0 412 249 C 6N0 412 249 E	331
100 641 0006	6Q0 412 331 B	328
100 641 0007	3B7 412 377 A	329
100 642 0000	6Q0 412 301	313
100 642 0002	1K0 412 303 B	314
100 642 0004	1K0 412 303 F	314
100 642 0005	1K0 412 303 G	315
100 642 0006	1K0 412 303 H	315
100 642 0010	6Q0 412 301 A	313
100 643 0003	6N0 413 175 A	311
100 650 0002	6U0 498 003	334
100 650 0003	1K0 498 621 5K0 498 621 A	340
100 650 0005	1T0 498 621 5K0 498 621 8J0 598 625	340
100 650 1003	8V0 498 625	341
100 650 1005	8V0 498 625 A	341
100 652 0001	6Q0 407 621 BR 6R0 407 621 A 6R0 407 621 E	339
100 653 0002/HD	6Q0 411 305 AL	298
100 653 0003/HD	6Q0 411 305 AM	298
100 653 0004/HD	6Q0 411 305 AC 6Q0 411 305 AN	299
100 654 0000	-	282
100 698 0006	443 698 647 4D0 698 647	48
100 698 0008	251 615 219	47
100 710 0000/S	4B0 501 521 E* 4B0 501 522 E*	302
100 710 0002	4B0 501 521 E	300
100 710 0003	4B0 501 522 E	300
100 710 0006	1K0 505 543 A*	242
100 710 0008	6Q0 501 541 E	301
100 710 0008/S	6Q0 501 541 E*	303
100 710 0009	1J0 505 145 B	301
100 710 0012	1K0 505 203 A 1K0 505 323 N*	277
100 710 0013	1K0 505 279 A 1K0 505 323 N*	277
100 711 0018	1J0 711 596 E	18
100 740 0002	-	307
100 740 0007	-	307

MEYLE no.	Ref. no.	Page
Skoda		
100 740 0008	-	308
100 740 0010	-	308
100 740 0011	-	308
100 740 0012	-	309
100 740 0013	-	309
100 740 0014	-	309
100 740 0015	-	310
100 740 0016	-	310
100 740 0017	-	310
100 741 0001	3B0 513 353	330
100 742 0002	4B0 512 131 B	317
100 742 0015	-	319
100 742 0019	1K0 511 353 P	316
100 742 0021	6Q0 512 131 C	318
100 742 0022	6U0 512 131 B	318
100 742 0023	6U0 512 131 C	319
100 752 0001	8E0 501 611 J	341
100 752 0003	1T0 598 611 B	343
100 752 0004	6Q0 407 621 BK 6Q0 407 621 BP	339
100 752 0006	1J0 501 249 A 1J0 501 249 C	332
100 752 0010	1S0 598 611	342
100 800 0056	357 919 501	121
100 800 8052	357 919 369 E	125
100 800 9068	038 919 081 M	218
100 810 0009	4A0 820 539 A	135
100 819 0001	1H1 819 030 A 1H1 819 031 B	17
100 819 0004	1J1 819 031 B	17
100 830 0003	1J0 906 381 A 357 906 381 A	138
100 830 0006	8A0 951 253	119
100 830 0011	443 919 578 C	103
100 830 0014	191 955 531	136
100 830 0015	3D0 951 253 A 7N0 951 253	143
100 830 0016	7M0 951 253 C	144
100 830 0018	1J0 906 383 C	119
100 830 0019	4D0 951 253	119
100 837 0024	3B1 837 461	8
100 837 0025	3B1 837 462	9
100 840 0001	1J0 819 022 A	134
100 850 0002	4B0 953 503 G	130
100 850 0004	1K0 953 513 1K0 953 513 E	131

MEYLE no.	Ref. no.	Page
Skoda		
100 850 0005	1K0 953 513 G	131
100 850 0007	1K0 953 519 H	132
100 850 0009	1K0 953 519 J	133, 136
100 850 0009	1K0 953 519 J	133, 136
100 860 0000	059 963 319 H	106
100 860 0001	N 105 916 02	109
100 860 0002	03L 963 319 03L 963 319 A 059 963 319 C 059 963 319 E 059 963 319 F 059 963 319 J 059 963 319 M 059 998 319	106
100 860 0003	N 105 798 02	109
100 880 0000	1J0 919 506 M	118
100 880 0001	1J0 907 521	133
100 880 0007	1J0 919 506 L	117
100 880 0019	1J0 919 506 E 1J0 919 506 H	116
100 880 0020	1J0 919 506 G	117
100 880 0021	1J0 919 506 K	117
100 880 0024	8D0 959 501 C	118
100 885 0000	06A 905 097 06A 905 104	110
100 885 0001	058 905 101 058 905 105	111
100 885 0002	06B 905 115 06B 905 115 B 06B 905 115 E	112
100 885 0004	078 905 101 A 078 905 104 078 905 104 A	110
100 885 0012	03D 905 115 A 03D 905 115 B 03D 905 115 C 03D 905 115 D 03D 905 115 E 03D 905 115 F 03D 905 115 G 03D 905 715 A	111
100 885 0024	04C 905 110 B 04C 905 110 D 04E 905 110 A	111
100 885 0040	036 905 100 A 036 905 100 B	113

MEYLE no.	Ref. no.	Page
Skoda		
	036 905 100 D 036 905 715 036 905 715 A 036 905 715 C 036 905 715 E 036 905 715 F 036 905 715 G	
100 890 0010	1J0 945 511 A	128
100 890 0018	6Q0 945 511	128
100 890 0019	1K2 945 511 3B0 945 511 C	128
100 890 0020	1C0 945 511 A 1J0 945 511 E 1J0 945 511 F	127
100 899 0004	06A 906 433 C	103
100 899 0005	3B0 927 807 B	99
100 899 0011	1J0 927 807 D	98
100 899 0012	06A 905 161 06A 905 161 B 06A 905 161 C	122
100 899 0013	058 905 161 B	122
100 899 0015	058 905 379	114
100 899 0035	045 957 147 A 045 957 147 B	123
100 899 0036	4B0 953 503 H	130
100 899 0041	7H0 927 803 WHT 003 857	99
100 899 0042	7H0 927 804 WHT 003 856	99
100 899 0043	1K0 927 807 WHT 003 859	100
100 899 0044	1K0 927 808 WHT 003 858	100
100 899 0045	06A 906 433 G 06A 906 433 L	104
100 899 0046	06B 905 163 A	122
100 899 0049	6Q0 927 808 B WHT 003 862	102
100 899 0050	6Q0 927 807 B WHT 003 863	102
100 899 0052	6Q0 927 804 B WHT 003 860	101
100 899 0053	6Q0 927 803 A 6Q0 927 803 B WHT 003 861	101
100 899 0061	086 927 321	102

MEYLE no.	Ref. no.	Page
Skoda		
	095 927 321 095 927 321 C	
100 899 0078	077 103 245 B	184
100 899 0080	038 907 319 D 038 907 319 J 038 957 147 D 038 957 147 F	105
100 899 0082	1J6 955 711 F 1J6 955 711 G 1J9 955 711	96
100 899 0086	06A 906 433 K	104
100 899 0092	038 907 319 E	104
100 899 0093	036 907 601 036 907 601 A 036 907 601 B 036 907 601 C 036 907 601 D 036 907 601 E	123
100 899 0095	1H0 907 543 A	135
100 899 0096	1J0 907 543 A	135
100 903 0000	06A 903 315 E	147
100 903 0001	058 903 133 D*	149
100 903 0003	078 903 133 AB*	149
100 903 0006	038 903 315 K	147
100 903 0010	078 903 133 AB	147
100 903 0011	058 903 133 D	146
100 905 0000	4A0 905 849 B	114
100 905 0007	6N0 905 104 867 905 105 A 867 905 352	110
100 905 0020	4B0 905 849	114
100 905 0024	06B 905 379 06B 905 379 A 06B 905 379 C 06B 905 379 D 06B 998 124	115
100 905 0025	06F 905 115 06F 905 115 A 06F 905 115 B 06F 905 115 C 06F 905 115 D 06F 905 115 E 06F 905 115 F 06H 905 115 06H 905 115 A 06H 905 115 B	113

MEYLE no.	Ref. no.	Page
Skoda		
	07K 905 715 07K 905 715 A 07K 905 715 B 07K 905 715 C 07K 905 715 D 07K 905 715 E 07K 905 715 F	
100 906 0001	191 906 383 191 906 383 C 857 951 253	139
100 907 0000	1J0 907 660 B	123
100 907 0001	1J0 907 660 C	124
100 909 0029	1U0 837 461 B	8
100 909 0030	1U0 837 462 B	8
100 909 0031	1U0 839 461 B	9
100 909 0032	1U0 839 462 B	9
100 919 0014	068 919 081 068 919 081 D	218
100 919 0017	059 919 501 A 078 919 501 C	120
100 919 0019	191 919 369 A	125
100 919 0020	06A 919 081 D 06A 919 081 J	219
100 919 0021	1H0 919 149 A	137
100 919 0025	056 919 081	218
100 919 0028	1J0 919 379 A	96
100 919 0030	028 919 081 H	217
100 919 0031	028 919 081 D 028 919 081 H	217
100 919 0032	06A 919 501 06A 919 501 A	121
100 919 0034	1J0 919 081	219
100 919 0043	059 919 501 078 919 501 B	120
100 919 0046	1J0 919 087 J	203
100 919 0049	6Q0 919 051 F	202
100 919 0051	3B0 919 051 C	202
100 919 0053	8L0 919 673 E	121
100 919 0057	1J0 919 051 B* 1J0 919 051 C* 1J0 919 051 H* 1J0 919 087 C* 1J0 919 087 D* 1J0 919 087 H* 1J0 919 087 J*	203
100 919 0070	6R0 919 051	202

MEYLE no.	Ref. no.	Page
Skoda		
100 919 0071	1K0 919 051 AP 1K0 919 051 M	201
100 919 0075	3B0 919 050 B	201
100 919 0082	1K0 919 051 DB	201
100 927 0000	191 927 841 701 927 841 431 951 253 D	139
100 927 0001	8D0 927 803 D	97
100 927 0002	1J0 927 807 B	98
100 927 0003	1J0 927 803	97
100 927 0004	1J0 927 804	97
100 941 0010	8L0 941 822 A	105
100 945 0000	4A0 945 515 A	129
100 950 0001	06A 906 262 AK 1K0 998 262	116
100 951 0001	141 951 253 B 431 951 253 H 443 951 253 K 8D0 951 253 A	145
100 953 0000	4B0 953 503 E	129
100 953 0016	4B0 953 503 F	129
100 953 0020	8L0 953 513 G	131
100 953 0021	8L0 953 513 J	132
100 955 0006	1K5 955 651	10
100 955 0010	1K6 955 651	10
100 955 0011	1C0 955 119	96
100 959 0001	1H0 959 481 1H0 959 481 B 1H0 959 481 C	125
100 959 0010	8D0 959 481 B	127
100 959 0016	1J0 959 481 A	126
100 959 0020	867 959 481	126
100 959 9001	1H0 959 481 1H0 959 481 B 1H0 959 481 C	126
112 129 0000	5Z0 129 620 A 6Q0 129 620	190
112 129 0005	056 129 620 551 129 620	188
112 129 0010	1J0 129 620	188
112 129 0015	1L0 129 620 A 1L0 129 620 C	190
112 129 0019	036 129 620 F	186
112 129 0021	036 198 620	193
112 129 0033	03E 129 620	187
112 129 0035	1J0 129 620 A	189

MEYLE no.	Ref. no.	Page
Skoda		
112 129 0040	1K0 129 620 D	189
112 129 0047	6U0 129 620	191
112 133 0001	058 133 843	192
112 319 0001	1H1 819 640 A 1H0 819 644 B	14
112 319 0003	6Q0 820 367 B	16
112 319 0011	1K0 819 644 A 1K0 819 644 B	14
112 319 0021	-	16
112 320 0001	1H0 091 800	13
112 320 0003	6Q0 819 653 B	16
112 320 0011	1K1 819 653 B	15
112 320 0019	1K2 819 653 B	15
112 320 0022	5Q0 819 653	15
112 320 1001	1J0 819 644 A	14
112 321 0004	03D 129 620	187
112 321 0006	1K0 129 620	189
112 321 0007	036 129 620 H	187
112 321 0008	6R0 129 620 A	191
112 321 0010	6K0 129 607 T	186
112 321 0026	06F 133 843 A	192
112 321 0030	5Q0 129 620 B	190
112 321 0032	04C 129 620 C	193
112 330 0001/S	074 115 562	1
112 330 0002/S	071 115 562 A 071 115 562 C	1
112 330 0003/S	03L 115 466 03L 115 562	1
112 330 0004/S	071 115 562 A 071 115 562 C	2
112 330 0005/S	071 115 562 A 071 115 562 C	2
113 005 0001	115 050 000 115 050 001 047 121 011 A	180
113 012 0024	030 121 005 N 030 121 005 NV 030 121 005 NX 030 121 005 T 030 121 005 TV 030 121 005 TX 030 121 008 D 030 121 008 DX 030 121 008 K 030 121 008 M	175
113 012 0027	06A 121 011 C	182

MEYLE no.	Ref. no.	Page
Skoda		
	06A 121 011 E 06A 121 011 F 06A 121 011 G 06A 121 011 H 06A 121 011 L 06A 121 011 LX 06A 121 011 T 06A 121 011 TX 06A 121 012 06A 121 012 D 06A 121 012 E 06A 121 012 G 06A 121 012 GX 06A 121 012 X	
113 012 0031	028 121 004 028 121 004 V 028 121 004 X	174
113 012 0033/HD	06B 121 011 06B 121 011 A 06B 121 011 B 06B 121 011 C 06B 121 011 E 06B 121 011 EX 06B 121 011 L 06B 121 011 LX 06B 121 011 N 06B 121 011 Q 06B 121 011 QX	181
113 012 0037	038 121 011 038 121 011 A 038 121 011 AX	177
113 012 0038	007 070 251 047 121 011 B	181
113 012 0040	036 121 005 B 036 121 005 E 036 121 005 EX 036 121 005 Q 036 121 005 QX 036 121 005 S 036 121 005 SX 036 121 008 K 036 121 008 KX 036 121 008 L 036 121 008 LX 036 121 008 M 036 121 008 MX	175

MEYLE no.	Ref. no.	Page
Skoda		
113 012 0050	045 121 011 B 045 121 011 BX	178
113 012 0052	06B 121 011 H 06B 121 011 HX 06B 121 011 M 06B 121 011 MX	181
113 012 0056	045 121 011 F 045 121 011 H 045 121 011 HX	179
113 012 0057	045 121 011 G 045 121 011 J 045 121 011 JX	180
113 012 0059	045 121 011 C 045 121 011 CX	179
113 012 8100	078 121 004 H 078 121 004 HV 078 121 004 HX 078 121 004 J 078 121 004 JV 078 121 004 JX 078 121 004 Q 078 121 004 QX 078 121 006 078 121 006 X	175
113 220 0002	03D 121 005 03D 121 005 X 03D 121 013 B	174
113 220 0004	03C 121 005 D 03C 121 005 DX 03C 121 005 K 03C 121 005 KX 03C 121 005 L 03C 121 005 LX 03C 121 005 S 03C 121 005 SX 03C 121 008 C 03C 121 008 CX	176
113 220 0008	047 121 013 L 047 121 013 M 047 121 013 P 047 121 013 R	182
113 220 0011/HD	06A 121 011 06F 121 011	182
113 220 0012	022 121 011 A	177
113 220 0014	059 121 004 D 059 121 004 DX	174

MEYLE no.	Ref. no.	Page
Skoda		
	059 121 004 E 059 121 004 EX	
113 220 0016	03C 121 005 N 03C 121 005 R 03C 121 008 B 03C 121 008 E	176
113 220 0018/HD	038 121 011 C 038 121 011 D 038 121 011 G 038 121 011 H 038 121 011 J 038 121 011 K 03G 121 011 03L 121 011 G	177
113 220 0019	03L 121 011 03L 121 011 E 03L 121 011 H	178
113 220 0021	03L 121 011 C 03L 121 011 J	178
113 220 0023/HD	06H 121 026 AB 06H 121 026 AF 06H 121 026 AG 06H 121 026 B 06H 121 026 BA 06H 121 026 BE 06H 121 026 BF 06H 121 026 CC 06H 121 026 CF 06H 121 026 N 06J 121 026 A 06J 121 026 AG 06J 121 026 B 06J 121 026 F 06J 121 026 G 06J 121 026 J 06J 121 026 L 06J 121 026 M	183
114 042 0601	1H0 698 520 X	50
114 042 0701	1J0 698 525 A 1J0 698 525 B	50
114 226 0001	032 121 121 K	155
114 226 0003	6Q0 122 291 E	158
114 239 0001	1J0 122 291 B	158
114 323 0000	057 127 435 D	196
114 533 0003/K	811 609 525 E 1H0 698 520 V	49

MEYLE no.	Ref. no.	Page
Skoda		
	1H0 698 525 V 1H0 698 525 X	
114 533 0005/K	1J0 609 525 1J0 609 526 1J0 609 527 1J0 609 528 1J0 698 525 1J0 698 525 A 1J0 698 525 B	50
114 631 0003	1J0 422 154 E 1J0 422 154 H 1J0 422 154 HX	234
114 631 0004	1J0 422 154 1J0 422 154 A 1J0 422 154 AX 1J0 422 154 J 1J0 422 154 JX 2K0 422 154 2K0 422 154 A	234
114 631 0006	8D0 145 156 KX	233
114 631 0007	8D0 145 156 T 8D0 145 156 TX	233
114 631 0016	535 145 157 6N0 145 157	234
114 631 0022	8D0 145 156 F 8D0 145 156 FX	233
114 639 0002	357 411 105 AB	305
114 710 0009	1J0 501 541 C 6R0 501 541 A	300
114 710 0009/S	1J0 501 541 C 6R0 501 541 A	301
114 742 0001	6X0 512 131 A	319
114 750 0001	6Q0 598 611	343
114 800 0001	1J0 919 149 A	138
114 830 0000	4H0 951 253	140
114 830 0001	4H0 951 253 C	142
114 830 0002	4H0 951 253 A	141
114 885 0006	06A 905 115 A 06A 905 115 B 06A 905 115 C 06A 905 115 D 06B 905 115 G 06B 905 115 H 06B 905 115 J 06B 905 115 L 06B 905 115 M	112

MEYLE no.	Ref. no.	Page
Skoda		
	06B 905 115 N 06B 905 115 Q 06B 905 115 R 06B 905 115 S	
114 890 0007	02K 945 415 C 02K 945 415 E 02T 945 415 02T 945 415 D 02T 945 415 P	136
114 899 0000	036 906 051	124
114 899 0003	030 905 377 C	115
114 899 0005	078 906 433 A	105
115 521 0006	1S0 615 301	25
115 521 0008/PD	1K0 615 301 AD	21
115 521 1010	1K0 615 301 M	23
115 521 1010/PD	1K0 615 301 M	23
115 521 1018	1J0 615 301 L 6R0 615 301	25
115 521 1018/PD	1JE 615 301 1J0 615 301 L 6R0 615 301	26
115 521 1023	002 415 019 6U0 615 301	27
115 521 1027	1J0 615 301 E 1J0 615 301 M	19
115 521 1027/PD	1J0 615 301 E 1J0 615 301 M	20
115 521 1040	8E0 615 301 Q	28
115 521 1040/PD	8E0 615 301 Q	28
115 521 1044	1K0 615 301 AC 1K0 615 301 AK	22
115 521 1044/PD	1K0 615 301 AC 1K0 615 301 AK 1K0 615 301 S	22
115 521 1045	1K0 615 301 T	24
115 521 1045/PD	1K0 615 301 T	24
115 521 1051	1J0 615 301 R 6R0 615 301 A	26
115 521 1051/PD	1J0 615 301 R 1J0 615 301 S 6R0 615 301 A	27
115 521 1056	6Q0 615 301	25
115 521 1085	8N0 615 301 A	30
115 521 1085/PD	8N0 615 301 A	30
115 521 1094	1K0 615 301 AA	20
115 521 1094/PD	1K0 615 301 AA	21

MEYLE no.	Ref. no.	Page
Skoda		
115 521 1114	115 430 212	19
115 523 0005/PD	1K0 615 601 AA	32
115 523 1008	1J0 615 601 1J0 615 601 N 1J0 615 601 P	31
115 523 1008/PD	1J0 615 601 1J0 615 601 N 1J0 615 601 P	32
115 523 1009	4A0 615 601 A	37
115 523 1009/PD	4A0 615 601 A	37
115 523 1015	1H0 501 615 A	48
115 523 1035	6Q0 609 617	49
115 523 1038	1J0 609 617 B	48
115 523 1046	1K0 615 601 AB	33
115 523 1046/PD	1K0 615 601 AB	33
115 523 1047	1K0 615 601 AC 1K0 615 601 L	34
115 523 1047/PD	1K0 615 601 AC 1K0 615 601 L	34
115 523 1048	4B0 615 301 C 8E0 615 301 R	29
115 523 1048/PD	4B0 615 301 C 8E0 615 301 R	29
115 523 1070/PD	1J0 615 601 D	31
115 523 1076	8N0 615 601 B	38
115 523 1076/PD	8N0 615 601 B	38
115 523 1092	1K0 615 601 AD	35
115 523 1092/PD	1K0 615 601 AD	35
115 523 1093	1K0 615 601 N	36
115 523 1093/PD	1K0 615 601 N	36
116 010 0006	1J0 505 203 1J0 505 365 N	332
116 010 0007	6Q0 407 365 M	255
116 010 0008	6Q0 407 366 M	257
116 010 0015	1K0 407 365 C	254
116 010 0016	1K0 407 366 C	257
116 010 0017	-	258
116 010 0018	-	258
116 010 0024	6R0 407 365	255
116 010 0025	6R0 407 366	258
116 010 0033	5Q0 407 365 A	255
116 010 0034	5Q0 407 366 A	257
116 010 8223	6U0 407 365	256
116 010 8287	1J0 407 365 H	254
116 010 8287/HD	1J0 407 365 H	254
116 010 8288	1J0 407 366 H	256

MEYLE no.	Ref. no.	Page
Skoda		
116 010 8288/HD	1J0 407 366 H	256
116 020 0000	6Q0 423 811 C 6R0 423 811	252
116 020 0004	6Q0 423 812 C 6R0 423 812	253
116 020 0008/HD	4F0 419 811 A 4F0 419 811 C 4F0 419 811 D	248
116 020 0025	1K0 423 811 E 1K0 423 811 K	251
116 020 0026	1K0 423 812 E 1K0 423 812 K	252
116 020 0035	1S0 423 811 A	251
116 020 0036	1S0 423 812 A	252
116 020 8222	6U0 422 811	250
116 020 8228/HD	8E0 419 811 B	248
116 020 8283	1J0 422 811 A	249
116 020 8285	1J0 422 812 A	250
116 020 8502	1J0 422 811 B	249
116 020 8503	1J0 422 812 B	250
116 030 0010	6Q0 423 803 B	245
116 030 0011	6Q0 423 804 B	246
116 030 0018	1K0 423 811 G*	247
116 030 0019	1K0 423 812 G*	248
116 030 0022	6Q0 419 803 B 6Q0 419 803 D 6Q0 419 803 F	242
116 030 0023	6Q0 419 804 B 6Q0 419 804 D 6Q0 419 804 F	243
116 030 0029	6Q0 423 803 C 6Q0 423 803 G	246
116 030 0030	6Q0 423 804 A 6Q0 423 804 G	247
116 030 1120	115 500 420	241
116 030 4680	4B0 419 801 M	238
116 030 8227/HD	4B0 419 801 B 4B0 419 801 M 4D0 419 801 B 4D0 419 801 E 4D0 419 801 L 8E0 419 801 B	242
116 030 8281	1J0 422 803 1J0 422 803 A 1J0 422 803 C	243
116 030 8284	1J0 422 804	244

MEYLE no.	Ref. no.	Page
Skoda		
	1J0 422 804 A 1J0 422 804 C	
116 030 8286	1J0 422 803 A* 1J0 422 804 A*	239
116 030 8500	1J0 422 803 B 1J0 422 803 H	244
116 030 8501	1J0 422 804 B 1J0 422 804 H	245
116 030 8504	1J0 422 803 H* 1J0 422 804 H*	239
116 031 0000	1K0 423 810 A	240
116 031 0002	6U0 422 807	239
116 031 0003	007 350 278 N	238
116 031 0006	6Q0 423 803 E* 6Q0 423 803 P* 6Q0 423 804 E* 6Q0 423 804 P*	240
116 031 0010	6Q0 423 810 C*	241
116 031 0012	6Q0 423 803 B* 6Q0 423 804 B*	241
116 031 0020	1S0 423 810 A	240
116 031 0021	6Q0 419 803 F* 6Q0 419 804 F*	238
116 035 0002	1K0 501 529 F	283
116 035 0003	1K0 501 530 C	284
116 035 0014	1K0 501 529 J	283
116 050 0002/HD	1K0 407 151 AA 1K0 407 151 AB 1K0 407 151 AE 1K0 407 151 AH 1K0 407 151 BC 1K0 407 151 N 1K0 407 151 P	261
116 050 0003/HD	1K0 407 152 AA 1K0 407 152 AB 1K0 407 152 AE 1K0 407 152 AH 1K0 407 152 BC 1K0 407 152 N 1K0 407 152 P	266
116 050 0005	007 304 447 6U0 407 151 6U0 407 151 A 6U0 407 151 B	264
116 050 0006	007 304 448 6U0 407 152	267

MEYLE no.	Ref. no.	Page
Skoda		
	6U0 407 152 A 6U0 407 152 B	
116 050 0009	1J0 407 151 C	259
116 050 0010	1J0 407 151 C	259
116 050 0018	6Q0 407 151 L	262
116 050 0019	6Q0 407 151 L	263
116 050 0020/HD	8D0 498 998 8D0 498 998 B	278
116 050 0022/HD	3B0 498 798 A	278
116 050 0027	1K0 505 323 H 1K0 505 323 N	284
116 050 0028	6Q0 407 151 L	263
116 050 0029/HD	8D0 498 998 8D0 498 998 B	279
116 050 0031/HD	4B0 407 151 4B3 407 151 A 4B3 407 151 C 4B3 407 151 E 4B3 407 151 F 4B3 407 151 K	262
116 050 0032/HD	1K0 407 151 AC 1K0 407 151 T	260
116 050 0033/HD	1K0 407 152 AC 1K0 407 152 T	265
116 050 0079	1K0 505 311 AB	271
116 050 0080	1K0 505 223 K	271
116 050 0081	1K0 505 224 K	271
116 050 0086/HD	-	279
116 050 0087/HD	-	280
116 050 0093	6R0 407 151 6R0 407 151 E	264
116 050 0094	6R0 407 152 6R0 407 152 E	267
116 050 0114	1S0 407 151	261
116 050 0115	1S0 407 152	266
116 050 0156	1J0 407 151 C	260
116 050 8228/HD	8D0 407 151 E	265
116 050 8292/HD	4D0 407 509 G	269
116 050 8293/HD	8D0 407 510 G	269
116 050 8297/HD	8E0 407 505 A 8E0 407 505 P	268
116 050 8298/HD	8E0 407 506 A	268
116 050 8299/HD	8E0 407 693 AG	270
116 050 8300/HD	8E0 407 694 AG	270
116 060 0000/HD	6Q0 411 315 J 6Q0 411 315 N	294

MEYLE no.	Ref. no.	Page
Skoda		
	6R0 411 315 6R0 411 315 A	
116 060 0002/HD	1J0 505 466 C	298
116 060 0007	8D0 411 317 D	296
116 060 0008	8D0 411 318 D	296
116 060 0011/HD	1J0 411 315 D	293
116 060 0012/HD	1J0 411 316 D	296
116 060 0020/HD	1K0 411 315 K 1K0 411 315 P 5Q0 411 315 B	294
116 060 0023	1K0 505 465 K	297
116 060 0023/S	1K0 505 465 K	297
119 121 0069	037 122 058	169
119 121 0122	1J0 121 109 B	168
119 121 0131	1J0 121 096 AF	167
119 121 0132	1J0 121 058 AC 1J0 121 058 E	166
119 121 0133	1J0 121 086 B	167
119 121 0164	06B 121 058	166
119 121 0165	06B 121 058 S	166
119 121 0178	058 121 471 B	169
119 222 0004	1J0 121 086 BG	167
119 222 0005	1J0 121 096 BK	168
119 222 0006	1J0 121 447 L	168
119 222 0007	1J0 122 051 H	169
119 222 0016	1J0 122 101 D	170
119 222 0017	6Q0 122 101 AQ	170
120 900 4346	1J0 959 455 P	162
126 613 0001	441 073 260 036 441 073 260 136 441 073 260 196 115 495 000 116 495 000 115 495 001 116 495 001	322
126 613 0003	6U0 413 031 N 6U6 413 031 B 443 621 251 010	321
126 613 0006	6U0 413 031 H 6U0 413 031 K 6U0 413 031 L 6U6 413 031 6U6 413 031 C 441 073 261 046 441 073 261 056 441 073 261 066	321

MEYLE no.	Ref. no.	Page
Skoda		
126 623 0004	6Q0 413 031 BH 6Q0 413 031 BN 6Q0 413 031 BR	321
126 623 0011	1J0 413 031 AG 1J0 413 031 AM 1J0 413 031 BJ	320
126 623 0050	1K0 413 031 AS 1K0 413 031 CM	320
126 623 0055	1T0 413 031 CF	320
126 625 0003	8D0 413 031 BM	322
126 715 0008	115 395 000 115 395 001 441 075 803 116 441 075 803 146 441 075 803 196 441 075 803 246 441 075 803 266 443 621 251 002 443 621 251 012 443 621 251 021 443 621 251 023 6U0 513 031 C 6U6 513 031 6U6 513 031 C 6U6 513 031 D 6U9 513 031 6U9 513 031 B 6U9 513 031 D 6U9 513 031 E 007 580 319 007 580 324 007 580 326	324
126 725 0009	3B5 513 031 B	324
126 725 0010	1J0 513 025 AJ 1J0 513 025 AK 1J0 513 025 BG	322
126 725 0011	1J9 513 025 A 1J9 513 025 E 1J9 513 025 F	323
126 725 0015	6Q0 513 025 BN	323
126 725 0024	1K0 513 029 FA	323
128 228 0002	03C 121 110 A	171
128 228 0005	03C 121 111 B	173
140 161 0068	8D5 827 552 F	7
140 910 0006	3B5 827 550 E 3B5 827 550 G	5

MEYLE no.	Ref. no.	Page
Skoda		
140 910 0007	1U6 827 550 E	4
140 910 0043	6U0 827 551 6U0 827 551 B	7
140 910 0044	1U9 827 550 B	4
140 910 0045	6Y0 827 550 A 6Y0 827 550 C	6
140 910 0047	1Z5 827 550 B	5
140 910 0054	1U6 827 550 1U6 827 550 A 1U6 827 550 B 1U6 827 550 C	3
140 910 0055	1U6 827 550 F	4
140 910 0064	1Z9 827 550	5
140 910 0065	5J7 827 550	6
140 910 0079	3U0 823 359	3
140 910 0087	5J6 827 550 5J6 827 550 B 5J6 827 550 C	6
159 630 0001	1J0 422 893 CN	235
313 067 0001	3B0 955 681 A	7
314 112 0000	047 145 276 B	148
314 133 2107	1H0 201 511 A	198
314 133 2108	1H0 201 511 A	198
514 899 0030	030 905 377 A	115
714 322 0001	047 115 561 F	210
714 860 0000	N 105 792 02	108

Ref. no.	MEYLE no.	Page
Skoda		
115 050 000	113 005 0001	180
115 050 001	113 005 0001	180
007 070 246	013 012 0039	180
007 070 251	113 012 0038	181
1H0 091 800	112 320 0001	13
026 103 085 E	100 103 0100	185
068 103 085 E	100 103 0100	185
036 103 113 A	100 103 0016	161
059 103 113	100 103 0016	161
06A 103 213 F	100 224 0006	184
06B 103 217 AC	100 036 0020	184
06B 103 221 A	100 036 0032	185
06B 103 221 B	100 036 0032	185
06B 103 221 P	100 036 0032	185
077 103 245 B	100 899 0078	184
056 103 419 A	100 103 0015	185
038 103 601 AQ	100 103 0054	215
038 103 601 MA	100 103 0054	215
038 103 603 M	100 103 0053	215
038 103 603 N	100 103 0041	216
03G 103 603 AD	100 038 0023	216
078 103 604 AA	100 103 0050	216
06A 103 663 B	100 103 0046	208
06A 103 663 C	100 103 0045	208
06B 103 663 B	100 038 0014	208
06B 103 663 G	100 038 0014	208
056 105 313 C	100 105 0004	153
030 109 243 K	100 109 0028	150
038 109 243 N	100 109 0063	150
06B 109 243 B	100 109 0049	151
06B 109 243 D	100 109 0054	151
06B 109 243 E	100 109 0049	151
06B 109 243 F	100 109 0054	151
078 109 243 R	100 109 0041	151
078 109 243 S	100 109 0041	151
038 109 244 J	100 109 0051	152
03L 109 244 D	100 109 0034	152
058 109 244	100 109 0034	152
06B 109 244	100 109 0052	152
034 109 309 AD	100 109 0027	186
06B 109 477 A	100 020 0009	146
03L 115 466	100 322 0011 112 330 0003/S	1, 212
030 115 561 AB	100 115 0004	209
030 115 561 AN	100 115 0004	209
030 115 561 C	100 115 0002	209

Ref. no.	MEYLE no.	Page
Skoda		
03C 115 561 B	100 322 0015	209
047 115 561 B	100 322 0000	210
047 115 561 C	100 322 0000	210
047 115 561 F	714 322 0001	210
04E 115 561 H	100 322 0021	211
068 115 561 F	100 322 0017	211
06A 115 561 B	100 115 0009	211
078 115 561 J	100 115 0005	212
03L 115 562	100 322 0011 112 330 0003/S	1, 212
03N 115 562	100 322 0019	212
03P 115 562	100 322 0012	213
059 115 562	100 115 0011	213
06D 115 562	100 115 0016	213
06L 115 562	100 322 0022	214
071 115 562 A	100 115 0000 112 330 0002/S 112 330 0004/S 112 330 0005/S	1-2, 214
071 115 562 C	100 115 0000 112 330 0002/S 112 330 0004/S 112 330 0005/S	1-2, 214
074 115 562	100 115 0007 112 330 0001/S	1, 214
028 117 021 L	100 117 0005	206
068 117 021 B	100 117 0002	207
078 117 021 A	100 117 0004	207
028 121 004	113 012 0031	174
028 121 004 V	113 012 0031	174
028 121 004 X	113 012 0031	174
059 121 004 D	113 220 0014	174
059 121 004 DX	113 220 0014	174
059 121 004 E	113 220 0014	174
059 121 004 EX	113 220 0014	174
078 121 004 H	113 012 8100	175
078 121 004 HV	113 012 8100	175
078 121 004 HX	113 012 8100	175
078 121 004 J	113 012 8100	175
078 121 004 JV	113 012 8100	175
078 121 004 JX	113 012 8100	175
078 121 004 Q	113 012 8100	175
078 121 004 QX	113 012 8100	175
030 121 005 N	113 012 0024	175
030 121 005 NV	113 012 0024	175
030 121 005 NX	113 012 0024	175

Ref. no.	MEYLE no.	Page
Skoda		
030 121 005 T	113 012 0024	175
030 121 005 TV	113 012 0024	175
030 121 005 TX	113 012 0024	175
036 121 005 B	113 012 0040	175
036 121 005 E	113 012 0040	175
036 121 005 EX	113 012 0040	175
036 121 005 Q	113 012 0040	175
036 121 005 QX	113 012 0040	175
036 121 005 S	113 012 0040	175
036 121 005 SX	113 012 0040	175
03C 121 005 D	113 220 0004	176
03C 121 005 DX	113 220 0004	176
03C 121 005 K	113 220 0004	176
03C 121 005 KX	113 220 0004	176
03C 121 005 L	113 220 0004	176
03C 121 005 LX	113 220 0004	176
03C 121 005 N	113 220 0016	176
03C 121 005 R	113 220 0016	176
03C 121 005 S	113 220 0004	176
03C 121 005 SX	113 220 0004	176
03D 121 005	113 220 0002	174
03D 121 005 X	113 220 0002	174
078 121 006	113 012 8100	175
078 121 006 X	113 012 8100	175
030 121 008 D	113 012 0024	175
030 121 008 DX	113 012 0024	175
030 121 008 K	113 012 0024	175
030 121 008 M	113 012 0024	175
036 121 008 K	113 012 0040	175
036 121 008 KX	113 012 0040	175
036 121 008 L	113 012 0040	175
036 121 008 LX	113 012 0040	175
036 121 008 M	113 012 0040	175
036 121 008 MX	113 012 0040	175
03C 121 008 B	113 220 0016	176
03C 121 008 C	113 220 0004	176
03C 121 008 CX	113 220 0004	176
03C 121 008 E	113 220 0016	176
022 121 011 A	113 220 0012	177
038 121 011	113 012 0037	177
038 121 011 A	113 012 0037	177
038 121 011 AX	113 012 0037	177
038 121 011 C	113 220 0018/HD	177
038 121 011 D	113 220 0018/HD	177
038 121 011 G	113 220 0018/HD	177
038 121 011 H	113 220 0018/HD	177

Ref. no.	MEYLE no.	Page
Skoda		
038 121 011 J	113 220 0018/HD	177
038 121 011 K	113 220 0018/HD	177
03G 121 011	113 220 0018/HD	177
03L 121 011	113 220 0019	178
03L 121 011 C	113 220 0021	178
03L 121 011 E	113 220 0019	178
03L 121 011 G	113 220 0018/HD	177
03L 121 011 H	113 220 0019	178
03L 121 011 J	113 220 0021	178
045 121 011 B	113 012 0050	178
045 121 011 BX	113 012 0050	178
045 121 011 C	113 012 0059	179
045 121 011 CX	113 012 0059	179
045 121 011 F	113 012 0056	179
045 121 011 G	113 012 0057	180
045 121 011 H	113 012 0056	179
045 121 011 HX	113 012 0056	179
045 121 011 J	113 012 0057	180
045 121 011 JX	113 012 0057	180
047 121 011	013 012 0039	180
047 121 011 A	113 005 0001	180
047 121 011 B	113 012 0038	181
06A 121 011	113 220 0011/HD	182
06A 121 011 C	113 012 0027	182
06A 121 011 E	113 012 0027	182
06A 121 011 F	113 012 0027	182
06A 121 011 G	113 012 0027	182
06A 121 011 H	113 012 0027	182
06A 121 011 L	113 012 0027	182
06A 121 011 LX	113 012 0027	182
06A 121 011 T	113 012 0027	182
06A 121 011 TX	113 012 0027	182
06B 121 011	113 012 0033/HD	181
06B 121 011 A	113 012 0033/HD	181
06B 121 011 B	113 012 0033/HD	181
06B 121 011 C	113 012 0033/HD	181
06B 121 011 E	113 012 0033/HD	181
06B 121 011 EX	113 012 0033/HD	181
06B 121 011 H	113 012 0052	181
06B 121 011 HX	113 012 0052	181
06B 121 011 L	113 012 0033/HD	181
06B 121 011 LX	113 012 0033/HD	181
06B 121 011 M	113 012 0052	181
06B 121 011 MX	113 012 0052	181
06B 121 011 N	113 012 0033/HD	181
06B 121 011 Q	113 012 0033/HD	181

Ref. no.	MEYLE no.	Page
Skoda		
06B 121 011 QX	113 012 0033/HD	181
06F 121 011	113 220 0011/HD	182
06A 121 012	113 012 0027	182
06A 121 012 D	113 012 0027	182
06A 121 012 E	113 012 0027	182
06A 121 012 G	113 012 0027	182
06A 121 012 GX	113 012 0027	182
06A 121 012 X	113 012 0027	182
03D 121 013 B	113 220 0002	174
047 121 013 L	113 220 0008	182
047 121 013 M	113 220 0008	182
047 121 013 P	113 220 0008	182
047 121 013 R	113 220 0008	182
06H 121 026 AB	113 220 0023/HD	183
06H 121 026 AF	113 220 0023/HD	183
06H 121 026 AG	113 220 0023/HD	183
06H 121 026 B	113 220 0023/HD	183
06H 121 026 BA	113 220 0023/HD	183
06H 121 026 BE	113 220 0023/HD	183
06H 121 026 BF	113 220 0023/HD	183
06H 121 026 CC	113 220 0023/HD	183
06H 121 026 CF	113 220 0023/HD	183
06H 121 026 N	113 220 0023/HD	183
06J 121 026 A	113 220 0023/HD	183
06J 121 026 AG	113 220 0023/HD	183
06J 121 026 B	113 220 0023/HD	183
06J 121 026 F	113 220 0023/HD	183
06J 121 026 G	113 220 0023/HD	183
06J 121 026 J	113 220 0023/HD	183
06J 121 026 L	113 220 0023/HD	183
06J 121 026 M	113 220 0023/HD	183
06B 121 058	119 121 0164	166
06B 121 058 S	119 121 0165	166
1J0 121 058 AC	119 121 0132	166
1J0 121 058 E	119 121 0132	166
1J0 121 086 B	119 121 0133	167
1J0 121 086 BG	119 222 0004	167
1J0 121 087 A	100 226 0005	154
1J0 121 087 B	100 121 1065	154
1J0 121 096 AF	119 121 0131	167
1J0 121 096 BK	119 222 0005	168
1J0 121 109 B	119 121 0122	168
032 121 110 B	100 121 1025	170
03C 121 110 A	128 228 0002	171
03C 121 111 B	128 228 0005	173
050 121 113 C	028 287 0009	171

Ref. no.	MEYLE no.	Page
Skoda		
068 121 113	100 121 0048	171
068 121 113 B	100 121 0048	171
068 121 113 D	100 121 0048	171
068 121 113 H	100 121 0048	171
078 121 113 F	028 271 0006 028 280 0008 028 287 0007	172–173
078 121 113 G	028 292 0009	173
030 121 121 B	100 121 1051	154
032 121 121 K	114 226 0001	155
038 121 121	100 121 0052	155
06A 121 121 C	100 121 1052	155
028 121 132 B	100 226 0001	156
038 121 132 C	100 121 0057	156
058 121 132 A	100 121 0113	156
058 121 132 C	100 121 0113	156
06A 121 132 A	100 121 0068	157
06A 121 132 AP	100 121 0059 100 121 0059/C	157
06A 121 132 Q	100 121 0059 100 121 0059/C	157
357 121 140	100 121 0080	162
357 121 140 S	100 121 0080	162
026 121 144 A	100 121 0106	158
026 121 144 E	100 121 0106	158
037 121 144 A	100 121 0106	158
026 121 145 E	100 121 0106	158
037 121 145	100 121 0106	158
058 121 301 B	100 121 0071	160
078 121 301 E	100 121 0089	160
380 121 321	100 238 0002	159
058 121 350	100 121 0036	161
078 121 350 A	100 121 0038	161
8D0 121 403 L	100 121 0061	159
6Q0 121 407	100 223 0005	159
6Q0 121 407 A	100 223 0005	159
6Q0 121 407 B	100 223 0005	159
1J0 121 447 L	119 222 0006	168
058 121 471 B	119 121 0178	169
357 121 999 X	100 121 0080	162
1J0 122 051 H	119 222 0007	169
037 122 058	119 121 0069	169
1J0 122 101 D	119 222 0016	170
6Q0 122 101 AQ	119 222 0017	170
1J0 122 291 B	114 239 0001	158
6Q0 122 291 E	114 226 0003	158

Ref. no.	MEYLE no.	Page
Skoda		
057 127 247 A	100 034 0009	204
191 127 247 A	100 034 0002	205
1J0 127 247 A	100 034 0003	205
6Q0 127 400 H	100 323 0013	193
6R0 127 400 C	100 323 0025	194
1J0 127 401 A	100 127 0007	194
6N0 127 401 R	100 201 0011	194
6Q0 127 401 B	100 127 0000	195
6Q0 127 401 F	100 323 0017	195
1K0 127 434 A	100 201 0012	195
1K0 127 434 B	100 323 0005	196
3C0 127 434	100 323 0004	196
057 127 435 D	114 323 0000	196
8D0 127 435	100 127 0013	197
6K0 129 607 T	112 321 0010	186
036 129 620 F	112 129 0019	186
036 129 620 H	112 321 0007	187
03D 129 620	112 321 0004	187
03E 129 620	112 129 0033	187
04C 129 620 C	112 321 0032	193
056 129 620	112 129 0005	188
1F0 129 620	100 321 0008	188
1J0 129 620	112 129 0010	188
1J0 129 620 A	112 129 0035	189
1K0 129 620	112 321 0006	189
1K0 129 620 D	112 129 0040	189
1L0 129 620 A	112 129 0015	190
1L0 129 620 C	112 129 0015	190
551 129 620	112 129 0005	188
5Q0 129 620 B	112 321 0030	190
5Z0 129 620 A	112 129 0000	190
6Q0 129 620	112 129 0000	190
6R0 129 620 A	112 321 0008	191
6U0 129 620	112 129 0047	191
6Y0 129 620	100 321 0009	191
1J0 129 684 CG	100 036 0018	204
06A 133 240	100 036 0007	183
058 133 843	112 133 0001	192
059 133 843 A	100 321 0012	192
06F 133 843 A	112 321 0026	192
8D0 145 156 F	114 631 0022	233
8D0 145 156 FX	114 631 0022	233
8D0 145 156 KX	114 631 0006	233
8D0 145 156 T	114 631 0007	233
8D0 145 156 TX	114 631 0007	233
535 145 157	114 631 0016	234

Ref. no.	MEYLE no.	Page
Skoda		
6N0 145 157	114 631 0016	234
038 145 276	100 145 0005	148
047 145 276 B	314 112 0000	148
059 145 276	100 009 0001	148
030 145 299 C	100 020 0001	146
030 145 299 F	100 020 0001	146, 149
030 145 299 F*	100 145 0003	146, 149
036 198 620	112 129 0021	193
03D 198 819 A	100 322 0007	215
6Q0 199 167 BQ	100 199 0116	222
6Q0 199 167 CQ	100 199 0127	221
6Q0 199 167 CR	100 199 0116	222
6Q0 199 167 DB	100 199 0115	221
6Q0 199 167 DH	100 199 0127	221
6Q0 199 167 DJ	100 199 0116	222
6Q0 199 167 DK	100 199 0132	220
6Q0 199 167 DM	100 199 0128	221
6Q0 199 167 DN	100 199 0115	221
6R0 199 167 AA	100 199 0128	221
6R0 199 167 AB	100 199 0115	221
6R0 199 167 R	100 199 0127	221
6R0 199 167 S	100 199 0116	222
1K0 199 231 J	100 199 0085/HD 100 610 0085/HD	275, 280, 282
1K0 199 231 J*	100 610 0027/HD	275, 280, 282
1K0 199 232 J	100 199 0086/HD 100 610 0086/HD	275, 281, 283
1K0 199 232 J*	100 610 0027/HD	275, 281, 283
1J0 199 262 BK	100 030 0004	222
1K0 199 262 AS	100 199 0112	222
1K0 199 262 AT	100 199 0129	85, 88, 223
1K0 199 262 K	100 199 0108	223
1K0 199 262 L	100 199 0122	223
8D0 199 339 E	100 199 0135	220
8D0 199 339 M	100 030 0005	220
4B0 199 379 E	100 199 0134	224
8D0 199 379 AQ	100 199 0040	224
8D0 199 379 AT	100 199 0056	224
8D0 199 379 J	100 199 0040	224
8D0 199 382 AN	100 199 0048	225
8D0 199 382 L	100 199 0048	225
1J0 199 429	100 199 0063	302
1J0 199 555 AH	100 199 0068	225
1J0 199 555 AJ	100 199 0053	85, 88, 225
1J0 199 555 AK	100 199 0069	226
1J0 199 555 AL	100 199 0070	226

Ref. no.	MEYLE no.	Page
Skoda		
1K0 199 555 L	100 199 0097	226
1K0 199 555 M	100 199 0098	227
1K0 199 555 N	100 199 0099	227
1K0 199 555 Q	100 199 0096	86, 88, 227
1K0 199 555 T	100 199 0095	228
3C0 199 555 P	100 199 0150	89, 228
1J0 199 851 AA	100 199 0045	86, 89, 228
1J0 199 851 AB	100 199 0160	229
1J0 199 851 M	100 199 0045	86, 89, 228
1J0 199 851 N	100 199 0045	86, 89, 228
1J0 199 851 R	100 199 0160	229
6Q0 199 851 AE	100 199 0137	229
6Q0 199 851 AJ	100 199 0137	229
6Q0 199 851 AK	100 199 0119	229
6Q0 199 851 AL	100 130 0004	86, 89, 230
6Q0 199 851 AP	100 199 0178	230
6Q0 199 851 AR	100 199 0181	230
6Q0 199 851 AS	100 030 0001	90
6Q0 199 851 T	100 030 0001	90
1K0 199 855 AD	100 199 0094	90, 231
1K0 199 855 BA	100 199 0094	90, 231
1K0 199 855 K	100 199 0094	90, 231
1K0 199 867 B	100 199 0105	231
1K0 199 867 P	100 199 0161	231, 303
1K0 199 867 Q	100 199 0161	231, 303
1K0 199 868 P	100 199 0162	232, 303
1K0 199 868 Q	100 199 0162	232, 303
1JE 615 301	115 521 1018/PD	26
1JM 115 561 BZ	100 115 0009	211
1KM 498 099	100 498 0193	73
6Q0 201 051 B	100 323 0011	197
6Q0 201 051 C	100 323 0003	197
6Q0 201 051 H	100 323 0011	197
6Q0 201 051 J	100 323 0003	197
1H0 201 511 A	314 133 2107 314 133 2108	198
1J0 201 511 A	100 201 0007	198
251 201 511 G	100 201 0001	199
6Q0 201 511	100 323 0002	199
6U0 201 511 D	100 323 0012	199
6X0 201 511 B	100 201 0000 100 201 0013	200
058 260 511	100 260 0001	150
007 304 447	116 050 0005	264
007 304 448	116 050 0006	267
02E 305 051 C	100 135 0102	83, 93

Ref. no.	MEYLE no.	Page
Skoda		
	100 136 0003	
096 321 370	100 321 0001	205
09G 321 370	100 139 0002	206
01V 321 371	100 321 0004	206
02E 321 371 E	100 140 0001	81
001 325 429 A	100 325 0013	84
01M 325 429	100 325 0001 100 398 0006	82, 84
01V 325 429	100 135 0001 100 325 0005 100 398 0003	82, 84, 94
09G 325 429	100 137 0001 100 325 0007	83, 85
01M 325 443	100 325 0004	81
007 350 027 A	100 500 0001	237
007 350 278 N	116 031 0003	238
115 395 000	126 715 0008	324
115 395 001	126 715 0008	324
02E 398 051	100 136 0003	83
2E0 398 051	100 135 0102	93
4B0 399 151 M	100 130 0011	87
8D0 399 151 H	100 399 0013	90
8D0 399 151 J	100 399 0015	87, 91
8D0 399 151 M	100 399 0009	87, 91
8D0 399 415 D	100 399 0028	92, 304
8D0 399 415 E	100 399 0016	302, 304
8D0 399 419 G	100 399 0027	92-93, 304
3AA 611 701 A	100 525 0018/S	51
311 405 625 F	100 405 0101	333
311 405 625 N	100 405 0101	333
1J0 407 151 C	116 050 0009 116 050 0010 116 050 0156	259-260
1K0 407 151 AA	116 050 0002/HD	261
1K0 407 151 AB	116 050 0002/HD	261
1K0 407 151 AC	116 050 0032/HD	260
1K0 407 151 AE	116 050 0002/HD	261
1K0 407 151 AH	116 050 0002/HD	261
1K0 407 151 BC	116 050 0002/HD	261
1K0 407 151 N	116 050 0002/HD	261
1K0 407 151 P	116 050 0002/HD	261
1K0 407 151 T	116 050 0032/HD	260
1S0 407 151	116 050 0114	261
4B0 407 151	116 050 0031/HD	262
4B3 407 151 A	116 050 0031/HD	262
4B3 407 151 C	116 050 0031/HD	262

Ref. no.	MEYLE no.	Page
Skoda		
4B3 407 151 E	116 050 0031/HD	262
4B3 407 151 F	116 050 0031/HD	262
4B3 407 151 K	116 050 0031/HD	262
6Q0 407 151 L	116 050 0018 116 050 0019 116 050 0028	262-263
6R0 407 151	116 050 0093	264
6R0 407 151 E	116 050 0093	264
6U0 407 151	116 050 0005	264
6U0 407 151 A	116 050 0005	264
6U0 407 151 B	116 050 0005	264
8D0 407 151 E	116 050 8228/HD	265
1K0 407 152 AA	116 050 0003/HD	266
1K0 407 152 AB	116 050 0003/HD	266
1K0 407 152 AC	116 050 0033/HD	265
1K0 407 152 AE	116 050 0003/HD	266
1K0 407 152 AH	116 050 0003/HD	266
1K0 407 152 BC	116 050 0003/HD	266
1K0 407 152 N	116 050 0003/HD	266
1K0 407 152 P	116 050 0003/HD	266
1K0 407 152 T	116 050 0033/HD	265
1S0 407 152	116 050 0115	266
6R0 407 152	116 050 0094	267
6R0 407 152 E	116 050 0094	267
6U0 407 152	116 050 0006	267
6U0 407 152 A	116 050 0006	267
6U0 407 152 B	116 050 0006	267
1J0 407 181	100 407 0043	272
1J0 407 181 A	100 407 0043	272
4D0 407 181 F	100 407 0047/HD	272
4D0 407 181 H	100 407 0047/HD	272
6U0 407 181	100 422 1190	273
191 407 182	100 407 0015	273
1K0 407 182	100 407 0086	273
1K0 407 182 A	100 407 0086	273
357 407 182	100 407 0015	273
4D0 407 182 G	100 407 0022/HD	274
5Q0 407 182	100 407 0086	273
6Q0 407 182 A	100 407 0094	274
1K0 407 183 E	100 610 0027/HD	275
1K0 407 183 M	100 610 0034	275
4D0 407 183 AB	100 407 0060/HD	275
4D0 407 183 AC	100 407 0060/HD	275
4D0 407 183 P	100 407 0060/HD	275
4D0 407 183 Q	100 407 0060/HD	275
4F0 407 183 A	100 407 0060/HD	275

Ref. no.	MEYLE no.	Page
Skoda		
5C0 407 183 A	100 610 0034	275
6Q0 407 183	100 610 0027/HD	275
1J0 407 271 AP	100 498 0147	72
1J0 407 271 H	100 498 0147	72
1J0 407 271 JD	100 498 0147	72
1K0 407 271 CQ	100 498 0140	71
6U0 407 271 F*	100 420 0001	78
6U0 407 271 FX*	100 420 0001	78
1J0 407 272	100 498 0148	71
1K0 407 272 FS	100 498 0141	71
6U0 407 272 F*	100 420 0001	78
6U0 407 272 FX*	100 420 0001	78
4D0 407 305 B	100 498 0064	76
8D0 407 305 M	100 498 0088	75
8D0 407 305 Q	100 498 0183	75
1J0 407 311 R	100 498 0121	72
1K0 407 311 F	100 498 0196	74
1K0 407 311 J	100 498 0193	73
1K0 407 311 L	100 498 0195	73
6U0 407 311	100 420 0001	78
1J0 407 365 H	116 010 8287 116 010 8287/HD	254
1K0 407 365 C	116 010 0015	254
5Q0 407 365 A	116 010 0033	255
6Q0 407 365 M	116 010 0007	255
6R0 407 365	116 010 0024	255
6U0 407 365	116 010 8223	256
1J0 407 366 H	116 010 8288 116 010 8288/HD	256
1K0 407 366 C	116 010 0016	257
5Q0 407 366 A	116 010 0034	257
6Q0 407 366 M	116 010 0008	257
6R0 407 366	116 010 0025	258
1J0 407 451 AX	100 498 0147	72
1K0 407 451 PX	100 498 0140	71
1K0 407 452 QX	100 498 0141	71
8E0 407 505 A	116 050 8297/HD	268
8E0 407 505 P	116 050 8297/HD	268
8E0 407 506 A	116 050 8298/HD	268
4D0 407 509 G	116 050 8292/HD	269
8D0 407 510 G	116 050 8293/HD	269
4B0 407 515	100 407 0024/HD	276
4D0 407 515 C	100 407 0024/HD	276
1J0 407 613 G	100 407 6007	337
4A0 407 615 G	100 407 0068	338
6U0 407 615	100 407 0067	338

Ref. no.	MEYLE no.	Page
Skoda		
6U0 407 615 A	100 407 0067	338
8D0 407 615 E	100 407 0079	338
6Q0 407 621 BK	100 752 0004	339
6Q0 407 621 BP	100 752 0004	339
6Q0 407 621 BR	100 652 0001	339
6R0 407 621 A	100 652 0001	339
6R0 407 621 E	100 652 0001	339
1J0 407 625	100 407 0048	333
4D0 407 625 E	100 407 0037	333
6U0 407 625 A*	100 407 0080	334
8E0 407 693 AG	116 050 8299/HD	270
8E0 407 694 AG	116 050 8300/HD	270
096 409 061 F	100 038 0001	207
096 409 061 G	100 038 0001	207
012 409 191 D	100 409 0001	137
357 411 105 AB	114 639 0002	305
6Q0 411 305 AC	100 653 0004/HD	299
6Q0 411 305 AL	100 653 0002/HD	298
6Q0 411 305 AM	100 653 0003/HD	298
6Q0 411 305 AN	100 653 0004/HD	299
1J0 411 314 R	100 411 0033 100 411 0033/S	286
1J0 411 314 S	100 411 0048 100 411 0048/S	286–287
1J0 411 314 T	100 411 0040 100 411 0040/S	287
6Q0 411 314 E	100 411 0052/S	290
6Q0 411 314 F	100 411 0049	288
6Q0 411 314 N	100 411 0052 100 411 0052/S	290
6Q0 411 314 P	100 411 0050 100 411 0050/S	288–289
6Q0 411 314 Q	100 411 0051 100 411 0051/S	289
6Q0 411 314 R	100 411 0052 100 411 0052/S	290
8Z0 411 314 B	100 615 0004	290
1J0 411 315 D	116 060 0011/HD	293
1J0 411 315 G	100 411 0007	293
1J0 411 315 H	100 411 0043	294
1K0 411 315 K	116 060 0020/HD	294
1K0 411 315 P	116 060 0020/HD	294
5Q0 411 315 B	116 060 0020/HD	294
6Q0 411 315 J	116 060 0000/HD	294
6Q0 411 315 N	116 060 0000/HD	294
6R0 411 315	116 060 0000/HD	294

Ref. no.	MEYLE no.	Page
Skoda		
6R0 411 315 A	116 060 0000/HD	294
6U0 411 315	100 411 0009 100 411 0009/S	295
1J0 411 316 D	116 060 0012/HD	296
8D0 411 317 D	116 060 0007	296
8D0 411 318 D	116 060 0008	296
1J0 411 327	100 411 0044	285
4D0 411 327 G	100 411 0021	291
4D0 411 327 H	100 411 0026	291
6Q0 411 333 A	100 411 0051/S	289
6Q0 411 334 A	100 411 0051/S	289
1J0 411 336 C	100 411 0053	285
1J0 411 336 D	100 411 0053	285
8D0 412 065 D	100 412 0044	324
8D0 412 065 E	100 412 0044	324
8D0 412 065 F	100 412 0044	324
8D0 412 065 G	100 412 0044	324
8D0 412 131 F	100 412 0033/S	312
4D0 412 137 C	100 412 0042	311
1J0 412 249	100 412 0017	331
6N0 412 249 C	100 641 0003	331
6N0 412 249 E	100 641 0003	331
6U0 412 249	100 641 0001	331
6Q0 412 301	100 642 0000	313
6Q0 412 301 A	100 642 0010	313
1H0 412 303 B	100 412 0014	313
1J0 412 303	100 512 0029	314
1K0 412 303 B	100 642 0002	314
1K0 412 303 F	100 642 0004	314
1K0 412 303 G	100 642 0005	315
1K0 412 303 H	100 642 0006	315
357 412 303 F	100 412 0015	315
1J0 412 331 B	100 412 0019 100 412 0019/S 100 412 1019/S	325–326
1J0 412 331 C	100 412 0019 100 412 0019/S 100 412 1019/S	325–326
1K0 412 331 B	100 412 0039 100 412 0039/S	326–327
5Z0 412 331 B	100 412 0029/S	328
6N0 412 331 D	100 412 0029/S	328
6N0 412 331 E	100 412 0029 100 412 0029/S	327–328
6Q0 412 331 B	100 641 0006	328
1J0 412 341	100 412 0022	325

Ref. no.	MEYLE no.	Page
Skoda		
6U0 412 355	100 412 0021 100 412 0021/S	328–329
3B7 412 377 A	100 641 0007	329
1J0 413 031 AG	126 623 0011	320
1J0 413 031 AM	126 623 0011	320
1J0 413 031 BJ	126 623 0011	320
1K0 413 031 AS	126 623 0050	320
1K0 413 031 CM	126 623 0050	320
1T0 413 031 CF	126 623 0055	320
6Q0 413 031 BH	126 623 0004	321
6Q0 413 031 BN	126 623 0004	321
6Q0 413 031 BR	126 623 0004	321
6U0 413 031 H	126 613 0006	321
6U0 413 031 K	126 613 0006	321
6U0 413 031 L	126 613 0006	321
6U0 413 031 N	126 613 0003	321
6U6 413 031	126 613 0006	321
6U6 413 031 B	126 613 0003	321
6U6 413 031 C	126 613 0006	321
8D0 413 031 BM	126 625 0003	322
357 413 175 A	100 413 0000	311
6N0 413 175 A	100 643 0003	311
002 415 019	115 521 1023	27
4B0 419 801 B	116 030 8227/HD	242
4B0 419 801 M	116 030 4680 116 030 8227/HD	238, 242
4D0 419 801 B	116 030 8227/HD	242
4D0 419 801 E	116 030 8227/HD	242
4D0 419 801 L	116 030 8227/HD	242
8E0 419 801 B	116 030 8227/HD	242
6Q0 419 803 B	116 030 0022	242
6Q0 419 803 D	116 030 0022	242
6Q0 419 803 F	116 030 0022	238, 242
6Q0 419 803 F*	116 031 0021	238, 242
6Q0 419 804 B	116 030 0023	243
6Q0 419 804 D	116 030 0023	243
6Q0 419 804 F	116 030 0023	238, 243
6Q0 419 804 F*	116 031 0021	238, 243
4F0 419 811 A	116 020 0008/HD	248
4F0 419 811 C	116 020 0008/HD	248
4F0 419 811 D	116 020 0008/HD	248
8E0 419 811 B	116 020 8228/HD	248
4D0 419 831 E	100 419 0016	235
8D0 419 831 J	100 419 0017	236
115 420 171	100 498 0200	80
115 420 174	100 420 0001	78

Ref. no.	MEYLE no.	Page
Skoda		
115 420 214	100 420 0001	78
115 420 217	100 420 0001	78
6U1 422 051 B	100 500 0001	237
1J0 422 154	114 631 0004	234
1J0 422 154 A	114 631 0004	234
1J0 422 154 AX	114 631 0004	234
1J0 422 154 E	114 631 0003	234
1J0 422 154 H	114 631 0003	234
1J0 422 154 HX	114 631 0003	234
1J0 422 154 J	114 631 0004	234
1J0 422 154 JX	114 631 0004	234
2K0 422 154	114 631 0004	234
2K0 422 154 A	114 631 0004	234
1J0 422 371 C	100 623 0000	235
1J0 422 803	116 030 8281	243
1J0 422 803 A	116 030 8281	239, 243
1J0 422 803 A*	116 030 8286	239, 243
1J0 422 803 B	116 030 8500	244
1J0 422 803 C	116 030 8281	243
1J0 422 803 H	116 030 8500	239, 244
1J0 422 803 H*	116 030 8504	239, 244
1J0 422 804	116 030 8284	244
1J0 422 804 A	116 030 8284	239, 244
1J0 422 804 A*	116 030 8286	239, 244
1J0 422 804 B	116 030 8501	245
1J0 422 804 C	116 030 8284	244
1J0 422 804 H	116 030 8501	239, 245
1J0 422 804 H*	116 030 8504	239, 245
6U0 422 807	116 031 0002	239
1J0 422 811 A	116 020 8283	249
1J0 422 811 B	116 020 8502	249
6U0 422 811	116 020 8222	250
1J0 422 812 A	116 020 8285	250
1J0 422 812 B	116 020 8503	250
1J0 422 831 B	100 422 9010	236
1J0 422 893 CN	159 630 0001	235
6Q0 423 803 B	116 030 0010	241, 245
6Q0 423 803 B*	116 031 0012	241, 245
6Q0 423 803 C	116 030 0029	246
6Q0 423 803 E*	116 031 0006	240
6Q0 423 803 G	116 030 0029	246
6Q0 423 803 P*	116 031 0006	240
6Q0 423 804 A	116 030 0030	247
6Q0 423 804 B	116 030 0011	241, 246
6Q0 423 804 B*	116 031 0012	241, 246
6Q0 423 804 E*	116 031 0006	240

Ref. no.	MEYLE no.	Page
Skoda		
6Q0 423 804 G	116 030 0030	247
6Q0 423 804 P*	116 031 0006	240
1K0 423 810 A	116 031 0000	240
1S0 423 810 A	116 031 0020	240
6Q0 423 810 C*	116 031 0010	241
1K0 423 811 E	116 020 0025	251
1K0 423 811 G*	116 030 0018	247
1K0 423 811 K	116 020 0025	251
1S0 423 811 A	116 020 0035	251
6Q0 423 811 C	116 020 0000	252
6R0 423 811	116 020 0000	252
1K0 423 812 E	116 020 0026	252
1K0 423 812 G*	116 030 0019	248
1K0 423 812 K	116 020 0026	252
1S0 423 812 A	116 020 0036	252
6Q0 423 812 C	116 020 0004	253
6R0 423 812	116 020 0004	253
1K0 423 831 A	100 620 0002	236
1S0 423 831 A	100 620 0006	237
6Q0 423 831 D	100 620 0004	237
115 430 011	100 407 0067	338
115 430 212	115 521 1114	19
115 430 261	025 208 6117	44
115 430 284	025 208 6117	44
115 430 285	025 208 6117	44
441 073 260 036	126 613 0001	322
441 073 260 136	126 613 0001	322
441 073 260 196	126 613 0001	322
441 073 261 046	126 613 0006	321
441 073 261 056	126 613 0006	321
441 073 261 066	126 613 0006	321
441 075 803 116	126 715 0008	324
441 075 803 146	126 715 0008	324
441 075 803 196	126 715 0008	324
441 075 803 246	126 715 0008	324
441 075 803 266	126 715 0008	324
443 621 251 002	126 715 0008	324
443 621 251 010	126 613 0003	321
443 621 251 012	126 715 0008	324
443 621 251 021	126 715 0008	324
443 621 251 023	126 715 0008	324
115 495 000	126 613 0001	322
116 495 000	126 613 0001	322
115 495 001	126 613 0001	322
116 495 001	126 613 0001	322
6U0 498 002	100 407 0080	334

Ref. no.	MEYLE no.	Page
Skoda		
6U0 498 003	100 650 0002	334
020 498 085 G	100 498 0003 C	95
1H0 498 099 A	100 498 0061	74
1J0 498 099	100 498 0052	72
1J0 498 099 A	100 498 0052	72
1J0 498 099 E	100 498 0121	72
1J0 498 099 EX	100 498 0121	72
1K0 498 099	100 498 0195	73
1K0 498 099 A	100 498 0195	73
1K0 498 099 AX	100 498 0195	73
1K0 498 099 B	100 498 0193	73
1K0 498 099 BX	100 498 0193	73
1K0 498 099 D	100 498 0196	74
1K0 498 099 E	100 498 0195	73
1K0 498 099 X	100 498 0195	73
357 498 099 E	100 498 0061	74
357 498 099 EV	100 498 0061	74
357 498 099 EX	100 498 0061	74
3B0 498 099 B	100 498 0088	75
3B0 498 099 BX	100 498 0088	75
3B0 498 099 C	100 498 0088	75
3B0 498 099 CX	100 498 0088	75
3B0 498 099 D	100 498 0183	75
3B0 498 099 DX	100 498 0183	75
3B0 498 099 H	100 498 0088	75
4D0 498 099	100 498 0064	76
4D0 498 099 A	100 498 0064	76
4D0 498 099 AX	100 498 0064	76
4D0 498 099 X	100 498 0064	76
6Q0 498 099 C	100 498 0189	76
6Q0 498 099 D	100 498 0117	77
6Q0 498 099 DX	100 498 0117	77
6Q0 498 099 E	100 498 0118	77
6Q0 498 099 EX	100 498 0118	77
6Q0 498 099 F	100 498 0119	77
6R0 498 099	100 498 0117	77
6U0 498 099	100 420 0001	78
6U0 498 099 A	100 420 0001	78
8D0 498 099 D	100 498 0064	76
8D0 498 099 E	100 498 0064	76
8E0 498 099 A	100 498 0064	76
8E0 498 099 G	100 498 0064	76
171 498 103 C	100 498 0016	79
171 498 103 CX	100 498 0016	79
191 498 103	100 498 0018	78
191 498 103 A	100 498 0018	78

Ref. no.	MEYLE no.	Page
Skoda		
191 498 103 C	100 498 0018	78
191 498 103 CV	100 498 0018	78
191 498 103 CX	100 498 0018	78
191 498 103 X	100 498 0018	78
1J0 498 103 K	100 498 0179	79
1J0 498 103 KX	100 498 0179	79
1K0 498 103	100 498 0018	78
1K0 498 103 C	100 498 0203	79
1K0 498 103 X	100 498 0018	78
321 498 103	100 498 0016	79
321 498 103 A	100 498 0016	79
321 498 103 C	100 498 0051	81
321 498 103 CX	100 498 0051	81
321 498 103 D	100 498 0018	78
321 498 103 X	100 498 0016	79
357 498 103	100 498 0018	78
357 498 103 A	100 498 0018	78
357 498 103 B	100 498 0018	78
357 498 103 BX	100 498 0018	78
357 498 103 V	100 498 0018	78
357 498 103 X	100 498 0018	78
431 498 103 C	100 498 0062	80
431 498 103 CX	100 498 0062	80
443 498 103 A	100 498 0062	80
6U0 498 103 A	100 498 0200	80
191 498 104	100 498 0051	81
191 498 104 A	100 498 0051	81
191 498 104 C	100 498 0018	78
191 498 104 X	100 498 0051	81
357 498 104	100 498 0051	81
357 498 104 V	100 498 0051	81
357 498 104 X	100 498 0051	81
431 498 104 CX	100 498 0062	80
535 498 104	100 498 0051	81
1J0 498 201	100 498 0095	61
1J0 498 201 A	100 498 0042	61
1J0 498 201 E	100 498 0132	61
1J0 498 201 J	100 498 1086	62
1K0 498 201	100 498 0041	62
1K0 498 201 A	100 495 0018	62
1K0 498 201 B	100 498 1123	63
1K0 498 201 C	100 495 0002	63
1K0 498 201 D	100 498 0139	63
357 498 201 A	100 498 0041	62
443 498 201 B	100 498 0043	64
4B0 498 201	100 498 0089	64

Ref. no.	MEYLE no.	Page
Skoda		
6N0 498 201	100 498 0084 100 498 1084	64–65
6Q0 498 201 C	100 498 0125	65
6Q0 498 201 D	100 495 0027	65
6U0 498 201 A	100 495 0021	66
7M3 498 201 B	100 495 0013	66
7M3 498 201 J	100 495 0013	66
1J0 498 203	100 498 0078	70
1K0 498 203	100 498 0047	66
1K0 498 203 A	100 495 0007	67
1K0 498 203 B	100 495 0010	67
3B0 498 203 A	100 498 0072 100 498 1072	67–68
3B0 498 203 B	100 495 0005	68
3B0 498 203 E	100 495 0019	68
3B0 498 203 F	100 495 0005 100 498 0075 100 498 0091	68–69
3B0 498 203 G	100 498 0072 100 498 1072	67–68
441 498 203 A	100 498 0075	69
6Q0 498 203	100 495 0004	69
8D0 498 203 A	100 498 0072 100 498 1072	67–68
8D0 498 203 B	100 498 0091 100 498 0091/SK	69–70
8D0 498 203 C	100 498 0091	69
321 498 350 X	100 498 0016	79
1K0 498 621	100 650 0003	340
1T0 498 621	100 650 0005	340
5K0 498 621	100 650 0005	340
5K0 498 621 A	100 650 0003	340
1J0 498 625	100 498 0048	334
1J0 498 625 A	100 498 0048	334
1S0 498 625	100 498 0220	335
4A0 498 625	100 498 0037 100 498 0137 100 498 0337	335–336
4B0 498 625	100 498 0138	336
8V0 498 625	100 650 1003	341
8V0 498 625 A	100 650 1005	341
3B0 498 798 A	116 050 0022/HD	278
8D0 498 998	116 050 0020/HD 116 050 0029/HD	278–279
8D0 498 998 B	116 050 0020/HD 116 050 0029/HD	278–279

Ref. no.	MEYLE no.	Page
Skoda		
115 500 000	100 500 0001	237
115 500 420	116 030 1120	241
1J0 501 117 B	100 501 0029	299
1J0 501 249 A	100 752 0006	332
1J0 501 249 C	100 752 0006	332
4B0 501 521 E	100 710 0002	300, 302
4B0 501 521 E*	100 710 0000/S	300, 302
4B0 501 522 E	100 710 0003	300, 302
4B0 501 522 E*	100 710 0000/S	300, 302
1K0 501 529 F	116 035 0002	283
1K0 501 529 J	116 035 0014	283
1K0 501 530 C	116 035 0003	284
1J0 501 541 C	114 710 0009 114 710 0009/S	300–301
6Q0 501 541 E	100 710 0008	301, 303
6Q0 501 541 E*	100 710 0008/S	301, 303
6R0 501 541 A	114 710 0009 114 710 0009/S	300–301
8E0 501 611 J	100 752 0001	341
1H0 501 615 A	115 523 1015	48
1J0 505 145 B	100 710 0009	301
1J0 505 171 B	100 505 0015	281
1J0 505 203	116 010 0006	332
1K0 505 203 A	100 710 0012	277
1K0 505 223 K	116 050 0080	271
1K0 505 224 K	116 050 0081	271
1K0 505 279 A	100 710 0013	277
1K0 505 311 AB	116 050 0079	271, 276
1K0 505 311 AB*	100 505 0016	271, 276
1K0 505 323 H	116 050 0027	284
1K0 505 323 N	116 050 0027	277, 284
1K0 505 323 N*	100 710 0012 100 710 0013	277, 284
1J0 505 365 N	116 010 0006	332
1K0 505 465 K	116 060 0023 116 060 0023/S	297
1J0 505 466 C	116 060 0002/HD	298
1K0 505 541 B	100 505 0014	281
1K0 505 541 C	100 505 0014	281
1K0 505 541 D	100 505 0014	281
5Q0 505 541 A	100 505 0014	281
1K0 505 543 A*	100 710 0006	242
1K0 505 553	100 505 0011	277
1K0 505 553 A	100 505 0011	277
1K0 511 327 AP	100 511 0011	291
1K0 511 327 AQ	100 511 0012	292

Ref. no.	MEYLE no.	Page
Skoda		
1K0 511 327 AR	100 511 0013	292
1K0 511 327 AS	100 511 0014	292
1K0 511 353 P	100 742 0019	316
1J0 511 423	100 511 0017	293
1K0 511 439 E	100 511 0016	285
1J0 512 131	100 512 0011	316
1J0 512 131 B	100 512 0014	316
1J0 512 131 C	100 512 0018	317
3B0 512 131 H	100 512 0027	317
4B0 512 131 B	100 742 0002	317
6Q0 512 131 C	100 742 0021	318
6U0 512 131	100 512 0019	318
6U0 512 131 B	100 742 0022	318
6U0 512 131 C	100 742 0023	319
6X0 512 131 A	114 742 0001	319
1J0 512 149 B	100 512 0028	3
1J0 513 025 AJ	126 725 0010	322
1J0 513 025 AK	126 725 0010	322
1J0 513 025 BG	126 725 0010	322
1J9 513 025 A	126 725 0011	323
1J9 513 025 E	126 725 0011	323
1J9 513 025 F	126 725 0011	323
6Q0 513 025 BN	126 725 0015	323
1K0 513 029 FA	126 725 0024	323
3B5 513 031 B	126 725 0009	324
6U0 513 031 C	126 715 0008	324
6U6 513 031	126 715 0008	324
6U6 513 031 C	126 715 0008	324
6U6 513 031 D	126 715 0008	324
6U9 513 031	126 715 0008	324
6U9 513 031 B	126 715 0008	324
6U9 513 031 D	126 715 0008	324
6U9 513 031 E	126 715 0008	324
1J0 513 353 A	100 513 0001	330
1J0 513 353 B	100 513 0001	330
1J0 513 353 C	100 513 0001	330
1J0 513 353 G	100 513 0001	330
1K0 513 353 J	100 513 0010	330
3B0 513 353	100 741 0001	330
3C0 513 353	100 513 0010	330
3C0 513 353 C	100 513 0010	330
1J0 513 425	100 513 0006	312
1J0 513 425 A	100 513 0007	312
007 580 319	126 715 0008	324
007 580 324	126 715 0008	324
007 580 326	126 715 0008	324

Ref. no.	MEYLE no.	Page
Skoda		
4D0 598 099	100 498 0064	76
113 598 101	100 498 0016	79
251 598 101 A	100 498 0062	80
1J0 598 477	100 598 0181	342
1S0 598 611	100 752 0010	342
1T0 598 611 B	100 752 0003	343
6Q0 598 611	114 750 0001	343
191 598 625	100 598 0101	337
6U0 598 625	100 598 0101	337
8J0 598 625	100 650 0005	340
1J0 609 525	114 533 0005/K	50
811 609 525 E	114 533 0003/K	49
1J0 609 526	114 533 0005/K	50
1J0 609 527	114 533 0005/K	50
1J0 609 528	114 533 0005/K	50
1J0 609 617 B	115 523 1038	48
6Q0 609 617	115 523 1035	49
8E0 611 021	100 532 0005	57
8E0 611 021 A	100 532 0006	58
8E0 611 021 B	100 532 0006	58
1H0 611 053	100 611 0058	59
1J0 611 053	100 611 0068	59
3A0 611 053	100 611 0068	59
6Q0 611 053 B	100 611 0058	59
6U0 611 053 B	100 611 0037	60
1J0 611 701	100 611 0053/S	51
1J0 611 701 G	100 611 0083/S	52
1J0 611 701 L	100 611 0053/S	51
1J0 611 701 M	100 611 0083/S	52
1J0 611 701 N	100 611 0053/S	51
1K0 611 701 D	100 611 0071/S	52
1K0 611 701 H	100 611 0071/S	52
1K0 611 701 K	100 611 0071/S	52
1K0 611 701 M	100 611 0071/S	52
6Q0 611 701 B	100 611 0079/S	52
6Q0 611 701 C	100 611 0079/S	52
6Q0 611 701 E	100 611 0079/S	52
6Q0 611 701 F	100 611 0079/S	52
6U0 611 701 A	100 611 0054	53
6U0 611 701 B	100 611 0054	53
3U0 611 707	100 611 0042	53
6U0 611 707	100 525 0042	57
8D0 611 707 D	100 611 0042	53
1J0 611 763 AD	100 525 0054/S	54
1J0 611 763 R	100 525 0054/S	54
8E0 611 763 E	100 525 0062/S	54

Ref. no.	MEYLE no.	Page
Skoda		
8E0 611 763 F	100 525 0062/S	54
8E0 611 763 K	100 525 0062/S	54
1J0 611 764 AD	100 525 0055/S	55
1J0 611 764 R	100 525 0055/S	55
8E0 611 764 E	100 525 0063/S	55
8E0 611 764 F	100 525 0063/S	55
8E0 611 764 K	100 525 0063/S	55
1K0 611 775 A	100 611 0073	55
1K0 611 775 C	100 611 0073	55
1K0 611 775 D	100 525 0058/S	56
4E0 611 775 L	100 611 0040	56
5C0 611 775 C	100 525 0058/S	56
6Q0 611 775 B	100 611 0043	57
6U0 611 775	100 525 0042	57
6U0 611 775 A	100 525 0042	57
6U0 611 775 B	100 525 0042	57
8D0 611 775 E	100 611 0040	56
1K0 611 776	100 525 0058/S	56
1J1 614 019	100 611 0075	58
1J1 614 019 A	100 532 0003	58
1J1 614 019 C	100 532 0004	59
1J1 614 019 F	100 532 0004	59
1J0 614 149	100 614 0000	332
251 615 219	100 698 0008	47
1J0 615 301 E	115 521 1027 115 521 1027/PD	19–20
1J0 615 301 L	115 521 1018 115 521 1018/PD	25–26
1J0 615 301 M	115 521 1027 115 521 1027/PD	19–20
1J0 615 301 R	115 521 1051 115 521 1051/PD	26–27
1J0 615 301 S	115 521 1051/PD	27
1K0 615 301 AA	115 521 1094 115 521 1094/PD	20–21
1K0 615 301 AC	115 521 1044 115 521 1044/PD	22
1K0 615 301 AD	115 521 0008/PD	21
1K0 615 301 AK	115 521 1044 115 521 1044/PD	22
1K0 615 301 M	115 521 1010 115 521 1010/PD	23
1K0 615 301 S	115 521 1044/PD	22
1K0 615 301 T	115 521 1045 115 521 1045/PD	24
1S0 615 301	115 521 0006	25

Ref. no.	MEYLE no.	Page
Skoda		
4B0 615 301 C	115 523 1048 115 523 1048/PD	29
6Q0 615 301	115 521 1056	25
6R0 615 301	115 521 1018 115 521 1018/PD	25–26
6R0 615 301 A	115 521 1051 115 521 1051/PD	26–27
6U0 615 301	115 521 1023	27
8E0 615 301 Q	115 521 1040 115 521 1040/PD	28
8E0 615 301 R	115 523 1048 115 523 1048/PD	29
8N0 615 301 A	115 521 1085 115 521 1085/PD	30
1J0 615 601	115 523 1008 115 523 1008/PD	31–32
1J0 615 601 D	115 523 1070/PD	31
1J0 615 601 N	115 523 1008 115 523 1008/PD	31–32
1J0 615 601 P	115 523 1008 115 523 1008/PD	31–32
1K0 615 601 AA	115 523 0005/PD	32
1K0 615 601 AB	115 523 1046 115 523 1046/PD	33
1K0 615 601 AC	115 523 1047 115 523 1047/PD	34
1K0 615 601 AD	115 523 1092 115 523 1092/PD	35
1K0 615 601 L	115 523 1047 115 523 1047/PD	34
1K0 615 601 N	115 523 1093 115 523 1093/PD	36
4A0 615 601 A	115 523 1009 115 523 1009/PD	37
8N0 615 601 B	115 523 1076 115 523 1076/PD	38
1J0 698 151 D	025 231 3119/PD 025 231 3119/W	39
1J0 698 151 E	025 231 3119/PD 025 231 3119/W	39
1J0 698 151 G	025 231 3119/PD 025 231 3119/W	39
1J0 698 151 J	025 231 3019/A 025 231 3019/PD	40
1J0 698 151 L	025 219 1119	44
1J0 698 151 M	025 233 9219/W	40

Ref. no.	MEYLE no.	Page
Skoda		
1K0 698 151 A	025 231 3119/PD 025 231 3119/W	39
1K0 698 151 B	025 238 0120/W	44
1K0 698 151 D	025 231 3119/PD 025 231 3119/W	39
1K0 698 151 F	025 231 3119/PD 025 231 3119/W	39
3C0 698 151 A	025 235 8720/PD 025 235 8720/W	41
3C0 698 151 C	025 235 8720/W	41
3C0 698 151 D	025 235 8720/W	41
4B0 698 151 J	025 230 1820/W	42
4B0 698 151 N	025 230 1820/W	42
5C0 698 151	025 231 3019/A 025 231 3019/PD	40
5K0 698 151	025 235 8720/PD 025 235 8720/W	41
6Q0 698 151	025 231 3019/A 025 231 3019/PD	40
6Q0 698 151 A	025 235 8118	42
6Q0 698 151 B	025 218 6817/W	43
6Q0 698 151 C	025 235 8118/W	43
6R0 698 151 A	025 231 3019/A 025 231 3019/PD	40
6U0 698 151	025 208 6117	44
6U0 698 151 A	025 208 6117	44
6U0 698 151 B	025 208 6117	44
6U0 698 151 C	025 208 6117	44
6U0 698 151 E	025 208 6117	44
8E0 698 151 J	025 230 1820/W	42
8J0 698 151 F	025 238 0120/W	44
8N0 698 151	025 219 1119	44
8Z0 698 151 A	025 231 3119/PD 025 231 3119/W	39
1J0 698 451 F	025 209 6117 025 209 6117/PD	45
1J0 698 451 K	025 209 6117 025 209 6117/PD	45
1J0 698 451 P	025 209 6117 025 209 6117/PD	45
1J0 698 451 S	025 209 6117 025 209 6117/PD	45
1K0 698 451 C	025 209 6117 025 209 6117/PD	45
1K0 698 451 D	025 239 1417 025 239 1417/PD	46

Ref. no.	MEYLE no.	Page
Skoda		
1K0 698 451 G	025 239 1417 025 239 1417/PD	46
1K0 698 451 H	025 239 1417 025 239 1417/PD	46
1K0 698 451 J	025 209 6117 025 209 6117/PD	45
1K0 698 451 K	025 239 1417 025 239 1417/PD	46
3B0 698 451 A	025 209 6117 025 209 6117/PD	45
5K0 698 451	025 245 6317	47
6Q0 698 451	025 238 2317/W	46
6Q0 698 451 B	025 238 2317/W	46
8E0 698 451 A	025 209 6117 025 209 6117/PD	45
8E0 698 451 K	025 209 6117 025 209 6117/PD	45
1H0 698 520 V	114 533 0003/K	49
1H0 698 520 X	114 042 0601	50
1H0 698 525 V	114 533 0003/K	49
1H0 698 525 X	114 533 0003/K	49
1J0 698 525	114 533 0005/K	50
1J0 698 525 A	114 042 0701 114 533 0005/K	50
1J0 698 525 B	114 042 0701 114 533 0005/K	50
443 698 647	100 698 0006	48
4D0 698 647	100 698 0006	48
6QD 959 455 C	100 236 0007	162
1J0 711 183 D	100 142 0010	17
1J0 711 596 E	100 711 0018	18
1J0 711 803 C	100 142 0003	18
1J0 721 261 J	100 142 0005	153
1J0 721 261 L	100 142 0005	153
1J1 721 388 A	100 142 0004	153
1J1 721 388 C	100 142 0004	153
1J1 721 388 E	100 142 0004	153
1J1 721 388 G	100 142 0004	153
1J1 819 021 C	100 236 0031	133
1J0 819 022 A	100 840 0001	134
1H1 819 030 A	100 819 0001	17
1H1 819 031 B	100 819 0001	17
1J1 819 031 B	100 819 0004	17
1H1 819 640 A	112 319 0001	14
1H0 819 644 B	112 319 0001	14
1J0 819 644 A	112 320 1001	14

Ref. no.	MEYLE no.	Page
Skoda		
1K0 819 644 A	112 319 0011	14
1K0 819 644 B	112 319 0011	14
1K1 819 653 B	112 320 0011	15
1K2 819 653 B	112 320 0019	15
5Q0 819 653	112 320 0022	15
6Q0 819 653 B	112 320 0003	16
8D1 820 021 A	100 236 0001	134
8D1 820 021 C	100 236 0001	134
6Q0 820 367 B	112 319 0003	16
4A0 820 539 A	100 810 0009	135
3U0 823 359	140 910 0079	3
1U6 827 550	140 910 0054	3
1U6 827 550 A	140 910 0054	3
1U6 827 550 B	140 910 0054	3
1U6 827 550 C	140 910 0054	3
1U6 827 550 E	140 910 0007	4
1U6 827 550 F	140 910 0055	4
1U9 827 550 B	140 910 0044	4
1Z5 827 550 B	140 910 0047	5
1Z9 827 550	140 910 0064	5
3B5 827 550 E	140 910 0006	5
3B5 827 550 G	140 910 0006	5
5J6 827 550	140 910 0087	6
5J6 827 550 B	140 910 0087	6
5J6 827 550 C	140 910 0087	6
5J7 827 550	140 910 0065	6
6Y0 827 550 A	140 910 0045	6
6Y0 827 550 C	140 910 0045	6
6U0 827 551	140 910 0043	7
6U0 827 551 B	140 910 0043	7
8D5 827 552 F	140 161 0068	7
1U0 837 461 B	100 909 0029	8
3B1 837 461	100 837 0024	8
1U0 837 462 B	100 909 0030	8
3B1 837 462	100 837 0025	9
1U0 839 461 B	100 909 0031	9
1U0 839 462 B	100 909 0032	9
058 903 133 D	100 903 0011	146, 149
058 903 133 D*	100 903 0001	146, 149
078 903 133 AB	100 903 0010	147, 149
078 903 133 AB*	100 903 0003	147, 149
038 903 315 K	100 903 0006	147
06A 903 315 E	100 903 0000	147
068 905 061	100 020 1032	107
06A 905 097	100 885 0000	110
036 905 100 A	100 885 0040	113

Ref. no.	MEYLE no.	Page
Skoda		
036 905 100 B	100 885 0040	113
036 905 100 D	100 885 0040	113
058 905 101	100 885 0001	111
078 905 101 A	100 885 0004	110
06A 905 104	100 885 0000	110
078 905 104	100 885 0004	110
078 905 104 A	100 885 0004	110
6N0 905 104	100 905 0007	110
058 905 105	100 885 0001	111
867 905 105 A	100 905 0007	110
04C 905 110 B	100 885 0024	111
04C 905 110 D	100 885 0024	111
04E 905 110 A	100 885 0024	111
03D 905 115 A	100 885 0012	111
03D 905 115 B	100 885 0012	111
03D 905 115 C	100 885 0012	111
03D 905 115 D	100 885 0012	111
03D 905 115 E	100 885 0012	111
03D 905 115 F	100 885 0012	111
03D 905 115 G	100 885 0012	111
06A 905 115 A	114 885 0006	112
06A 905 115 B	114 885 0006	112
06A 905 115 C	114 885 0006	112
06A 905 115 D	114 885 0006	112
06B 905 115	100 885 0002	112
06B 905 115 B	100 885 0002	112
06B 905 115 E	100 885 0002	112
06B 905 115 G	114 885 0006	112
06B 905 115 H	114 885 0006	112
06B 905 115 J	114 885 0006	112
06B 905 115 L	114 885 0006	112
06B 905 115 M	114 885 0006	112
06B 905 115 N	114 885 0006	112
06B 905 115 Q	114 885 0006	112
06B 905 115 R	114 885 0006	112
06B 905 115 S	114 885 0006	112
06F 905 115	100 905 0025	113
06F 905 115 A	100 905 0025	113
06F 905 115 B	100 905 0025	113
06F 905 115 C	100 905 0025	113
06F 905 115 D	100 905 0025	113
06F 905 115 E	100 905 0025	113
06F 905 115 F	100 905 0025	113
06H 905 115	100 905 0025	113
06H 905 115 A	100 905 0025	113
06H 905 115 B	100 905 0025	113

Ref. no.	MEYLE no.	Page
Skoda		
058 905 161 B	100 899 0013	122
06A 905 161	100 899 0012	122
06A 905 161 B	100 899 0012	122
06A 905 161 C	100 899 0012	122
06B 905 163 A	100 899 0046	122
867 905 352	100 905 0007	110
030 905 377 A	514 899 0030	115
030 905 377 C	114 899 0003	115
058 905 379	100 899 0015	114
06B 905 379	100 905 0024	115
06B 905 379 A	100 905 0024	115
06B 905 379 C	100 905 0024	115
06B 905 379 D	100 905 0024	115
036 905 715	100 885 0040	113
036 905 715 A	100 885 0040	113
036 905 715 C	100 885 0040	113
036 905 715 E	100 885 0040	113
036 905 715 F	100 885 0040	113
036 905 715 G	100 885 0040	113
03D 905 715 A	100 885 0012	111
07K 905 715	100 905 0025	113
07K 905 715 A	100 905 0025	113
07K 905 715 B	100 905 0025	113
07K 905 715 C	100 905 0025	113
07K 905 715 D	100 905 0025	113
07K 905 715 E	100 905 0025	113
07K 905 715 F	100 905 0025	113
4A0 905 849 B	100 905 0000	114
4B0 905 849	100 905 0020	114
036 906 051	114 899 0000	124
06A 906 262 AK	100 950 0001	116
1J0 906 381 A	100 830 0003	138
357 906 381 A	100 830 0003	138
191 906 383	100 906 0001	139
191 906 383 C	100 906 0001	139
1J0 906 383 C	100 830 0018	119
06A 906 433 C	100 899 0004	103
06A 906 433 G	100 899 0045	104
06A 906 433 K	100 899 0086	104
06A 906 433 L	100 899 0045	104
078 906 433 A	114 899 0005	105
038 907 319 D	100 899 0080	105
038 907 319 E	100 899 0092	104
038 907 319 J	100 899 0080	105
1J0 907 521	100 880 0001	133
1H0 907 543 A	100 899 0095	135

Ref. no.	MEYLE no.	Page
Skoda		
1J0 907 543 A	100 899 0096	135
036 907 601	100 899 0093	123
036 907 601 A	100 899 0093	123
036 907 601 B	100 899 0093	123
036 907 601 C	100 899 0093	123
036 907 601 D	100 899 0093	123
036 907 601 E	100 899 0093	123
1J0 907 660 B	100 907 0000	123
1J0 907 660 C	100 907 0001	124
1J0 919 050	100 034 0004	200
1J0 919 050 B	100 034 0004	200
3B0 919 050 B	100 919 0075	201
6X0 919 050	100 034 0007	203
1J0 919 051 B*	100 919 0057	203
1J0 919 051 C*	100 919 0057	203
1J0 919 051 H*	100 919 0057	203
1K0 919 051 AP	100 919 0071	201
1K0 919 051 DB	100 919 0082	201
1K0 919 051 M	100 919 0071	201
3B0 919 051 C	100 919 0051	202
6Q0 919 051 F	100 919 0049	202
6R0 919 051	100 919 0070	202
028 919 081 D	100 919 0031	217
028 919 081 H	100 919 0030 100 919 0031	217
038 919 081 M	100 800 9068	218
056 919 081	100 919 0025	218
068 919 081	100 919 0014	218
068 919 081 D	100 919 0014	218
06A 919 081 D	100 919 0020	219
06A 919 081 J	100 919 0020	219
1J0 919 081	100 919 0034	219
1J0 919 087 C*	100 919 0057	203
1J0 919 087 D*	100 919 0057	203
1J0 919 087 H*	100 919 0057	203
1J0 919 087 J	100 919 0046	203
1J0 919 087 J*	100 919 0057	203
1H0 919 149 A	100 919 0021	137
1J0 919 149 A	114 800 0001	138
191 919 369 A	100 919 0019	125
357 919 369 E	100 800 8052	125
1J0 919 379 A	100 919 0028	96
059 919 501	100 919 0043	120
059 919 501 A	100 919 0017	120
06A 919 501	100 919 0032	121
06A 919 501 A	100 919 0032	121

Ref. no.	MEYLE no.	Page
Skoda		
078 919 501 B	100 919 0043	120
078 919 501 C	100 919 0017	120
357 919 501	100 800 0056	121
1J0 919 506 E	100 880 0019	116
1J0 919 506 G	100 880 0020	117
1J0 919 506 H	100 880 0019	116
1J0 919 506 K	100 880 0021	117
1J0 919 506 L	100 880 0007	117
1J0 919 506 M	100 880 0000	118
443 919 578 C	100 830 0011	103
8L0 919 673 E	100 919 0053	121
086 927 321	100 899 0061	102
095 927 321	100 899 0061	102
095 927 321 C	100 899 0061	102
1J0 927 803	100 927 0003	97
6Q0 927 803 A	100 899 0053	101
6Q0 927 803 B	100 899 0053	101
7H0 927 803	100 899 0041	99
8D0 927 803 D	100 927 0001	97
1J0 927 804	100 927 0004	97
6Q0 927 804 B	100 899 0052	101
7H0 927 804	100 899 0042	99
1J0 927 807 B	100 927 0002	98
1J0 927 807 D	100 899 0011	98
1K0 927 807	100 899 0043	100
3B0 927 807 B	100 899 0005	99
6Q0 927 807 B	100 899 0050	102
1K0 927 808	100 899 0044	100
6Q0 927 808 B	100 899 0049	102
191 927 841	100 927 0000	139
701 927 841	100 927 0000	139
8L0 941 822 A	100 941 0010	105
02K 945 415 C	114 890 0007	136
02K 945 415 E	114 890 0007	136
02T 945 415	114 890 0007	136
02T 945 415 D	114 890 0007	136
02T 945 415 P	114 890 0007	136
1C0 945 511 A	100 890 0020	127
1J0 945 511 A	100 890 0010	128
1J0 945 511 E	100 890 0020	127
1J0 945 511 F	100 890 0020	127
1K2 945 511	100 890 0019	128
3B0 945 511 C	100 890 0019	128
6Q0 945 511	100 890 0018	128
4A0 945 515 A	100 945 0000	129
141 951 253 B	100 951 0001	145

Ref. no.	MEYLE no.	Page
Skoda		
3D0 951 253 A	100 830 0015	143
431 951 253 D	100 927 0000	139
431 951 253 H	100 951 0001	145
443 951 253 K	100 951 0001	145
4D0 951 253	100 830 0019	119
4H0 951 253	114 830 0000	140
4H0 951 253 A	114 830 0002	141
4H0 951 253 C	114 830 0001	142
7M0 951 253 C	014 830 0005 100 830 0016	143–144
7N0 951 253	100 830 0015	143
857 951 253	100 906 0001	139
8A0 951 253	100 830 0006	119
8D0 951 253 A	100 951 0001	145
4B0 953 503 E	100 953 0000	129
4B0 953 503 F	100 953 0016	129
4B0 953 503 G	100 850 0002	130
4B0 953 503 H	100 899 0036	130
1K0 953 513	100 850 0004	131
1K0 953 513 E	100 850 0004	131
1K0 953 513 G	100 850 0005	131
8L0 953 513 G	100 953 0020	131
8L0 953 513 J	100 953 0021	132
1K0 953 519 H	100 850 0007	132
1K0 953 519 J	100 850 0009	133, 136
1C0 955 119	100 955 0011	96
191 955 531	100 830 0014	136
1K5 955 651	100 955 0006	10
1K6 955 651	100 955 0010	10
3B0 955 681 A	313 067 0001	7
1J6 955 711 F	100 899 0082	96
1J6 955 711 G	100 899 0082	96
1J9 955 711	100 899 0082	96
038 957 147 D	100 899 0080	105
038 957 147 F	100 899 0080	105
045 957 147 A	100 899 0035	123
045 957 147 B	100 899 0035	123
1C0 959 455 C	100 236 0007	162
1J0 959 455 M	100 236 0007	162
1J0 959 455 P	120 900 4346	162
1K0 959 455 DG	100 236 0003	163
1K0 959 455 DH	100 236 0050	163
1K0 959 455 ES	100 236 0003	163
1K0 959 455 ET	100 236 0050	163
1K0 959 455 Q	100 236 0050	163
1K0 959 455 R	100 236 0003	163

Ref. no.	MEYLE no.	Page
Skoda		
6H0 959 455	100 236 0008	164
6Q0 959 455 D	100 236 0040	163
6Q0 959 455 H	100 236 0008	164
6Q0 959 455 J	100 236 0019	164
6Q0 959 455 K	100 236 0009	165
6Q0 959 455 N	100 236 0047	164
6X0 959 455	100 236 0008	164
6X0 959 455 A	100 236 0009	165
6X0 959 455 C	100 236 0008	164
6X0 959 455 F	100 236 0009	165
8D0 959 455 P	100 236 0022 100 236 0027	165
8D0 959 455 R	100 236 0022	165
1H0 959 481	100 959 0001 100 959 9001	125–126
1H0 959 481 B	100 959 0001 100 959 9001	125–126
1H0 959 481 C	100 959 0001 100 959 9001	125–126
1J0 959 481 A	100 959 0016	126
867 959 481	100 959 0020	126
8D0 959 481 B	100 959 0010	127
8D0 959 501 C	100 880 0024	118
03L 963 319	100 860 0002	106
03L 963 319 A	100 860 0002	106
059 963 319 C	100 860 0002	106
059 963 319 E	100 860 0002	106
059 963 319 F	100 860 0002	106
059 963 319 H	100 860 0000	106
059 963 319 J	100 860 0002	106
059 963 319 M	100 860 0002	106
06B 998 124	100 905 0024	115
1K0 998 262	100 950 0001	116
059 998 319	100 860 0002	106
JZW 498 350 AX	100 498 0016	79
N 019 081 1	100 020 1032	107
N 019 100 1	100 020 1032	107
N 101 401 05	100 020 2022	107
N 102 130 02	100 020 1032	107
N 103 021 02	100 020 1036	108
N 105 792 02	714 860 0000	108
N 105 798 02	100 860 0003	109
N 105 916 02	100 860 0001	109
WHT 003 856	100 899 0042	99
WHT 003 857	100 899 0041	99
WHT 003 858	100 899 0044	100

Ref. no.	MEYLE no.	Page
Skoda		
WHT 003 859	100 899 0043	100
WHT 003 860	100 899 0052	101
WHT 003 861	100 899 0053	101
WHT 003 862	100 899 0049	102
WHT 003 863	100 899 0050	102
ZBC 407 331	100 498 0016	79

