



MEYLE[®]
Products



BMW



Spare parts for passenger cars

1 Body/Cabin

Body • Interior fittings

2 Brakes

Disc brake • Drum brake • Hydraulics

3 Drive train/Transmission

Axle shafts • Drive shafts • Joints • Transmission

4 Electrics

Body • Brakes • Engine • Interiors • Lighting

5 Engine/Cooling/Clutch

Belt drive / Engine control • Clutch • Cooling system
Crankshaft drive • Exhaust system • Fuel system
Lubrication system • Mounts

6 Steering

Hydraulics • Mounting parts • Steering rack • Tie rod assemblies

7 Suspension

Control arms • Stabilizer • Subframe • Suspension / damping
Wheel hubs / Wheel bearings

Index **MEYLE no.** → **Ref. no.**

Index **Ref. no.** → **MEYLE no.**

Body/Cabin

1

Body, Interior fittings

Brake pedal pad	Heater hose	Window lifter
Cabin air filter	Hood shock	Windshield washer pump
Clutch pedal pad	Sliding shoe, window lifter	Wiper Blade
Door handle frame	Trunk-/tailgate shock	
Gas spring, rear window	Water pump, headlight cleaning	

Brakes

40

Disc brake, Drum brake, Hydraulics

Brake disc	Brake pad set	Guide bolt, brake caliper
Brake drum	Brake shoe kit	Guide sleeve kit, brake caliper
Brake hose	Brake shoe set, parking brake	Wheel cylinder

Drive train/Transmission

163

Axle shafts, Drive shafts, Joints, Transmission

A/T oil pan	Drive shaft support	Mount, automatic transmission
Boot kit, C.V. joint	Driveshaft bearing	Mount, differential
Bracket, shift linkage	Hydraulic filter kit, A/T	Mount, manual transmission
Bushing, gear lever	Hydraulic filter, A/T	Parts kit, automatic transm. oil change
C.V. joint kit	Joint, propeller shaft	

Electrics

220

Body, Brakes, Engine, Interiors, Lighting

ABS wheel sensor	Lambda probe	Sensor, outdoor temperature
Back up light switch	Relay, fuel pump	Sensor, wash water level
Brake light switch	Relay, hazard lights	Spark plug connector
Column switch	Sender unit, coolant temperature	Switch, window lifter
Control unit, heating/ventilation	Sensor xenon light (headlight levelling)	Temperature switch, radiator fan
Crank position sensor	Sensor, camshaft position	Vacuum element
Glow plug	Sensor, coolant level	Voltage regulator
Heater fan motor	Sensor, engine oil level	Wear sensor
Ignition coil	Sensor, intake manifold pressure	

Engine/Cooling/Clutch

282

Belt drive / Engine control, Clutch, Cooling system, Crankshaft drive, Exhaust system, Fuel system, Lubrication system, Mounts

A/T oil pan gasket	Expansion tank cap	Radiator hose
Air filter	Fan blade	Suction hose, air filter
Breather hose	Fan clutch	Support, cooling fan
Breather hose, expansion tank	Fuel filter	Tension roller, ribbed belt
Breather screw/-valve, radiator	Intake manifold, air supply	Tensioner pulley, ribbed belt
Breather valve	Mount, alternator	Thermostat
Buffer, oil pan	Muffler bracket	Thermostat housing
Cap, fuel tank	Oil filter	Timing belt roller
Cap, oil filler	Oil hose	Vent valve
Clutch disc	Oil pressure switch	V-ribbed belt
Coolant flange	Oil trap	Water pump
Engine mount	Radiator cap	Water pump pulley
Expansion tank	Radiator fan motor	

Steering

398

Hydraulics, Mounting parts, Steering rack, Tie rod assemblies

Axial rod	Gasket set, steering rack	Idler arm bushing
Drag link	Hydraulic pump, P/S	Mount, steering rack

P/S fluid reservoir
P/S hose
Steering arm

Steering boot
Steering boot kit

Tie rod assembly
Tie rod end



Suspension

452

Control arms, Stabilizer, Subframe, Suspension / damping, Wheel hubs / Wheel bearings

Axle support bushing
Ball joint
Bracket, control arm
Coil spring
Control arm
Control arm bushing
Control arm set
Dust cap, wheel bearing
Dust cover kit, shock absorber
Dust cover/boot, strut

Mount, axle carrier
Mount, axle rod
Mount, control arm
Mount, rod/strut stabilizer
Mount, stabilizer
Mount, wheel bearing housing
Pressure accumulator
Repair kit, control arm
Repair kit, strut mount
Repair kit, subframe

Rod/strut, suspension
Rubber stop, suspension
Shock absorber
Stabilizer link
Strut mount
Wheel bearing
Wheel bearing kit
Wheel hub

340 160 3072

51 23 1 869 147

Hood shock



Notes

Length [mm]	498
Force output F [N]	230

References

11 81 1 869 147	51 23 1 869 147
-----------------	-----------------

Application info

6 (E24) (04/76-09/90)

7 (E23) (05/77-08/86)

340 160 3717

51 23 1 906 286

Hood shock



Notes

Length [mm]	256
Force output F [N]	350

References

11 81 1 906 286	51 23 1 906 286
-----------------	-----------------

Application info

3 (E30) (09/82-06/94)

340 160 2696

51 23 1 908 465

Hood shock



Notes

Length [mm]	255
Force output F [N]	440

References

51 23 1 908 465

Application info

7 (E32) (09/86-09/94)

Hood shock
340 160 3718

51 23 1 927 129

Notes

 Length [mm] 443
 Force output F [N] 380

References

 51 23 1 868 555 51 23 1 907 962
 51 23 1 907 262 51 23 1 927 129

Application info

5 (E28) (06/81-12/87)

Hood shock
340 161 0065

51 23 1 944 119

Notes

 Length [mm] 240
 Force output F [N] 380

References

51 23 1 944 119


Application info

5 (E34) (12/87-01/97)

Hood shock
340 161 0612

51 23 1 960 852

Notes

 Length [mm] 367
 Force output F [N] 320

References

51 23 1 960 852


Application info

3 (E36) (09/90-08/00)

340 910 0010

51 23 3 400 352

Hood shock



Notes

Length [mm]	285
Force output F [N]	720

References

51 23 3 400 352

Application info

X3 (E83) (01/04-12/08)

340 910 0001

51 23 7 008 745

Hood shock



Notes

Length [mm]	313
Force output F [N]	330

References

51 23 7 008 745

Application info

5 (E60, E61) (07/03-08/10)

340 910 0004

51 23 7 060 550

Hood shock



Notes

Length [mm]	400
Force output F [N]	330

References

51 23 7 060 550

Application info

3 (E90, E91, E92, E93) (01/05-05/12)

Hood shock
340 910 0002

51 23 7 118 370

Notes

 Length [mm] 374
 Force output F [N] 350

References

51 23 7 118 370


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

Hood shock
340 160 0102

51 23 8 119 558

Notes

 Length [mm] 410
 Force output F [N] 280

References

51 23 8 119 558


Application info

3 (E36) (09/90-08/00)

Hood shock
340 160 0111

51 23 8 150 077

Notes

 Length [mm] 327
 Force output F [N] 830

References

51 23 8 150 077


Application info

7 (E38) (10/94-11/01)

340 160 0110
51 23 8 174 866

Hood shock



Notes

Length [mm]	350
Force output F [N]	700

References

51 23 8 174 866

Application info

5 (E39) (11/95-05/04)

340 160 1381
51 23 8 202 688

Hood shock



Notes

Length [mm]	316
Force output F [N]	580

References

51 23 8 202 688

Application info

3 (E46) (02/98-12/07)

340 910 0000
51 23 8 240 596

Hood shock



Notes

Length [mm]	715
Force output F [N]	160

References

51 23 8 240 596

Application info

7 (E65, E66) (11/01-08/05)

Hood shock

340 910 0003

51 23 8 402 551

Notes

 Length [mm] 290
 Force output F [N] 640

References

51 23 8 402 551



Application info

X5 (E53) (05/00-)

Sliding shoe, window lifter

300 513 2100

51 32 1 938 884

References

51 32 1 938 884



Application info

 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)

 7 (E32) (09/86-09/94)
 Z3 (E36/7, E36/8) (10/95-06/03)

Trunk-/tailgate shock

340 161 0535

51 24 1 908 431

Notes

 Length [mm] 256
 Force output F [N] 490

References

51 24 1 908 431



Application info

7 (E32) (09/86-09/94)

340 161 0022

51 24 1 960 862

Trunk-/tailgate shock



Notes

Length [mm]	295
Force output F [N]	480

References

51 24 1 960 862

Application info

3 (E36) (09/90-08/00)

340 910 0011

51 24 3 400 379

Trunk-/tailgate shock



Notes

Length [mm]	625
Force output F [N]	590
	for vehicles without aerodynamic pack

References

51 24 3 400 379

Application info

X3 (E83) (01/04-12/08)

340 910 0009

51 24 7 008 764

Trunk-/tailgate shock



Notes

Length [mm]	425
Force output F [N]	350

References

51 24 7 008 764

Application info

6 (E63, E64) (01/04--)

Trunk-/tailgate shock
340 910 0006

51 24 7 060 622

Notes

 Length [mm] 412
 Force output F [N] 400

References

51 24 7 060 622


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

Trunk-/tailgate shock
340 910 0008

51 24 7 060 623

Notes

 Length [mm] 370
 Force output F [N] 320

References

 51 24 4 365 788 51 24 7 060 623
 51 24 4 394 052 51 24 7 250 308

Application info

3 (E90, E91, E92, E93) (01/05-05/12)

Trunk-/tailgate shock
340 910 0007

51 24 7 127 875

Notes

 Length [mm] 545
 Force output F [N] 450

References

51 24 7 127 875


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

340 161 0310

51 24 8 110 327

Trunk-/tailgate shock



Notes

Length [mm]	365
Force output F [N]	410

References

51 24 1 934 270	51 24 8 110 327
-----------------	-----------------

Application info

5 (E34) (12/87-01/97)

340 160 0104

51 24 8 222 913

Trunk-/tailgate shock



Notes

Length [mm]	345
Force output F [N]	540

References

51 24 8 222 913

Application info

5 (E39) (11/95-05/04)

340 160 0712

51 24 8 227 895

Trunk-/tailgate shock



Notes

Length [mm]	366
Force output F [N]	280

References

51 24 8 227 895

Application info

3 (E46) (02/98-12/07)

Trunk-/tailgate shock
340 160 0118

51 24 8 230 070

Notes

Length [mm] 596
 Force output F [N] 420
 for vehicles with rear windscreen wiper

References

51 24 8 230 070


Application info

3 (E36) (09/90-08/00)

Trunk-/tailgate shock
340 160 9829

51 24 8 232 873

Notes

Length [mm] 545
 Force output F [N] 450

References

51 24 8 232 873


Application info

3 (E46) (02/98-12/07)

Trunk-/tailgate shock
340 160 0120

51 24 8 245 031

Notes

Length [mm] 518
 Force output F [N] 420
 for vehicles with rear windscreen wiper

References

51 24 8 171 158
 51 24 8 217 305
 51 24 8 245 031


Application info

3 (E36) (09/90-08/00)

340 160 9832

51 24 8 254 281

Trunk-/tailgate shock



Notes

Length [mm]	349
Force output F [N]	320

References

51 24 4 212 802	51 24 8 254 281
51 24 8 220 075	

Application info

3 (E46) (02/98-12/07)

340 910 0005

51 24 8 402 405

Trunk-/tailgate shock



Notes

Length [mm]	530
Force output F [N]	530

References

51 24 8 402 405

Application info

X5 (E53) (05/00--)

313 067 0001

67 12 6 973 097

Water pump, headlight cleaning



Notes

	Mono Pump
	Electric
Voltage [V]	12

References

67 12 6 973 097	67 12 8 377 430
67 12 8 362 157	67 12 8 377 613



Water pump, headlight cleaning
313 067 0001
 67 12 6 973 097

Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 3 (E90, E91, E92, E93) (01/05-05/12)
 5 (E60, E61) (07/03-08/10)
 6 (E63, E64) (01/04--)

 7 (E65, E66) (11/01-08/05)
 X3 (E83) (01/04-12/08)
 X5 (E70) (02/07-03/10)
 X6 (E71) (05/08--)
 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)
Window lifter
314 909 0000
 51 33 1 977 609

Notes


 without electric motor
 Electric
 Left Front

References

51 33 1 977 609

Counterpart

314 909 0002


Application info

3 (E36) (09/90-08/00)

Window lifter
314 909 0002
 51 33 1 977 610

Notes


 without electric motor
 Electric
 Right Front

References

51 33 1 977 610

Counterpart

314 909 0000


Application info

3 (E36) (09/90-08/00)

314 909 0001

51 33 7 020 659

Window lifter



Notes

without electric motor
Electric
Left Front

References

51 33 7 020 659

Counterpart

314 909 0005

Application info

3 (E46) (02/98-12/07)

314 909 0005

51 33 7 020 660

Window lifter



Notes

without electric motor
Electric
Right Front

References

51 33 7 020 660

Counterpart

314 909 0001

Application info

3 (E46) (02/98-12/07)

314 909 0027

51 33 7 140 587

Window lifter



Notes

without electric motor
Electric
Left Front

References

51 33 7 140 587

Counterpart

314 909 0028

Application info

3 (E90, E91, E92, E93) (01/05-05/12)

Window lifter
314 909 0028

51 33 7 140 588

Notes

 without electric motor
 Electric
 Right Front

References

51 33 7 140 588

Counterpart

314 909 0027


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

Window lifter
314 909 0031

51 33 7 184 383

Notes

 without electric motor
 Electric
 Left Front

References

51 33 7 075 667

51 33 7 184 383

Counterpart

314 909 0032


Application info

5 (E60, E61) (07/03-08/10)

Window lifter
314 909 0032

51 33 7 184 384

Notes

 without electric motor
 Electric
 Right Front

References

51 33 7 075 668

51 33 7 184 384

Counterpart

314 909 0031


Application info

5 (E60, E61) (07/03-08/10)

314 909 0008

51 33 7 202 479

Window lifter



Notes

without electric motor
Electric
Left Front

References

51 33 7 024 811
51 33 7 138 861

51 33 7 202 479

Counterpart

314 909 0009

Application info

7 (E65, E66) (11/01-08/05)

314 909 0009

51 33 7 202 480

Window lifter



Notes

without electric motor
Electric
Right Front

References

51 33 7 024 812
51 33 7 138 862

51 33 7 202 480

Counterpart

314 909 0008

Application info

7 (E65, E66) (11/01-08/05)

314 909 0033

51 33 8 229 105

Window lifter



Notes

without electric motor
Electric
Left Front

References

51 33 8 229 105

Counterpart

314 909 0034

Application info

3 (E46) (02/98-12/07)

Window lifter
314 909 0034

51 33 8 229 106

Notes

 without electric motor
 Electric
 Right Front

References

51 33 8 229 106

Counterpart

314 909 0033


Application info

3 (E46) (02/98-12/07)

Window lifter
314 909 0003

51 33 8 252 393

Notes

 without electric motor
 Electric
 Left Front

References

51 33 8 252 393

Counterpart

314 909 0004


Application info

5 (E39) (11/95-05/04)

Window lifter
314 909 0004

51 33 8 252 394

Notes

 without electric motor
 Electric
 Right Front

References

 51 33 8 159 832
 51 33 8 236 860

51 33 8 252 394

Counterpart

314 909 0003


Application info

5 (E39) (11/95-05/04)

314 909 0010

51 33 8 254 911

Window lifter



Notes

without electric motor
Electric
Left Front

References

51 33 8 254 911

Counterpart

314 909 0011

Application info

X5 (E53) (05/00--)

314 909 0011

51 33 8 254 912

Window lifter



Notes

without electric motor
Electric
Right Front

References

51 33 8 254 912

Counterpart

314 909 0010

Application info

X5 (E53) (05/00--)

314 909 0012

51 35 7 125 059

Window lifter



Notes

without electric motor
Electric
Left Rear

References

51 35 7 125 059

51 35 8 254 913

Counterpart

314 909 0013

Application info

X5 (E53) (05/00--)

Window lifter
314 909 0013

51 35 7 125 060

Notes

 without electric motor
 Electric
 Right Rear

References

51 35 7 125 060

51 35 8 254 914

Counterpart

314 909 0012


Application info

X5 (E53) (05/00-)

Window lifter
314 909 0029

51 35 7 140 589

Notes

 without electric motor
 Electric
 Left Rear

References

51 35 7 140 589

Counterpart

314 909 0030


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

Window lifter
314 909 0030

51 35 7 140 590

Notes

 without electric motor
 Electric
 Right Rear

References

51 35 7 140 590

Counterpart

314 909 0029


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

314 909 0018
51 35 8 159 835

Window lifter



Notes

without electric motor
Electric
Left Rear

References

51 35 8 159 835

Counterpart

314 909 0019

Application info

5 (E39) (11/95-05/04)

314 909 0019
51 35 8 159 836

Window lifter



Notes

without electric motor
Electric
Right Rear

References

51 35 8 159 836

Counterpart

314 909 0018

Application info

5 (E39) (11/95-05/04)

314 909 0006
51 35 8 212 099

Window lifter



Notes

without electric motor
Electric
Left Rear

References

51 35 8 212 099

Counterpart

314 909 0007

Application info

3 (E46) (02/98-12/07)

Window lifter
314 909 0007

51 35 8 212 100

Notes

 without electric motor
 Electric
 Right Rear

References

51 35 8 212 100

Counterpart

314 909 0006


Application info

3 (E46) (02/98-12/07)

Window lifter
314 909 0020

51 35 8 252 429

Notes

 without electric motor
 Electric
 Left Rear

References

51 35 8 252 429

Counterpart

314 909 0021


Application info

5 (E39) (11/95-05/04)

Window lifter
314 909 0021

51 35 8 252 430

Notes

 without electric motor
 Electric
 Right Rear

References

51 35 8 252 430

Counterpart

314 909 0020


Application info

5 (E39) (11/95-05/04)

313 061 0002
61 66 1 380 066

Windshield washer pump



Notes

Voltage [V]

Mono Pump
12
Front

References

61 66 1 377 830

61 66 1 380 066

Application info

3 (E30) (09/82-06/94)

5 (E34) (12/87-01/97)

314 870 0002
61 66 8 360 614

Windshield washer pump



Notes

Voltage [V]

Mono Pump
12
Front

References

61 66 1 380 068

61 66 8 360 614

Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

Z3 (E36/7, E36/8) (10/95-06/03)

314 870 0001
67 12 6 934 159

Windshield washer pump



Notes

Voltage [V]

Mono Pump
12
Front

References

67 12 6 934 159

67 12 7 302 589

Windshield washer pump
314 870 0001

67 12 6 934 159

Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)
 5 (E60, E61) (07/03-08/10)

 6 (E63, E64) (01/04--)
 7 (E65, E66) (11/01-08/05)

Windshield washer pump
100 955 0002
Notes

Voltage [V]

 Mono Pump
 12
 Front

References

61 66 1 368 589


Application info

 3 (E21) (06/75-03/84)
 3 (E30) (09/82-06/94)

5 (E28) (06/81-12/87)

Windshield washer pump
100 955 0006
Notes

Voltage [V]

 Oval
 Mono Pump
 12
 Front

References

67 12 8 362 154

67 12 8 377 612


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 3 (E90, E91, E92, E93) (01/05-05/12)
 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03-08/10)
 7 (E38) (10/94-11/01)

 7 (E65, E66) (11/01-08/05)
 X3 (E83) (01/04-12/08)
 X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)
 Z8 (E52) (06/00-06/03)

314 870 0000

Windshield washer pump



Notes

Voltage [V]

Mono Pump
12
Front

References

67 12 8 360 244

Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

029 350 1414

61 62 7 118 207

Wiper Blade



Notes

Length [in]
Length [mm]

14
350
Rear

References

61 62 7 118 207

Application info

3 (E90, E91, E92, E93) (01/05-05/12)

029 280 1212

Wiper Blade



Notes

Length [in]
Length [mm]

12
280
Rear

Application info

3 (F30, F31) (10/11--)

Wiper Blade
029 290 1110
Notes

Length [in]	11
Length [mm]	290
	Rear

References

61 62 7 138 508


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

Wiper Blade
029 290 1111
Notes

Length [in]	11.5
Length [mm]	290
	Rear

References

61 62 7 129 280

Application info

i3 (08/13--)

Wiper Blade
029 330 1311
Notes

Length [in]	13
Length [mm]	330
	Rear


Application info

X3 (F25) (09/10--)

029 350 1412

Wiper Blade



Notes

Length [in]	14
Length [mm]	350
	Rear

Application info

5 (F10, F11) (03/10-12/11)

029 350 1416

Wiper Blade



Notes

Length [in]	14
Length [mm]	350
	Rear

Application info

X3 (E83) (01/04-12/08)

300 352 1101

35 21 1 108 634

Brake pedal pad



Notes

Manual Transmission

References

35 21 1 108 634



Brake pedal pad

300 352 1101

35 21 1 108 634

+ Application info

 3 (E21) (06/75-03/84)
 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 5 (E12) (08/72-08/81)
 5 (E28) (06/81-12/87)
 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)

 6 (E24) (04/76-09/90)
 7 (E32) (09/86-09/94)
 7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)
 X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)
 Z8 (E52) (06/00-06/03)

Cabin air filter

312 320 0004/S


64 11 2 182 533

Notes

Height [mm]	Kit
Width [mm]	30
Length [mm]	201
	267
	Filter Insert
	Activated Carbon Filter

References

64 11 0 008 138	64 11 9 070 073
64 11 2 182 533	64 11 9 216 588
64 11 8 391 200	64 31 2 207 985



Application info

5 (E39) (11/95-05/04)

Cabin air filter

312 319 0012/S

64 11 6 921 018

Notes

Height [mm]	Kit
Width [mm]	30
Length [mm]	173
	324
	Filter Insert
	Particulate Filter

References

64 11 6 921 018



Application info

7 (E65, E66) (11/01-08/05)

312 319 0020/S

64 11 8 391 385

Cabin air filter



Notes

Height [mm]	11
Width [mm]	94
Length [mm]	148
	Filter Insert
	Particulate Filter

References

64 11 8 391 385

Application info

7 (E38) (10/94-11/01)

312 319 0001

64 11 9 069 895

Cabin air filter



Notes

Height [mm]	26
Width [mm]	164
Length [mm]	284
	Filter Insert
	Particulate Filter

References

64 11 1 393 489

64 11 9 069 895


Application info

3 (E36) (09/90-08/00)

312 320 0008/S

64 11 9 163 329

Cabin air filter



Notes

Height [mm]	27
Width [mm]	207
Length [mm]	247
	Filter Insert
	Activated Carbon Filter

References

64 11 9 163 329

64 11 9 272 642

Application info

5 (F07) (10/09-12/10)
5 (F10, F11) (03/10-12/11)

7 (F01, F02, F03, F04) (06/08--)

Cabin air filter
312 319 0021

64 11 9 237 554

Notes

Height [mm]	40
Width [mm]	196
Length [mm]	245
	Filter Insert
	Particulate Filter

References

64 11 9 237 554


Application info

 1 (F20, F21) (11/10--)
 3 (F30, F31) (10/11--)

3 (F34) (03/13--)

Cabin air filter
312 320 0021

64 11 9 237 555

Notes

Height [mm]	40
Width [mm]	196
Length [mm]	245
	Filter Insert
	Activated Carbon Filter

References

64 11 9 237 555


Application info

 1 (F20, F21) (11/10--)
 3 (F30, F31) (10/11--)

3 (F34) (03/13--)

4 (F32, F33, F36) (07/13--)

Cabin air filter
314 320 0000/S

64 11 9 248 294

Notes

	Kit
Height [mm]	34
Width [mm]	138
Length [mm]	293
	Filter Insert
	Activated Carbon Filter

References

 64 11 6 945 594
 64 11 9 248 294

64 31 6 945 586


Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

312 320 0012/S

64 11 9 272 643

Cabin air filter



Notes

Height [mm]	30
Width [mm]	163
Length [mm]	314
	Filter Insert
	Activated Carbon Filter

References

64 11 6 921 019	64 11 9 272 643
-----------------	-----------------

Application info

7 (E65, E66) (11/01-08/05)

312 319 0002

64 31 1 000 004

Cabin air filter



Notes

Height [mm]	20
Width [mm]	94
Length [mm]	671
	Filter Insert
	Particulate Filter

References

64 31 1 000 004	64 31 9 071 934
64 31 8 361 899	64 31 9 216 591

Application info

3 (E46) (02/98-12/07)

X3 (E83) (01/04-12/08)

312 319 0003

64 31 1 390 836

Cabin air filter



Notes

Height [mm]	24
Width [mm]	124
Length [mm]	326
	Filter Insert
	Particulate Filter

References

64 31 1 390 836

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

Cabin air filter
312 319 0006


64 31 6 915 763

Notes

Height [mm]	32
Width [mm]	245
Length [mm]	232
	Filter Insert
	Particulate Filter

References

64 11 6 915 763	64 31 6 915 763
-----------------	-----------------


Application info

Z4 (E85) (02/03--)	Z4 (E89) (05/09--)
Z4 (E86) (03/06--)	

Cabin air filter
312 320 0006

64 31 6 915 764

Notes

Height [mm]	32
Width [mm]	245
Length [mm]	232
	Filter Insert
	Activated Carbon Filter

References

64 11 6 915 764	64 31 6 915 764
-----------------	-----------------


Application info

Z4 (E85) (02/03--)	Z4 (E89) (05/09--)
Z4 (E86) (03/06--)	

Cabin air filter
314 319 0000/S

64 31 6 945 585

Notes

	Kit
Height [mm]	34
Width [mm]	138
Length [mm]	293
	Filter Insert
	Particulate Filter

References

64 11 6 945 593	64 31 6 945 585
-----------------	-----------------


Application info

X5 (E70) (02/07-03/10)	X6 (E71) (05/08--)
------------------------	--------------------

312 319 0004/S

64 31 8 391 198

Cabin air filter



Notes

Height [mm]	33
Width [mm]	198
Length [mm]	262
	Filter Insert
	Particulate Filter

References

64 31 8 391 198	64 31 9 216 589
64 31 9 069 927	


Application info

5 (E39) (11/95-05/04)

312 319 0013

64 31 8 409 043

Cabin air filter



Notes

Height [mm]	29
Width [mm]	255
Length [mm]	550
	Filter Insert
	Particulate Filter

References

64 31 8 409 043	64 31 9 224 084
-----------------	-----------------

Application info

X5 (E53) (05/00--)

312 320 0013

64 31 8 409 044

Cabin air filter



Notes

Height [mm]	30
Width [mm]	248
Length [mm]	541
	Filter Insert
	Activated Carbon Filter

References

64 31 8 409 044	64 31 9 224 085
64 31 9 218 706	

Application info

X5 (E53) (05/00--)

Cabin air filter
312 319 0019

64 31 9 069 925

Notes

Height [mm]	40
Width [mm]	180
Length [mm]	330
	Filter Insert
	Particulate Filter

References

64 11 8 391 914	64 31 9 069 925
64 11 8 391 915	


Application info

5 (E34) (12/87-01/97)

Cabin air filter
312 319 0005/S

64 31 9 069 926

Notes

	Kit
Height [mm]	30
Width [mm]	175
Length [mm]	368
	Filter Insert
	Particulate Filter

References

64 31 9 069 926


Application info

7 (E38) (10/94-11/01)

Cabin air filter
312 320 0005/S

64 31 9 070 072

Notes

	Kit
Height [mm]	30
Width [mm]	181
Length [mm]	362
	Filter Insert
	Activated Carbon Filter

References

64 11 8 390 447	64 31 9 272 810
64 31 9 070 072	


Application info

7 (E38) (10/94-11/01)

312 319 0016/S

64 31 9 071 933

Cabin air filter



Notes

Height [mm]	Kit
Width [mm]	25
Length [mm]	123
	148
	Filter Insert
	Particulate Filter

References

64 11 8 363 274	64 31 9 071 933
-----------------	-----------------

Application info

3 (E36) (09/90-08/00)

312 319 0015

64 31 9 142 114

Cabin air filter



Notes

Height [mm]	34
Width [mm]	132
Length [mm]	832
	Filter Insert
	Particulate Filter

References

64 31 6 946 629	64 31 9 142 114
64 31 6 962 548	64 31 9 313 517
64 31 6 962 551	

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

312 320 0015

64 31 9 142 115

Cabin air filter



Notes

Height [mm]	20
Width [mm]	132
Length [mm]	832
	Filter Insert
	Activated Carbon Filter

References

64 31 6 946 549	64 31 9 142 115
64 31 6 946 628	

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Cabin air filter
312 320 0007/S

64 31 9 171 858

Notes

Height [mm]	Kit
Width [mm]	30
Length [mm]	170
	317
	Filter Insert
	Activated Carbon Filter

References

64 31 6 913 506	64 31 9 171 858
64 31 6 935 823	


Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

Cabin air filter
312 319 0007/S


64 31 9 174 370

Notes

Height [mm]	Kit
Width [mm]	30
Length [mm]	182
	328
	Filter Insert
	Particulate Filter

References

64 31 6 935 822	64 31 9 174 370
-----------------	-----------------


Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

Cabin air filter
312 320 0023/S

64 31 9 237 157

Notes

Height [mm]	Kit
Width [mm]	25
Length [mm]	188
	188
	Filter Insert
	Activated Carbon Filter

References

64 31 9 237 157



Application info

X3 (F25) (09/10--)

312 319 0023/S

64 31 9 237 158

Cabin air filter



Notes

Height [mm]	25
Width [mm]	188
Length [mm]	188
	Filter Insert
	Particulate Filter

References

64 31 9 237 158

Application info

X3 (F25) (09/10--)

312 320 0002

64 31 9 257 504

Cabin air filter



Notes

Height [mm]	20
Width [mm]	108
Length [mm]	674
	Filter Insert
	Activated Carbon Filter

References

64 11 9 907 450	64 31 9 216 590
64 31 2 182 458	64 31 9 257 504
64 31 9 071 935	

Application info

3 (E46) (02/98-12/07)

X3 (E83) (01/04-12/08)

300 352 1101

35 21 1 108 634

Clutch pedal pad



Notes

Manual Transmission

References

35 21 1 108 634

Clutch pedal pad

300 352 1101

35 21 1 108 634

+

Application info

3 (E21) (06/75-03/84)
 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 5 (E12) (08/72-08/81)
 5 (E28) (06/81-12/87)
 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)

6 (E24) (04/76-09/90)
 7 (E32) (09/86-09/94)
 7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)
 X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)
 Z8 (E52) (06/00-06/03)

Heater hose

319 642 1106

64 21 1 387 010

References

64 21 1 387 010



Application info

3 (E36) (09/90-08/00)

Heater hose

319 642 1114

64 21 1 387 424

Notes

Pre-formed

References

64 21 1 387 424



Application info

3 (E36) (09/90-08/00)

319 642 1119

64 21 1 394 292

Heater hose



Notes

Right

References

64 21 1 387 425

64 21 1 394 292

Application info

3 (E36) (09/90-08/00)

319 642 1120

64 21 1 394 293

Heater hose



References

64 21 1 387 423

64 21 1 394 293

Application info

3 (E36) (09/90-08/00)

319 642 1116

64 21 1 394 295

Heater hose



Notes

for foreflow

References

64 21 1 394 295

Application info

3 (E36) (09/90-08/00)

Heater hose
319 642 1803

64 21 8 409 062

References

64 21 8 409 062


Application info

X5 (E53) (05/00--)

Heater hose
319 642 1804

64 21 8 409 063

Notes

Pre-formed

References

64 21 8 409 063


Application info

X5 (E53) (05/00--)

Heater hose
319 642 1805

64 21 8 409 064

Notes

 Off-set
 Pre-formed

References

64 21 8 409 064


Application info

X5 (E53) (05/00--)

315 521 0012/PD

34 10 6 787 490

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	26.4
Outer Diameter [mm]	328
Height [mm]	73
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	28
Number of Holes	5
	Front Axle

References

34 10 6 787 490

Application info

X3 (F25) (09/10--)

315 521 3001

34 11 1 160 915

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	66
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	260
Height [mm]	35.2
Bolt Hole Circle Ø [mm]	100
Brake Disc Thickness [mm]	22
Number of Holes	4
	Front Axle

References

34 11 1 154 749	34 11 1 160 847
34 11 1 154 750	34 11 1 160 915

Application info

3 (E30) (09/82-06/94)

Z1 (06/88-06/91)

Brake disc
315 521 3008

34 11 1 160 936

Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	302
Height [mm]	76.4
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	22
Number of Holes	5
	Front Axle


References

34 11 1 157 503	34 11 1 160 849
34 11 1 158 040	34 11 1 160 936
34 11 1 159 897	

Application info

5 (E34) (12/87-01/97)


7 (E32) (09/86-09/94)

Brake disc
315 521 3006

34 11 1 161 693

Notes

Wheel Bolt Bore Ø [mm]	14.5
	Solid
Centering Diameter [mm]	79
Minimum Thickness [mm]	10.4
Outer Diameter [mm]	302
Height [mm]	76
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	12
Number of Holes	5
	Front Axle


References

34 11 1 158 042	34 11 1 161 693
34 11 1 159 898	

Application info

5 (E34) (12/87-01/97)

315 521 3004

34 11 1 163 135

Brake disc



Notes

Centering Diameter [mm]	79
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	284
Height [mm]	76.3
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	22
Number of Holes	5
	Front Axle

References

34 11 1 151 655	34 11 1 163 135
34 11 1 151 656	34 11 1 163 136

Application info

5 (E28) (06/81-12/87)

315 521 3051

34 11 2 227 171

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	26.4
Outer Diameter [mm]	315
Height [mm]	52.5
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	28
Number of Holes	5
	Left
	Front Axle

References

34 11 2 227 171	34 11 2 227 737
-----------------	-----------------

Counterpart

315 521 3052

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Brake disc 
315 521 3051/PD
 34 11 2 227 171

Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	26.4
Outer Diameter [mm]	315
Height [mm]	52.5
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	28
Number of Holes	5
	Front Axle Left


References

34 11 2 227 171	34 11 2 227 737
-----------------	-----------------

Counterpart

315 521 3052/PD

Application info


3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Brake disc
315 521 3052
 34 11 2 227 172

Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	26.4
Outer Diameter [mm]	315
Height [mm]	52.5
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	28
Number of Holes	5
	Right
	Front Axle


References

34 11 2 227 172	34 11 2 227 738
-----------------	-----------------

Counterpart

315 521 3051

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

315 521 3052/PD

34 11 2 227 172

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	26.4
Outer Diameter [mm]	315
Height [mm]	52.5
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	28
Number of Holes	5
	Front Axle Right

References

34 11 2 227 172	34 11 2 227 738
-----------------	-----------------

Counterpart

315 521 3051/PD

Application info


3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

315 521 3074

34 11 3 400 151

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	16.5
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	23.4
Outer Diameter [mm]	325
Height [mm]	62.2
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	25
Number of Holes	5
	Front Axle

References

34 11 3 400 151

Application info

X3 (E83) (01/04-12/08)

Brake disc 
315 521 3074/PD

34 11 3 400 151

Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	23.4
Outer Diameter [mm]	325
Height [mm]	62.2
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	25
Number of Holes	5
	Front Axle


References

34 11 3 400 151

Application info

X3 (E83) (01/04-12/08)

Brake disc
315 521 3058

34 11 6 750 265

Notes

Wheel Bolt Bore Ø [mm]	16.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	28.4
Outer Diameter [mm]	324
Height [mm]	81
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	30
Number of Holes	5
	Front Axle


References

34 11 6 750 265

Application info

7 (E65, E66) (11/01-08/05)

315 521 3058/PD
34 11 6 750 265

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	28.4
Outer Diameter [mm]	324
Height [mm]	81
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	30
Number of Holes	5
	Front Axle

References

34 11 6 750 265

Application info

7 (E65, E66) (11/01-08/05)

315 521 3009

34 11 6 752 434

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Solid
Centering Diameter [mm]	66
Minimum Thickness [mm]	11.1
Outer Diameter [mm]	260
Height [mm]	35
Bolt Hole Circle Ø [mm]	100
Brake Disc Thickness [mm]	12.7
Number of Holes	4
	Front Axle

References

34 11 1 154 747

34 11 6 752 434

Application info

3 (E30) (09/82-06/94)

Brake disc 
315 521 3060/PD
 34 11 6 753 221

Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	28.4
Outer Diameter [mm]	324
Height [mm]	77
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	30
Number of Holes	5
	Front Axle


References

34 11 6 753 221	34 11 6 864 906
34 11 6 767 269	

Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

Brake disc
315 521 3070
 34 11 6 756 847

Notes

Wheel Bolt Bore Ø [mm]	16.5
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	34.4
Outer Diameter [mm]	356
Height [mm]	62
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	36
Number of Holes	5
	Front Axle


References

34 11 6 756 847

Application info

X5 (E53) (05/00--)

315 521 3070/PD

34 11 6 756 847

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	34.4
Outer Diameter [mm]	356
Height [mm]	62
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	36
Number of Holes	5
	Front Axle

References

34 11 6 756 847

Application info

X5 (E53) (05/00--)

315 521 3023

34 11 6 757 747

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	28.4
Outer Diameter [mm]	324
Height [mm]	77
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	30
Number of Holes	5
	Front Axle

References

34 11 1 159 602	34 11 6 757 746
34 11 1 159 895	34 11 6 757 747
34 11 1 159 916	

Application info


5 (E39) (11/95-05/04)
7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

Brake disc 
315 521 3023/PD
 34 11 6 757 747

Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	28.4
Outer Diameter [mm]	324
Height [mm]	77
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	30
Number of Holes	5
	Front Axle


References

34 11 1 159 602	34 11 6 757 746
34 11 1 159 895	34 11 6 757 747
34 11 1 159 916	

Application info

 5 (E39) (11/95-05/04)
 7 (E32) (09/86-09/94)

 7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)

Brake disc
315 521 3007
 34 11 6 757 750

Notes

Wheel Bolt Bore Ø [mm]	14.5
	Solid
Centering Diameter [mm]	79
Minimum Thickness [mm]	10.5
Outer Diameter [mm]	286
Height [mm]	51.7
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	12
Number of Holes	5
	Front Axle


References

34 11 1 160 673	34 11 6 757 751
34 11 6 757 750	

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

315 521 3007/PD

34 11 6 757 750

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Chrome-(VI)- free passivation
	Solid
Centering Diameter [mm]	79
Minimum Thickness [mm]	10.5
Outer Diameter [mm]	286
Height [mm]	51.7
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	12
Number of Holes	5
	Front Axle

References

34 11 1 160 673	34 11 6 757 751
34 11 6 757 750	

Application info


3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

315 521 3015

34 11 6 757 752

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	26.4
Outer Diameter [mm]	316
Height [mm]	77
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	28
Number of Holes	5
	Front Axle

References

34 11 1 162 093	34 11 6 757 753
34 11 6 757 752	

Application info

7 (E38) (10/94-11/01)

Brake disc 
315 521 3015/PD
 34 11 6 757 752

Notes

Wheel Bolt Bore Ø [mm]	14.5
	Chrome-(VI)- free passivation
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	26.4
Outer Diameter [mm]	316
Height [mm]	77
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	28
Number of Holes	5
	Front Axle


References

34 11 1 162 093	34 11 6 757 753
34 11 6 757 752	

Application info

7 (E38) (10/94-11/01)

Brake disc
315 521 3050
 34 11 6 757 756

Notes

Wheel Bolt Bore Ø [mm]	14.8
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	30.4
Outer Diameter [mm]	334
Height [mm]	76.9
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	32
Number of Holes	5
	Front Axle


References

34 11 1 161 372	34 11 1 165 072
34 11 1 164 973	34 11 6 757 756

Application info

7 (E38) (10/94-11/01)

315 521 3050/PD

34 11 6 757 756

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	14.8
	Chrome-(VI)- free passivation
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	30.4
Outer Diameter [mm]	334
Height [mm]	76.9
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	32
Number of Holes	5
	Front Axle

References

34 11 1 161 372	34 11 1 165 072
34 11 1 164 973	34 11 6 757 756

Application info

7 (E38) (10/94-11/01)

315 521 3062

34 11 6 764 629

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	16.6
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	284
Height [mm]	73
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	22
Number of Holes	5
	Front Axle

References

34 11 6 764 629	34 11 6 854 996
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

Brake disc 
315 521 3062/PD

34 11 6 764 629

Notes

Wheel Bolt Bore Ø [mm]	14.8
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	284
Height [mm]	73
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	22
Number of Holes	5
	Front Axle

References

34 11 6 764 629	34 11 6 854 996
-----------------	-----------------


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

Brake disc
315 521 3063


34 11 6 764 641

Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
	79
Centering Diameter [mm]	79
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	292
Height [mm]	73
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	22
Number of Holes	5
	Front Axle

References

34 11 6 764 641


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

315 521 3063/PD

34 11 6 764 641

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	292
Height [mm]	73
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	22
Number of Holes	5
	Front Axle

References

34 11 6 764 641

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

315 521 3064

34 11 6 764 645

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	22.4
Outer Diameter [mm]	330
Height [mm]	73
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	24
Number of Holes	5
	Front Axle

References

34 11 6 764 645

34 11 6 854 999

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Brake disc 
315 521 3064/PD
 34 11 6 764 645

Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	22.4
Outer Diameter [mm]	330
Height [mm]	73
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	24
Number of Holes	5
	Front Axle


References

34 11 6 764 645	34 11 6 854 999
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Brake disc
315 521 3076
 34 11 6 766 107

Notes

Wheel Bolt Bore Ø [mm]	16.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	34.4
Outer Diameter [mm]	374
Height [mm]	81
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	36
Number of Holes	5
	Front Axle


References

34 11 6 753 091	34 11 6 766 107
-----------------	-----------------

Application info

7 (E65, E66) (11/01-08/05)

315 521 3076/PD

34 11 6 766 107

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	34.4
Outer Diameter [mm]	374
Height [mm]	81
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	36
Number of Holes	5
	Front Axle

References

34 11 6 753 091	34 11 6 766 107
-----------------	-----------------

Application info

7 (E65, E66) (11/01-08/05)

315 521 3024

34 11 6 767 059

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.8
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	28.4
Outer Diameter [mm]	324
Height [mm]	73.8
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	30
Number of Holes	5
	Front Axle

References

34 11 1 165 859	34 11 6 767 059
-----------------	-----------------

Application info

5 (E39) (11/95-05/04)

Brake disc 
315 521 3024/PD

34 11 6 767 059

Notes

Wheel Bolt Bore Ø [mm]	14.8
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	28.4
Outer Diameter [mm]	324
Height [mm]	73.8
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	30
Number of Holes	5
	Front Axle


References

34 11 1 165 859	34 11 6 767 059
-----------------	-----------------

Application info

5 (E39) (11/95-05/04)

Brake disc
315 521 3019

34 11 6 767 061

Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
	79
Centering Diameter [mm]	79
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	296
Height [mm]	76
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	22
Number of Holes	5
	Front Axle


References

34 11 1 163 013	34 11 1 164 839
34 11 1 163 081	34 11 6 767 061

Application info

5 (E39) (11/95-05/04)

315 521 3019/PD

34 11 6 767 061

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	296
Height [mm]	76
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	22
Number of Holes	5
	Front Axle

References

34 11 1 163 013	34 11 1 164 839
34 11 1 163 081	34 11 6 767 061

Application info

5 (E39) (11/95-05/04)

315 521 3082

34 11 6 767 353

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	16.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	34.4
Outer Diameter [mm]	348
Height [mm]	80.9
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	26
Number of Holes	5
	Front Axle

References

34 11 6 767 353

Application info


7 (E65, E66) (11/01-08/05)

Brake disc
315 521 3029

34 11 6 769 305

Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	23.4
Outer Diameter [mm]	325
Height [mm]	52.6
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	25
Number of Holes	5
	Front Axle


References

34 10 1 166 071	34 11 6 855 156
34 11 6 769 305	34 11 6 864 047

Application info

 3 (E46) (02/98-12/07)
 Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Brake disc 
315 521 3029/PD

34 11 6 769 305

Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	23.4
Outer Diameter [mm]	325
Height [mm]	52.6
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	25
Number of Holes	5
	Front Axle


References

34 10 1 166 071	34 11 6 855 156
34 11 6 769 305	34 11 6 864 047

Application info

 3 (E46) (02/98-12/07)
 Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

315 521 0002/PD

34 11 6 770 729

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	28.4
Outer Diameter [mm]	348
Height [mm]	73.1
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	30
Number of Holes	5
	Front Axle

References

34 11 6 770 729	34 11 6 855 000
-----------------	-----------------

Application info


3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

315 523 3059

34 11 6 772 669

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	22.4
Outer Diameter [mm]	300
Height [mm]	73.5
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	24
Number of Holes	5
	Front Axle

References

34 11 6 764 643	34 11 6 854 998
34 11 6 772 669	

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

Z4 (E89) (05/09--)

Brake disc 
315 523 3059/PD
 34 11 6 772 669

Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	22.4
Outer Diameter [mm]	300
Height [mm]	73.5
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	24
Number of Holes	5
	Front Axle


References

34 11 6 764 643	34 11 6 854 998
34 11 6 772 669	

Application info

1 (E81, E82, E87, E88) (11/03-09/12)	Z4 (E89) (05/09--)
3 (E90, E91, E92, E93) (01/05-05/12)	

Brake disc 
315 521 0013/PD
 34 11 6 792 215

Notes

Wheel Bolt Bore Ø [mm]	16.7
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	284
Height [mm]	73.3
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	22
Number of Holes	5
	Front Axle


References

34 11 6 792 215

Application info

1 (E81, E82, E87, E88) (11/03-09/12)	1 (F20, F21) (11/10--)
--------------------------------------	------------------------

315 521 0014/PD

34 11 6 792 217

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	300
Height [mm]	73
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	22
Number of Holes	5
	Front Axle

References

34 11 6 792 217

Application info

1 (F20, F21) (11/10--)
3 (F30, F31) (10/11--)

3 (F34) (03/13--)

315 521 0016/PD

34 11 6 792 221

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	16.8
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	22.4
Outer Diameter [mm]	330
Height [mm]	73
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	24
Number of Holes	5
	Front Axle

References

34 11 6 792 221

Application info

3 (F30, F31) (10/11--)

3 (F34) (03/13--)

Brake disc 
315 521 0006/PD

34 11 6 793 243

Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	34.4
Outer Diameter [mm]	365
Height [mm]	62
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	36
Number of Holes	5
	Front Axle


References

34 11 6 771 982	34 11 6 793 243
-----------------	-----------------

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

Brake disc 
315 521 0005/PD

34 11 6 793 244

Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	28.4
Outer Diameter [mm]	348
Height [mm]	62
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	30
Number of Holes	5
	Front Axle


References

34 11 6 771 986	34 11 6 868 938
34 11 6 793 244	

Application info

X5 (E70) (02/07-03/10)

X5 (F15) (11/12--)

X6 (E71) (05/08--)

X6 (F16) (08/14--)

315 521 0004/PD

34 11 6 793 245

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	28.4
Outer Diameter [mm]	332
Height [mm]	62
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	30
Number of Holes	5
	Front Axle

References

34 11 6 771 985	34 11 6 793 245
-----------------	-----------------

Application info


X5 (E70) (02/07-03/10)
X5 (F15) (11/12--)

X6 (E71) (05/08--)

315 521 0003/PD

34 11 6 855 006

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	22.4
Outer Diameter [mm]	312
Height [mm]	73.7
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	23.9
Number of Holes	5
	Front Axle

References

34 11 6 774 875	34 11 6 855 006
34 11 6 792 219	

Application info

1 (F20, F21) (11/10--)
3 (E90, E91, E92, E93) (01/05-05/12)

3 (F30, F31) (10/11--)
X1 (E84) (03/09--)

Brake disc
315 521 3011
34 11 6 855 153
Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	286
Height [mm]	51.6
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	22
Number of Holes	5
	Front Axle


References

34 11 1 160 674	34 11 1 164 921
34 11 1 162 282	34 11 1 165 455
34 11 1 162 288	34 11 6 766 239
34 11 1 164 199	34 11 6 794 301
34 11 1 164 431	34 11 6 855 153

Application info

3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)

Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)

Brake disc 
315 521 3011/PD
34 11 6 855 153
Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	286
Height [mm]	51.6
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	22
Number of Holes	5
	Front Axle


References

34 11 1 160 674	34 11 1 164 921
34 11 1 162 282	34 11 1 165 455
34 11 1 162 288	34 11 6 766 239
34 11 1 164 199	34 11 6 794 301
34 11 1 164 431	34 11 6 855 153

Application info

3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)

Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)

315 521 3025

34 11 6 859 679

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	16.5
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	28.4
Outer Diameter [mm]	332
Height [mm]	62
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	29.9
Number of Holes	5
	Front Axle

References

34 11 6 750 713	34 11 6 766 036
34 11 6 756 045	34 11 6 794 300
34 11 6 765 457	34 11 6 859 679

Application info

X3 (E83) (01/04-12/08)

X5 (E53) (05/00--)

315 521 3025/PD

34 11 6 859 679

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	28.4
Outer Diameter [mm]	332
Height [mm]	62
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	29.9
Number of Holes	5
	Front Axle

References

34 11 6 750 713	34 11 6 766 036
34 11 6 756 045	34 11 6 794 300
34 11 6 765 457	34 11 6 859 679

Application info

X3 (E83) (01/04-12/08)

X5 (E53) (05/00--)

Brake disc
315 521 3059

34 11 6 864 057

Notes

Wheel Bolt Bore Ø [mm]	16.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	28.4
Outer Diameter [mm]	348
Height [mm]	81
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	30
Number of Holes	5
	Front Axle


References

34 11 6 750 267	34 11 6 864 057
-----------------	-----------------

Application info


7 (E65, E66) (11/01-08/05)

Brake disc 
315 521 3059/PD

34 11 6 864 057

Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	28.4
Outer Diameter [mm]	348
Height [mm]	81
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	30
Number of Holes	5
	Front Axle


References

34 11 6 750 267	34 11 6 864 057
-----------------	-----------------

Application info

7 (E65, E66) (11/01-08/05)

315 521 3020

34 11 6 864 058

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	300
Height [mm]	51.6
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	22
Number of Holes	5
	Front Axle

References

34 11 1 164 539	34 11 6 794 302
34 11 6 757 526	34 11 6 855 152
34 11 6 766 224	34 11 6 864 058

Application info

3 (E46) (02/98-12/07)
Z3 (E36/7, E36/8) (10/95-06/03)

Z4 (E85) (02/03--)

315 521 3020/PD

34 11 6 864 058

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	300
Height [mm]	51.6
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	22
Number of Holes	5
	Front Axle

References

34 11 1 164 539	34 11 6 794 302
34 11 6 757 526	34 11 6 855 152
34 11 6 766 224	34 11 6 864 058

Application info

3 (E46) (02/98-12/07)
Z3 (E36/7, E36/8) (10/95-06/03)

Z4 (E85) (02/03--)

Brake disc
315 521 3061

34 11 6 864 059

Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	22
Outer Diameter [mm]	310
Height [mm]	77
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	24
Number of Holes	5
	Front Axle


References

34 11 6 756 745	34 11 6 864 059
34 11 6 764 021	

Application info

5 (E60, E61) (07/03-08/10)

Brake disc 
315 521 3061/PD

34 11 6 864 059

Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	22
Outer Diameter [mm]	310
Height [mm]	77
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	24
Number of Holes	5
	Front Axle


References

34 11 6 756 745	34 11 6 864 059
34 11 6 764 021	

Application info

5 (E60, E61) (07/03-08/10)

315 521 3060
34 11 6 864 906

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	28.4
Outer Diameter [mm]	324
Height [mm]	77
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	30
Number of Holes	5
	Front Axle

References

34 11 6 753 221	34 11 6 864 906
34 11 6 767 269	

Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

315 523 3030
34 20 1 166 073

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	320
Height [mm]	60.5
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	22
Number of Holes	5
	Rear Axle

References

34 20 1 166 073	34 21 6 864 052
34 21 6 855 157	

Application info

3 (E46) (02/98-12/07)

Brake disc 
315 523 3030/PD
 34 20 1 166 073

Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	320
Height [mm]	60.5
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	22
Number of Holes	5
	Rear Axle


References

34 20 1 166 073	34 21 6 864 052
34 21 6 855 157	

Application info

3 (E46) (02/98-12/07)

Brake disc 
315 523 0015/PD
 34 20 6 790 362

Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	330
Height [mm]	71
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle


References

34 20 6 790 362	34 20 6 868 936
-----------------	-----------------

Application info

X3 (F25) (09/10--)

X4 (F26) (04/14--)

315 523 3004

34 21 1 162 305

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	8.4
Outer Diameter [mm]	300
Height [mm]	61
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	10
Number of Holes	5
	Rear Axle

References

34 21 1 156 668	34 21 1 162 305
-----------------	-----------------

Application info

5 (E34) (12/87-01/97)

315 523 3008/PD

34 21 1 162 967

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Chrome-(VI)- free passivation
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	300
Height [mm]	68
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle

References

34 21 1 155 501	34 21 1 163 138
34 21 1 162 967	

Application info

7 (E32) (09/86-09/94)

Brake disc
315 523 3002

34 21 1 162 968

Notes

Wheel Bolt Bore Ø [mm]	14.5
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	8.4
Outer Diameter [mm]	284
Height [mm]	61
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	10
Number of Holes	5
	Rear Axle


References

34 21 1 121 387	34 21 1 162 968
34 21 1 152 571	34 21 1 163 140
34 21 1 153 140	

Application info

5 (E28) (06/81-12/87)

6 (E24) (04/76-09/90)

Brake disc
315 523 3058

34 21 1 164 399

Notes

Wheel Bolt Bore Ø [mm]	14.5
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	8.4
Outer Diameter [mm]	272
Height [mm]	83
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	10
Number of Holes	5
	Rear Axle


References

34 21 1 163 845	34 21 6 794 298
34 21 1 164 399	

Application info

Z3 (E36/7, E36/8) (10/95-06/03)

315 523 3021

34 21 1 165 211

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	17.4
Outer Diameter [mm]	276
Height [mm]	60
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	19
Number of Holes	5
	Rear Axle

References

34 21 1 162 315	34 21 6 855 155
34 21 1 165 211	34 21 6 864 903

Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98-12/07)

315 523 3021/PD

34 21 1 165 211

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	17.4
Outer Diameter [mm]	276
Height [mm]	60
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	19
Number of Holes	5
	Rear Axle

References

34 21 1 162 315	34 21 6 855 155
34 21 1 165 211	34 21 6 864 903

Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98-12/07)

Brake disc
315 523 3007

34 21 1 165 257

Notes

Wheel Bolt Bore Ø [mm]	14.5
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	10.4
Outer Diameter [mm]	300
Height [mm]	67.9
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	12
Number of Holes	5
	Rear Axle

References

34 21 1 155 499	34 21 1 157 361
34 21 1 157 360	34 21 1 165 257


Application info

7 (E32) (09/86-09/94)

Brake disc
315 523 3006

34 21 1 165 259

Notes

Wheel Bolt Bore Ø [mm]	14.5
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	8.4
Outer Diameter [mm]	300
Height [mm]	68
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	10
Number of Holes	5
	Rear Axle

References

34 21 1 157 781	34 21 1 165 259
34 21 1 165 258	


Application info

7 (E32) (09/86-09/94)

315 523 3005

34 21 1 165 457

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	8.4
Outer Diameter [mm]	280
Height [mm]	60
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	10
Number of Holes	5
	Rear Axle

References

34 21 1 158 936	34 21 1 165 457
34 21 1 162 289	34 21 6 855 158
34 21 1 164 511	34 21 6 864 051

Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98-12/07)

315 523 3005/PD

34 21 1 165 457

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	8.4
Outer Diameter [mm]	280
Height [mm]	60
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	10
Number of Holes	5
	Rear Axle

References

34 21 1 158 936	34 21 1 165 457
34 21 1 162 289	34 21 6 855 158
34 21 1 164 511	34 21 6 864 051

Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98-12/07)

Brake disc
315 523 3022

34 21 1 165 563

Notes

Wheel Bolt Bore Ø [mm]	14.8
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	17.4
Outer Diameter [mm]	294
Height [mm]	59.7
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	19
Number of Holes	5
	Rear Axle


References

34 21 1 165 563	34 21 6 864 056
34 21 6 855 154	

Application info

3 (E46) (02/98-12/07)

Brake disc
315 523 3060

34 21 1 166 127

Notes

Wheel Bolt Bore Ø [mm]	16.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	324
Height [mm]	67
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle


References

34 21 1 166 127

Application info

7 (E65, E66) (11/01-08/05)

315 523 3060/PD

34 21 1 166 127

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	324
Height [mm]	67
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle

References

34 21 1 166 127


Application info

7 (E65, E66) (11/01-08/05)

315 523 3061

34 21 1 166 129

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	16.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	22
Outer Diameter [mm]	345
Height [mm]	67
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	24
Number of Holes	5
	Rear Axle

References

34 21 1 166 129

Application info

7 (E65, E66) (11/01-08/05)

Brake disc 
315 523 3061/PD

34 21 1 166 129

Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	22
Outer Diameter [mm]	345
Height [mm]	67
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	24
Number of Holes	5
	Rear Axle

References

34 21 1 166 129


Application info

7 (E65, E66) (11/01-08/05)

Brake disc
315 523 3080

34 21 1 166 131

Notes

Wheel Bolt Bore Ø [mm]	16.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	22.4
Outer Diameter [mm]	370
Height [mm]	67
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	24
Number of Holes	5
	Rear Axle

References

34 21 1 166 131


Application info

7 (E65, E66) (11/01-08/05)

315 523 3072

34 21 2 227 177

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	312
Height [mm]	61
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	20
Number of Holes	5
	Left
	Rear Axle

References

34 21 2 227 177

Counterpart

315 523 3071

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

315 523 3071

34 21 2 227 178

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	312
Height [mm]	61
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	20
Number of Holes	5
	Right
	Rear Axle

References

34 21 2 227 178

Counterpart

315 523 3072

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Brake disc
315 523 3075

34 21 3 332 217

Notes

Wheel Bolt Bore Ø [mm]	16.5
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	320
Height [mm]	79.7
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	22
Number of Holes	5
	Rear Axle


References

34 21 3 332 217

Application info

X3 (E83) (01/04-12/08)

Brake disc 
315 523 3075/PD

34 21 3 332 217

Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	320
Height [mm]	79.7
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	22
Number of Holes	5
	Rear Axle


References

34 21 3 332 217

Application info

X3 (E83) (01/04-12/08)

315 523 3068

34 21 4 031 275

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	8.4
Outer Diameter [mm]	296
Height [mm]	65.5
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	10
Number of Holes	5
	Rear Axle

References

34 21 4 031 275	34 21 6 769 271
34 21 4 031 725	34 21 6 855 002
34 21 6 764 649	

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

315 523 3068/PD

34 21 4 031 275

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	8.4
Outer Diameter [mm]	296
Height [mm]	65.5
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	10
Number of Holes	5
	Rear Axle

References

34 21 4 031 275	34 21 6 769 271
34 21 4 031 725	34 21 6 855 002
34 21 6 764 649	

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Brake disc 
315 523 0014/PD
 34 21 6 754 137

Notes

Wheel Bolt Bore Ø [mm]	14.7
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	17.4
Outer Diameter [mm]	294
Height [mm]	74.7
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	19
Number of Holes	5
	Rear Axle


References

34 21 6 754 137	34 21 6 794 303
34 21 6 766 219	

Application info

Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Brake disc
315 523 3001
 34 21 6 755 407

Notes

Wheel Bolt Bore Ø [mm]	14.5
	Solid
Centering Diameter [mm]	62
Minimum Thickness [mm]	8.4
Outer Diameter [mm]	258
Height [mm]	60
Bolt Hole Circle Ø [mm]	100
Brake Disc Thickness [mm]	10
Number of Holes	4
	Rear Axle


References

34 21 1 119 581	34 21 6 755 407
34 21 1 122 282	

Application info

3 (E21) (06/75-03/84)

3 (E30) (09/82-06/94)

315 523 3078

34 21 6 756 849

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	16.6
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	324
Height [mm]	80.3
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle

References

34 21 6 756 849

Application info

X5 (E53) (05/00--)

315 523 3078/PD

34 21 6 756 849

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	16.6
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	324
Height [mm]	80.3
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle

References

34 21 6 756 849

Application info

X5 (E53) (05/00--)

Brake disc
315 523 3009
34 21 6 757 748
Notes

Wheel Bolt Bore Ø [mm]	14.5
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	10.4
Outer Diameter [mm]	324
Height [mm]	61
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	12
Number of Holes	5
	Rear Axle


References

34 21 1 157 953	34 21 6 757 748
34 21 1 159 900	34 21 6 757 749

Application info

7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

Brake disc 
315 523 3009/PD
34 21 6 757 748
Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	10.4
Outer Diameter [mm]	324
Height [mm]	61
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	12
Number of Holes	5
	Rear Axle


References

34 21 1 157 953	34 21 6 757 748
34 21 1 159 900	34 21 6 757 749

Application info

7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

315 523 3055

34 21 6 758 552

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	8.4
Outer Diameter [mm]	272
Height [mm]	78
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	10
Number of Holes	5
	Rear Axle

References

34 21 1 160 809	34 21 6 758 553
34 21 6 758 552	

Application info

3 (E36) (09/90-08/00)

315 523 3055/PD

34 21 6 758 552

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	8.4
Outer Diameter [mm]	272
Height [mm]	81.5
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	10
Number of Holes	5
	Rear Axle

References

34 21 1 160 809	34 21 6 758 553
34 21 6 758 552	

Application info

3 (E36) (09/90-08/00)

Brake disc 
315 523 0007/PD
34 21 6 763 345
Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	320
Height [mm]	86.1
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle


References

34 21 6 763 345

Application info

5 (E60, E61) (07/03-08/10)

Brake disc
315 523 3063
34 21 6 764 647
Notes

Wheel Bolt Bore Ø [mm]	14.5
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	8.4
Outer Diameter [mm]	280
Height [mm]	65.5
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	10
Number of Holes	5
	Rear Axle


References

34 21 6 764 647

34 21 6 855 001

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

315 523 3063/PD

34 21 6 764 647

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	8.4
Outer Diameter [mm]	280
Height [mm]	65.5
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	10
Number of Holes	5
	Rear Axle

References

34 21 6 764 647	34 21 6 855 001
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

315 523 3064

34 21 6 764 651

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	300
Height [mm]	66
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle

References

34 21 6 764 651	34 21 6 855 007
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

3 (F30, F31) (10/11--)

Brake disc 
315 523 3064/PD
 34 21 6 764 651

Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	300
Height [mm]	66
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle


References

34 21 6 764 651	34 21 6 855 007
-----------------	-----------------


Application info

1 (E81, E82, E87, E88) (11/03-09/12)	3 (F30, F31) (10/11--)
3 (E90, E91, E92, E93) (01/05-05/12)	

Brake disc
315 523 3066
 34 21 6 764 655

Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	336
Height [mm]	67
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	22
Number of Holes	5
	Rear Axle


References

34 21 6 764 655	34 21 6 855 004
-----------------	-----------------

Application info

3 (E90, E91, E92, E93) (01/05-05/12)	X1 (E84) (03/09--)
--------------------------------------	--------------------

315 523 3066/PD

34 21 6 764 655

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	336
Height [mm]	67
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	22
Number of Holes	5
	Rear Axle

References

34 21 6 764 655	34 21 6 855 004
-----------------	-----------------

Application info


3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

315 523 3026

34 21 6 765 458

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	16.8
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	10.4
Outer Diameter [mm]	324
Height [mm]	80
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	12
Number of Holes	5
	Rear Axle

References

34 21 1 164 911	34 21 6 794 299
34 21 6 765 458	34 21 6 859 678

Application info

X5 (E53) (05/00--)

Brake disc 
315 523 3026/PD
 34 21 6 765 458

Notes

Wheel Bolt Bore Ø [mm]	16.8
	UV paint coated
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	10.4
Outer Diameter [mm]	324
Height [mm]	80
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	12
Number of Holes	5
	Rear Axle


References

34 21 1 164 911	34 21 6 794 299
34 21 6 765 458	34 21 6 859 678

Application info

X5 (E53) (05/00--)

Brake disc
315 523 3067
 34 21 6 765 889

Notes

Wheel Bolt Bore Ø [mm]	16.5
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	22.4
Outer Diameter [mm]	345
Height [mm]	74
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	24
Number of Holes	5
	Rear Axle


References

34 21 6 765 889	34 21 6 864 054
-----------------	-----------------

Application info

7 (E65, E66) (11/01-08/05)

315 523 3067/PD

34 21 6 765 889

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	22.4
Outer Diameter [mm]	345
Height [mm]	74
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	24
Number of Holes	5
	Rear Axle

References

34 21 6 765 889	34 21 6 864 054
-----------------	-----------------

Application info

7 (E65, E66) (11/01-08/05)

315 523 3081/PD

34 21 6 765 891

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	16.5
	Chrome-(VI)- free passivation
	Vented
Centering Diameter [mm]	79
Minimum Thickness [mm]	22.4
Outer Diameter [mm]	370
Height [mm]	71.8
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	24
Number of Holes	5
	Rear Axle

References

34 21 6 765 891

Application info

7 (E65, E66) (11/01-08/05)

Brake disc 
315 523 0013/PD
34 21 6 766 225
Notes

Wheel Bolt Bore Ø [mm]	14.7
	UV paint coated
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	8.4
Outer Diameter [mm]	280
Height [mm]	75
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	10
Number of Holes	5
	Rear Axle

References

34 21 6 752 545	34 21 6 794 306
34 21 6 766 225	


Application info

Z4 (E85) (02/03--)

Brake disc
315 523 3018
34 21 6 767 049
Notes

Wheel Bolt Bore Ø [mm]	14.5
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	8.4
Outer Diameter [mm]	298
Height [mm]	61
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	10
Number of Holes	5
	Rear Axle

References

34 21 1 163 669	34 21 1 164 129
34 21 1 163 835	34 21 6 767 049


Application info

5 (E39) (11/95-05/04)

315 523 3018/PD

34 21 6 767 049

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Solid
Centering Diameter [mm]	75
Minimum Thickness [mm]	8.4
Outer Diameter [mm]	298
Height [mm]	61
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	10
Number of Holes	5
	Rear Axle

References

34 21 1 163 669	34 21 1 164 129
34 21 1 163 835	34 21 6 767 049

Application info

5 (E39) (11/95-05/04)

315 523 3012

34 21 6 767 060

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	298
Height [mm]	61.3
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle

References

34 21 1 163 153	34 21 1 164 840
34 21 1 164 175	34 21 6 767 060

Application info

5 (E39) (11/95-05/04)

Brake disc 
315 523 3012/PD
34 21 6 767 060
Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	298
Height [mm]	61.3
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle


References

34 21 1 163 153	34 21 1 164 840
34 21 1 164 175	34 21 6 767 060

Application info

5 (E39) (11/95-05/04)

Brake disc
315 523 3062
34 21 6 772 085
Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	320
Height [mm]	61.2
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle


References

34 21 6 753 215	34 21 6 772 085
-----------------	-----------------

Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

315 523 3062/PD

34 21 6 772 085

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	320
Height [mm]	61.2
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle

References

34 21 6 753 215	34 21 6 772 085
-----------------	-----------------

Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

315 523 3082/PD

34 21 6 775 291

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	16.6
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	22.4
Outer Diameter [mm]	370
Height [mm]	69
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	23.9
Number of Holes	5
	Rear Axle

References

34 21 6 775 291

Application info

5 (F07) (10/09-12/10)

7 (F01, F02, F03, F04) (06/08--)

Brake disc 
315 523 0001/PD

34 21 6 778 051

Notes

Wheel Bolt Bore Ø [mm]	14.5
	Chrome-(VI)- free passivation
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	300
Height [mm]	76
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle


References

34 21 6 778 051	34 21 6 855 005
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

Brake disc
315 523 0022

34 21 6 782 605

Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	300
Height [mm]	54.2
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle

References

34 21 6 782 605

Application info

Z4 (E89) (05/09--)

315 523 0022/PD

34 21 6 782 605

Brake disc 

Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	300
Height [mm]	54.2
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle

References

34 21 6 782 605

Application info

Z4 (E89) (05/09--)

315 523 0020/PD

34 21 6 787 931

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	14.6
	Chrome-(VI)- free passivation
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	20.4
Outer Diameter [mm]	324
Height [mm]	67
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	22
Number of Holes	5
	Rear Axle

References

34 21 6 787 931

34 21 6 795 755

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Brake disc 
315 523 0016/PD
 34 21 6 792 225

Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	9.4
Outer Diameter [mm]	290
Height [mm]	66
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	11
Number of Holes	5
	Rear Axle


References

34 21 6 792 225

Application info

1 (F20, F21) (11/10--)

Brake disc 
315 523 0017/PD
 34 21 6 792 227

Notes

Wheel Bolt Bore Ø [mm]	16.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	300
Height [mm]	66
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle


References

34 21 6 792 227

Application info

1 (F20, F21) (11/10--)

3 (F30, F31) (10/11--)

315 523 0018/PD

34 21 6 792 229

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	16.7
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	300
Height [mm]	66
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle

References

34 21 6 792 229	34 21 6 864 900
-----------------	-----------------

Application info

3 (F30, F31) (10/11--)

3 (F34) (03/13--)

315 523 0019/PD

34 21 6 792 233

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	16.7
	Chrome-(VI)- free passivation
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	330
Height [mm]	66
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle

References

34 21 6 792 233	34 21 6 864 899
-----------------	-----------------

Application info

3 (F30, F31) (10/11--)

3 (F34) (03/13--)

Brake disc 
315 523 0005/PD
 34 21 6 793 246

Notes

Wheel Bolt Bore Ø [mm]	16.5 UV paint coated Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	22.4
Outer Diameter [mm]	345
Height [mm]	78.5
Bolt Hole Circle Ø [mm]	120 with screws
Brake Disc Thickness [mm]	24
Number of Holes	5 Rear Axle


References

34 21 6 771 971	34 21 6 793 246
-----------------	-----------------

Application info

 X5 (E70) (02/07-03/10)
 X5 (F15) (11/12--)

X6 (E71) (05/08--)

Brake disc 
315 523 0004/PD
 34 21 6 793 247

Notes

Wheel Bolt Bore Ø [mm]	16.5 UV paint coated Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	320
Height [mm]	78.5
Bolt Hole Circle Ø [mm]	120 with screws
Brake Disc Thickness [mm]	20
Number of Holes	5 Rear Axle


References

34 21 6 771 970	34 21 6 868 940
34 21 6 793 247	

Application info

 X5 (E70) (02/07-03/10)
 X5 (F15) (11/12--)

 X6 (E71) (05/08--)
 X6 (F16) (08/14--)

315 523 3022/PD

34 21 6 864 056

Brake disc 



Notes

Wheel Bolt Bore Ø [mm]	14.8
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	17.4
Outer Diameter [mm]	294
Height [mm]	59.7
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	19
Number of Holes	5
	Rear Axle

References

34 21 6 855 154	34 21 6 864 056
-----------------	-----------------

Application info

3 (E46) (02/98-12/07)

315 523 3065

34 21 6 864 901

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	14.5
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	300
Height [mm]	66
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle

References

34 21 6 764 653	34 21 6 864 901
34 21 6 855 008	

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Brake disc 
315 523 3065/PD
 34 21 6 864 901

Notes

Wheel Bolt Bore Ø [mm]	14.5
	UV paint coated
	Vented
Centering Diameter [mm]	75
Minimum Thickness [mm]	18.4
Outer Diameter [mm]	300
Height [mm]	66
Bolt Hole Circle Ø [mm]	120
	with screws
Brake Disc Thickness [mm]	20
Number of Holes	5
	Rear Axle


References

34 21 6 764 653	34 21 6 864 901
34 21 6 855 008	


Application info

1 (E81, E82, E87, E88) (11/03-09/12)	X1 (E84) (03/09--)
3 (E90, E91, E92, E93) (01/05-05/12)	

Brake pad set
025 205 8816
 34 11 1 159 249

Notes

Thickness [mm]	16.5
Height [mm]	65.3
Width [mm]	76.1
Brake System	ATE
	with anti-squeak plate
	Front Axle


References

34 11 1 117 002	34 11 1 152 655
34 11 1 150 523	34 11 1 158 270
34 11 1 150 524	34 11 1 159 249
34 11 1 150 527	34 11 1 159 251


Application info

3 (E21) (06/75-03/84)	3 (E30) (09/82-06/94)
-----------------------	-----------------------

025 204 3715

34 11 1 160 263

Brake pad set



Notes

Thickness [mm]
Height [mm]
Width [mm]
Brake System

prepared for wear indicator
15
70.5
89.8
ATE
with anti-squeak plate
Front Axle

References

34 11 1 103 321
34 11 1 103 726
34 11 1 103 744
34 11 1 111 649

34 11 1 117 979
34 11 1 159 257
34 11 1 160 263

Application info


5 (E12) (08/72-08/81)

6 (E24) (04/76-09/90)

025 211 7317

34 11 1 161 347

Brake pad set



Notes

Thickness [mm]
Height [mm]
Width [mm]
Brake System

prepared for wear indicator
17
52
94.6
TRW
with anti-squeak plate
Front Axle

References

34 11 1 154 442
34 11 1 154 443
34 11 1 155 998
34 11 1 155 999
34 11 1 156 898
34 11 1 156 899
34 11 1 157 747
34 11 1 157 748

34 11 1 160 522
34 11 1 161 057
34 11 1 161 347
34 11 1 161 349
34 11 1 162 481
34 11 9 058 982
34 11 9 058 989

Application info

3 (E30) (09/82-06/94)


Z1 (06/88-06/91)

Brake pad set
025 206 2919
34112226084
Notes

Thickness [mm]	prepared for wear indicator 19.1
Height [mm]	57
Width [mm]	158.4
Brake System	ATE with anti-squeak plate Front Axle

References

34111153203	34111157923
34111154611	34111157924
34111154612	34111159415
34111155076	34111159416
34111156462	34111161717
34111157510	34112225850
34111157561	34112226084
34111157562	34119061081
34111157624	


Application info

 3 (E30) (09/82-06/94)
 5 (E28) (06/81-12/87)


6 (E24) (04/76-09/90)

Brake pad set
025 209 6820
34 11 2 282 555
Notes

Thickness [mm]	prepared for wear indicator 20
Height [mm]	63.7
Width [mm]	156.3
Brake System	ATE with anti-squeak plate Front Axle

References

34 11 1 153 910	34 11 1 159 279
34 11 1 157 039	34 11 1 160 450
34 11 1 157 569	34 11 1 160 459
34 11 1 157 570	34 11 1 162 535
34 11 1 157 813	34 11 2 228 248
34 11 1 158 265	34 11 2 229 935
34 11 1 158 267	34 11 2 282 554
34 11 1 159 259	34 11 2 282 555


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 5 (E34) (12/87-01/97)


7 (E32) (09/86-09/94)

Z3 (E36/7, E36/8) (10/95-06/03)

025 233 4720

34 11 2 283 764

Brake pad set



Notes

Thickness [mm]
Height [mm]
Width [mm]
Brake System

prepared for wear indicator
20.3
68.3
155.1
ATE
with anti-squeak plate
Front Axle

References

34 11 2 283 764
34 11 2 283 865
34 11 6 753 668
34 11 6 761 283
34 11 6 761 284
34 11 6 763 089
34 11 6 763 591

34 11 6 764 540
34 11 6 767 191
34 11 6 767 580
34 11 6 781 873
34 11 6 794 915
34 11 6 794 918

Application info


1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)
7 (E65, E66) (11/01-08/05)

025 233 4720/PD

34 11 2 283 764

Brake pad set 



Notes

Quality
Thickness [mm]
Height [mm]
Width [mm]
Brake System

prepared for wear indicator
PREMIUM
20.3
68.3
155.1
ATE
with anti-squeak plate
Front Axle

References

34 11 2 283 764
34 11 2 283 865
34 11 6 753 668
34 11 6 761 283
34 11 6 761 284
34 11 6 763 089
34 11 6 763 591

34 11 6 764 540
34 11 6 767 191
34 11 6 767 580
34 11 6 781 873
34 11 6 794 915
34 11 6 794 918

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)
7 (E65, E66) (11/01-08/05)

Brake pad set
025 231 8320


34 11 3 404 362

Notes

Thickness [mm]	prepared for wear indicator
Height 2 [mm]	19.9
Height 1 [mm]	63.7
Width 2 [mm]	64.6
Width 1 [mm]	156.3
Width 1 [mm]	155.2
Brake System	ATE
	with anti-squeak plate
	Front Axle

References

34 11 3 404 362	34 11 6 761 243
34 11 6 750 148	34 11 6 779 652
34 11 6 754 705	


Application info

 3 (E46) (02/98-12/07)
 X3 (E83) (01/04-12/08)

 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)

Brake pad set 
025 231 8320/PD


34 11 3 404 362

Notes

Quality	prepared for wear indicator
Thickness [mm]	PREMIUM
Height 2 [mm]	19.9
Height 1 [mm]	63.7
Width 2 [mm]	64.6
Width 1 [mm]	156.3
Width 1 [mm]	155.2
Brake System	ATE
	with anti-squeak plate
	Front Axle

References

34 11 3 404 362	34 11 6 761 243
34 11 6 750 148	34 11 6 779 652
34 11 6 754 705	


Application info


 3 (E46) (02/98-12/07)
 X3 (E83) (01/04-12/08)

 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)

025 232 8717

34 11 6 761 244

Brake pad set



Notes

Thickness [mm]
Height [mm]
Width [mm]
Brake System

prepared for wear indicator
Disc Brake
17.5
57.6
150.2
ATE
with anti-squeak plate
Front Axle

References

34 11 1 160 356	34 11 1 165 555
34 11 1 160 357	34 11 2 157 570
34 11 1 160 532	34 11 6 752 482
34 11 1 161 437	34 11 6 752 731
34 11 1 161 438	34 11 6 756 128
34 11 1 161 445	34 11 6 761 237
34 11 1 161 446	34 11 6 761 242
34 11 1 163 850	34 11 6 761 244
34 11 1 164 498	34 11 9 070 047
34 11 1 164 500	34 21 2 157 575

Application info


3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)

Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

025 232 8717/PD

34 11 6 761 244

Brake pad set 



Notes

Quality
Thickness [mm]
Height [mm]
Width [mm]
Brake System

excl. wear warning contact
Disc Brake
PREMIUM
17.5
57.6
150.2
ATE
with anti-squeak plate
Front Axle

References

34 11 1 160 356	34 11 1 165 555
34 11 1 160 357	34 11 2 157 570
34 11 1 160 532	34 11 6 752 482
34 11 1 161 437	34 11 6 752 731
34 11 1 161 438	34 11 6 756 128
34 11 1 161 445	34 11 6 761 237
34 11 1 161 446	34 11 6 761 242
34 11 1 163 850	34 11 6 761 244
34 11 1 164 498	34 11 9 070 047
34 11 1 164 500	34 21 2 157 575

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)


Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

Brake pad set
025 214 7118

34 11 6 761 249

Notes

Thickness [mm]	prepared for wear indicator 17.7
Height [mm]	73.6
Width [mm]	120.3
Brake System	Brembo with anti-squeak plate Front Axle


References

34 11 1 162 210	34 11 1 163 923
34 11 1 162 900	34 11 2 227 334
34 11 1 163 921	34 11 2 227 863
34 11 1 163 922	34 11 6 761 249

Application info

7 (E38) (10/94-11/01)


8 (E31) (04/90-12/99)

Brake pad set 
025 214 8619/PD

34 11 6 761 252

Notes

Quality	prepared for wear indicator excl. wear warning contact PREMIUM
Thickness [mm]	18.9
Height [mm]	73.3
Width [mm]	156.3
Brake System	ATE with anti-squeak plate Front Axle


References

34 11 1 163 307	34 11 3 427 503
34 11 1 165 227	34 11 6 761 252
34 11 2 229 031	

Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)


X3 (E83) (01/04-12/08)

X5 (E53) (05/00-)

025 216 7720

34 11 6 761 279

Brake pad set



Notes

Thickness [mm]	19.6
Height 2 [mm]	63.7
Height 1 [mm]	63.6
Width 2 [mm]	156.3
Width 1 [mm]	155.15
Brake System	ATE with anti-squeak plate Front Axle

References

34 11 1 163 387	34 11 1 164 331
34 11 1 163 953	34 11 6 761 277
34 11 1 164 330	34 11 6 761 279


Application info

5 (E39) (11/95-05/04)

025 216 7720/PD

34 11 6 761 279

Brake pad set 



Notes

Quality	prepared for wear indicator PREMIUM
Thickness [mm]	19.4
Height 2 [mm]	63.7
Height 1 [mm]	63.6
Width 2 [mm]	156.3
Width 1 [mm]	155.15
Brake System	ATE with anti-squeak plate Front Axle

References

34 11 1 163 387	34 11 1 164 331
34 11 1 163 953	34 11 6 761 277
34 11 1 164 330	34 11 6 761 279

Application info

5 (E39) (11/95-05/04)

Brake pad set
025 234 4821


34 11 6 761 282

Notes

Thickness [mm]	20.8
Height [mm]	79
Width [mm]	193
Brake System	ATE with anti-squeak plate Front Axle

References

34 11 6 756 350	34 11 6 761 282
-----------------	-----------------


Application info

X5 (E53) (05/00-)

Brake pad set 
025 234 4821/PD


34 11 6 761 282

Notes

Quality	prepared for wear indicator PREMIUM
Thickness [mm]	20.8
Height [mm]	79
Width [mm]	193
Brake System	ATE with anti-squeak plate Front Axle

References

34 11 6 756 350	34 11 6 761 282
-----------------	-----------------


Application info

X5 (E53) (05/00-)

Brake pad set
025 237 9420


34 11 6 763 618

Notes

Thickness [mm]	excl. wear warning contact 19.8
Height [mm]	63.4
Width 2 [mm]	154.7
Width 1 [mm]	155.2
Brake System	ATE with anti-squeak plate Front Axle

References

34 11 2 339 267	34 11 6 763 617
34 11 2 339 268	34 11 6 763 618



025 237 9420
34 11 6 763 618


Brake pad set

Application info

5 (E60, E61) (07/03-08/10)

025 237 9420/PD
34 11 6 763 618

Brake pad set 



Notes

Quality
Thickness [mm]
Height [mm]
Width 2 [mm]
Width 1 [mm]
Brake System

excl. wear warning contact
PREMIUM
19.8
63.4
154.7
155.2
ATE
with anti-squeak plate
Front Axle

References

34 11 2 339 267
34 11 2 339 268


34 11 6 763 617
34 11 6 763 618

Application info

5 (E60, E61) (07/03-08/10)

025 237 9120
34 11 6 763 652

Brake pad set



Notes

Thickness [mm]
Height [mm]
Width [mm]
Brake System

prepared for wear indicator
20.8
79.2
193.2
ATE
with anti-squeak plate
Front Axle

References

34 11 0 300 361
34 11 2 284 065
34 11 6 763 652
34 11 6 764 312

34 11 6 768 287
34 11 6 770 575
34 11 6 774 258

Application info

5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)

7 (E65, E66) (11/01-08/05)

Brake pad set 
025 237 9120/PD


34 11 6 763 652

Notes

Quality	prepared for wear indicator
Thickness [mm]	PREMIUM
Height [mm]	20.8
Width [mm]	79.2
Brake System	193.2
	ATE
	with anti-squeak plate
	Front Axle

References

34 11 0 300 361	34 11 6 768 287
34 11 2 284 065	34 11 6 770 575
34 11 6 763 652	34 11 6 774 258
34 11 6 764 312	


Application info

 5 (E60, E61) (07/03-08/10)
 6 (E63, E64) (01/04--)

7 (E65, E66) (11/01-08/05)

Brake pad set
025 239 3517


34 11 6 769 763

Notes

Thickness [mm]	prepared for wear indicator
Height [mm]	17.5
Width 2 [mm]	57.6
Width 1 [mm]	149.3
Brake System	150.2
	ATE - Teves
	with anti-squeak plate
	Front Axle

References

34 11 6 769 763	34 11 6 769 951
-----------------	-----------------


Application info


1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

025 239 3517/PD

34 11 6 769 763

Brake pad set 



Notes

Quality
Thickness [mm]
Height [mm]
Width 2 [mm]
Width 1 [mm]
Brake System

prepared for wear indicator
PREMIUM
17.5
57.6
149.3
150.2
ATE - Teves
with anti-squeak plate
Front Axle

References

34 11 6 769 763

34 11 6 769 951

Application info


1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

025 240 9620

34 11 6 771 972

Brake pad set



Notes

Thickness [mm]
Height [mm]
Width [mm]
Brake System

prepared for wear indicator
20.3
63.9
155.1
ATE
with anti-squeak plate
Front Axle

References

34 11 6 769 099
34 11 6 769 100
34 11 6 771 868
34 11 6 771 972

34 11 6 777 772
34 11 6 797 859
34 11 6 799 166

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)


Z4 (E89) (05/09--)

Brake pad set
025 239 1517
34 11 6 774 050
Notes

Thickness [mm]	prepared for wear indicator
Height 2 [mm]	17.4
Height 1 [mm]	53.8
Width [mm]	65
Brake System	131.4
	TRW
	with anti-squeak plate
	Front Axle

References

34 11 6 767 143	34 11 6 771 838
34 11 6 767 144	34 11 6 774 050
34 11 6 771 837	


Application info


1 (E81, E82, E87, E88) (11/03-09/12)

Brake pad set
025 246 9719
34 11 6 775 310
Notes

Thickness/Strength 2 [mm]	prepared for wear indicator
Thickness/Strength 1 [mm]	20.3
Height 2 [mm]	19.3
Height 1 [mm]	63.7
Width 2 [mm]	63.5
Width 1 [mm]	154.6
Brake System	155.1
	ATE
	with anti-squeak plate
	Front Axle

References


34 11 6 775 310	34 11 6 858 047
34 11 6 856 591	


Application info

5 (F10, F11) (03/10-12/11)

025 246 9719/PD
34 11 6 775 310

Brake pad set 



Notes

Quality
Thickness/Strength 2 [mm]
Thickness/Strength 1 [mm]
Height 2 [mm]
Height 1 [mm]
Width 2 [mm]
Width 1 [mm]
Brake System

prepared for wear indicator
PREMIUM
20.3
19.3
63.7
63.5
154.6
155.1
ATE
with anti-squeak plate
Front Axle

References

34 11 6 775 310
34 11 6 856 591


34 11 6 858 047

Application info

5 (F10, F11) (03/10-12/11)

025 233 1320
34 11 6 780 711

Brake pad set



Notes

Thickness [mm]
Height [mm]
Width [mm]
Brake System

prepared for wear indicator
20.3
68.3
155.1
ATE
with anti-squeak plate
Front Axle

References

34 11 6 780 711


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

025 233 1320/PD
34 11 6 780 711

Brake pad set 



Notes

Quality
Thickness [mm]
Height [mm]
Width [mm]
Brake System

prepared for wear indicator
PREMIUM
20.3
68.3
155.1
ATE
with anti-squeak plate
Front Axle

References

34 11 6 780 711

Brake pad set 
025 233 1320/PD
 34 11 6 780 711

+
Application info


3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Brake pad set
025 243 1617
 34 11 6 786 044

Notes

 Thickness [mm]
 Height [mm]
 Width [mm]
 Brake System

 excl. wear warning contact
 prepared for wear indicator
 17
 73.5
 164.8
 BREMBO
 with anti-squeak plate
 Front Axle

References

34 11 6 784 807

34 11 6 786 044

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Brake pad set 
025 243 1617/PD
 34 11 6 786 044

Notes

 Quality
 Thickness [mm]
 Height [mm]
 Width [mm]
 Brake System

 excl. wear warning contact
 prepared for wear indicator
 PREMIUM
 17
 73.5
 164.8
 BREMBO
 with anti-squeak plate
 Front Axle

References

34 11 6 784 807

34 11 6 786 044

Application info


1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

025 241 7219

34 11 6 791 514

Brake pad set



Notes

Thickness [mm]
Height [mm]
Width [mm]
Brake System

excl. wear warning contact
19.7
79
192.9
ATE
with anti-squeak plate
Front Axle

References

34 11 6 778 048

34 11 6 791 514

Application info


X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

025 241 7219/PD

34 11 6 791 514

Brake pad set 



Notes

Quality
Thickness [mm]
Height [mm]
Width [mm]
Brake System

prepared for wear indicator
PREMIUM
19.7
79
192.9
ATE
with anti-squeak plate
Front Axle

References

34 11 6 778 048

34 11 6 791 514

Application info


X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

025 241 6120

34 11 6 794 917

Brake pad set



Notes

Thickness [mm]
Height [mm]
Width [mm]
Brake System

excl. wear warning contact
prepared for wear indicator
20.3
68.3
155.1
ATE
with anti-squeak plate
Front Axle

References

34 11 6 776 161
34 11 6 783 542

34 11 6 794 917



Brake pad set
025 241 6120
 34 11 6 794 917

Application info


 3 (E90, E91, E92, E93) (01/05-05/12)
 X1 (E84) (03/09--)

Z4 (E89) (05/09--)

Brake pad set 
025 241 6120/PD
 34 11 6 794 917

Notes

 Quality
 Thickness [mm]
 Height [mm]
 Width [mm]
 Brake System

 excl. wear warning contact
 prepared for wear indicator
 PREMIUM
 20.3
 68.3
 155.1
 ATE
 with anti-squeak plate
 Front Axle

References

 34 11 6 776 161
 34 11 6 783 542

34 11 6 794 917

Application info


 3 (E90, E91, E92, E93) (01/05-05/12)
 X1 (E84) (03/09--)

Z4 (E89) (05/09--)

Brake pad set
025 255 0618
 34 11 6 850 568

Notes

 Thickness [mm]
 Height [mm]
 Width 2 [mm]
 Width 1 [mm]
 Brake System

 prepared for wear indicator
 18.2
 61.6
 156.7
 155.7
 ATE
 with anti-squeak plate
 Front Axle

References

34 11 6 850 568

Application info


 1 (F20, F21) (11/10--)
 3 (F30, F31) (10/11--)

 3 (F34) (03/13--)
 4 (F32, F33, F36) (07/13--)

025 246 8820

34 11 6 850 885

Brake pad set



Notes

Thickness [mm] 20.3
Height [mm] 68.3
Width [mm] 155.1
Brake System ATE
with anti-squeak plate
Front Axle

References

34 11 6 775 314 34 11 6 850 885

Application info


5 (F07) (10/09-12/10)
5 (F10, F11) (03/10-12/11)

6 (F12, F13) (11/10-12/12)
7 (F01, F02, F03, F04) (06/08--)

025 246 8820/PD

34 11 6 850 885

Brake pad set 



Notes

Quality PREMIUM
Thickness [mm] 20.3
Height [mm] 68.3
Width [mm] 155.1
Brake System ATE
with anti-squeak plate
Front Axle

References

34 11 6 775 314 34 11 6 850 885

Application info


5 (F07) (10/09-12/10)
5 (F10, F11) (03/10-12/11)

6 (F12, F13) (11/10-12/12)
7 (F01, F02, F03, F04) (06/08--)

025 250 4519

34 11 6 851 269

Brake pad set



Notes

Thickness/Strength 2 [mm] 18.9
Thickness/Strength 1 [mm] 20
Height [mm] 79.5
Width 2 [mm] 193.3
Width 1 [mm] 192.5
Brake System ATE
with anti-squeak plate
Front Axle

References

34 11 6 775 318 34 11 6 851 269
34 11 6 775 322

Brake pad set
025 250 4519

34 11 6 851 269


Application info

 5 (F07) (10/09-12/10)
 5 (F10, F11) (03/10-12/11)

 6 (F12, F13) (11/10-12/12)
 7 (F01, F02, F03, F04) (06/08--)
Brake pad set 
025 250 4519/PD

34 11 6 851 269

Notes

Quality	prepared for wear indicator
Thickness/Strength 2 [mm]	PREMIUM
Thickness/Strength 1 [mm]	18.9
Height [mm]	20
Width 2 [mm]	79.5
Width 1 [mm]	193.3
Brake System	192.5
	ATE
	with anti-squeak plate
	Front Axle

References

34 11 6 775 318	34 11 6 851 269
34 11 6 775 322	

Application info

 5 (F07) (10/09-12/10)
 5 (F10, F11) (03/10-12/11)

 6 (F12, F13) (11/10-12/12)
 7 (F01, F02, F03, F04) (06/08--)
Brake pad set
025 241 7019


34 11 6 852 253

Notes

Thickness [mm]	prepared for wear indicator
Height [mm]	19.7
Width 2 [mm]	76.8
Width 1 [mm]	170.1
Brake System	171.1
	ATE
	with anti-squeak plate
	Front Axle

References

34 11 4 074 370	34 11 6 779 293
34 11 6 778 403	34 11 6 852 253


Application info


 X5 (E70) (02/07-03/10)
 X5 (F15) (11/12--)

X6 (E71) (05/08--)

025 241 7019/PD

34 11 6 852 253

Brake pad set 



Notes

Quality PREMIUM
 Thickness [mm] 19.7
 Height [mm] 76.8
 Width 2 [mm] 170.1
 Width 1 [mm] 171.1
 Brake System ATE
 with anti-squeak plate
 Front Axle

References

34 11 4 074 370 34 11 6 779 293
 34 11 6 778 403 34 11 6 852 253

Application info


X5 (E70) (02/07-03/10)
 X5 (F15) (11/12--)

X6 (E71) (05/08--)

025 251 9919

34 11 6 856 193

Brake pad set



Notes

Thickness [mm] 19.1
 Height [mm] 70
 Width [mm] 148.2
 Brake System Bosch
 with anti-squeak plate
 Front Axle

References

34 10 6 859 181 34 11 6 798 978
 34 10 6 859 182 34 11 6 854 126
 34 11 4 073 936 34 11 6 856 193


Application info

1 (F20, F21) (11/10--)
 2 (F22, F23, F46) (10/13--)
 3 (F30, F31) (10/11--)
 3 (F34) (03/13--)

4 (F32, F33, F36) (07/13--)
 X3 (F25) (09/10--)
 X4 (F26) (04/14--)

Brake pad set
025 250 1418
34 11 6 858 910
Notes

Thickness [mm]	18.2
Height 2 [mm]	59.8
Height 1 [mm]	57.9
Width 2 [mm]	156.7
Width 1 [mm]	155.7
Brake System	ATE with anti-squeak plate Front Axle


References


34 11 6 850 567	34 11 6 858 910
-----------------	-----------------

Application info

1 (F20, F21) (11/10--)	3 (F34) (03/13--)
2 (F22, F23, F46) (10/13--)	4 (F32, F33, F36) (07/13--)
3 (F30, F31) (10/11--)	

Brake pad set
025 206 7516
34 21 1 157 925
Notes

Thickness [mm]	16.7
Height [mm]	37.6
Width [mm]	125
Brake System	ATE with anti-squeak plate Rear Axle


References

34 21 1 153 196	34 21 1 157 514
34 21 1 153 913	34 21 1 157 757
34 21 1 154 398	34 21 1 157 758
34 21 1 154 399	34 21 1 157 925
34 21 1 154 613	34 21 1 157 926
34 21 1 154 614	34 21 1 158 323
34 21 1 155 077	34 21 1 158 643
34 21 1 156 744	34 21 1 158 912
34 21 1 156 745	34 21 1 159 003
34 21 1 156 746	34 21 1 159 273
34 21 1 156 747	34 21 1 159 276
34 21 1 156 748	34 21 2 226 013
34 21 1 156 749	


Application info

3 (E30) (09/82-06/94)	6 (E24) (04/76-09/90)
5 (E28) (06/81-12/87)	7 (E23) (05/77-08/86)

025 209 9517

34 21 1 158 266

Brake pad set



Notes

Thickness [mm]
Height [mm]
Width [mm]
Brake System

prepared for wear indicator
17.3
45.3
123.2
ATE
with anti-squeak plate
Rear Axle

References

34 21 1 157 044
34 21 1 157 334
34 21 1 157 563
34 21 1 157 814
34 21 1 158 108
34 21 1 158 221
34 21 1 158 266
34 21 1 158 270
34 21 1 158 562

34 21 1 158 642
34 21 1 159 814
34 21 1 160 198
34 21 1 160 199
34 21 1 162 536
34 21 2 225 860
34 21 2 225 865
34 21 2 226 092
34 21 6 761 253

Application info


3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)
Z1 (06/88-06/91)
Z3 (E36/7, E36/8) (10/95-06/03)

025 237 3017

34 21 2 283 366

Brake pad set



Notes

Thickness [mm]
Height [mm]
Width 2 [mm]
Width 1 [mm]
Brake System

excl. wear warning contact
16.6
67.7
139.3
139.5
ATE
with anti-squeak plate
Rear Axle

References

34 11 0 301 476
34 11 6 763 305
34 21 0 403 290
34 21 2 283 366
34 21 2 284 296

34 21 2 284 685
34 21 6 757 536
34 21 6 761 286
34 21 6 768 471

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04-)

7 (E65, E66) (11/01-08/05)
X5 (E70) (02/07-03/10)
X5 (F15) (11/12-)
X6 (E71) (05/08-)

Brake pad set 
025 237 3017/PD
34 21 2 283 366
Notes

Quality	excl. wear warning contact PREMIUM
Thickness [mm]	16.6
Height [mm]	67.7
Width 2 [mm]	139.3
Width 1 [mm]	139.5
Brake System	ATE with anti-squeak plate Rear Axle

References

34 11 0 301 476	34 21 2 284 685
34 11 6 763 305	34 21 6 757 536
34 21 0 403 290	34 21 6 761 286
34 21 2 283 366	34 21 6 768 471
34 21 2 284 296	

Application info


1 (E81, E82, E87, E88) (11/03-09/12)	7 (E65, E66) (11/01-08/05)
3 (E90, E91, E92, E93) (01/05-05/12)	X5 (E70) (02/07-03/10)
5 (E60, E61) (07/03-08/10)	X5 (F15) (11/12--)
6 (E63, E64) (01/04--)	X6 (E71) (05/08--)

Brake pad set
025 247 0318
34 21 2 284 389
Notes

Thickness [mm]	prepared for wear indicator 18
Height 2 [mm]	65.5
Height 1 [mm]	72.4
Width [mm]	116
Brake System	TRW with anti-squeak plate Rear Axle

References

34 21 2 284 389	34 21 6 775 346
34 21 2 284 466	


Application info

5 (F10, F11) (03/10-12/11)	6 (F12, F13) (11/10-12/12)
----------------------------	----------------------------

025 247 0318/PD

34 21 2 284 389

Brake pad set 

Notes

Quality	prepared for wear indicator PREMIUM
Thickness [mm]	18
Height 2 [mm]	65.5
Height 1 [mm]	72.4
Width [mm]	116
Brake System	TRW with anti-squeak plate Rear Axle

References

34 21 2 284 389	34 21 6 775 346
34 21 2 284 466	

Application info


5 (F10, F11) (03/10-12/11)

6 (F12, F13) (11/10-12/12)

025 214 8717

34 21 3 403 241

Brake pad set



Notes

Thickness [mm]	prepared for wear indicator 17
Height [mm]	59.4
Width [mm]	123.2
Brake System	ATE with anti-squeak plate Rear Axle

References

34 21 1 163 324	34 21 6 752 632
34 21 1 163 326	34 21 6 761 240
34 21 1 164 581	34 21 6 761 248
34 21 1 164 582	34 21 6 761 250
34 21 3 403 241	34 21 6 761 251
34 21 6 750 160	34 21 6 790 071

Application info

3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)
X3 (E83) (01/04-12/08)


X5 (E53) (05/00--)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)
Z8 (E52) (06/00-06/03)

Brake pad set
025 216 0717
34 21 6 761 238
Notes

Thickness [mm] prepared for wear indicator 17.3
 Height [mm] 44.9
 Width [mm] 123.2
 Brake System ATE
 with anti-squeak plate
 Rear Axle

References

34 21 1 162 446 34 21 6 761 238
 34 21 1 165 233


Application info

3 (E36) (09/90-08/00)


Z3 (E36/7, E36/8) (10/95-06/03)

Brake pad set 
025 216 0717/PD
34 21 6 761 238
Notes

Quality PREMIUM
 Thickness [mm] prepared for wear indicator 17.3
 Height [mm] 44.9
 Width [mm] 123.2
 Brake System ATE
 with anti-squeak plate
 Rear Axle

References

34 21 1 162 446 34 21 6 761 238
 34 21 1 165 233


Application info

3 (E36) (09/90-08/00)


Z3 (E36/7, E36/8) (10/95-06/03)

Brake pad set
025 219 3417
34 21 6 761 239
Notes

Thickness [mm] prepared for wear indicator 17
 Height [mm] 44.8
 Width [mm] 123.2
 Brake System ATE
 with anti-squeak plate
 Rear Axle

References

34 21 1 160 340 34 21 1 165 235
 34 21 1 160 533 34 21 6 750 190
 34 21 1 161 455 34 21 6 761 239
 34 21 1 164 499 34 21 6 761 241
 34 21 1 164 501 34 21 6 778 168



025 219 3417

34 21 6 761 239

Brake pad set

Application info


3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
Z3 (E36/7, E36/8) (10/95-06/03)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

025 219 3417/PD

34 21 6 761 239

Brake pad set 



Notes

Quality
Thickness [mm]
Height [mm]
Width [mm]
Brake System

prepared for wear indicator
PREMIUM
17
44.8
123.2
ATE
with anti-squeak plate
Rear Axle

References

34 21 1 160 340
34 21 1 160 533
34 21 1 161 455
34 21 1 164 499
34 21 1 164 501

34 21 1 165 235
34 21 6 750 190
34 21 6 761 239
34 21 6 761 241
34 21 6 778 168

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
Z3 (E36/7, E36/8) (10/95-06/03)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

025 214 8717/PD

34 21 6 761 248

Brake pad set 



Notes

Quality
Thickness [mm]
Height [mm]
Width [mm]
Brake System

prepared for wear indicator
PREMIUM
17
59.4
123.2
ATE
with anti-squeak plate
Rear Axle

References

34 21 1 163 324
34 21 1 163 326
34 21 1 164 581
34 21 1 164 582
34 21 3 403 241
34 21 6 750 160

34 21 6 752 632
34 21 6 761 240
34 21 6 761 248
34 21 6 761 250
34 21 6 761 251
34 21 6 790 071

Brake pad set 
025 214 8717/PD

34 21 6 761 248

+
Application info

 3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)
 X3 (E83) (01/04-12/08)

 X5 (E53) (05/00--)
 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)
 Z8 (E52) (06/00-06/03)

Brake pad set
025 216 9117


34 21 6 761 281

Notes

Thickness [mm]	prepared for wear indicator
Height [mm]	17.3
Width [mm]	44.9
Brake System	123.2
	ATE
	with anti-squeak plate
	Rear Axle

References

34 21 1 163 395	34 21 6 761 281
-----------------	-----------------


Application info

5 (E39) (11/95-05/04)

Brake pad set 
025 216 9117/PD


34 21 6 761 281

Notes

Quality	prepared for wear indicator
Thickness [mm]	PREMIUM
Height [mm]	17.3
Width [mm]	44.9
Brake System	123.2
	ATE
	with anti-squeak plate
	Rear Axle

References

34 21 1 163 395	34 21 6 761 281
-----------------	-----------------



Application info

5 (E39) (11/95-05/04)

025 234 4717

34 21 6 761 285

Brake pad set



Notes

Thickness [mm]
Height 2 [mm]
Height 1 [mm]
Width [mm]
Brake System

prepared for wear indicator
17.3
57.8
59.2
121.8
ATE
with anti-squeak plate
Rear Axle

References

34 21 6 753 850
34 21 6 758 870

34 21 6 761 285


Application info

7 (E65, E66) (11/01-08/05)

025 234 4717/PD

34 21 6 761 285

Brake pad set 



Notes

Quality
Thickness [mm]
Height 2 [mm]
Height 1 [mm]
Width [mm]
Brake System

prepared for wear indicator
PREMIUM
17.3
57.8
59.2
121.8
ATE
with anti-squeak plate
Rear Axle

References

34 21 6 753 850
34 21 6 758 870

34 21 6 761 285


Application info

7 (E65, E66) (11/01-08/05)

025 237 3217

34 21 6 763 043

Brake pad set



Notes

Thickness [mm]
Height 2 [mm]
Height 1 [mm]
Width [mm]
Brake System

prepared for wear indicator
16.9
59.1
58.3
121.8
ATE
with anti-squeak plate
Rear Axle

References

34 21 6 763 043

34 21 6 763 044

Brake pad set
025 237 3217

34 21 6 763 043

+

Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

Brake pad set 
025 237 3217/PD

34 21 6 763 043

Notes
Quality

Thickness [mm]

Height 2 [mm]

Height 1 [mm]

Width [mm]

Brake System

prepared for wear indicator

PREMIUM

16.9

59.1

58.3

121.8

ATE


with anti-squeak plate

Rear Axle

References

34 21 6 763 043

34 21 6 763 044


Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

Brake pad set
025 239 2617

34 21 6 773 161

Notes

Thickness [mm]

Height 2 [mm]

Height 1 [mm]

Width [mm]

Brake System

prepared for wear indicator

16.8

48.3

43.7

123.1

ATE

with anti-squeak plate

Rear Axle


References

34 21 6 767 148

34 21 6 767 150

34 21 6 773 161

34 21 6 774 692


Application info

1 (E81, E82, E87, E88) (11/03-09/12)


3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

025 239 2617/PD

34 21 6 773 161

Brake pad set 



Notes

Quality
Thickness [mm]
Height 2 [mm]
Height 1 [mm]
Width [mm]
Brake System

prepared for wear indicator
PREMIUM
16.8
48.3
43.7
123.1
ATE
with anti-squeak plate
Rear Axle

References

34 21 6 767 148
34 21 6 767 150

34 21 6 773 161
34 21 6 774 692

Application info


1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

025 235 5017

34 21 6 775 678

Brake pad set



Notes

Thickness [mm]
Height [mm]
Width [mm]
Brake System

prepared for wear indicator
17.3
57.9
123
ATE
with anti-squeak plate
Rear Axle

References

34 21 6 769 105
34 21 6 775 678

34 21 6 791 938

Application info


3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

025 235 5017/PD

34 21 6 775 678

Brake pad set 



Notes

Quality
Thickness [mm]
Height [mm]
Width [mm]
Brake System

prepared for wear indicator
PREMIUM
17.3
57.9
123
ATE
with anti-squeak plate
Rear Axle

References

34 21 6 769 105
34 21 6 775 678

34 21 6 791 938

Brake pad set 
025 235 5017/PD
 34 21 6 775 678

+
Application info


3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Brake pad set
025 212 8217
 34 21 6 776 937

2
Notes

 Thickness [mm]
 Height 2 [mm]
 Height 1 [mm]
 Width [mm]
 Brake System

 prepared for wear indicator
 excl. wear warning contact
 17.3
 58
 57.8
 121.8
 ATE
 with anti-squeak plate
 Rear Axle

References

34 21 6 776 937

Application info


 X5 (E70) (02/07-03/10)
 X5 (F15) (11/12--)

X6 (E71) (05/08--)

Brake pad set 
025 212 8217/PD
 34 21 6 776 937

Notes

 Quality
 Thickness [mm]
 Height 2 [mm]
 Height 1 [mm]
 Width [mm]
 Brake System

 prepared for wear indicator
 excl. wear warning contact
 PREMIUM
 17.3
 58
 57.8
 121.8
 ATE
 with anti-squeak plate
 Rear Axle

References

34 21 6 776 937

Application info


 X5 (E70) (02/07-03/10)
 X5 (F15) (11/12--)

X6 (E71) (05/08--)

025 236 2316

34 21 6 779 294

Brake pad set



Notes

Thickness [mm]
Height 2 [mm]
Height 1 [mm]
Width [mm]
Brake System

prepared for wear indicator
17.2
51.4
45
95.3
TRW
with anti-squeak plate
Rear Axle

References

34 21 6 767 145
34 21 6 767 146
34 21 6 774 417

34 21 6 777 240
34 21 6 779 294
34 21 6 788 183

Application info


1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

025 236 2316/PD

34 21 6 779 294

Brake pad set 



Notes

Quality
Thickness [mm]
Height 2 [mm]
Height 1 [mm]
Width [mm]
Brake System

prepared for wear indicator
PREMIUM
17.2
51.4
45
95.3
TRW
with anti-squeak plate
Rear Axle

References

34 21 6 767 145
34 21 6 767 146
34 21 6 774 417

34 21 6 777 240
34 21 6 779 294
34 21 6 788 183

Application info


1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Brake pad set
025 243 1517
34 21 6 784 808
Notes

Thickness [mm] 17.1
 Height [mm] 76.2
 Width [mm] 86.95
 Brake System Brembo
 with anti-squeak plate
 Rear Axle

excl. wear warning contact
 prepared for wear indicator


References

34 21 6 784 808

34 21 6 791 421

Application info


1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Brake pad set
025 245 5918
34 21 6 788 275
Notes

Thickness [mm] 18
 Height 2 [mm] 45.2
 Height 1 [mm] 51.6
 Width [mm] 106
 Brake System TRW
 with anti-squeak plate
 Rear Axle

prepared for wear indicator


References

34 21 6 788 275

Application info

Z4 (E89) (05/09--)

Brake pad set 
025 245 5918/PD
34 21 6 788 275
Notes

Quality PREMIUM
 Thickness [mm] 18
 Height 2 [mm] 45.2
 Height 1 [mm] 51.6
 Width [mm] 106
 Brake System TRW
 with anti-squeak plate
 Rear Axle

prepared for wear indicator

References

34 21 6 788 275


025 245 5918/PD
34 21 6 788 275

Brake pad set 

Application info
Z4 (E89) (05/09--)

025 237 3116
34 21 6 790 966

Brake pad set



Notes

Thickness [mm]
Height [mm]
Width [mm]
Brake System

excl. wear warning contact
16.9
67.9
139.7
ATE
with anti-squeak plate
Rear Axle

References

34 21 6 775 342

34 21 6 790 966

Application info

5 (F07) (10/09-12/10)

7 (F01, F02, F03, F04) (06/08--)

025 237 3116/PD
34 21 6 790 966

Brake pad set 

Notes

Quality
Thickness [mm]
Height [mm]
Width [mm]
Brake System

excl. wear warning contact
PREMIUM
16.9
67.9
139.7
ATW
with anti-squeak plate
Rear Axle

References

34 21 6 775 342

34 21 6 790 966

Application info

5 (F07) (10/09-12/10)

7 (F01, F02, F03, F04) (06/08--)

Brake pad set
025 245 6118


34 21 6 796 741

Notes

Thickness [mm]	18
Height 2 [mm]	56
Height 1 [mm]	62.4
Width [mm]	106
Brake System	TRW with anti-squeak plate Rear Axle

References

34 21 6 788 284	34 21 6 798 193
34 21 6 796 741	34 21 6 862 202


Application info

 5 (F10, F11) (03/10-12/11)
 X3 (F25) (09/10--)

Z4 (E89) (05/09--)

Brake pad set 
025 245 6118/PD


34 21 6 796 741

Notes

Quality	PREMIUM
Thickness [mm]	18
Height 2 [mm]	56
Height 1 [mm]	62.4
Width [mm]	106
Brake System	TRW with anti-squeak plate Rear Axle

References

34 21 6 788 284	34 21 6 798 193
34 21 6 796 741	34 21 6 862 202


Application info

 5 (F10, F11) (03/10-12/11)
 X3 (F25) (09/10--)

Z4 (E89) (05/09--)

Brake pad set
025 250 2916


34 21 6 855 474

Notes

Thickness [mm]	15.8
Height [mm]	88.1
Width [mm]	71.9
Brake System	BREMBO with anti-squeak plate Rear Axle


References

34 21 6 855 474



Brake pad set
025 219 9020
Notes


Thickness [mm]	prepared for wear indicator 19.9
Height 2 [mm]	63.7
Height 1 [mm]	63.6
Width 2 [mm]	154.7
Width 1 [mm]	155.15
Brake System	ATE with anti-squeak plate Front Axle


Application info

5 (E39) (11/95-05/04)

Brake pad set 
025 219 9020/PD
Notes

Quality	prepared for wear indicator PREMIUM
Thickness [mm]	19.9
Height 2 [mm]	63.7
Height 1 [mm]	63.6
Width 2 [mm]	154.7
Width 1 [mm]	155.15
Brake System	ATE with anti-squeak plate Front Axle


Application info

5 (E39) (11/95-05/04)

Guide bolt, brake caliper
100 698 0008
34 11 1 157 041
Notes

Alternative Repair Kit	014 698 0006/S
Brake System	ATE Front Axle

References

34 11 1 153 200	34 11 1 158 200
34 11 1 157 041	



100 698 0008

34 11 1 157 041

Guide bolt, brake caliper

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03-08/10)
6 (E24) (04/76-09/90)
6 (E63, E64) (01/04--)
7 (E23) (05/77-08/86)

7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
7 (E65, E66) (11/01-08/05)
8 (E31) (04/90-12/99)
X3 (E83) (01/04-12/08)
X5 (E53) (05/00--)
Z1 (06/88-06/91)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

314 698 0006

34 11 1 157 038

Guide sleeve kit, brake caliper



Notes

Rear Axle
Front Axle

References

34 11 1 153 195

34 11 1 157 038

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03-08/10)
6 (E24) (04/76-09/90)
6 (E63, E64) (01/04--)

7 (E23) (05/77-08/86)
7 (E32) (09/86-09/94)
7 (E65, E66) (11/01-08/05)
8 (E31) (04/90-12/99)
X3 (E83) (01/04-12/08)
X5 (E53) (05/00--)
Z1 (06/88-06/91)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)
Z8 (E52) (06/00-06/03)

Brake drum
315 523 3056

34 21 1 158 556

Notes

Centering Diameter [mm]	62
Inner Brake Drum Height [mm]	46.5
Total Br. Drum Height [mm]	58.5
Bolt Hole Circle Ø [mm]	100
Max.skimmed drum measure [mm]	229.5
Br. Drum outer diameter [mm]	269.5
Inner Br. Drum Diam. [mm]	229
Number of Holes	4
	Rear Axle


References

34 21 1 158 556

Application info

3 (E30) (09/82-06/94)

Brake drum
315 523 3079

34 21 1 159 486

Notes

Centering Diameter [mm]	75
Inner Brake Drum Height [mm]	47
Total Br. Drum Height [mm]	59
Bolt Hole Circle Ø [mm]	120
Max.skimmed drum measure [mm]	229.5
Br. Drum outer diameter [mm]	270
Inner Br. Drum Diam. [mm]	229
Number of Holes	5
	Rear Axle


References

34 21 1 159 486

Application info

3 (E36) (09/90-08/00)

Brake shoe kit
314 906 4201

34 21 9 064 270

Notes

	with lever
	without spring
	for vehicles without ABS
Diameter [mm]	229
Width [mm]	42
	Rear Axle

References

34 21 9 064 270



314 906 4201
34 21 9 064 270

Brake shoe kit

Application info
3 (E30) (09/82-06/94)

314 906 8101
34 21 9 067 127

Brake shoe kit



Notes

Diameter [mm]
Width [mm]

with lever
without spring
229
42
Rear Axle

References

34 21 9 067 127

Application info
3 (E36) (09/90-08/00)

314 115 9402
34 41 1 159 467

Brake shoe set, parking brake



Notes

Diameter [mm]
Width [mm]

without spring
160
25
Rear Axle

References

34 41 1 118 053
34 41 1 157 823

34 41 1 159 467

Application info

3 (E21) (06/75-03/84)
3 (E30) (09/82-06/94)
5 (E12) (08/72-08/81)

6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)

Brake shoe set, parking brake
314 042 0005

34 41 6 761 289

Notes

Diameter [mm]	without spring
Width [mm]	160
	25
	Rear Axle

References

34 41 1 160 729	34 41 6 761 289
34 41 1 160 924	


Application info

 3 (E36) (09/90-08/00)
 Z1 (06/88-06/91)

Z3 (E36/7, E36/8) (10/95-06/03)

Brake shoe set, parking brake
314 042 0006

34 41 6 761 290

Notes

Diameter [mm]	without spring
Width [mm]	160
	20
	Rear Axle

References

34 41 1 163 244	34 41 6 755 273
34 41 1 163 255	34 41 6 761 290
34 41 1 165 968	34 41 6 761 291


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E46) (02/98-12/07)
 3 (E90, E91, E92, E93) (01/05-05/12)

Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Brake shoe set, parking brake
314 042 0006/S

34 41 6 761 290

Notes

Diameter [mm]	with spring
Width [mm]	160
	20
	Rear Axle

References

34 41 1 163 244	34 41 6 755 273
34 41 1 163 255	34 41 6 761 290
34 41 1 165 968	34 41 6 761 291



314 042 0006/S

34 41 6 761 290

Brake shoe set, parking brake

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E46) (02/98-12/07)
3 (E90, E91, E92, E93) (01/05-05/12)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

314 042 0007

34 41 6 761 292

Brake shoe set, parking brake



Notes

Diameter [mm] without spring
185
Width [mm] 20
Rear Axle

References

34 41 1 163 988 34 41 6 761 292

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E46) (02/98-12/07)

3 (E90, E91, E92, E93) (01/05-05/12)
5 (E39) (11/95-05/04)

314 042 0007/S

34 41 6 761 292

Brake shoe set, parking brake



Notes

Diameter [mm] with spring
185
Width [mm] 20
Rear Axle

References

34 41 1 163 988 34 41 6 761 292

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E46) (02/98-12/07)

3 (E90, E91, E92, E93) (01/05-05/12)
5 (E39) (11/95-05/04)

Brake shoe set, parking brake
314 042 0008

34 41 6 761 293

Notes

Diameter [mm]	without spring
Width [mm]	185
	30
	Rear Axle

References

34 41 0 393 646	34 41 6 756 538
34 41 1 156 962	34 41 6 761 293
34 41 1 165 546	34 41 6 780 041
34 41 1 165 962	34 41 6 790 186


Application info

3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03-08/10)
 6 (E63, E64) (01/04--)
 7 (E65, E66) (11/01-08/05)
 X3 (E83) (01/04-12/08)

X5 (E53) (05/00--)
 X5 (E70) (02/07-03/10)
 X6 (E71) (05/08--)
 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)

Brake shoe set, parking brake
314 115 9401

34 41 6 761 294

Notes

Diameter [mm]	without spring
Width [mm]	180
	25
	Rear Axle

References

34 41 1 159 468	34 41 6 761 294
-----------------	-----------------


Application info

3 (E36) (09/90-08/00)
 5 (E28) (06/81-12/87)
 5 (E34) (12/87-01/97)
 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)

7 (E32) (09/86-09/94)
 7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)
 Z3 (E36/7, E36/8) (10/95-06/03)

300 343 2112

34 30 1 163 080

Brake hose



Notes

Inner Thread [mm]
Outer Thread [mm]
Length [mm]
Required quantity

M10x1
M10x1
275
2
at brake caliper
Rear Axle

References

34 30 1 163 080

Application info

7 (E38) (10/94-11/01)

300 343 2113

34 30 1 163 155

Brake hose



Notes

Inner Thread [mm]
Outer Thread [mm]
Length [mm]
Required quantity

M10x1
M10x1
355
2
Front Axle

References

34 30 1 163 155

Application info

7 (E38) (10/94-11/01)

300 343 2118

34 30 1 165 174

Brake hose



Notes

Inner Thread [mm]
Outer Thread [mm]
Length [mm]
Required quantity

M10x1
M10x1
455
2
Rear Axle

References

34 30 1 165 174

Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98-12/07)

Brake hose
300 343 2114

34 30 1 165 190

Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	323
Required quantity	2
	Rear Axle

References

34 30 1 165 190


Application info

5 (E39) (11/95-05/04)

Brake hose
300 343 2109

34 30 1 165 249

Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	410
Required quantity	2
	Front Axle

References

34 30 1 165 249


Application info

5 (E39) (11/95-05/04)

Brake hose
314 525 0006/S

34 30 1 165 765

Notes


Inner Thread [mm]	with seal
Outer Thread [mm]	M10x1
Port Type	M10x1
Length [mm]	Banjo fitting
	570
Required quantity	with hollow screw
	1
	Left
	Rear Axle

References

34 30 1 165 765

Counterpart

314 525 0000/S



314 525 0006/S

34 30 1 165 765

Brake hose


Application info

X5 (E53) (05/00--)

314 525 0000/S

34 30 1 165 766

Brake hose



Notes

Inner Thread [mm]
Outer Thread [mm]
Port Type
Length [mm]

Required quantity

with seal
M10x1
M10x1
Banjo fitting
570
with hollow screw
1
Right
Rear Axle

References

34 30 1 165 766

Counterpart

314 525 0006/S

Application info

X5 (E53) (05/00--)

300 343 2121

34 30 1 166 118

Brake hose



Notes

Inner Thread [mm]
Outer Thread [mm]
Length [mm]
Required quantity

M10x1
M10x1
510
2
Front Axle

References

34 30 1 166 118

Application info

X5 (E53) (05/00--)

Brake hose
314 525 0001
34 30 1 166 248
Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	300
Required quantity	2
	Rear Axle

References

34 30 1 165 075	34 30 1 166 248
-----------------	-----------------


Application info

5 (E39) (11/95-05/04)

Brake hose
314 525 0003
34 30 3 411 443
Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	550
Required quantity	2
	Front Axle

References

34 30 3 411 443


Application info

X3 (E83) (01/04-12/08)

Brake hose
314 525 0004
34 30 3 411 444
Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	540
Required quantity	2
	Rear Axle

References

34 30 3 411 444


Application info

X3 (E83) (01/04-12/08)

300 525 0006

34 30 6 762 838

Brake hose



Notes

Inner Thread 2 [mm]
Inner Thread 1 [mm]
Length [mm]
Required quantity

M10x1
M10x1
205
2
Rear Axle

References

34 30 6 762 838
34 30 6 789 433

34 30 6 798 523

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

300 525 0004

34 30 6 767 458

Brake hose



Notes

Inner Thread [mm]
Outer Thread [mm]
Length [mm]
Required quantity

M10x1
M10x1
480
2
Front Axle

References

34 30 6 767 458

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

300 525 0007

34 30 6 768 851

Brake hose



Notes

Inner Thread [mm]
Outer Thread [mm]
Length [mm]
Required quantity

M10x1
M10x1
265
2
Rear Axle

References

34 30 6 762 837
34 30 6 768 851

34 30 6 789 431
34 30 6 792 253

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Brake hose
314 525 0009

34 30 6 771 690

Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	470
Required quantity	2
	Front Axle

References

34 30 6 771 690


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

Brake hose
300 525 0005

34 30 6 771 720

Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	550
Required quantity	2
	Front Axle

References

34 30 6 767 458	34 30 6 790 550
34 30 6 771 720	


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)

Z4 (E89) (05/09--)

Brake hose
314 525 0014

34 30 6 776 293

Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	462
Required quantity	2
	at brake caliper
	Rear Axle

References

34 30 6 776 293	34 30 6 788 437
-----------------	-----------------


Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

314 525 0013

34 30 6 778 260

Brake hose



Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	640
Required quantity	2
	Front Axle

References

34 30 6 778 260

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

314 525 0012

34 30 6 782 862

Brake hose



Notes

Inner Thread 2 [mm]	M10x1
Inner Thread 1 [mm]	M10x1
Length [mm]	345
Required quantity	2
	Rear Axle

References

34 30 6 782 862

34 32 6 765 398

Application info

5 (E60, E61) (07/03-08/10)

314 525 0016

34 30 6 787 512

Brake hose



Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	740
Required quantity	2
	Front Axle

References

34 30 6 787 512

Application info

X3 (F25) (09/10--)

Brake hose
314 525 0017

34 30 6 799 424

Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	580
Required quantity	2
	Front Axle

References

34 30 6 799 424


Application info

X1 (E84) (03/09--)

Brake hose
300 343 2108

34 32 1 159 524

Notes

Inner Thread 2 [mm]	M10x1
Inner Thread 1 [mm]	M10x1
Length [mm]	225
Required quantity	2
	Rear Axle

References

34 32 1 159 524


Application info

3 (E36) (09/90-08/00)

Brake hose
300 343 2107

34 32 1 159 717

Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	453
Required quantity	2
	Front Axle

References

34 32 1 159 717


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

300 343 2106

34 32 1 159 878

Brake hose



Notes

Inner Thread 2 [mm]	M10x1
Inner Thread 1 [mm]	M10x1
Length [mm]	200
Required quantity	2
	Rear Axle

References

34 32 1 113 183	34 32 1 159 878
-----------------	-----------------

Application info

3 (E21) (06/75-03/84)	5 (E34) (12/87-01/97)
3 (E30) (09/82-06/94)	6 (E24) (04/76-09/90)
3 (E36) (09/90-08/00)	7 (E23) (05/77-08/86)
5 (E12) (08/72-08/81)	7 (E32) (09/86-09/94)
5 (E28) (06/81-12/87)	

300 343 2103

34 32 1 159 879

Brake hose



Notes

Inner Thread 2 [mm]	M10x1
Inner Thread 1 [mm]	M10x1
Length [mm]	315
Required quantity	2
	Front Axle

References

34 32 1 113 184	34 32 1 159 879
34 32 1 115 694	

Application info

3 (E21) (06/75-03/84)	6 (E24) (04/76-09/90)
5 (E12) (08/72-08/81)	7 (E23) (05/77-08/86)

300 343 2100

34 32 1 159 881

Brake hose



Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	225
Required quantity	2
	Rear Axle

References

34 32 1 108 134	34 32 1 159 881
34 32 1 115 697	34 32 4 051 524
34 32 1 153 107	

Brake hose
300 343 2100

34 32 1 159 881


Application info

 3 (E21) (06/75-03/84)
 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)
 5 (E28) (06/81-12/87)
 5 (E34) (12/87-01/97)
 6 (E24) (04/76-09/90)

 7 (E23) (05/77-08/86)
 7 (E32) (09/86-09/94)
 8 (E31) (04/90-12/99)
 Z1 (06/88-06/91)
 Z3 (E36/7, E36/8) (10/95-06/03)

Brake hose
300 343 2104

34 32 1 159 889

Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	448
Required quantity	2
	Front Axle

References

34 32 1 159 889


Application info

5 (E28) (06/81-12/87)

6 (E24) (04/76-09/90)

Brake hose
300 343 2102

34 32 1 159 890

Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	300
Required quantity	2

References

34 32 1 154 327	34 32 1 159 890
34 32 1 154 904	


Application info

 3 (E30) (09/82-06/94)
 5 (E60, E61) (07/03-08/10)

 6 (E63, E64) (01/04--)
 7 (E65, E66) (11/01-08/05)

300 343 2105
34 32 1 159 891

Brake hose



Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	420
Required quantity	2
	Front Axle

References

34 32 1 156 157	34 32 1 159 891
-----------------	-----------------

Application info

5 (E34) (12/87-01/97)	8 (E31) (04/90-12/99)
7 (E32) (09/86-09/94)	

314 525 0008
34 32 1 162 477

Brake hose



Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	100
Required quantity	1

References

34 32 1 162 477

Application info

5 (E34) (12/87-01/97)

314 525 0007
34 32 1 162 479

Brake hose



Notes

Inner Thread [mm]	M12x1
Outer Thread [mm]	M12x1
Length [mm]	100
Required quantity	1

References

34 32 1 162 479

Application info

5 (E34) (12/87-01/97)

Brake hose
300 343 2111

34 32 1 162 612

Notes

Inner Thread 2 [mm]	M10x1
Inner Thread 1 [mm]	M10x1
Length [mm]	100
Required quantity	1

References

34 32 1 162 612


Application info

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

Brake hose
300 343 2110

34 32 1 162 616

Notes

Inner Thread 2 [mm]	M12x1
Inner Thread 1 [mm]	M12x1
Length [mm]	100
Required quantity	1

References

34 32 1 162 616


Application info

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

Brake hose
300 525 0011

34 32 1 163 759

Notes

Inner Thread 2 [mm]	M10x1
Inner Thread 1 [mm]	M10x1
Length [mm]	220
Required quantity	2
	inner
	Rear Axle

References

34 32 1 163 759


Application info

Z3 (E36/7, E36/8) (10/95-06/03)

100 525 0012

34 32 2 227 489

Brake hose



Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	212
Required quantity	2
	Rear Axle

References

34 32 2 227 489

Application info

8 (E31) (04/90-12/99)

300 525 0003

34 32 2 228 295

Brake hose



Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	355
Required quantity	2
	Rear Axle

References

34 32 2 228 295

Application info

Z3 (E36/7, E36/8) (10/95-06/03)

300 525 0008

34 32 6 753 610

Brake hose



Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	555
Required quantity	2
	Front Axle

References

34 32 6 753 610

Application info

7 (E65, E66) (11/01-08/05)

Brake hose
314 525 0005

34 32 6 757 744

Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	207
Required quantity	2
	Rear Axle

References

34 32 6 757 744


Application info

Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Brake hose
300 343 2117

34 32 6 766 966

Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	450
Required quantity	2
	Front Axle

References

34 32 1 165 587

34 32 6 766 966


Application info

3 (E46) (02/98-12/07)

Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Brake hose
300 525 0002

34 32 6 767 390

Notes

Inner Thread [mm]	M10x1
Outer Thread [mm]	M10x1
Length [mm]	580
Required quantity	2
	Front Axle

References

34 32 6 760 909

34 32 6 767 390


Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

Brake hose
314 525 0019
 34 32 6 853 746

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

Brake hose
314 525 0010
 34 51 1 090 565

Notes

Inner Thread 2 [mm]	M10x1
Inner Thread 1 [mm]	M10x1
Length [mm]	145
Required quantity	1
	Front Axle

References

34 51 1 090 565


Application info

3 (E36) (09/90-08/00)

Wheel cylinder
314 154 0001
 34 21 1 154 236

Notes

Diameter [mm]	Grey Cast Iron
	20.64
	Rear Axle

References

34 21 1 154 236


Application info

3 (E30) (09/82-06/94)

314 159 0000
34 21 1 159 569

Wheel cylinder



Notes

Diameter [mm]

Grey Cast Iron
23.81
Rear Axle

References

34 21 1 159 569

Application info

3 (E36) (09/90-08/00)

2

Drive shaft support
300 261 2190/S
 26 12 1 225 152

Notes

 Inner Diameter [mm] 30
 with ball bearing
 Centre

References

26 12 1 225 152

Parts list

 300 261 2100 Drive shaft support
 014 098 9017 Driveshaft bearing

Application info

3 (E30) (09/82-06/94)

Drive shaft support
300 261 2103/S
 26 12 1 226 657

Notes

 Inner Diameter [mm] 35
 with ball bearing
 Centre

References

26 12 1 226 442 26 12 1 226 657

Parts list

300 261 2103 Drive shaft support


Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

Drive shaft support
300 261 2191
 26 12 1 226 723

Notes

 Inner Diameter [mm] 55
 without ball bearing
 Centre

References

26 12 1 226 723


Application info

 3 (E30) (09/82-06/94)
 5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

300 261 2191/S

26 12 1 226 723

Drive shaft support



Notes

Inner Diameter [mm] 30
with ball bearing
Centre

References

26 12 1 226 723

Parts list

300 261 2191 Drive shaft support
014 098 9017 Driveshaft bearing

Application info

3 (E30) (09/82-06/94)
5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

300 261 2104

26 12 1 226 731

Drive shaft support



Notes

Inner Diameter [mm] 55
without ball bearing
Centre

References

26 12 1 226 731

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
5 (E34) (12/87-01/97)

5 (E39) (11/95-05/04)
Z3 (E36/7, E36/8) (10/95-06/03)

300 261 2194/S

26 12 1 226 731

Drive shaft support



Notes

Inner Diameter [mm] 30
with ball bearing
Centre

References

26 12 1 226 731

Parts list

300 261 2104 Drive shaft support
014 098 9017 Driveshaft bearing

3

+

Drive shaft support
300 261 2194/S

26 12 1 226 731

+

Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 5 (E34) (12/87-01/97)

 5 (E39) (11/95-05/04)
 Z3 (E36/7, E36/8) (10/95-06/03)

Drive shaft support
300 261 2106

26 12 1 227 660

Notes

 Inner Diameter [mm] 55
 without ball bearing
 Centre

References

26 12 1 227 660


Application info

3 (E36) (09/90-08/00)

7 (E38) (10/94-11/01)

Drive shaft support
300 261 2196/S

26 12 1 227 660

Notes

 Inner Diameter [mm] 30
 with ball bearing
 Centre

References

26 12 1 227 660

Parts list

 300 261 2106 Drive shaft support
 014 098 9017 Driveshaft bearing

Application info

3 (E36) (09/90-08/00)

7 (E38) (10/94-11/01)

3

300 261 2110

26 12 1 227 997

Drive shaft support



Notes

Inner Diameter [mm] 55
without ball bearing
Centre

References

26 12 1 227 997

Application info

7 (E38) (10/94-11/01)

300 261 2110/S

26 12 1 227 997

Drive shaft support



Notes

Inner Diameter [mm] 35
with ball bearing
Centre

References

26 12 1 227 997

Parts list

300 261 2110 Drive shaft support

Application info

7 (E38) (10/94-11/01)

300 261 2108

26 12 1 229 089

Drive shaft support



Notes

Inner Diameter [mm] 55
without ball bearing
Centre

References

26 12 1 229 089

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

3

Drive shaft support
300 261 2198/S

26 12 1 229 089

Notes

 Inner Diameter [mm] 30
 with ball bearing
 Centre

References

26 12 1 229 089

Parts list

 300 261 2108 Drive shaft support
 014 098 9017 Driveshaft bearing

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Drive shaft support
300 261 2115

26 12 1 229 242

Notes

 Inner Diameter [mm] 30
 with ball bearing
 Centre

References

26 12 1 229 242

Parts list

014 098 9017 Driveshaft bearing


Application info

5 (E39) (11/95-05/04)

Drive shaft support
300 261 2911/S

26 12 1 229 317

Notes

 Inner Diameter [mm] 30
 with ball bearing
 Rear

References

26 12 1 229 317

Parts list

014 098 9017 Driveshaft bearing


Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98-12/07)

300 261 2121/S

26 12 1 229 431

Drive shaft support



Notes

Inner Diameter [mm] Aluminium
35
with ball bearing
Centre

References

26 12 1 229 431

Application info

5 (E39) (11/95-05/04)

300 261 2112/S

26 12 1 229 726

Drive shaft support



Notes

Inner Diameter [mm] 30
with ball bearing
Centre

References

26 12 1 229 726 26 12 7 507 740

Parts list

014 098 9017 Driveshaft bearing


Application info

X5 (E53) (05/00--)

300 261 2117

26 12 2 282 496

Drive shaft support



Notes

Inner Diameter [mm] 35
with ball bearing
Centre

References

26 12 2 282 496 26 12 7 506 783
26 12 7 501 258

Application info

3 (E46) (02/98-12/07)

3

Drive shaft support
300 261 2700

26 12 7 501 257

Notes

Inner Diameter [mm] Aluminium
 55
 without ball bearing
 Centre

References

26 12 1 229 492 26 12 7 501 257


Application info

3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)

Z4 (E85) (02/03--)

Drive shaft support
300 261 2790/S

26 12 7 501 257

Notes

Inner Diameter [mm] Aluminium
 30
 with ball bearing
 Centre

References

26 12 1 229 492 26 12 7 501 257

Parts list

300 261 2700 Drive shaft support
 014 098 9017 Driveshaft bearing


Application info

3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)

Z4 (E85) (02/03--)

Drive shaft support
300 261 2113

26 12 7 558 745

Notes

Inner Diameter [mm] Aluminium
 30
 with ball bearing
 Centre

References

26 12 7 558 745



300 261 2113

26 12 7 558 745

Drive shaft support

Application info

X3 (F25) (09/10--)
X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

014 098 9017

26 12 1 225 071

Driveshaft bearing



Notes

Inner Diameter [mm]	30
Outer Diameter [mm]	55
Height [mm]	13
	Centre

References

26 12 1 103 728	26 12 1 225 071
26 12 1 209 590	

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E21) (06/75-03/84)
3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E12) (08/72-08/81)
5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)

6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)
7 (E32) (09/86-09/94)
X3 (E83) (01/04-12/08)
X5 (E70) (02/07-03/10)
X6 (E71) (05/08--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)
Z4 (E89) (05/09--)

100 498 0091/SK

31 60 7 507 402

Boot kit, C.V. joint



Notes

Inner Diameter 2 [mm]	Elastomer
Inner Diameter 1 [mm]	90
Length [mm]	24
	90
	Wheel Side
	Front Axle

Slim Set

References

31 60 7 507 402

Application info

3 (E46) (02/98-12/07)

X5 (E53) (05/00--)

Boot kit, C.V. joint
314 316 7501

31 60 7 507 403

Notes

Inner Diameter 2 [mm] Thermoplast 96
 Inner Diameter 1 [mm] 27
 Length [mm] 128
 Transmission End
 Front Axle

References

31 60 7 507 403 31 60 7 565 315


Application info

3 (E46) (02/98-12/07)

X5 (E53) (05/00--)

Boot kit, C.V. joint
314 495 0012

31 60 7 544 433

Notes

Inner Diameter 2 [mm] Thermoplast 83
 Inner Diameter 1 [mm] 25
 Length [mm] 122
 Transmission End
 Front Axle

References

31 60 7 544 433 31 60 7 570 270


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

5 (E60, E61) (07/03-08/10)

Boot kit, C.V. joint
300 332 1102

33 21 1 229 209

Notes

Inner Diameter 2 [mm] Elastomer 107.5
 Inner Diameter 1 [mm] 25
 Length [mm] 80
 Transmission End
 Rear Axle

Full Set

References

33 21 1 229 209

Parts list

300 332 1102/SK Boot kit, C.V. joint



300 332 1102

33 21 1 229 209

Boot kit, C.V. joint

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

X5 (E53) (05/00--)

300 332 1102/SK

33 21 1 229 209

Boot kit, C.V. joint



Notes

Inner Diameter 2 [mm]
Inner Diameter 1 [mm]
Length [mm]

Elastomer
107.5
25
80
Transmission End
Rear Axle

Slim Set

References

33 21 1 229 209

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

X5 (E53) (05/00--)

300 332 1103

33 21 1 229 213

Boot kit, C.V. joint



Notes

Inner Diameter 2 [mm]
Inner Diameter 1 [mm]
Length [mm]

Elastomer
57
25
69
Wheel Side
Rear Axle

References

33 21 1 229 213

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

X5 (E53) (05/00--)

Boot kit, C.V. joint
314 495 0004

33 21 1 229 372

Notes

 Inner Diameter 2 [mm]
 Inner Diameter 1 [mm]
 Length [mm]

 Elastomer
 94
 22
 105
 Transmission End
 Rear Axle

References

33 21 1 229 372


Application info

5 (E39) (11/95-05/04)

Boot kit, C.V. joint
314 495 0005

33 21 1 229 373

Notes

 Inner Diameter 2 [mm]
 Inner Diameter 1 [mm]
 Length [mm]

 Elastomer
 45
 23
 77
 Wheel Side
 Rear Axle

References

33 21 1 229 373


Application info

5 (E39) (11/95-05/04)

Boot kit, C.V. joint
300 332 1104

33 21 1 229 375

Notes

 Inner Diameter 2 [mm]
 Inner Diameter 1 [mm]
 Length [mm]

 Elastomer
 100
 22
 104
 Transmission End
 Rear Axle

References

33 21 1 229 375


Application info

5 (E39) (11/95-05/04)

314 495 0008

33 21 1 229 378

Boot kit, C.V. joint



Notes

Inner Diameter 2 [mm]
Inner Diameter 1 [mm]
Length [mm]

Elastomer
107.5
25
80
Transmission End
Rear Axle

References

33 21 1 229 378

Application info

5 (E39) (11/95-05/04)

314 495 0006

33 21 1 229 379

Boot kit, C.V. joint



Notes

Inner Diameter 2 [mm]
Inner Diameter 1 [mm]
Length [mm]

Elastomer
57
25
69
Wheel Side
Rear Axle

References

33 21 1 229 379

Application info

5 (E39) (11/95-05/04)

314 495 0002

33 21 1 229 589

Boot kit, C.V. joint



Notes

Inner Diameter 2 [mm]
Inner Diameter 1 [mm]
Length [mm]

Elastomer
94
31
103
Transmission End
Rear Axle

References

33 21 1 229 589

33 21 7 529 920

Application info

3 (E46) (02/98-12/07)

Boot kit, C.V. joint
314 495 0003

33 21 1 229 590

Notes

 Inner Diameter 2 [mm]
 Inner Diameter 1 [mm]
 Length [mm]

 Elastomer
 44
 30
 76
 Wheel Side
 Rear Axle

References

33 21 1 229 590


Application info

3 (E46) (02/98-12/07)

Boot kit, C.V. joint
300 332 1105

33 21 1 229 593

Notes

 Inner Diameter 2 [mm]
 Inner Diameter 1 [mm]
 Length [mm]

 Elastomer
 100
 30
 105
 Transmission End
 Rear Axle

References

33 21 1 229 593


Application info

3 (E46) (02/98-12/07)

Z4 (E85) (02/03--)

Boot kit, C.V. joint
300 332 1101

33 21 1 229 594

Notes

 Inner Diameter 2 [mm]
 Inner Diameter 1 [mm]
 Length [mm]

 Elastomer
 51
 31
 76
 Wheel Side
 Rear Axle

References

33 21 1 229 594


Application info

3 (E46) (02/98-12/07)

Z4 (E85) (02/03--)

314 495 0011

33 21 7 504 524

Boot kit, C.V. joint



Notes

Inner Diameter 2 [mm]
Inner Diameter 1 [mm]
Length [mm]

Elastomer
69
38
57
Transmission End
Wheel Side

References

33 21 7 504 524

Application info

3 (E46) (02/98-12/07)
Z3 (E36/7, E36/8) (10/95-06/03)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

300 332 1702

33 21 7 504 704

Boot kit, C.V. joint



Notes

Inner Diameter 2 [mm]
Inner Diameter 1 [mm]
Length [mm]

Elastomer
52
22
77
Wheel Side
Rear Axle

References

33 21 1 229 376

33 21 7 504 704

Application info

7 (E38) (10/94-11/01)

300 332 0701

33 21 7 572 446

Boot kit, C.V. joint



Notes

Inner Diameter 2 [mm]
Inner Diameter 1 [mm]
Length [mm]

Elastomer
54
33
78
Transmission End
Wheel Side

References

33 20 7 518 902

33 21 7 572 446

Application info

5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)

7 (E65, E66) (11/01-08/05)

Boot kit, C.V. joint
300 332 1901

33 21 9 067 810

Notes

Inner Diameter 2 [mm]	Elastomer
Inner Diameter 1 [mm]	52
Length [mm]	23
	75
	Wheel Side
	Rear Axle

Full Set

References

33 21 1 225 541	33 21 9 067 810
-----------------	-----------------

Parts list

300 332 1901/SK	Boot kit, C.V. joint
-----------------	----------------------


Application info

3 (E30) (09/82-06/94)

Boot kit, C.V. joint
300 332 1901/SK

33 21 9 067 810

Notes

Inner Diameter 2 [mm]	Elastomer
Inner Diameter 1 [mm]	52
Length [mm]	23
	75
	Wheel Side
	Rear Axle

Slim Set

References

33 21 1 225 541	33 21 9 067 810
-----------------	-----------------


Application info

3 (E30) (09/82-06/94)

Boot kit, C.V. joint
300 332 1902

33 21 9 067 815

Notes

Inner Diameter 2 [mm]	Elastomer
Inner Diameter 1 [mm]	107,5
Length [mm]	26
	120
	Wheel Side
	Rear Axle

References

33 21 1 229 221	33 21 9 067 815
33 21 1 229 376	



300 332 1902

33 21 9 067 815

Boot kit, C.V. joint

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
5 (E39) (11/95-05/04)

X5 (E53) (05/00--)
Z1 (06/88-06/91)
Z3 (E36/7, E36/8) (10/95-06/03)

300 332 1903

33 21 9 067 817

Boot kit, C.V. joint



Notes

Inner Diameter 2 [mm]
Inner Diameter 1 [mm]
Length [mm]

Elastomer
52
23
75
Wheel Side
Rear Axle

References

33 21 1 227 602

33 21 9 067 817

Application info

3 (E36) (09/90-08/00)

300 332 1904

33 21 9 067 818

Boot kit, C.V. joint



Notes

Inner Diameter 2 [mm]
Inner Diameter 1 [mm]
Length [mm]

Elastomer
100
22
104
Transmission End
Rear Axle

References

33 21 1 229 205
33 21 9 067 818

33 21 9 067 899

Application info

3 (E36) (09/90-08/00)
5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)
6 (E24) (04/76-09/90)

7 (E32) (09/86-09/94)
X5 (E53) (05/00--)
Z1 (06/88-06/91)
Z3 (E36/7, E36/8) (10/95-06/03)

Boot kit, C.V. joint
314 495 0001
33 21 9 067 819
Notes

Inner Diameter 2 [mm]
 Inner Diameter 1 [mm]
 Length [mm]

Elastomer
 94
 22
 105
 Transmission End
 Rear Axle

Full Set

References

33 21 9 067 819

Parts list

314 495 0001/SK Boot kit, C.V. joint


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Boot kit, C.V. joint
300 332 1905
33 21 9 067 906
Notes

Inner Diameter 2 [mm]
 Inner Diameter 1 [mm]
 Length [mm]

Elastomer
 107.5
 26
 120
 Transmission End
 Wheel Side
 Rear Axle

Full Set

References

33 21 1 209 551

33 21 9 067 906

Parts list

300 332 1905/SK Boot kit, C.V. joint


Application info

5 (E28) (06/81-12/87)

6 (E24) (04/76-09/90)

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

3

300 332 1905/SK

33 21 9 067 906

Boot kit, C.V. joint



Notes

Inner Diameter 2 [mm]
Inner Diameter 1 [mm]
Length [mm]

Elastomer
107.5
26
120
Transmission End
Wheel Side
Rear Axle

Slim Set

References

33 21 1 209 551

33 21 9 067 906

Application info

5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)

6 (E24) (04/76-09/90)
7 (E32) (09/86-09/94)

314 498 0006

31 60 7 529 201*

C.V. joint kit



Notes

Seal Diameter [mm]
Outer Diameter [mm]
Length [mm]
Internal Teeth, wheel side
External Teeth, wheel side

CV Joint
without ABS ring
64.8
90.3
136
33
30
Wheel Side

References

31 60 3 450 565*
31 60 3 450 566*

31 60 7 529 201*
31 60 7 529 202*

Application info

X3 (E83) (01/04-12/08)

3

C.V. joint kit

314 498 0005
 31 60 7 565 313*

Notes

	CV Joint without ABS ring
Seal Diameter [mm]	65
Outer Diameter [mm]	98
Length [mm]	145
Internal Teeth, wheel side	27
External Teeth, wheel side	30
	Wheel Side

References

31 60 7 505 005	31 60 7 561 342
31 60 7 505 006	31 60 7 565 313*
31 60 7 561 341	31 60 7 565 314



Application info

X5 (E53) (05/00--)

Joint, propeller shaft

300 261 1003
 26 11 1 106 113

Notes

	Piece without add-on material
	Disc Joint
Diameter [mm]	105
Bolt Hole Circle Ø [mm]	76
Number of Holes	8
	Front

References

26 11 1 106 113



Application info

3 (E21) (06/75-03/84)

5 (E12) (08/72-08/81)

Joint, propeller shaft

314 261 1101
 26 11 1 107 832

Notes

	Piece without add-on material
	Disc Joint
Diameter [mm]	121
Bolt Hole Circle Ø [mm]	96
Number of Holes	6

References

26 11 1 107 832



314 261 1101

26 11 1 107 832

Joint, propeller shaft

Application info

5 (E12) (08/72-08/81)
6 (E24) (04/76-09/90)

7 (E23) (05/77-08/86)

314 152 0001

26 11 1 225 624

Joint, propeller shaft



Notes

Diameter [mm]
Bolt Hole Circle Ø [mm]
Number of Holes

Piece
without add-on material
Disc Joint
110
78
6

References

26 11 1 204 294
26 11 1 207 785

26 11 1 225 624

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E21) (06/75-03/84)
3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E12) (08/72-08/81)

5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)
5 (E60, E61) (07/03-08/10)
Z1 (06/88-06/91)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

314 152 0002

26 11 1 227 410

Joint, propeller shaft



Notes

Diameter [mm]
Bolt Hole Circle Ø [mm]
Number of Holes

Piece
without add-on material
Disc Joint
110
78
6
Front

References

26 11 1 227 410

26 11 1 227 410 S1

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
5 (E34) (12/87-01/97)

5 (E39) (11/95-05/04)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

3

Joint, propeller shaft
314 152 0003

26 11 1 227 869

Notes

	Piece without add-on material
	Disc Joint
Diameter [mm]	110
Bolt Hole Circle Ø [mm]	78
Number of Holes	6
	Front

References

26 11 1 227 869


Application info

3 (E36) (09/90-08/00)

5 (E39) (11/95-05/04)

Joint, propeller shaft
314 152 0004

26 11 1 229 065

Notes

	Piece without add-on material
	Disc Joint
Thickness [mm]	14
Diameter [mm]	140
Bolt Hole Circle Ø [mm]	105
Number of Holes	6
	Front

References

26 11 1 227 690

26 11 1 229 065


Application info

3 (E46) (02/98-12/07)

5 (E34) (12/87-01/97)

5 (E39) (11/95-05/04)

7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

Z8 (E52) (06/00-06/03)

Joint, propeller shaft
314 152 0005

26 11 1 229 360

Notes

	Piece without add-on material
	Disc Joint
Thickness [mm]	27.5
Diameter [mm]	120
Bolt Hole Circle Ø [mm]	96
Number of Holes	6

References

26 11 1 227 717

26 11 1 229 080

26 11 1 229 360



314 152 0005

26 11 1 229 360

Joint, propeller shaft

Application info

3 (E46) (02/98-12/07)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)

X3 (E83) (01/04-12/08)
X5 (E53) (05/00--)
X5 (E70) (02/07-03/10)
X6 (E71) (05/08--)

314 152 0013

26 11 2 226 527

Joint, propeller shaft



Notes

Diameter [mm]
Bolt Hole Circle Ø [mm]
Number of Holes

Piece
without add-on material
Disc Joint
135
96
6
Front

References

26 11 2 226 527

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

314 152 0007

26 11 7 503 159

Joint, propeller shaft



Notes

Diameter [mm]
Bolt Hole Circle Ø [mm]
Number of Holes

Piece
without add-on material
Disc Joint
110
78
6
Front

References

26 11 7 503 159

Application info

X5 (E53) (05/00--)
X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

Joint, propeller shaft
314 152 0008

26 11 7 511 454

Notes

	Piece without add-on material
	Disc Joint
Diameter [mm]	135
Bolt Hole Circle Ø [mm]	96
Number of Holes	6

References

26 11 1 209 168	26 11 7 511 454
26 11 1 227 420	


Application info

1 (E81, E82, E87, E88) (11/03-09/12)	7 (E32) (09/86-09/94)
1 (F20, F21) (11/10--)	7 (E38) (10/94-11/01)
3 (E30) (09/82-06/94)	X5 (E53) (05/00--)
3 (E36) (09/90-08/00)	X5 (E70) (02/07-03/10)
3 (E46) (02/98-12/07)	Z3 (E36/7, E36/8) (10/95-06/03)
3 (E90, E91, E92, E93) (01/05-05/12)	Z4 (E85) (02/03--)
5 (E34) (12/87-01/97)	Z4 (E86) (03/06--)
5 (E39) (11/95-05/04)	

Joint, propeller shaft
314 261 1104

26 11 7 518 304

Notes

	Piece without accessories
	Universal Joint
Diameter [mm]	24
Outer Diameter [mm]	24
Length [mm]	64
	Rear

References

26 11 1 105 398	26 11 7 518 304
-----------------	-----------------


Application info

3 (E30) (09/82-06/94)	5 (E34) (12/87-01/97)
5 (E12) (08/72-08/81)	6 (E24) (04/76-09/90)
5 (E28) (06/81-12/87)	7 (E23) (05/77-08/86)

314 152 1011

26 11 7 522 027

Joint, propeller shaft



Notes

Diameter [mm]
Bolt Hole Circle Ø [mm]
Number of Holes

Piece
without add-on material
Disc Joint
132
96
6
Front

References

26 11 7 522 027

Application info

5 (E60, E61) (07/03-08/10)
5 (F10, F11) (03/10-12/11)

6 (E63, E64) (01/04--)

314 152 1010

26 11 7 527 392

Joint, propeller shaft



Notes

Diameter [mm]
Bolt Hole Circle Ø [mm]
Number of Holes

Piece
without add-on material
Disc Joint
125
96
6
Rear

References

26 11 7 527 392

26 11 7 527 392 S1

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

5 (F10, F11) (03/10-12/11)

314 152 0012

26 11 7 542 238

Joint, propeller shaft



Notes

Diameter [mm]
Bolt Hole Circle Ø [mm]
Number of Holes

Piece
without add-on material
Two-tier
Disc Joint
155
110
6
Front

References

26 11 7 542 238



Joint, propeller shaft
314 152 0012

26 11 7 542 238


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)
 5 (E60, E61) (07/03-08/10)

 6 (E63, E64) (01/04--)
 7 (E65, E66) (11/01-08/05)
 X3 (E83) (01/04-12/08)

Joint, propeller shaft
314 152 1006

26 11 7 572 664

Notes

	Piece without add-on material
	Disc Joint
Diameter [mm]	155
Bolt Hole Circle Ø [mm]	110
Number of Holes	6
	Front

References

26 11 1 229 754	26 11 7 572 664
-----------------	-----------------


3
Application info

 3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

 7 (E65, E66) (11/01-08/05)
 X3 (E83) (01/04-12/08)

Joint, propeller shaft
314 152 1009

26 11 7 573 276

Notes

	Piece without add-on material
	Disc Joint
Diameter [mm]	140
Bolt Hole Circle Ø [mm]	105
Number of Holes	6
	Front

References

26 11 7 512 619	26 11 7 573 276
-----------------	-----------------


Application info

 3 (E90, E91, E92, E93) (01/05-05/12)
 5 (E60, E61) (07/03-08/10)

 6 (E63, E64) (01/04--)
 7 (E65, E66) (11/01-08/05)

Joint, propeller shaft

314 152 1312

26 11 7 610 061

Notes

	Kit
	Disc Joint
Diameter [mm]	140
Bolt Hole Circle Ø [mm]	105
Number of Holes	6
	Rear

References

26 11 7 610 061

Parts list

314 152 1012 Joint, propeller shaft

Application info

1 (F20, F21) (11/10--)	6 (F12, F13) (11/10-12/12)
2 (F22,F23,F46) (10/13--)	X1 (E84) (03/09--)
3 (F30, F31) (10/11--)	X5 (E70) (02/07-03/10)
3 (F34) (03/13--)	X5 (F15) (11/12--)
4 (F32, F33, F36) (07/13--)	X6 (E71) (05/08--)
5 (F10, F11) (03/10-12/11)	X6 (F16) (08/14--)

A/T oil pan

300 325 0002

24 11 7 624 192

Notes

Number of mounting bores	13 with seal with filter
--------------------------	--------------------------------

References

24 11 7 604 960	24 11 7 624 192
24 11 7 613 253	24 11 8 612 901



Application info

1 (F20, F21) (11/10--)	7 (F01, F02, F03, F04) (06/08--)
3 (F30, F31) (10/11--)	X1 (E84) (03/09--)
5 (F07) (10/09-12/10)	X3 (F25) (09/10--)
5 (F10, F11) (03/10-12/11)	X5 (E70) (02/07-03/10)
6 (F12, F13) (11/10-12/12)	X6 (E71) (05/08--)

300 325 0000

24 15 2 333 903

A/T oil pan



Notes

Number of mounting bores 24
with seal
with filter

References

24 11 0 403 404 24 11 7 571 227
24 11 7 519 359 24 15 2 333 903
24 11 7 522 923

Application info

3 (E90, E91, E92, E93) (01/05-05/12)
5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)

7 (E65, E66) (11/01-08/05)
X3 (E83) (01/04-12/08)
X5 (E70) (02/07-03/10)

300 325 0001

24 15 2 333 907

A/T oil pan



Notes

Number of mounting bores 24
with seal
with filter

References

24 11 7 536 387 24 15 2 333 907
24 11 7 571 217

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)
7 (E65, E66) (11/01-08/05)

X3 (E83) (01/04-12/08)
X5 (E70) (02/07-03/10)
X6 (E71) (05/08--)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

300 251 1102

25 11 1 204 422

Bracket, shift linkage



Notes

Manual Transmission

References

25 11 1 204 422



Bracket, shift linkage
300 251 1102

25 11 1 204 422

+

Application info

 3 (E21) (06/75-03/84)
 3 (E30) (09/82-06/94)
 5 (E12) (08/72-08/81)

 5 (E28) (06/81-12/87)
 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)

Bushing, gear lever
300 251 1100

25 11 1 208 580

Notes

Manual Transmission

References

25 11 1 202 649

25 11 1 208 580


Application info

 3 (E21) (06/75-03/84)
 3 (E30) (09/82-06/94)
 5 (E12) (08/72-08/81)

 5 (E28) (06/81-12/87)
 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)

Bushing, gear lever
300 251 1101

25 11 7 519 669

Notes

Length [mm]

 Manual Transmission
 26

References

 25 11 1 220 577
 25 11 1 220 832

 25 11 1 222 039
 25 11 7 519 669

Application info


 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 5 (E28) (06/81-12/87)
 5 (E34) (12/87-01/97)

 5 (E39) (11/95-05/04)
 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)
 7 (E32) (09/86-09/94)
 Z1 (06/88-06/91)

300 241 1106/S

24 11 1 218 899

Hydraulic filter kit, A/T



Notes

Kit with seal with fastening material

References

24 11 1 218 899

Parts list

314 139 0004 A/T oil pan gasket
300 241 1106 Hydraulic filter, A/T

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)

5 (E34) (12/87-01/97)
Z3 (E36/7, E36/8) (10/95-06/03)

300 137 0002

24 11 7 543 550

Hydraulic filter kit, A/T



Notes

Transmission Type
Transmission Type
Manufacturer Restriction

Kit with seal
6HP32
6HP26
Automatic Transmission, 6-speed
ZF

References

24 11 7 543 550

Parts list

314 139 0003 A/T oil pan gasket
314 316 0001 Hydraulic filter, A/T

Application info

7 (E65, E66) (11/01-08/05)
X3 (E83) (01/04-12/08)

X5 (E53) (05/00--)

314 137 0002

24 11 7 557 069

Hydraulic filter kit, A/T



Notes

Number of mounting bores
Transmission Type
Manufacturer Restriction

20
Kit with seal
5L40E
Automatic Transmission, 5-speed
gasket: rubber/metal with fastening material

References

24 11 7 507 790 24 11 7 533 700
24 11 7 510 011 24 11 7 557 069

Parts list

314 139 0001 A/T oil pan gasket

Hydraulic filter kit, A/T

314 137 0002
 24 11 7 557 069

Application info

X5 (E53) (05/00--)

Hydraulic filter kit, A/T

300 241 1701
 24 11 7 557 070

Notes

Number of mounting bores	20 Kit with seal
Transmission Type	5L40E Automatic Transmission, 5-speed
Manufacturer Restriction	gasket: rubber/metal with fastening material

References

24 11 1 423 604	24 11 7 533 699
24 11 7 508 517	24 11 7 557 070
24 11 7 510 012	

Parts list

314 139 0001	A/T oil pan gasket
--------------	--------------------


3
Application info

 3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)

 X3 (E83) (01/04-12/08)
 Z3 (E36/7, E36/8) (10/95-06/03)

Hydraulic filter kit, A/T

314 137 0003/S
 24 11 7 557 071

Notes

Number of mounting bores	20 Kit with seal
Transmission Type	5L40E Automatic Transmission, 5-speed
Manufacturer Restriction	GM with fastening material

References

24 11 1 423 605	24 11 7 533 657
24 11 7 507 643	24 11 7 557 071
24 11 7 510 010	

Parts list

314 139 0001	A/T oil pan gasket
314 137 0003	Hydraulic filter, A/T


Application info

 3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)

X3 (E83) (01/04-12/08)

314 137 0005/S

24 11 7 593 565

Hydraulic filter kit, A/T



Notes

Transmission Type	Kit with seal
Transmission Type	6L45E
Manufacturer Restriction	6L45R
	Automatic Transmission, 6-speed
	GM

References

24 11 7 581 604	24 11 7 593 565
-----------------	-----------------

Parts list

314 137 0005	Hydraulic filter, A/T
--------------	-----------------------

Application info


3 (E90, E91, E92, E93) (01/05-05/12)

X3 (E83) (01/04-12/08)

300 243 3101/S

24 31 1 218 550

Hydraulic filter kit, A/T



Notes

Transmission Type	Kit with seal
Transmission Type	4HP24
Manufacturer Restriction	4HP22
	Automatic Transmission, 4-speed
	ZF

References

24 31 1 218 550	24 34 1 215 544
-----------------	-----------------

Parts list

300 241 1107	A/T oil pan gasket
300 243 3101	Hydraulic filter, A/T

Application info


3 (E30) (09/82-06/94)
5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)

6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)
7 (E32) (09/86-09/94)

300 243 1102/S

24 31 1 218 571

Hydraulic filter kit, A/T



Notes

Transmission Type	Kit with seal
Transmission Type	4HP24
Manufacturer Restriction	4HP22
	Automatic Transmission, 4-speed
	ZF

References

24 31 1 218 204	24 31 1 218 571
-----------------	-----------------

Parts list

300 243 1102	Hydraulic filter, A/T
--------------	-----------------------

3

Hydraulic filter kit, A/T

300 243 1102/S
 24 31 1 218 571

Application info

 5 (E34) (12/87-01/97)
 7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

Hydraulic filter kit, A/T

300 243 4104/S
 24 34 1 422 419

Notes


Transmission Type	Kit with seal 5HP30
Manufacturer Restriction	Automatic Transmission, 5-speed ZF

References

24 34 1 421 200	24 34 1 422 419
-----------------	-----------------

Parts list

300 243 4104	Hydraulic filter, A/T
--------------	-----------------------


Application info

 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)
 7 (E32) (09/86-09/94)

 7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)

Hydraulic filter kit, A/T

300 243 4105/S
 24 34 1 422 513

Notes


Transmission Type	Kit with seal 5HP18
Manufacturer Restriction	Automatic Transmission, 5-speed ZF

References

24 34 1 219 156	24 34 1 422 513
24 34 1 219 631	

Parts list

300 243 4105	Hydraulic filter, A/T
--------------	-----------------------


Application info


 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)

 7 (E32) (09/86-09/94)
 7 (E38) (10/94-11/01)

314 137 0001

24 34 1 422 673

Hydraulic filter kit, A/T



Notes

Number of mounting bores	22
Transmission Type	Kit with seal 5HP24 FLA Automatic Transmission, 5-speed ZF
Manufacturer Restriction	

References

24 34 1 422 673

Parts list

314 139 0002	A/T oil pan gasket
300 243 4107	Hydraulic filter, A/T

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)
X5 (E53) (05/00--)

300 243 4108/S

24 34 1 423 376

Hydraulic filter kit, A/T



Notes

Transmission Type	Kit with seal 5HP19 Automatic Transmission, 5-speed ZF
Manufacturer Restriction	

References

24 34 1 423 376

Parts list

314 139 0005	A/T oil pan gasket
100 325 0005	Hydraulic filter, A/T

Application info

3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
Z4 (E85) (02/03--)

300 241 1106

24 11 1 218 899

Hydraulic filter, A/T



Notes

Piece without gasket / seal

References

24 11 1 218 899



Hydraulic filter, A/T
300 241 1106

24 11 1 218 899

+

Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)

5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

Hydraulic filter, A/T
314 316 0001

24 11 7 543 550

Notes

 Transmission Type
 Transmission Type

 Piece
 without gasket / seal
 6HP32
 6HP26
 Automatic Transmission, 6-speed

References

24 11 7 543 550


Application info

 7 (E65, E66) (11/01-08/05)
 X3 (E83) (01/04-12/08)

X5 (E53) (05/00--)

Hydraulic filter, A/T
314 137 0003

24 11 7 557 071

Notes

 Transmission Type
 Transmission Type

 Piece
 without gasket / seal
 5L50E
 5L40E
 Automatic Transmission, 5-speed

References

 24 11 1 423 605
 24 11 7 507 643
 24 11 7 510 010

 24 11 7 533 657
 24 11 7 557 071

Application info

 3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)

X3 (E83) (01/04-12/08)

314 137 0005

24 11 7 593 565

Hydraulic filter, A/T



Notes

Transmission Type
Transmission Type

Piece
without gasket / seal
6L45E
6L45R
Automatic Transmission, 6-speed

References

24 11 7 581 604

24 11 7 593 565

Application info


1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)
X3 (E83) (01/04-12/08)

300 243 4104

24 34 1 422 419

Hydraulic filter, A/T



Notes

References

24 34 1 421 200

Piece
without gasket / seal

24 34 1 422 419

Application info


5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

300 243 4105

24 34 1 422 513

Hydraulic filter, A/T



Notes

References

24 34 1 219 156
24 34 1 219 631

Piece
without gasket / seal

24 34 1 422 513

3

+

Hydraulic filter, A/T
300 243 4105

24 34 1 422 513

+

Application info

 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)

 7 (E32) (09/86-09/94)
 7 (E38) (10/94-11/01)

Hydraulic filter, A/T
300 243 4107


24 34 1 422 673

Notes

 Piece
 without gasket / seal

References

24 34 1 422 673


Application info

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

 8 (E31) (04/90-12/99)
 X5 (E53) (05/00--)

Hydraulic filter, A/T
300 243 4106

24 34 1 423 109

Notes

 Piece
 without gasket / seal

References

24 34 1 423 109


Application info

 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)

5 (E39) (11/95-05/04)

3

100 325 0005

24 34 1 423 376

Hydraulic filter, A/T



Notes

Transmission Type
Transmission Type
Transmission Type
Transmission Type

Piece
without gasket / seal
5HP19FLA
5HP19FL
A5S335Z
5HP19
Automatic Transmission, 5-speed

References

24 34 1 423 376

Application info

3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
Z4 (E85) (02/03--)

300 237 1113

22 31 3 421 301

Mount, automatic transmission



Notes

Rubber-metal Bearing
Right

References

22 31 3 400 343

22 31 3 421 301

Application info

X3 (E83) (01/04-12/08)

300 221 1137

22 31 3 451 444

Mount, automatic transmission



Notes

Rubber-metal Bearing
Rear

References

22 31 3 451 444

Application info

X3 (E83) (01/04-12/08)

3

Mount, automatic transmission
300 223 1601

22 31 6 754 088

Notes

 Rubber-metal Bearing
 Front

References

22 31 6 751 760

22 31 6 754 088


Application info

X5 (E53) (05/00--)

Mount, automatic transmission
300 221 1142

22 31 6 770 289

Notes

 Rubber-metal Bearing
 Centre

References

22 31 6 770 289


Application info

5 (E60, E61) (07/03-08/10)

5 (F07) (10/09-12/10)

5 (F10, F11) (03/10-12/11)

6 (E63, E64) (01/04--)

6 (F12, F13) (11/10-12/12)

7 (F01, F02, F03, F04) (06/08--)

Mount, automatic transmission
300 223 1602

22 31 6 771 130

Notes

Rubber-metal Bearing

Outer Diameter [mm]

46

Outer Diameter [mm]

50

Height [mm]

34

Thread Size

M8x1,25

Left and right

References

22 31 6 771 130

22 32 1 092 897



300 223 1602

22 31 6 771 130

Mount, automatic transmission

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01-08/05)

300 223 1101

22 31 6 771 221

Mount, automatic transmission



Notes

	Rubber-metal Bearing
Outer Diameter [mm]	50
Outer Diameter [mm]	36
Thread Size	M8x1,25
Length [mm]	69.5
	Left and right

References

22 31 1 094 916	23 71 1 130 205
22 31 6 771 221	23 71 1 131 664

Application info

3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

300 221 1144

22 31 6 773 125

Mount, automatic transmission



Notes

Rubber-metal Bearing
for transfer gear
Transmission End

References

22 31 6 750 858	22 31 6 773 693
22 31 6 773 125	

Application info

3 (E46) (02/98-12/07)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E60, E61) (07/03-08/10)
5 (F07) (10/09-12/10)

7 (F01, F02, F03, F04) (06/08--)
X1 (E84) (03/09--)
X3 (E83) (01/04-12/08)

Mount, automatic transmission
300 223 1600

22 31 6 799 330

Notes

	Rubber-metal Bearing
Outer Diameter [mm]	46.5
Outer Diameter [mm]	50
Height [mm]	33.5
Thread Size	M8x1,25
	Front

References

22 31 6 753 316	22 31 6 799 330
22 31 6 771 220	23 70 1 138 517


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E46) (02/98-12/07)

 3 (E90, E91, E92, E93) (01/05-05/12)
 5 (E39) (11/95-05/04)

Mount, automatic transmission
300 237 1101

22 31 6 799 331

Notes

	Rubber-metal Bearing
Outer Diameter [mm]	36
Outer Diameter [mm]	50
Height [mm]	34
Thread Size	M8x1,25
	Left and right

References

22 31 6 771 219	23 71 1 137 817
22 31 6 799 331	


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 3 (E90, E91, E92, E93) (01/05-05/12)

 5 (E39) (11/95-05/04)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)
Mount, automatic transmission
300 223 1603

22 31 6 799 411

Notes

 Rubber-metal Bearing
 Left and right

References

22 31 6 799 411



300 223 1603

22 31 6 799 411

Mount, automatic transmission

+

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

300 223 1604

22 31 6 799 845

Mount, automatic transmission



Notes

Rubber-metal Bearing
Left and right

References

22 31 6 799 845

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)
Z4 (E89) (05/09--)

300 237 0100

23 70 1 141 614

Mount, automatic transmission



Notes

Rubber-metal Bearing
Outer Diameter [mm] 50
Outer Diameter [mm] 36
Width [mm] 34
Thread Size M8x1,25
Length [mm] 69.5
Left and right

References

23 70 1 141 532 23 71 1 133 487
23 70 1 141 614 24 71 1 134 740

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)
8 (E31) (04/90-12/99)

Mount, automatic transmission
300 237 1104

23 71 1 175 939

Notes

	Rubber-metal Bearing
Outer Diameter [mm]	50
Outer Diameter [mm]	39
Width [mm]	33
Thread Size	M8x1,25
Length [mm]	68
	Left and right

References

23 71 1 175 939


Application info

 3 (E30) (09/82-06/94)
 5 (E28) (06/81-12/87)

 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)

Mount, automatic transmission
300 237 1105

23 71 1 176 041

Notes

	Rubber-metal Bearing
Outer Diameter [mm]	50
Outer Diameter [mm]	40
Width [mm]	38.5
Thread Size	M8x1,25
Length [mm]	73
	Left and right

References

23 71 1 176 041


Application info

 3 (E30) (09/82-06/94)
 5 (E28) (06/81-12/87)

6 (E24) (04/76-09/90)

Mount, automatic transmission
300 247 0102


24 70 1 138 427

Notes

 Rubber-metal Bearing
 Left
 Rear

References

24 70 1 138 427


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

300 247 0101

24 70 1 138 428

Mount, automatic transmission



Notes

Rubber-metal Bearing
Right
Rear

References

24 70 1 138 428

Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

300 247 0104

24 70 1 138 435

Mount, automatic transmission



Notes

Outer Diameter [mm]
Outer Diameter [mm]
Width [mm]

Rubber-metal Bearing
36
48
34
Front

References

24 70 1 138 435

Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

300 247 1102

24 71 1 128 372

Mount, automatic transmission



Notes

Rubber-metal Bearing
Left and right

References

24 71 1 128 372

Application info

3 (E30) (09/82-06/94)

3

Mount, automatic transmission
300 247 1100
 24 71 1 131 663

Notes

	Rubber-metal Bearing
Outer Diameter [mm]	50
Outer Diameter [mm]	38
Width [mm]	43
Thread Size	M8x1,25
Length [mm]	79
	Left and right

References

24 71 1 130 188	24 71 1 131 663
-----------------	-----------------


Application info

5 (E34) (12/87-01/97)	8 (E31) (04/90-12/99)
7 (E32) (09/86-09/94)	

Mount, differential
300 331 7104
 33 17 1 126 951

Notes

 Rubber-metal Bearing
 Rear

References

33 17 1 103 842	33 17 1 126 951
33 17 1 121 908	


Application info

5 (E12) (08/72-08/81)	6 (E24) (04/76-09/90)
5 (E28) (06/81-12/87)	

Mount, differential
300 331 7105
 33 17 1 129 786

Notes

 Rubber-metal Bearing
 Rear

References

33 17 1 129 783	33 17 1 129 786
-----------------	-----------------


Application info

5 (E28) (06/81-12/87)	6 (E24) (04/76-09/90)
-----------------------	-----------------------

300 331 7110

33 17 1 135 242

Mount, differential



Notes

Rubber-metal Bearing
Rear Axle Middle

References

33 17 1 135 242

Application info

3 (E30) (09/82-06/94)

300 333 1106

33 31 1 132 251

Mount, differential



Notes

Rubber-metal Bearing
Rear

References

33 31 1 132 251

33 31 1 132 257

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

300 237 1113

22 31 3 421 301

Mount, manual transmission



Notes

Rubber-metal Bearing
Right

References

22 31 3 400 343

22 31 3 421 301

Application info

X3 (E83) (01/04-12/08)

3

Mount, manual transmission
300 223 1601

22 31 6 754 088

Notes

 Rubber-metal Bearing
 Front

References

22 31 6 751 760

22 31 6 754 088


Application info

X5 (E53) (05/00--)

Mount, manual transmission
300 221 1142

22 31 6 770 289

Notes

 Rubber-metal Bearing
 Centre

References

22 31 6 770 289


Application info

5 (E60, E61) (07/03-08/10)

5 (F07) (10/09-12/10)

5 (F10, F11) (03/10-12/11)

6 (E63, E64) (01/04--)

6 (F12, F13) (11/10-12/12)

7 (F01, F02, F03, F04) (06/08--)

Mount, manual transmission
300 223 1101

22 31 6 771 221

Notes

Rubber-metal Bearing

Outer Diameter [mm]

50

Outer Diameter [mm]

36

Thread Size

M8x1,25

Length [mm]

69.5

Left and right

References

22 31 1 094 916

22 31 6 771 221

23 71 1 130 205

23 71 1 131 664



300 223 1101

22 31 6 771 221

Mount, manual transmission

Application info

3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

300 221 1144

22 31 6 773 125

Mount, manual transmission



Notes

Rubber-metal Bearing
for transfer gear
Transmission End

References

22 31 6 750 858
22 31 6 773 125

22 31 6 773 693

Application info

3 (E46) (02/98-12/07)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E60, E61) (07/03-08/10)
5 (F07) (10/09-12/10)

7 (F01, F02, F03, F04) (06/08--)
X1 (E84) (03/09--)
X3 (E83) (01/04-12/08)

300 223 1600

22 31 6 799 330

Mount, manual transmission



Notes

Outer Diameter [mm]
Outer Diameter [mm]
Height [mm]
Thread Size

Rubber-metal Bearing
46.5
50
33.5
M8x1,25
Front

References

22 31 6 753 316
22 31 6 771 220

22 31 6 799 330
23 70 1 138 517

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E46) (02/98-12/07)

3 (E90, E91, E92, E93) (01/05-05/12)
5 (E39) (11/95-05/04)

Mount, manual transmission
300 237 1101

22 31 6 799 331

Notes

	Rubber-metal Bearing
Outer Diameter [mm]	36
Outer Diameter [mm]	50
Height [mm]	34
Thread Size	M8x1,25
	Left and right

References

22 31 6 771 219	23 71 1 137 817
22 31 6 799 331	


Application info

1 (E81, E82, E87, E88) (11/03-09/12)	5 (E39) (11/95-05/04)
3 (E36) (09/90-08/00)	Z3 (E36/7, E36/8) (10/95-06/03)
3 (E46) (02/98-12/07)	Z4 (E85) (02/03--)
3 (E90, E91, E92, E93) (01/05-05/12)	Z4 (E86) (03/06--)

Mount, manual transmission
300 223 1604

22 31 6 799 845

Notes

 Rubber-metal Bearing
 Left and right

References

22 31 6 799 845


Application info

1 (E81, E82, E87, E88) (11/03-09/12)	Z4 (E86) (03/06--)
3 (E90, E91, E92, E93) (01/05-05/12)	Z4 (E89) (05/09--)
Z4 (E85) (02/03--)	

Mount, manual transmission
300 237 0100

23 70 1 141 614

Notes

	Rubber-metal Bearing
Outer Diameter [mm]	50
Outer Diameter [mm]	36
Width [mm]	34
Thread Size	M8x1,25
Length [mm]	69.5
	Left and right

References

23 70 1 141 532	23 71 1 133 487
23 70 1 141 614	24 71 1 134 740



300 237 0100

23 70 1 141 614

Mount, manual transmission

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)
8 (E31) (04/90-12/99)

300 237 1104

23 71 1 175 939

Mount, manual transmission



Notes

	Rubber-metal Bearing
Outer Diameter [mm]	50
Outer Diameter [mm]	39
Width [mm]	33
Thread Size	M8x1,25
Length [mm]	68
	Left and right

References

23 71 1 175 939

Application info

3 (E30) (09/82-06/94)
5 (E28) (06/81-12/87)

6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)

300 237 1105

23 71 1 176 041

Mount, manual transmission



Notes

	Rubber-metal Bearing
Outer Diameter [mm]	50
Outer Diameter [mm]	40
Width [mm]	38.5
Thread Size	M8x1,25
Length [mm]	73
	Left and right

References

23 71 1 176 041

Application info

3 (E30) (09/82-06/94)
5 (E28) (06/81-12/87)

6 (E24) (04/76-09/90)

Mount, manual transmission
300 247 0102
 24 70 1 138 427

Notes

 Rubber-metal Bearing
 Left
 Rear

References

24 70 1 138 427


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Mount, manual transmission
300 247 0101
 24 70 1 138 428

Notes

 Rubber-metal Bearing
 Right
 Rear

References

24 70 1 138 428


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Mount, manual transmission
300 247 0104
 24 70 1 138 435

Notes

Outer Diameter [mm]	Rubber-metal Bearing
Outer Diameter [mm]	48
Outer Diameter [mm]	36
Width [mm]	34
	Front

References

24 70 1 138 435


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

300 135 0301

24 11 7 557 069



Parts kit, automatic transm. oil change

Notes

Transmission Type
Transmission Type
Transmission Type

Manufacturer Restriction

Kit with accessories
5L40E
A5S360R
A5S390R
Automatic Transmission, 5-speed
GM

References

24 11 7 557 069

Parts list

014 019 2500
314 137 0002

Transmission fluid
Hydraulic filter kit, A/T

Application info

X5 (E53) (05/00--)

300 135 0302

24 11 7 557 070



Parts kit, automatic transm. oil change

Notes

Transmission Type
Transmission Type
Transmission Type

Manufacturer Restriction

Kit with accessories
5L40E
A5S360R
A5S390R
Automatic Transmission, 5-speed
GM

References

24 11 7 557 070

Parts list

014 019 2300
300 241 1701

Transmission fluid
Hydraulic filter kit, A/T

Application info

3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)

X3 (E83) (01/04-12/08)
Z3 (E36/7, E36/8) (10/95-06/03)

3

Parts kit, automatic transm. oil change
300 135 0303

24 11 7 557 071

Notes

	Kit with accessories
Transmission Type	5L40E
Transmission Type	A4S200R
Transmission Type	A5S390R
Transmission Type	A5S360R
Manufacturer Restriction	Automatic Transmission, 5-speed GM

References

24 11 7 557 071	24 15 2 333 825
-----------------	-----------------

Parts list

014 019 2300	Transmission fluid
314 137 0003/S	Hydraulic filter kit, A/T


Application info

 3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)

X3 (E83) (01/04-12/08)

Parts kit, automatic transm. oil change
300 135 0304

24 11 7 593 565

Notes

	Kit with accessories
Transmission Type	GA6L45R
Transmission Type	6L45E
Transmission Type	6L45R
Manufacturer Restriction	Automatic Transmission, 6-speed GM

References

24 11 7 593 565

Parts list

014 019 2500	Transmission fluid
314 137 0005/S	Hydraulic filter kit, A/T


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)

 X1 (E84) (03/09--)
 X3 (E83) (01/04-12/08)

3

300 135 0007

24 11 8 612 901



Parts kit, automatic transm. oil change

Notes

Transmission Type	8HP70
Transmission Type	8HP45
Manufacturer Restriction	Automatic Transmission, 8-speed ZF

References

24 11 7 624 192	24 11 8 612 901
-----------------	-----------------

Parts list

014 019 3200	Transmission fluid
300 325 0002	A/T oil pan

Application info

- | | |
|-----------------------------|----------------------------------|
| 1 (F20, F21) (11/10--) | 7 (F01, F02, F03, F04) (06/08--) |
| 3 (F30, F31) (10/11--) | X1 (E84) (03/09--) |
| 3 (F34) (03/13--) | X3 (F25) (09/10--) |
| 4 (F32, F33, F36) (07/13--) | X5 (E70) (02/07-03/10) |
| 5 (F07) (10/09-12/10) | X6 (E71) (05/08--) |
| 5 (F10, F11) (03/10-12/11) | Z4 (E89) (05/09--) |
| 6 (F12, F13) (11/10-12/12) | |

300 135 1006

24 15 2 333 899

Parts kit, automatic transm. oil change

Notes

Transmission Type	6HP32 (HSL 015+016)
Transmission Type	6HP26 X
Manufacturer Restriction	Automatic Transmission, 6-speed ZF

References

24 11 7 543 550*	24 15 2 333 899
------------------	-----------------

Parts list

014 019 2900	Transmission fluid
314 139 0003	A/T oil pan gasket
300 137 0002	Hydraulic filter kit, A/T
314 316 0001	Hydraulic filter, A/T
300 930 0001/S	Keine Bezeichnung: GA 4743

Application info

- | | |
|----------------------------|------------------------|
| 7 (E65, E66) (11/01-08/05) | X5 (E70) (02/07-03/10) |
| X3 (E83) (01/04-12/08) | X6 (E71) (05/08--) |
| X5 (E53) (05/00--) | |

Parts kit, automatic transm. oil change
300 135 1005

24 15 2 333 903

Notes

	Kit with accessories
	Plastic
Transmission Type	6HP32
Transmission Type	6HP28 X
Transmission Type	6HP28
Transmission Type	6HP26 X
Transmission Type	6HP26
Manufacturer Restriction	Automatic Transmission, 6-speed ZF

References

24 15 2 333 903

Parts list

014 019 2900	Transmission fluid
300 325 0000	A/T oil pan
300 930 0001/S	Keine Bezeichnung: GA 4743


Application info

3 (E90, E91, E92, E93) (01/05-05/12)
 5 (E60, E61) (07/03-08/10)
 6 (E63, E64) (01/04--)
 7 (E65, E66) (11/01-08/05)

7 (F01, F02, F03, F04) (06/08--)
 X3 (E83) (01/04-12/08)
 X5 (E70) (02/07-03/10)
 X6 (E71) (05/08--)

Parts kit, automatic transm. oil change
300 135 1004

24 15 2 333 907

Notes

	Kit with accessories
	Plastic
Transmission Type	6HP21 X
Transmission Type	6HP21
Transmission Type	6HP19 X
Transmission Type	6HP19
Manufacturer Restriction	Automatic Transmission, 6-speed ZF

References

24 15 2 333 907

Parts list

014 019 2900	Transmission fluid
300 325 0001	A/T oil pan
300 930 0001/S	Keine Bezeichnung: GA 4743



300 135 1004

24 15 2 333 907

Parts kit, automatic transm. oil change

Application info

- 1 (E81, E82, E87, E88) (11/03-09/12)
- 3 (E90, E91, E92, E93) (01/05-05/12)
- 5 (E60, E61) (07/03-08/10)
- 6 (E63, E64) (01/04--)
- 7 (E65, E66) (11/01-08/05)
- 7 (F01, F02, F03, F04) (06/08--)
- X1 (E84) (03/09--)

- X3 (E83) (01/04-12/08)
- X5 (E70) (02/07-03/10)
- X6 (E71) (05/08--)
- Z4 (E85) (02/03--)
- Z4 (E86) (03/06--)
- Z4 (E89) (05/09--)

300 135 0002

24 34 1 422 673

Parts kit, automatic transm. oil change



Notes

Transmission Type
Manufacturer Restriction

Kit with accessories
5HP24
Automatic Transmission, 5-speed
ZF

References

24 34 1 422 673

Parts list

- 014 019 2300
- 314 139 0002
- 314 137 0001
- 300 243 4107

Transmission fluid
A/T oil pan gasket
Hydraulic filter kit, A/T
Hydraulic filter, A/T

Application info


- 5 (E39) (11/95-05/04)
- 7 (E38) (10/94-11/01)

X5 (E53) (05/00--)

300 135 0001

24 34 1 423 376

Parts kit, automatic transm. oil change



Notes

Transmission Type
Manufacturer Restriction

Kit with accessories
5HP19
Automatic Transmission, 5-speed
ZF

References

24 34 1 423 376

Parts list

- 014 019 2300
- 314 139 0005
- 300 243 4108/S
- 100 325 0005

Transmission fluid
A/T oil pan gasket
Hydraulic filter kit, A/T
Hydraulic filter, A/T

Parts kit, automatic transm. oil change**300 135 0001**
24 34 1 423 376**Application info**3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)7 (E38) (10/94-11/01)
Z4 (E85) (02/03--)

300 919 0001

65 81 6 905 133

Sensor, outdoor temperature



Notes

Operating voltage [V]
Number of Poles

NTC Sensor
12
2
without cable

References

65 81 6 905 133

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
1 (F20, F21) (11/10--)
3 (E46) (02/98-12/07)
3 (E90, E91, E92, E93) (01/05-05/12)
3 (F30, F31) (10/11--)
3 (F34) (03/13--)
4 (F32, F33, F36) (07/13--)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03-08/10)
5 (F07) (10/09-12/10)
5 (F10, F11) (03/10-12/11)
6 (E63, E64) (01/04--)
6 (F12, F13) (11/10-12/12)

7 (E38) (10/94-11/01)
7 (E65, E66) (11/01-08/05)
7 (F01, F02, F03, F04) (06/08--)
X1 (E84) (03/09--)
X3 (E83) (01/04-12/08)
X3 (F25) (09/10--)
X5 (E53) (05/00--)
X5 (E70) (02/07-03/10)
X6 (E71) (05/08--)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)
Z4 (E89) (05/09--)

314 899 0054

Sensor, wash water level



Notes

Operating voltage [V]
Length [mm]
Number of Poles

Passive sensor
Reed Contact
12
87
2

References

17 11 7 546 548

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

ABS wheel sensor
314 899 0001
 34 52 1 163 027

Notes

	Inductive Sensor for vehicles with ABS
Cable Length [mm]	650
Operating voltage [V]	12
Number of Poles	3
Required quantity	2
Resistance [Ohm]	1000
	Front Axle left and right

References

34 52 1 163 027	34 52 1 165 519
34 52 1 163 188	


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

ABS wheel sensor
314 899 0002
 34 52 1 163 028

Notes

	Inductive Sensor for vehicles with ABS
Cable Length [mm]	780
Operating voltage [V]	12
Number of Poles	2
Required quantity	2
Resistance [Ohm]	1100
	Rear Axle left and right

References

34 52 1 163 028	34 52 1 182 063
34 52 1 181 126	34 52 1 182 067
34 52 1 181 971	


Application info

3 (E36) (09/90-08/00)

ABS wheel sensor
314 899 0048
 34 52 1 164 370

Notes

	Inductive Sensor
Cable Length [mm]	955
Operating voltage [V]	12
Number of Poles	2
Required quantity	2
Resistance [Ohm]	1100
	Rear Axle left and right

References

34 52 1 164 370	34 52 1 164 652
-----------------	-----------------



314 899 0048
34 52 1 164 370

ABS wheel sensor

Application info
3 (E46) (02/98-12/07)

314 800 0041
34 52 1 164 474

ABS wheel sensor



Notes

Cable Length [mm]
Operating voltage [V]
Number of Poles
Required quantity
Resistance [Ohm]

Inductive Sensor
405
12
2
2
1015
Rear Axle left and right

References

34 52 1 164 474

34 52 1 164 643

Application info
3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

314 899 0022
34 52 1 165 609

ABS wheel sensor



Notes

Cable Length [mm]
Operating voltage [V]
Number of Poles
Required quantity
Resistance [Ohm]

Passive sensor
for vehicles without DSC
550
12
3
2
1000
Front Axle left and right

References

34 52 1 164 651

34 52 1 165 609

Application info
3 (E46) (02/98-12/07)

ABS wheel sensor
314 800 0049


34 52 1 166 126

Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	950
Number of Poles	12
Required quantity	2
	2
	Rear Axle left and right

References

34 52 1 166 126


Application info

3 (E46) (02/98-12/07)

ABS wheel sensor
314 899 0035

34 52 1 182 076

Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	607
Number of Poles	12
Required quantity	2
	2
	Front Axle left and right

References

34 52 1 182 076


Application info

7 (E38) (10/94-11/01)

ABS wheel sensor
314 899 0036

34 52 1 182 077

Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	945
Number of Poles	12
Required quantity	2
	2
	Rear Axle left and right

References

34 52 1 182 077


Application info

7 (E38) (10/94-11/01)

4

314 899 0030
34 52 1 182 159

ABS wheel sensor



Notes

Cable Length [mm]	580
Operating voltage [V]	12
Number of Poles	2
Required quantity	2
	Front Axle left and right

References

34 52 1 182 159

Application info

5 (E39) (11/95-05/04)

314 899 0039
34 52 1 182 160

ABS wheel sensor



Notes

Cable Length [mm]	780
Operating voltage [V]	12
Number of Poles	2
Required quantity	2
	Rear Axle left and right

References

34 52 1 182 160

Application info

5 (E39) (11/95-05/04)

314 899 0063
34 52 3 420 330

ABS wheel sensor



Notes

Cable Length [mm]	835
Operating voltage [V]	12
Number of Poles	2
Required quantity	2
Resistance [Ohm]	1150
	Front Axle left and right

References

34 52 3 405 906

34 52 3 420 330

Application info

X3 (E83) (01/04-12/08)

ABS wheel sensor
314 899 0066

34 52 3 420 331

Notes

	Hall Sensor
Cable Length [mm]	650
Operating voltage [V]	12
Number of Poles	2
Required quantity	2
	Rear Axle left and right

References

34 52 3 405 907	34 52 3 420 331
-----------------	-----------------


Application info

X3 (E83) (01/04-12/08)

ABS wheel sensor
314 899 0051

34 52 6 752 683

Notes

	Hall Sensor
Cable Length [mm]	965
Operating voltage [V]	12
Number of Poles	2
Required quantity	2
	Rear Axle left and right

References

34 52 6 752 683


Application info

3 (E46) (02/98-12/07)

ABS wheel sensor
314 800 0044

34 52 6 752 702

Notes

	Hall Sensor
Cable Length [mm]	940
Operating voltage [V]	12
Number of Poles	2
Required quantity	2
	Rear Axle left and right

References

34 52 6 752 702


Application info

3 (E46) (02/98-12/07)

4

314 899 0061

34 52 6 756 373

ABS wheel sensor



Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	550
Number of Poles	12
Required quantity	2
	2
	Front Axle left and right

References

34 52 0 025 721	34 52 6 756 373
34 52 1 165 532	

Application info

7 (E38) (10/94-11/01)

314 899 0046

34 52 6 756 374

ABS wheel sensor



Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	1030
Number of Poles	12
Required quantity	2
	2
	Rear Axle left and right

References

34 52 0 025 722	34 52 6 756 374
34 52 1 165 533	

Application info

7 (E38) (10/94-11/01)

314 899 0024

34 52 6 756 375

ABS wheel sensor



Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	525
Number of Poles	12
Required quantity	2
	2
	Front Axle left and right

References

34 52 0 025 723	34 52 6 756 375
34 52 1 165 534	

Application info

5 (E39) (11/95-05/04)

ABS wheel sensor
314 899 0027

34 52 6 756 376

Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	785
Number of Poles	12
Required quantity	2
	2
	Rear Axle left and right

References

34 52 0 025 724	34 52 6 756 376
34 52 1 165 535	


Application info

5 (E39) (11/95-05/04)

ABS wheel sensor
314 899 0047

34 52 6 756 377

Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	935
Number of Poles	12
Required quantity	2
	2
	Rear Axle left and right

References

34 52 0 025 720	34 52 6 756 377
34 52 1 165 536	


Application info

5 (E39) (11/95-05/04)

ABS wheel sensor
314 800 0048

34 52 6 757 281

Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	835
Number of Poles	12
Required quantity	2
	2
	Rear Axle left and right

References

34 52 6 757 281


Application info

Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

4

314 899 0033

34 52 6 762 465



ABS wheel sensor

Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	660
Number of Poles	12
Required quantity	2
	2
	Front Axle left and right

References

34 52 6 762 465

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

314 899 0034

34 52 6 762 466



ABS wheel sensor

Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	855
Number of Poles	12
Required quantity	2
	2
	Rear Axle left and right

References

34 52 6 762 466

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

314 899 0068

34 52 6 771 701



ABS wheel sensor

Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	930
Number of Poles	12
Required quantity	2
	2
	Rear Axle left and right

References

34 52 6 760 047

34 52 6 771 701

Application info

5 (E60, E61) (07/03-08/10)

ABS wheel sensor
314 899 0031

34 52 6 771 702

Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	680
Number of Poles	12
Required quantity	2
	2
	Front Axle left and right

References

34 52 6 771 702


Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

ABS wheel sensor
314 899 0032

34 52 6 771 703

Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	750
Number of Poles	12
Required quantity	2
	2
	Rear Axle left and right

References

34 52 6 771 703


Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

ABS wheel sensor
314 800 0046

34 52 6 771 704

Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	560
Number of Poles	12
Required quantity	2
	2
	Front Axle left and right

References

34 52 6 760 533

34 52 6 771 704


Application info

X5 (E53) (05/00--)

314 899 0064
34 52 6 771 705

ABS wheel sensor



Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	635
Number of Poles	12
Required quantity	2
	2
	Rear Axle left and right

References

34 52 6 760 534	34 52 6 771 705
-----------------	-----------------

Application info

X5 (E53) (05/00--)

314 899 0057
34 52 6 771 708

ABS wheel sensor



Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	725
Number of Poles	12
Required quantity	2
	2
	Front Axle left and right

References

34 52 6 761 650	34 52 6 771 708
34 52 6 761 800	

Application info

7 (E65, E66) (11/01-08/05)

314 899 0059
34 52 6 771 709

ABS wheel sensor



Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	920
Number of Poles	12
Required quantity	2
	2
	Rear Axle left and right

References

34 52 6 761 651	34 52 6 771 709
34 52 6 761 801	

Application info

7 (E65, E66) (11/01-08/05)

ABS wheel sensor
314 899 0050

34 52 6 792 896

Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	550
Number of Poles	12
Required quantity	2
	1
	Front Axle Right

References

34 52 6 752 682	34 52 6 792 896
-----------------	-----------------

Counterpart

314 899 0049


Application info

 3 (E46) (02/98-12/07)
 Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

ABS wheel sensor
314 899 0049

34 52 6 792 897

Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	515
Number of Poles	12
Required quantity	2
	1
	Front Axle Left

References

34 52 6 752 681	34 52 6 792 897
-----------------	-----------------

Counterpart

314 899 0050


Application info

 3 (E46) (02/98-12/07)
 Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

ABS wheel sensor
314 899 0045

34 52 6 870 075

Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	585
Number of Poles	12
Required quantity	2
	2
	Front Axle left and right

References

34 52 6 760 424	34 52 6 870 075
34 52 6 785 020	



314 899 0045
34 52 6 870 075

ABS wheel sensor

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

314 899 0062
34 52 6 870 076

ABS wheel sensor



Notes

Cable Length [mm]
Operating voltage [V]
Number of Poles
Required quantity

Hall Sensor
860
12
2
2
Rear Axle left and right

References

34 52 6 760 425
34 52 6 785 021

34 52 6 870 076

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

314 899 0065
34 52 6 870 077

ABS wheel sensor



Notes

Cable Length [mm]
Operating voltage [V]
Number of Poles
Required quantity

Hall Sensor
875
12
2
2
Rear Axle left and right

References

34 52 6 762 476
34 52 6 785 022

34 52 6 870 077

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

ABS wheel sensor
314 899 0056
Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	560
Number of Poles	12
Required quantity	2
	2
	Front Axle left and right

References

34 52 6 752 016	34 52 6 756 379
-----------------	-----------------


Application info

X5 (E53) (05/00-)

ABS wheel sensor
314 899 0060
Notes

Cable Length [mm]	Hall Sensor
Operating voltage [V]	665
Number of Poles	12
Required quantity	2
	2
	Rear Axle left and right

References

34 52 0 025 726	34 52 6 756 573
34 52 6 756 380	


Application info

X5 (E53) (05/00-)

Wear sensor
300 343 5163
34 35 1 163 066
Notes

Warning Contact Length [mm]	Disc Brake
Required quantity	545
	1
	Rear Axle

References

34 35 1 163 066


Application info

5 (E39) (11/95-05/04)

Z8 (E52) (06/00-06/03)

300 343 5116
34 35 1 163 207

Wear sensor



Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
1110
1
Rear Axle

References

34 35 1 163 207

Application info

5 (E39) (11/95-05/04)

300 343 5114
34 35 1 164 371

Wear sensor



Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
605
1
Front Axle

References

34 35 1 164 371

Application info

3 (E46) (02/98-12/07)

Z4 (E85) (02/03--)

300 343 5115
34 35 1 164 372

Wear sensor



Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
1340
1
Rear Axle

References

34 35 1 164 372

Application info

3 (E46) (02/98-12/07)

Wear sensor
300 349 5119

34 35 1 165 579


Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 800
 1
 Front Axle

References

34 35 1 165 579


Application info

X5 (E53) (05/00-)

Wear sensor
300 343 5120

34 35 1 165 580

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 715
 1
 Rear Axle

References

34 35 1 165 580


Application info

X5 (E53) (05/00-)

Wear sensor
300 343 5101

34 35 1 179 820

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 220
 1

References

 34 11 2 225 107
 34 35 1 179 820

 34 35 1 180 432
 34 35 1 180 781

Application info

 5 (E28) (06/81-12/87)
 5 (E34) (12/87-01/97)
 6 (E24) (04/76-09/90)

 7 (E32) (09/86-09/94)
 8 (E31) (04/90-12/99)

300 343 5107

34 35 1 181 338

Wear sensor



Notes

Warning Contact Length [mm]	Disc Brake
Required quantity	776
	1
	Front Axle

References

34 35 1 181 337	34 35 1 181 338
-----------------	-----------------

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

300 343 5103

34 35 1 181 342

Wear sensor



Notes

Warning Contact Length [mm]	Disc Brake
Required quantity	790
	1
	Rear Axle

References

34 35 1 181 342	34 35 1 181 344
-----------------	-----------------

Application info

3 (E36) (09/90-08/00)

300 343 5104

34 35 1 181 802

Wear sensor



Notes

Warning Contact Length [mm]	Disc Brake
Required quantity	315
	1
	Front Axle

References

34 35 1 181 802

Application info

5 (E34) (12/87-01/97)

4

Wear sensor
300 343 5110

34 35 1 182 064

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 570
 1
 Front Axle

References

34 35 1 182 064


Application info

7 (E38) (10/94-11/01)

Wear sensor
300 343 5112

34 35 1 182 065

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 620
 1
 Rear Axle

References

34 35 1 182 065


Application info

7 (E38) (10/94-11/01)

Wear sensor
300 343 5108

34 35 1 182 533

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 840
 1
 Rear Axle

References

34 35 1 182 533


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

4

300 343 5113

34 35 2 229 018

Wear sensor



Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
840
1
Front Axle

References

34 35 1 163 065

34 35 2 229 018

Application info

5 (E39) (11/95-05/04)

314 352 0000

34 35 2 229 780

Wear sensor



Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
1355
1
Rear Axle

References

34 35 2 229 780

Application info

3 (E46) (02/98-12/07)

314 527 0007

34 35 2 282 935

Wear sensor



Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
692
1
Right
Front Axle

References

34 35 2 282 935

Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

Wear sensor
314 353 0000

34 35 3 411 756

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 740
 1
 Front Axle

References

34 35 3 411 756


Application info

X3 (E83) (01/04-12/08)

Wear sensor
314 353 0002

34 35 3 411 757


Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 1055
 1
 Rear Axle

References

34 35 3 411 757


Application info

X3 (E83) (01/04-12/08)

Wear sensor
314 527 0008

34 35 3 414 662

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 745
 1
 Left
 Front Axle

References

34 35 3 414 662


Application info

X3 (E83) (01/04-12/08)

4

300 343 5117
34 35 6 751 311

Wear sensor



Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
650
1
Front Axle

References

34 35 6 751 311

Application info

3 (E46) (02/98-12/07)

4

314 356 0002
34 35 6 757 896

Wear sensor



Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
1145
1
Rear Axle

References

34 35 6 757 896

Application info

Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

314 356 0005
34 35 6 762 252

Wear sensor



Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
635
1
Front Axle

References

34 35 6 762 252

34 35 6 789 439

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Wear sensor
314 356 0006

34 35 6 762 253

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 1093
 1
 Rear Axle

References

34 35 6 762 253

34 35 6 789 445


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Wear sensor
314 527 0019

34 35 6 775 850

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 1060
 1
 Front Axle Left

References

34 35 6 775 850


Application info

5 (F07) (10/09-12/10)

7 (F01, F02, F03, F04) (06/08--)

Wear sensor
314 527 0022

34 35 6 775 858

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 1045
 1
 Rear Axle

References

34 35 6 775 858


Application info

7 (F01, F02, F03, F04) (06/08--)

4

300 343 0000
34 35 6 776 421

Wear sensor



Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
670
1
Front Axle

References

34 35 6 759 917
34 35 6 764 298
34 35 6 768 595

34 35 6 776 421
34 35 6 789 492

Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

300 343 0001
34 35 6 776 422

Wear sensor



Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
685
1
Rear Axle

References

34 35 6 759 918
34 35 6 764 299
34 35 6 768 596

34 35 6 776 422
34 35 6 789 493

Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

314 356 0000
34 35 6 778 037

Wear sensor



Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
830
1
Front Axle

References

34 35 6 755 266

34 35 6 778 037

Application info

7 (E65, E66) (11/01-08/05)

Wear sensor
314 356 0001
 34 35 6 778 038

Notes

Warning Contact Length [mm]	Disc Brake
Required quantity	840
	1
	Rear Axle

References

34 35 6 755 267	34 35 6 778 038
-----------------	-----------------


Application info

7 (E65, E66) (11/01-08/05)

Wear sensor
314 527 0006
 34 35 6 789 440

Notes

Warning Contact Length [mm]	Disc Brake
Required quantity	690
	1
	Front Axle

References

34 35 6 777 649	34 35 6 789 440
34 35 6 779 619	


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Wear sensor
314 356 0007
 34 35 6 789 441

Notes

Warning Contact Length [mm]	Disc Brake
Required quantity	850
	1
	Front Axle

References

34 35 6 764 851	34 35 6 789 441
34 35 6 777 650	


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

300 343 0002
34 35 6 789 494

Wear sensor



Notes

Warning Contact Length [mm]	Disc Brake
Required quantity	883
	1
	Rear Axle

References

34 35 6 763 667	34 35 6 776 423
34 35 6 768 597	34 35 6 789 494

Application info

5 (E60, E61) (07/03-08/10)

314 527 0003
34 35 6 789 501

Wear sensor



Notes

Warning Contact Length [mm]	Disc Brake
Required quantity	905
	1
	Left
	Front Axle

References

34 35 6 772 008	34 35 6 789 501
-----------------	-----------------

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

314 527 0004
34 35 6 789 502

Wear sensor



Notes

Warning Contact Length [mm]	Disc Brake
Required quantity	898
	1
	Front Axle

References

34 35 6 773 008	34 35 6 789 502
-----------------	-----------------

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

Wear sensor
314 527 0001

34 35 6 789 505

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 965
 1
 Rear Axle

References

 34 35 6 771 766
 34 35 6 780 699

34 35 6 789 505


Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

Wear sensor
314 527 0034

34 35 6 790 303

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 955
 1
 Front Axle

References

34 35 6 790 303


Application info

X3 (F25) (09/10--)

Wear sensor
314 527 0035

34 35 6 790 304

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 1240
 1
 Rear Axle

References

34 35 6 790 304


Application info

X3 (F25) (09/10--)

4

314 527 0032

34 35 6 790 340



Wear sensor

Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
645
1
Front Axle

References

34 35 6 790 340

Application info

X1 (E84) (03/09--)

314 527 0031

34 35 6 790 341



Wear sensor

Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
1130
1
Rear Axle

References

34 35 6 790 341

Application info

X1 (E84) (03/09--)

314 527 0016

34 35 6 791 958



Wear sensor

Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
1087
1
Front Axle

References

34 35 6 791 958

Application info

5 (F07) (10/09-12/10)
5 (F10, F11) (03/10-12/11)

6 (F12, F13) (11/10-12/12)
7 (F01, F02, F03, F04) (06/08--)

Wear sensor
314 527 0025

34 35 6 791 960

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 1065
 1
 Rear Axle

References

34 35 6 791 960


Application info

7 (F01, F02, F03, F04) (06/08--)

Wear sensor
314 527 0017

34 35 6 791 961

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 1054
 1
 Rear Axle

References

34 35 6 791 961


Application info

5 (F07) (10/09-12/10)

Wear sensor
314 527 0015

34 35 6 791 962

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 915
 1
 Rear Axle left and right

References

34 35 6 791 962


Application info

5 (F10, F11) (03/10-12/11)

6 (F12, F13) (11/10-12/12)

4

314 527 0029

34 35 6 791 963

Wear sensor



Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
1110
1
Rear Axle

References

34 35 6 791 963

Application info

5 (F10, F11) (03/10-12/11)

314 527 0020

34 35 6 792 289

Wear sensor



Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
675
1
Front Axle Left

References

34 35 6 792 289

Application info

1 (F20, F21) (11/10--)
2 (F22, F23, F46) (10/13--)
3 (F30, F31) (10/11--)

3 (F34) (03/13--)
4 (F32, F33, F36) (07/13--)

314 527 0021

34 35 6 792 292

Wear sensor



Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
1045
1
Rear Axle

References

34 35 6 792 292



Wear sensor
314 527 0021
 34 35 6 792 292

+

Application info

 1 (F20, F21) (11/10--)
 3 (F30, F31) (10/11--)

 3 (F34) (03/13--)
 4 (F32, F33, F36) (07/13--)

Wear sensor
314 527 0011
 34 35 6 792 559

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 650
 1
 Front Axle

References

34 35 6 792 559


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Wear sensor
314 527 0027
 34 35 6 792 560

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 723
 1
 Front Axle

References

34 35 6 792 560


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

4

314 527 0028

34 35 6 792 561



Wear sensor

Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
867
1
Front Axle

References

34 35 6 792 561

Application info

3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

314 527 0033

34 35 6 792 562



Wear sensor

Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
675
1
Front Axle

References

34 35 6 792 562

Application info

X1 (E84) (03/09--)

314 527 0012

34 35 6 792 564



Wear sensor

Notes

Warning Contact Length [mm]
Required quantity

Disc Brake
1107
1
Rear Axle

References

34 35 6 792 564

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Wear sensor
314 527 0024

34 35 6 792 565

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 1141
 1
 Rear Axle

References

34 35 6 792 565


Application info

X1 (E84) (03/09--)

Wear sensor
314 527 0009

34 35 6 792 567

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 938
 1
 Front Axle Left

References

34 35 6 792 567


Application info

 X5 (E70) (02/07-03/10)
 X5 (F15) (11/12--)
 X6 (E71) (05/08--)
 X6 (F16) (08/14--)
Wear sensor
314 527 0013

34 35 6 792 568

Notes

 Warning Contact Length [mm]
 Required quantity

 Disc Brake
 974
 1
 Front Axle

References

34 35 6 792 568


Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

4

314 527 0010
34 35 6 792 571

Wear sensor



Notes

Warning Contact Length [mm]	Disc Brake
Required quantity	1002
	1
	Rear Axle

References

34 35 6 792 571	34 35 6 854 168
-----------------	-----------------

Application info
X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

314 527 0026
34 35 7 836 795

Wear sensor



Notes

Warning Contact Length [mm]	Disc Brake
Required quantity	611
	1
	Front Axle

References

34 35 7 836 795

Application info
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

314 527 0036
34 35 7 836 969

Wear sensor



Notes

Warning Contact Length [mm]	Disc Brake
Required quantity	1160
	1
	Rear Axle

References

34 35 7 836 969

Application info
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Crank position sensor
314 899 0004

12 14 1 247 259

Notes

	Inductive Sensor
Cable Length [mm]	770
Fitting Depth [mm]	24
Operating voltage [V]	12
Number of Poles	3
Resistance [Ohm]	550

References

12 14 1 247 218	12 14 1 247 259
-----------------	-----------------


Application info

3 (E36) (09/90-08/00)

Crank position sensor
314 899 0037

12 14 1 703 277

Notes

	Hall Sensor
Cable Length [mm]	710
Fitting Depth [mm]	24
Operating voltage [V]	12
Number of Poles	3

References

12 14 1 703 277


Application info

3 (E36) (09/90-08/00)

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Z3 (E36/7, E36/8) (10/95-06/03)

Crank position sensor
314 899 0052

12 14 1 709 616

Notes

Connecting Angle [Degree]	90
	with holder
	Hall Sensor
Fitting Depth [mm]	33
Operating voltage [V]	12
Number of Poles	3
	without cable

References

12 14 1 709 616	12 14 1 744 492
-----------------	-----------------



314 899 0052

12 14 1 709 616

Crank position sensor

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03-08/10)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01-08/05)
X3 (E83) (01/04-12/08)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

314 899 0040

12 14 1 730 027

Crank position sensor



Notes

	Passive sensor
Cable Length [mm]	630
Fitting Depth [mm]	24
Operating voltage [V]	12
Number of Poles	3

References

12 14 1 730 027

Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

314 899 0074

13 62 7 548 994

Crank position sensor



Notes

	Black
	Hall Sensor
Fitting Depth [mm]	28
Operating voltage [V]	12
Number of Poles	3
	with seal
	without cable

References

12 14 7 503 140

13 62 7 548 994

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E46) (02/98-12/07)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E60, E61) (07/03-08/10)

X1 (E84) (03/09--)
X3 (E83) (01/04-12/08)
Z4 (E85) (02/03--)

Crank position sensor
314 899 0053
 13 62 7 809 334

Notes

Cable Length [mm]	Active sensor
Operating voltage [V]	165
Number of Poles	12
	3
	with fastening material

References

13 62 7 787 192	13 62 7 809 334
-----------------	-----------------


Application info

1 (E81, E82, E87, E88) (11/03-09/12)	7 (E65, E66) (11/01-08/05)
3 (E46) (02/98-12/07)	X3 (E83) (01/04-12/08)
3 (E90, E91, E92, E93) (01/05-05/12)	X5 (E53) (05/00--)
5 (E60, E61) (07/03-08/10)	X5 (E70) (02/07-03/10)
6 (E63, E64) (01/04--)	X6 (E71) (05/08--)

Crank position sensor
314 899 0000
 13 62 7 839 138

Notes

Operating voltage [V]	Black
Number of Poles	Inductive Sensor
Resistance [Ohm]	12
	2
	without cable
	600
	Transmission End

References

12 14 1 742 629	13 62 7 839 138
-----------------	-----------------


Application info

3 (E90, E91, E92, E93) (01/05-05/12)	6 (E63, E64) (01/04--)
5 (E39) (11/95-05/04)	7 (E38) (10/94-11/01)
5 (E60, E61) (07/03-08/10)	

Crank position sensor
314 899 0005
Notes

Cable Length [mm]	Inductive Sensor
Fitting Depth [mm]	660
Operating voltage [V]	24
Number of Poles	12
Resistance [Ohm]	3
	550

References

12 14 1 713 007	12 14 1 720 852
-----------------	-----------------



314 899 0005

Crank position sensor

Application info

3 (E30) (09/82-06/94)
5 (E28) (06/81-12/87)

5 (E34) (12/87-01/97)
Z1 (06/88-06/91)

314 899 0007

Crank position sensor



Notes

	Inductive Sensor
Cable Length [mm]	510
Fitting Depth [mm]	24
Operating voltage [V]	12
Number of Poles	3
Resistance [Ohm]	690

References

12 14 1 714 763

12 14 1 720 853

Application info

5 (E34) (12/87-01/97)
6 (E24) (04/76-09/90)

7 (E32) (09/86-09/94)

314 899 0023

Crank position sensor



Notes

	Inductive Sensor
Cable Length [mm]	500
Fitting Depth [mm]	24
Operating voltage [V]	12
Number of Poles	3
Resistance [Ohm]	550

References

12 14 1 731 887

Application info

5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

Crank position sensor

314 899 8003

Notes

	Inductive Sensor
Cable Length [mm]	725
Fitting Depth [mm]	24
Operating voltage [V]	12
Number of Poles	3
Resistance [Ohm]	550

References

12 14 1 726 066



Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Glow plug

314 860 0003

12 23 0 035 934

Notes

	after-glow capable Pencil-type Glow Plug
Spanner Size	10
Thread Size	M10 x 1
Overall Length [mm]	134
Port Type	Ø 4 mm
Cone Pitch	63
Fitting Depth [mm]	28
Voltage [V]	7

References

12 23 0 035 934

12 23 7 803 368

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

1 (F20, F21) (11/10--)

2 (F22, F23, F46) (10/13--)

2 (F45) (09/14--)

3 (E90, E91, E92, E93) (01/05-05/12)

3 (F30, F31) (10/11--)

3 (F34) (03/13--)

4 (F32, F33, F36) (07/13--)

5 (E60, E61) (07/03-08/10)

5 (F07) (10/09-12/10)

5 (F10, F11) (03/10-12/11)

7 (F01, F02, F03, F04) (06/08--)

X1 (E84) (03/09--)

X3 (E83) (01/04-12/08)

X3 (F25) (09/10--)

X4 (F26) (04/14--)

X5 (E70) (02/07-03/10)

X5 (F15) (11/12--)

X6 (E71) (05/08--)

X6 (F16) (08/14--)

4

300 022 0163

12 23 2 241 387

Glow plug



Notes

Rated current [A]	16
	Pencil-type Glow Plug
Spanner Size	12
Diameter [mm]	6.1
Thread Size	M12 x 1,25
Overall Length [mm]	71
Cone Pitch	63
Fitting Depth [mm]	25
Port Type	M5
Voltage [V]	11

References

12 23 2 241 387	12 23 2 241 389
-----------------	-----------------

Application info

3 (E30) (09/82-06/94)	5 (E39) (11/95-05/04)
3 (E36) (09/90-08/00)	7 (E38) (10/94-11/01)
5 (E34) (12/87-01/97)	

314 860 0001

12 23 7 786 869

Glow plug



Notes

Rated current [A]	8.5
	after-glow capable
	Pencil-type Glow Plug
Spanner Size	10
Diameter [mm]	5.1
Thread Size	M10 x 1
Overall Length [mm]	106.5
Cone Pitch	63
Fitting Depth [mm]	33
Port Type	Ø 4 mm
Voltage [V]	5

References

12 23 7 786 869

Application info

1 (E81, E82, E87, E88) (11/03-09/12)	7 (E65, E66) (11/01-08/05)
3 (E46) (02/98-12/07)	X3 (E83) (01/04-12/08)
3 (E90, E91, E92, E93) (01/05-05/12)	X5 (E53) (05/00--)
5 (E60, E61) (07/03-08/10)	X5 (E70) (02/07-03/10)
6 (E63, E64) (01/04--)	X6 (E71) (05/08--)

Glow plug
314 860 0002

12 23 7 788 957

Notes

Rated current [A]	8.5 after-glow capable Pencil-type Glow Plug
Spanner Size	10
Diameter [mm]	5
Thread Size	M10 x 1
Overall Length [mm]	133.5
Cone Pitch	63
Fitting Depth [mm]	28.6
Port Type	Ø 4 mm
Voltage [V]	5

References

12 23 7 788 957


Application info

7 (E65, E66) (11/01-08/05)

4

Glow plug
014 020 1039
Notes

Rated current [A]	16 Pencil-type Glow Plug
Spanner Size	12
Diameter [mm]	6.1
Thread Size	M12 x 1,25
Overall Length [mm]	71
Cone Pitch	63
Fitting Depth [mm]	24.5
Port Type	M5
Voltage [V]	11

References

12 12 1 288 161	12 23 1 288 245
12 23 1 286 058	


Application info

3 (E30) (09/82-06/94)

5 (E28) (06/81-12/87)

314 023 0000

Glow plug



Notes

Rated current [A]	15
	after-glow capable
	Pencil-type Glow Plug
Spanner Size	10
Diameter [mm]	5
Thread Size	M10 x 1
Overall Length [mm]	107
Cone Pitch	63
Fitting Depth [mm]	33
Port Type	Ø 4 mm
Voltage [V]	11

References

12 23 2 248 059

Application info

3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
X5 (E53) (05/00--)

314 139 0000

12 13 1 317 232

Ignition coil



Notes

	for fully electronic ignition (FI)
	incl. spark plug connector
	Coupling Type SAE
Operating voltage [V]	12
Number of Poles	3
	for vehicles without distributor

References

12 13 1 317 232	12 13 1 729 842
12 13 1 317 585	12 13 1 730 765
12 13 1 402 440	12 13 1 730 766
12 13 1 402 713	12 13 1 731 884
12 13 1 404 102	12 13 1 734 468
12 13 1 703 359	12 13 1 748 394
12 13 1 720 166	12 13 1 748 395
12 13 1 726 177	12 13 1 777 666
12 13 1 726 178	12 13 7 599 218
12 13 1 727 108	12 13 9 066 468

Application info

3 (E36) (09/90-08/00)

7 (E38) (10/94-11/01)

Ignition coil

314 131 0000

12 13 1 404 309

Notes

	for fully electronic ignition (FI) incl. spark plug connector Coupling Type SAE
Operating voltage [V]	12
Number of Poles	3
Required quantity	12 for vehicles without distributor

References

12 13 1 404 309	12 13 1 748 017
12 13 1 703 227	12 13 1 748 018
12 13 1 703 228	12 13 9 067 830
12 13 1 703 825	

Parts list

314 131 0001	Ignition coil
314 862 0000	Spark plug connector



Application info

3 (E36) (09/90-08/00)	8 (E31) (04/90-12/99)
3 (E46) (02/98-12/07)	X5 (E53) (05/00--)
5 (E39) (11/95-05/04)	Z3 (E36/7, E36/8) (10/95-06/03)
7 (E38) (10/94-11/01)	Z8 (E52) (06/00-06/03)

Ignition coil

314 131 0001

12 13 1 404 309*

Notes

	for fully electronic ignition (FI) without spark plug connector Coupling Type SAE
Operating voltage [V]	12
Number of Poles	3 for vehicles without distributor

References

12 13 1 404 309*	12 13 1 748 017*
12 13 1 703 227*	12 13 1 748 018*
12 13 1 703 228*	12 13 9 067 830*
12 13 1 703 825*	



Application info

3 (E36) (09/90-08/00)	8 (E31) (04/90-12/99)
3 (E46) (02/98-12/07)	X5 (E53) (05/00--)
5 (E39) (11/95-05/04)	Z3 (E36/7, E36/8) (10/95-06/03)
7 (E38) (10/94-11/01)	Z8 (E52) (06/00-06/03)

314 885 0004

12 13 7 548 553

Ignition coil

Notes

triangular
incl. spark plug connector
Coupling Type SAE

Operating voltage [V]

12

Number of Poles

3

Required quantity

6

References

12 13 7 523 345

12 13 7 548 553

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

7 (E65, E66) (11/01-08/05)

Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

314 885 0002

12 13 7 559 842

Ignition coil



Notes

Full Electronic Ignition (FI)
incl. spark plug connector
Coupling Type SAE

Operating voltage [V]

12

Number of Poles

3

for vehicles without distributor

References

12 13 7 559 842

12 13 7 571 644

12 13 7 582 627

12 13 7 594 935

12 13 7 638 477

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

5 (E60, E61) (07/03-08/10)

5 (F10, F11) (03/10-12/11)

6 (E63, E64) (01/04--)

314 885 0005

12 13 7 575 010

Ignition coil



Notes

for fully electronic ignition (FI)

Operating voltage [V]

12

Number of Poles

Coupling Type SAE

3

References

12 13 1 712 219

12 13 1 712 223

12 13 7 550 012

12 13 7 551 260

12 13 7 575 010

12 13 7 594 938

Ignition coil
314 885 0005
 12 13 7 575 010

+

Application info

1 (E81, E82, E87, E88) (11/03-09/12)	7 (E65, E66) (11/01-08/05)
1 (F20, F21) (11/10--)	X1 (E84) (03/09--)
3 (E46) (02/98-12/07)	X3 (E83) (01/04-12/08)
3 (E90, E91, E92, E93) (01/05-05/12)	X5 (E53) (05/00--)
3 (F30, F31) (10/11--)	X5 (E70) (02/07-03/10)
5 (E60, E61) (07/03-08/10)	Z4 (E85) (02/03--)
6 (E63, E64) (01/04--)	

Ignition coil
314 885 0003
 12 13 7 841 754

Notes

Operating voltage [V]	Coupling Type SAE
Number of Poles	12
Required quantity	3
	8
	for vehicles without distributor

References

12 13 7 838 388	12 13 7 841 754
-----------------	-----------------

Application info

3 (E90, E91, E92, E93) (01/05-05/12)

Lambda probe
100 900 0000
Notes

Cable Length [mm]	Regulating Probe
Number of Poles	Unheated
	890
	1

References

11 76 1 277 565


Application info

3 (E30) (09/82-06/94)	5 (E28) (06/81-12/87)
-----------------------	-----------------------

4

314 830 0002

61 36 1 729 004

Relay, fuel pump



Notes

Rated current [A]	30
	White
	Lock
Rated Power [W]	360
Height [mm]	26.5
Width [mm]	27
Protection Type (IP Code)	IP54
Operating voltage [V]	12
Port Type	5x 6,3x0,8 mm
Length [mm]	27
Number of Poles	5

References

12 36 1 729 005	61 36 1 729 004
12 63 1 711 266	

Application info

3 (E36) (09/90-08/00)
5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)

314 126 0000

12 62 1 747 281

Sender unit, coolant temperature



Notes

	Black
	NTC Sensor
Spanner Size	19
Thread Size	M14 x 1,5
Operating voltage [V]	12
Switch Point [°C]	150
Switch Point [°C]	-40
Number of Poles	2

References

12 62 1 710 535	12 62 1 747 281
-----------------	-----------------

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

Sender unit, coolant temperature
100 919 0013

13 62 1 288 158

Notes

	White
	NTC Sensor
Spanner Size	19
Thread Size	M14 x 1,5
Operating voltage [V]	12
Switch Point [°C]	150
Switch Point [°C]	-40
Number of Poles	2

References

12 62 1 288 158	13 62 1 288 158
-----------------	-----------------


Application info

 3 (E30) (09/82-06/94)
 5 (E28) (06/81-12/87)
 5 (E34) (12/87-01/97)

 7 (E32) (09/86-09/94)
 8 (E31) (04/90-12/99)

Sender unit, coolant temperature
314 136 2101

13 62 1 357 414

Notes

	White
	NTC Sensor
Spanner Size	19
Thread Size	M12 x 1,5
Operating voltage [V]	12
Number of Poles	2

References

13 62 1 357 414


Application info

 3 (E30) (09/82-06/94)
 5 (E12) (08/72-08/81)
 5 (E28) (06/81-12/87)

 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)

Sender unit, coolant temperature
314 136 2103

13 62 1 433 076

Notes

	Black
	NTC Sensor
Spanner Size	22
Thread Size	M12 x 1,5
Operating voltage [V]	12
Switch Point [°C]	150
Switch Point [°C]	-40
Number of Poles	2

References

13 62 1 433 076



314 136 2103

13 62 1 433 076

Sender unit, coolant temperature

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)

7 (E38) (10/94-11/01)
7 (E65, E66) (11/01-08/05)
X3 (E83) (01/04-12/08)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

314 810 0001

13 62 1 703 993

Sender unit, coolant temperature



Notes

	Black
	NTC Sensor
Spanner Size	22
Thread Size	M12 x 1,5
Operating voltage [V]	12
Switch Point [°C]	150
Switch Point [°C]	-40
Number of Poles	4

References

13 62 1 703 993

Application info

3 (E36) (09/90-08/00)
5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)
7 (E65, E66) (11/01-08/05)

8 (E31) (04/90-12/99)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z8 (E52) (06/00-06/03)

314 136 2102

13 62 1 709 966

Sender unit, coolant temperature



Notes

	Black
	NTC Sensor
Spanner Size	19
Thread Size	M12 x 1,5
Operating voltage [V]	12
Number of Poles	2

References

13 62 1 284 397

13 62 1 709 966

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)
6 (E24) (04/76-09/90)

7 (E23) (05/77-08/86)
7 (E32) (09/86-09/94)
8 (E31) (04/90-12/99)
Z1 (06/88-06/91)

Sensor, camshaft position
314 899 0010

12 14 1 703 221

Notes

	Passive sensor
Cable Length [mm]	420
Fitting Depth [mm]	27.5
Operating voltage [V]	12
Number of Poles	3

References

12 14 1 703 221


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Sensor, camshaft position
314 899 0069

12 14 1 740 383

Notes

	Hall Sensor
Cable Length [mm]	355
Fitting Depth [mm]	28
Operating voltage [V]	12
Number of Poles	3
	with seal

References

 12 14 1 740 383
 12 14 1 740 959

12 14 1 748 400


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Sensor, camshaft position
314 899 0055

12 14 1 743 072

Notes

	Hall Sensor
Cable Length [mm]	535
Operating voltage [V]	12
Number of Poles	3

References

12 14 1 743 072


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

4

314 899 0029

12 14 7 518 628

Sensor, camshaft position



Notes

Fitting Depth [mm]	Hall Sensor
Operating voltage [V]	28
Number of Poles	12
	3
	with seal
	without cable

References

12 14 1 435 351	12 14 7 506 273
12 14 1 438 082	12 14 7 518 628

Application info

- 1 (E81, E82, E87, E88) (11/03-09/12)
- 3 (E46) (02/98-12/07)
- 3 (E90, E91, E92, E93) (01/05-05/12)
- 5 (E39) (11/95-05/04)
- 5 (E60, E61) (07/03-08/10)
- 6 (E63, E64) (01/04--)

- 7 (E38) (10/94-11/01)
- 7 (E65, E66) (11/01-08/05)
- X3 (E83) (01/04-12/08)
- X5 (E53) (05/00--)
- Z4 (E85) (02/03--)

314 899 0038

12 14 7 539 165

Sensor, camshaft position



Notes

Cable Length [mm]	Hall Sensor
Fitting Depth [mm]	415
Operating voltage [V]	28
Number of Poles	12
	3
	with seal
	Intake side

References

12 14 1 435 350	12 14 7 539 165
12 14 1 438 081	

Application info

- 3 (E46) (02/98-12/07)
- 5 (E39) (11/95-05/04)
- 5 (E60, E61) (07/03-08/10)
- 7 (E38) (10/94-11/01)

- 7 (E65, E66) (11/01-08/05)
- X3 (E83) (01/04-12/08)
- X5 (E53) (05/00--)
- Z4 (E85) (02/03--)

Sensor, camshaft position
314 800 0038
 13 62 7 794 646

Notes

	Grey
	Black
	Hall Sensor
Operating voltage [V]	12
Number of Poles	3
	without cable
	with seal

References

13 62 2 247 878	13 62 7 794 646
13 62 2 249 320	13 62 7 796 054


Application info

3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)
 7 (E65, E66) (11/01-08/05)

X5 (E53) (05/00--)
 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)

Sensor, camshaft position
314 899 0044
Notes

	Hall Sensor
Cable Length [mm]	305
Fitting Depth [mm]	21
Operating voltage [V]	12
Number of Poles	3
	with seal

References

12 14 1 742 185


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)


Sensor, coolant level
314 899 0042
 17 13 7 553 919

Notes

	Passive sensor
	Reed Contact
Operating voltage [V]	12
Length [mm]	87
Number of Poles	2
	without cable

References

17 11 7 506 601	17 13 7 524 812
17 13 0 409 622	17 13 7 553 919



314 899 0042

17 13 7 553 919

Sensor, coolant level

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E46) (02/98-12/07)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01-08/05)
X3 (E83) (01/04-12/08)
X5 (E53) (05/00--)
X5 (E70) (02/07-03/10)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)
Z8 (E52) (06/00-06/03)

314 899 0043

61 31 8 360 876

Sensor, coolant level



Notes

Black
Passive sensor
Reed Contact
12
87
2
without cable

Operating voltage [V]
Length [mm]
Number of Poles

References

61 31 8 360 876

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

314 800 9018

Sensor, coolant level



Notes

Passive sensor
Reed Contact
12
95
2

Operating voltage [V]
Length [mm]
Number of Poles

References

61 31 1 384 739

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Sensor, engine oil level
314 800 0050
 12 61 7 508 002

Notes

with holder
 with seal
 Active sensor
 Operating voltage [V] 12
 Number of Poles 3

References

12 61 1 433 509 12 61 7 508 002
 12 61 1 702 842


Application info

5 (E39) (11/95-05/04) 7 (E38) (10/94-11/01)

Sensor, engine oil level
314 800 0051
 12 61 7 508 003

Notes

with seal
 Active sensor
 Operating voltage [V] 12
 Number of Poles 3

References

12 61 1 439 810 12 61 7 508 003


Application info

1 (E81, E82, E87, E88) (11/03-09/12) 7 (E38) (10/94-11/01)
 3 (E46) (02/98-12/07) 7 (E65, E66) (11/01-08/05)
 3 (E90, E91, E92, E93) (01/05-05/12) X1 (E84) (03/09--)
 5 (E39) (11/95-05/04) X3 (E83) (01/04-12/08)
 5 (E60, E61) (07/03-08/10) X5 (E53) (05/00--)
 5 (F07) (10/09-12/10) Z4 (E85) (02/03--)
 5 (F10, F11) (03/10-12/11)

Sensor, intake manifold pressure
314 800 0052
 13 61 7 787 142

Notes

Piezoelectric Sensor
 Pressure to [bar] 300000
 Pressure from [bar] 50000
 Number of Poles 3

References

13 61 7 787 142



314 800 0052
13 61 7 787 142

Sensor, intake manifold pressure

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E46) (02/98-12/07)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E60, E61) (07/03-08/10)

7 (E65, E66) (11/01-08/05)
X3 (E83) (01/04-12/08)
X5 (E53) (05/00--)

314 862 0000
12 13 1 404 309*

Spark plug connector



Notes

Resistance [kOhm]	2
Interference Suppression	
Coupling Type M4	
Coupling Type SAE	
314 131 0001	
Operating voltage [V]	12
Length [mm]	93
Number of Poles	1

References

12 13 1 404 309*	12 13 1 748 017*
12 13 1 703 227*	12 13 1 748 018*
12 13 1 703 228*	12 13 9 067 830*
12 13 1 703 825*	12 13 9 067 831
12 13 1 740 477	

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z8 (E52) (06/00-06/03)

314 810 0000
61 31 8 360 857

Temperature switch, radiator fan



Notes

Switch point from [°C]	91
to switch point [°C]	104
Spanner Size	Black
Thread Size	22
Operating voltage [V]	M14 x 1,5
Number of Poles	12
	3

References

61 31 8 360 857

Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Temperature switch, radiator fan
314 800 0021

61 31 8 376 440

Notes

Switch point from [°C]	80
to switch point [°C]	88
Spanner Size	Grey
Thread Size	24
Operating voltage [V]	M14 x 1,5
Number of Poles	12
	3

References

61 31 8 376 440


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Voltage regulator
014 731 1090

12 31 1 710 732

Notes

Support plate diameter [mm]	32
Voltage [V]	14.1

References

12 31 1 710 732


Application info

3 (E21) (06/75-03/84)

5 (E12) (08/72-08/81)

6 (E24) (04/76-09/90)

7 (E23) (05/77-08/86)

Voltage regulator
014 731 1021

12 31 1 726 022

Notes

Support plate diameter [mm]	28
	without resistance
Voltage [V]	14.1

References

12 31 1 172 002	12 31 1 726 022
12 31 1 271 664	12 32 1 279 548
12 31 1 722 755	12 32 1 711 399



014 731 1021

12 31 1 726 022

Voltage regulator

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)

6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)
7 (E32) (09/86-09/94)
8 (E31) (04/90-12/99)

014 731 1023

12 31 1 726 022

Voltage regulator



Notes

Support plate diameter [mm] 28
with resistance
Voltage [V] 14.1

References

12 31 1 172 002	12 31 1 726 022
12 31 1 271 664	12 32 1 279 548
12 31 1 722 755	12 32 1 711 399

Application info


3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
5 (E12) (08/72-08/81)
5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)

6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)
7 (E32) (09/86-09/94)
8 (E31) (04/90-12/99)
Z1 (06/88-06/91)

314 800 9019

61 31 8 360 417

Brake light switch



Notes

Observe the vehicle manufacturer specifications

Number of Poles

Black
Directional Contact
Manual (foot operated)
4

References

61 31 8 360 417

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Brake light switch

314 613 1801

61 31 8 360 420

Notes


Observe the vehicle manufacturer specifications

Number of Poles

 Opener
 Manual (foot operated)
 2

References

 61 31 1 378 207
 61 31 1 378 208

 61 31 1 378 209
 61 31 8 360 420


Application info

3 (E36) (09/90-08/00)

Column switch

314 850 0001

61 31 8 363 662

Notes

 Number of Poles
 Voltage [V]

 Black
 with park light function
 with headlight flasher
 with light dimmer function
 with indicator function
 10
 12
 for vehicles with controllable wipe intervals

References

61 31 8 363 662



Application info

 3 (E46) (02/98-12/07)
 X3 (E83) (01/04-12/08)

 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)

Column switch

314 850 0003

61 31 8 363 664

Notes

 Number of Poles
 Voltage [V]

 Black
 with wipe interval function
 with wipe-wash function
 6
 12
 for vehicles with controllable wipe intervals

References

61 31 8 363 664



4

+

314 850 0003

61 31 8 363 664

Column switch

Application info

3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

314 850 0000

61 31 8 363 668

Column switch



Notes

Number of Poles
Voltage [V]

Black
with light dimmer function
with board computer function
with indicator function
4
12
for vehicles with on-board computer

References

61 31 8 363 668

Application info

3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)
X3 (E83) (01/04-12/08)

X5 (E53) (05/00--)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

314 850 0002

61 31 8 363 669

Column switch



Notes

Number of Poles
Voltage [V]

Black
with rear wipe-wash function
with wipe interval function
with wipe-wash function
9
12
for vehicles with controllable wipe intervals

References

61 31 8 363 669

Application info

3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)

X3 (E83) (01/04-12/08)
X5 (E53) (05/00--)

Control unit, heating/ventilation

314 880 0000

64 11 6 923 204

Notes

Rated current [A]	29
Rated Power [W]	350
Operating voltage [V]	12
Number of Poles	5
	for vehicles with air conditioning

References

64 11 6 920 365	64 11 8 364 173
64 11 6 923 204	64 11 8 377 579
64 11 6 929 486	64 11 8 385 549
64 11 6 931 680	



Application info

 3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)

 X3 (E83) (01/04-12/08)
 X5 (E53) (05/00--)

Heater fan motor

314 236 0008

Notes

Rated Power [W]	200
Diameter [mm]	147
Number of Poles	2
Voltage [V]	12
	for left-/right-hand traffic
	for vehicles with automatic climate control

References

64 11 8 372 493



Application info

5 (E39) (11/95-05/04)

Switch, window lifter

314 613 1303

61 31 1 387 916

Notes

Number of Poles	Black
Voltage [V]	4
	12
	for vehicles with electric window lifts
	Rear

References

61 31 1 387 916



Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

4

314 613 1304
61 31 1 393 361

Switch, window lifter



Notes

Number of Poles
Voltage [V]

Blue
5
12
for vehicles with electric window
lifts
Rear

References

61 31 1 393 361

Application info

3 (E36) (09/90-08/00)

314 899 0071
67 11 8 352 165

Vacuum element



Notes

Electric

References

67 11 8 352 165

Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

314 899 0072
67 11 8 353 011

Vacuum element



Notes

Electric
Rear

References

67 11 1 387 607
67 11 1 393 999

67 11 8 353 011

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

Vacuum element
314 899 0070

67 11 8 353 012

Notes

 for vehicles with central locking
 Electric
 Number of Poles 6

References

 67 11 1 387 606 67 11 8 353 012
 67 11 1 387 726

Application info

 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

Back up light switch
314 613 1101

23 14 1 354 071

Notes

 Lock
 Spanner Size 19
 Thread Size M12 x 1,5
 Number of Poles 2

References

 23 14 1 135 071 23 14 1 354 071
 23 14 1 352 153 61 31 1 352 153

Application info

 3 (E21) (06/75-03/84)
 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)

 5 (E12) (08/72-08/81)
 5 (E28) (06/81-12/87)

Back up light switch
314 231 4101

23 14 7 524 811

Notes

 Push control
 Lock
 Spanner Size 19
 Thread Size M12 x 1,5
 Number of Poles 2

References

 23 14 1 221 706 23 14 7 506 637
 23 14 1 434 584 23 14 7 524 811


314 231 4101
23 14 7 524 811

Back up light switch

Application info

- 1 (E81, E82, E87, E88) (11/03-09/12)
- 1 (F20, F21) (11/10--)
- 2 (F22,F23,F46) (10/13--)
- 3 (E36) (09/90-08/00)
- 3 (E46) (02/98-12/07)
- 3 (E90, E91, E92, E93) (01/05-05/12)
- 3 (F30, F31) (10/11--)
- 3 (F34) (03/13--)
- 4 (F32, F33, F36) (07/13--)
- 5 (E34) (12/87-01/97)
- 5 (E39) (11/95-05/04)
- 5 (E60, E61) (07/03-08/10)
- 5 (F10, F11) (03/10-12/11)

- 6 (E63, E64) (01/04--)
- 6 (F12, F13) (11/10-12/12)
- 7 (E32) (09/86-09/94)
- 7 (E38) (10/94-11/01)
- X1 (E84) (03/09--)
- X3 (E83) (01/04-12/08)
- X3 (F25) (09/10--)
- X5 (E53) (05/00--)
- Z3 (E36/7, E36/8) (10/95-06/03)
- Z4 (E85) (02/03--)
- Z4 (E86) (03/06--)
- Z4 (E89) (05/09--)

100 953 0012

Relay, hazard lights



Notes

Rated Power [W]	Lock
Height [mm]	2x21; 5
Width [mm]	30
Operating voltage [V]	30
Port Type	12
Length [mm]	3x 6,3 mm
Number of Poles	3
	for vehicles without towbar

References

- 61 31 1 366 727
- 61 31 1 371 907

Application info

- 3 (E21) (06/75-03/84)
- 3 (E30) (09/82-06/94)
- 5 (E28) (06/81-12/87)

- 6 (E24) (04/76-09/90)
- 7 (E23) (05/77-08/86)

314 899 0073
37 14 6 784 696

Sensor xenon light (headlight leveling)



Notes

Operating voltage [V]	Slider
Number of Poles	12
	6
	for vehicles with headlamp leveling (electric)
	Front Axle

References

- 37 14 0 141 444
- 37 14 1 093 697
- 37 14 1 093 699
- 37 14 6 778 811
- 37 14 6 784 696

Sensor xenon light (headlight leveling)
314 899 0073
 37 14 6 784 696

+

Application info

1 (E81, E82, E87, E88) (11/03-09/12)	7 (E38) (10/94-11/01)
3 (E46) (02/98-12/07)	7 (E65, E66) (11/01-08/05)
3 (E90, E91, E92, E93) (01/05-05/12)	X5 (E53) (05/00--)
5 (E39) (11/95-05/04)	Z4 (E85) (02/03--)
5 (E60, E61) (07/03-08/10)	Z4 (E86) (03/06--)
6 (E63, E64) (01/04--)	Z8 (E52) (06/00-06/03)

Sensor xenon light (headlight leveling)
314 800 0032
 37 14 6 784 697

Notes

 Operating voltage [V]
 Number of Poles

 Slider
 12
 6
 for vehicles with headlamp leveling (electric)
 Rear Axle

References

37 14 6 784 697


Application info

1 (E81, E82, E87, E88) (11/03-09/12)	7 (E38) (10/94-11/01)
3 (E46) (02/98-12/07)	7 (E65, E66) (11/01-08/05)
3 (E90, E91, E92, E93) (01/05-05/12)	X5 (E53) (05/00--)
5 (E39) (11/95-05/04)	Z4 (E85) (02/03--)
5 (E60, E61) (07/03-08/10)	Z4 (E86) (03/06--)
6 (E63, E64) (01/04--)	Z8 (E52) (06/00-06/03)

4

314 009 0001

11 28 1 440 378

Tension roller, ribbed belt



Notes

Inner Diameter [mm]	15
Outer Diameter [mm]	70
Height [mm]	26

References

11 28 1 440 378

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)

3 (E90, E91, E92, E93) (01/05-05/12)
 X3 (E83) (01/04-12/08)
 Z4 (E85) (02/03--)

314 112 0004

11 28 1 731 838

Tension roller, ribbed belt



Notes

Inner Diameter [mm]	9
Outer Diameter [mm]	80
Height [mm]	28

References

11 28 1 731 838

Application info

5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)
 7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)

314 112 0001

11 28 1 748 130

Tension roller, ribbed belt



Notes

Inner Diameter [mm]	10
Outer Diameter [mm]	80
Height [mm]	25

References

11 28 1 726 181	11 28 1 748 130
11 28 1 738 061	11 28 7 841 228
11 28 1 738 605	



Tension roller, ribbed belt
314 112 0001
 11 28 1 748 130

+

Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 5 (E34) (12/87-01/97)

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)
 Z3 (E36/7, E36/8) (10/95-06/03)

Tension roller, ribbed belt
314 112 0000
 11 28 1 748 131

Notes

 Inner Diameter [mm] 10
 Outer Diameter [mm] 70
 Height [mm] 25

References

11 28 1 726 343 11 28 1 748 131


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 5 (E34) (12/87-01/97)

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)
 Z3 (E36/7, E36/8) (10/95-06/03)

Tension roller, ribbed belt
314 112 0005
 11 28 2 245 166

Notes

 Inner Diameter [mm] 8
 Outer Diameter [mm] 80
 Height [mm] 24

References

11 28 2 245 166


Application info

 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

5

314 112 0003

11 28 1 731 220

Tensioner pulley, ribbed belt



Notes

Inner Diameter [mm]	8
Outer Diameter [mm]	70
Height [mm]	28

References

11 28 1 731 220

Application info

5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

314 112 0002

11 28 2 245 087

Tensioner pulley, ribbed belt



Notes

Outer Diameter [mm]	80
Height [mm]	21

References

11 28 2 245 087

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

314 113 1112

11 31 1 721 264

Timing belt roller



Notes

Inner Diameter [mm]	8
Outer Diameter [mm]	50
Height [mm]	21

References

11 31 1 721 259 11 31 1 727 141
11 31 1 721 264



Timing belt roller
314 113 1112
 11 31 1 721 264

Application info

 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

V-ribbed belt
050 007 1855
 11287568247

Notes

 Number of Ribs 7
 Length [mm] 1855

References

11287568247

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Water pump pulley
314 238 0002
 11 51 1 436 590

Notes

 Diameter [mm] 122
 Number of Ribs 6
 Plastic

References

11 51 1 436 590


Application info

 3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03-08/10)
 7 (E38) (10/94-11/01)
 7 (E65, E66) (11/01-08/05)

 X3 (E83) (01/04-12/08)
 X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)

5

314 238 0001

11 51 1 730 554

Water pump pulley



Notes

Diameter [mm]	Plastic
Number of Ribs	132
	6

References

11 51 1 730 554

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
Z3 (E36/7, E36/8) (10/95-06/03)

317 215 1000

21 21 1 223 086

Clutch disc



Notes

Diameter [mm]	215
---------------	-----

References

21 21 1 203 694	21 21 1 223 084
21 21 1 205 289	21 21 1 223 086
21 21 1 206 189	21 21 1 223 087
21 21 1 206 190	21 21 1 223 575
21 21 1 208 699	21 21 1 225 784
21 21 1 209 167	21 21 1 225 788
21 21 1 223 083	

Application info

3 (E21) (06/75-03/84)
3 (E30) (09/82-06/94)

5 (E12) (08/72-08/81)
5 (E28) (06/81-12/87)

5

Clutch disc
317 228 1000


21 21 1 223 097

Notes

Diameter [mm] 228

References

21 21 0 670 024	21 21 1 223 136
21 21 0 670 025	21 21 1 223 137
21 21 1 203 149	21 21 1 223 174
21 21 1 203 696	21 21 1 223 175
21 21 1 203 996	21 21 1 223 671
21 21 1 204 034	21 21 1 225 046
21 21 1 207 321	21 21 1 225 215
21 21 1 207 540	21 21 1 225 562
21 21 1 207 545	21 21 1 225 563
21 21 1 207 546	21 21 1 225 653
21 21 1 223 041	21 21 1 225 781
21 21 1 223 052	21 21 1 225 782
21 21 1 223 097	21 21 1 225 936
21 21 1 223 098	


Application info

3 (E21) (06/75-03/84)

5 (E12) (08/72-08/81)

Breather hose, expansion tank
319 171 1102

17 11 1 427 156

References

17 11 1 427 156


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Z8 (E52) (06/00-06/03)

Breather screw/-valve, radiator
314 238 0000

17 11 1 712 788

Notes

Thread Size	M9x1
Length 2 [mm]	17.5
Length 1 [mm]	10

References

17 11 0 141 325	17 12 7 515 488
17 11 1 712 788	



314 238 0000

17 11 1 712 788

Breather screw/-valve, radiator

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)
X3 (E83) (01/04-12/08)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)
Z8 (E52) (06/00-06/03)

314 226 0012

11 12 7 806 196

Coolant flange



Notes

with seal

References

11 12 2 247 744

11 12 7 806 196

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E46) (02/98-12/07)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)

7 (E38) (10/94-11/01)
7 (E65, E66) (11/01-08/05)
X3 (E83) (01/04-12/08)
X5 (E53) (05/00--)
X5 (E70) (02/07-03/10)
X6 (E71) (05/08--)

314 226 0010

11 53 1 247 122

Coolant flange



Notes

with seal
Plastic
Left

References

11 53 1 247 122

Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

5

Coolant flange
314 226 0002

11 53 1 708 808

Notes

 without gasket / seal
 Plastic
 20

Nominal Size [mm]

References

11 53 1 708 808


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)

Z3 (E36/7, E36/8) (10/95-06/03)

Coolant flange
314 226 0009

11 53 1 709 232

Notes

 with seal
 Plastic
 Lower

References

11 53 1 709 232


Application info

3 (E46) (02/98-12/07)

Z3 (E36/7, E36/8) (10/95-06/03)

Coolant flange
314 226 0003

11 53 1 714 738

Notes

 without gasket / seal
 Plastic

References

11 53 1 714 738


Application info

 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)

 5 (E34) (12/87-01/97)
 Z3 (E36/7, E36/8) (10/95-06/03)

5

314 226 0008

11 53 1 722 531

Coolant flange



Notes

with seal
Plastic

References

11 53 1 722 531

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

314 226 0011

11 53 1 739 208

Coolant flange



Notes

with seal
Plastic
Cylinder Head

References

11 53 1 739 208

Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

300 115 3102

11 53 1 740 478

Coolant flange



Notes

without gasket / seal
Plastic

References

11 53 1 740 478

Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

5

Coolant flange
314 226 0004

11 53 1 743 199

Notes

 with seal
 Plastic
 Left

References

11 53 1 743 199


Application info

 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

Coolant flange
314 226 0005

11 53 1 743 329

Notes

 with seal
 Plastic
 20

Seal Diameter [mm]

References

11 53 1 743 329


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)

Z3 (E36/7, E36/8) (10/95-06/03)

Coolant flange
314 226 0006

11 53 1 743 679

Notes

 with seal
 Plastic
 Cylinder Head

References

11 53 1 739 208

11 53 1 743 679



314 226 0006

11 53 1 743 679

Coolant flange

+

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

314 226 0007

11 53 7 560 130

Coolant flange



Notes

with seal
Plastic

References

11 53 7 505 055

11 53 7 560 130

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E46) (02/98-12/07)
3 (E90, E91, E92, E93) (01/05-05/12)

X3 (E83) (01/04-12/08)
Z4 (E85) (02/03--)

314 223 0003

17 10 7 514 964

Expansion tank



References

17 10 7 514 964

Application info

X5 (E53) (05/00--)

Z3 (E36/7, E36/8) (10/95-06/03)

5

Expansion tank
314 223 0002

17 11 1 436 381

References

17 11 1 436 381


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Expansion tank
314 171 0000

17 11 1 712 196

References

17 11 1 712 196


Application info

7 (E32) (09/86-09/94)

Expansion tank
300 171 1104

17 11 1 712 835

References

17 11 1 712 835


Application info

3 (E30) (09/82-06/94)

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

5 (E39) (11/95-05/04)

Z3 (E36/7, E36/8) (10/95-06/03)

5

300 171 1103

17 11 1 723 520

Expansion tank



References

17 11 1 723 520

Application info

3 (E36) (09/90-08/00)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
Z3 (E36/7, E36/8) (10/95-06/03)

314 171 0001

17 11 1 741 167

Expansion tank



References

17 11 1 741 167

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)
Z8 (E52) (06/00-06/03)

314 223 0000

17 11 7 573 751

Expansion tank



Notes

Front

References

17 11 1 436 413
17 11 7 573 751
17 11 7 573 781

17 13 2 247 553
17 13 7 787 039



Expansion tank

314 223 0000
17 11 7 573 751



Application info

3 (E46) (02/98-12/07)
X3 (E83) (01/04-12/08)
X5 (E53) (05/00--)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

Expansion tank

314 223 0001
17 11 7 573 780

References

17 11 7 573 780 17 13 7 787 040



Application info

3 (E46) (02/98-12/07)

X5 (E53) (05/00--)

Expansion tank

314 223 0007
17 13 7 501 959

References

17 13 7 501 959



Application info

X5 (E53) (05/00--)

5

314 223 0005

17 13 7 542 986

Expansion tank



References

17 13 7 519 219

17 13 7 542 986

Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

314 223 0008

17 13 7 552 546

Expansion tank



References

17 13 7 552 546

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

314 223 0004

17 13 7 607 482

Expansion tank



References

17 13 7 519 368

17 13 7 543 026

17 13 7 567 462

17 13 7 607 482

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Z4 (E89) (05/09--)

5

Expansion tank
314 223 0013
 17 13 7 647 283

Notes

without lid

References

 17 13 7 601 949
 17 13 7 647 283

17 13 7 806 038

Application info

 5 (F07) (10/09-12/10)
 5 (F10, F11) (03/10-12/11)

 6 (F12, F13) (11/10-12/12)
 7 (F01, F02, F03, F04) (06/08--)
Expansion tank
314 223 0009
 17 13 7 647 284

References

17 13 7 601 950

17 13 7 647 284


Application info

5 (F10, F11) (03/10-12/11)

7 (F01, F02, F03, F04) (06/08--)

Expansion tank
314 223 0006
 17 13 8 600 275

References

17 13 7 543 003

17 13 8 600 275


Application info

7 (E65, E66) (11/01-08/05)

5

314 800 9004

17 11 1 742 231

Expansion tank cap



Notes

Pressure [bar]	Black
Diameter [mm]	2
	56

References

17 11 1 712 669	17 11 1 742 231
-----------------	-----------------

Application info

- | | |
|-----------------------|---------------------------------|
| 3 (E30) (09/82-06/94) | 7 (E65, E66) (11/01-08/05) |
| 3 (E36) (09/90-08/00) | 8 (E31) (04/90-12/99) |
| 3 (E46) (02/98-12/07) | X3 (E83) (01/04-12/08) |
| 5 (E34) (12/87-01/97) | X5 (E53) (05/00--) |
| 5 (E39) (11/95-05/04) | Z3 (E36/7, E36/8) (10/95-06/03) |
| 7 (E32) (09/86-09/94) | Z4 (E85) (02/03--) |
| 7 (E38) (10/94-11/01) | Z8 (E52) (06/00-06/03) |

5

314 800 9005

17 11 1 742 232

Expansion tank cap



Notes

Pressure [bar]	Black
Diameter [mm]	1.4
	65

References

17 11 1 719 167	17 11 4 379 048
17 11 1 742 232	

Application info

- | | |
|-----------------------|----------------------------|
| 3 (E30) (09/82-06/94) | 5 (E60, E61) (07/03-08/10) |
| 3 (E36) (09/90-08/00) | 7 (E38) (10/94-11/01) |
| 3 (E46) (02/98-12/07) | 7 (E65, E66) (11/01-08/05) |
| 5 (E34) (12/87-01/97) | X3 (E83) (01/04-12/08) |
| 5 (E39) (11/95-05/04) | X5 (E53) (05/00--) |

Fan blade
300 115 0002
 11 52 1 712 058

Notes

 Number of Wings 11
 Diameter [mm] 420

References

11 52 1 712 058


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)

 7 (E32) (09/86-09/94)
 7 (E38) (10/94-11/01)
 X5 (E53) (05/00-)
 Z3 (E36/7, E36/8) (10/95-06/03)

Fan blade
300 115 0005
 11 52 1 712 110

Notes

 Number of Wings 11
 Diameter [mm] 460

References

11 52 1 712 110


Application info

 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)
 7 (E32) (09/86-09/94)

 7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)

Fan blade
300 115 0003
 11 52 1 719 267

Notes

 Number of Wings 8
 Diameter [mm] 400

References

 11 52 1 278 716 11 52 1 719 040
 11 52 1 284 681 11 52 1 719 267


5

+

300 115 0003

11 52 1 719 267

Fan blade

Application info

3 (E30) (09/82-06/94)
5 (E28) (06/81-12/87)

5 (E34) (12/87-01/97)

300 115 0004

11 52 1 723 363

Fan blade



Notes

Number of Wings 11
Diameter [mm] 410

References

11 52 1 719 265 11 52 1 723 573
11 52 1 723 363

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)

5 (E39) (11/95-05/04)
6 (E24) (04/76-09/90)
Z1 (06/88-06/91)
Z3 (E36/7, E36/8) (10/95-06/03)

314 115 2106

11 52 2 243 303

Fan blade



Notes

Number of Wings 7
Diameter [mm] 420

References

11 52 2 243 303

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
5 (E34) (12/87-01/97)

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)
X5 (E53) (05/00-)

Fan blade
300 115 0006
 17 41 7 504 732

Notes

 Number of Wings 9
 Diameter [mm] 470

References

17 41 7 504 732


Application info

7 (E65, E66) (11/01-08/05)

X5 (E53) (05/00--)

Fan clutch
314 115 2101
 11 52 1 723 918

Notes

Diameter [mm] 138

References

11 52 1 271 416	11 52 1 723 027
11 52 1 287 829	11 52 1 723 918
11 52 1 289 120	11 52 1 723 919
11 52 1 466 000	11 52 1 723 920
11 52 1 706 619	11 52 1 723 921
11 52 1 719 042	11 52 1 740 962
11 52 1 719 266	11 52 9 055 969


Application info

 3 (E21) (06/75-03/84)
 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)
 5 (E12) (08/72-08/81)
 5 (E28) (06/81-12/87)

 5 (E34) (12/87-01/97)
 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)
 Z1 (06/88-06/91)
 Z3 (E36/7, E36/8) (10/95-06/03)

Fan clutch
314 115 2201
 11 52 2 245 498

References

11 52 2 241 290	11 52 2 245 195
11 52 2 243 304	11 52 2 245 496
11 52 2 244 413	11 52 2 245 498



314 115 2201

11 52 2 245 498

Fan clutch

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

314 115 2203

11 52 2 246 042

Fan clutch



References

11 52 2 246 042

Application info


3 (E36) (09/90-08/00)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

314 115 2204

11 52 2 249 216

Fan clutch



References

11 52 2 249 216

Application info

3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01-08/05)
X5 (E53) (05/00--)

Fan clutch
314 115 2105

11 52 7 502 804

Notes

Temperature range from [°C] 92

References

 11 52 1 723 829 11 52 7 500 339
 11 52 1 737 489 11 52 7 502 804
 11 52 1 745 134

Application info

 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)
 7 (E32) (09/86-09/94)

 7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)

Fan clutch
314 115 2701

11 52 7 505 302

Notes

Diameter [mm] 160

References

 11 52 1 709 499 11 52 1 740 963
 11 52 1 719 269 11 52 7 505 302

Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)

 7 (E38) (10/94-11/01)
 X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)

Radiator cap
314 238 0003
Notes

Pressure [bar] 2

References

17 13 7 516 004



5

+

314 238 0003

Radiator cap

Application info


3 (E90, E91, E92, E93) (01/05-05/12)
5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)

7 (F01, F02, F03, F04) (06/08--)
X5 (E70) (02/07-03/10)
X6 (E71) (05/08--)

314 236 0010

17 11 7 590 699

Radiator fan motor



Notes

Rated Power [W] 400
Diameter [mm] 490
Voltage [V] 12

References

17 11 7 590 699 17 42 7 523 259

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

319 222 0011

11 53 1 247 203

Radiator hose



Notes

from engine to engine cooler
Lower

References

11 53 1 247 203

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

5

Radiator hose
319 115 3213
 11 53 1 247 398

References

11 53 1 247 398 11 53 1 247 915


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)

Z3 (E36/7, E36/8) (10/95-06/03)

Radiator hose
319 115 3100
 11 53 1 265 448

Notes

from thermostat to waterpump

References

11 53 1 265 448


Application info

 3 (E21) (06/75-03/84)
 3 (E30) (09/82-06/94)

 5 (E12) (08/72-08/81)
 5 (E28) (06/81-12/87)

Radiator hose
319 115 3112
 11 53 1 266 459

Notes

Length [mm] 230

References

11 53 1 250 387 11 53 1 266 459



5

+

319 115 3112

11 53 1 266 459

Radiator hose

Application info

5 (E12) (08/72-08/81)
5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)

6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)
7 (E32) (09/86-09/94)

319 115 3105

11 53 1 279 895

Radiator hose



Notes

for vehicles with air conditioning
Lower

References

11 53 1 279 895

Application info

3 (E30) (09/82-06/94)

319 115 3109

11 53 1 287 651

Radiator hose



Notes

from thermostat to radiator

References

11 53 1 287 651

Application info

3 (E30) (09/82-06/94)
5 (E28) (06/81-12/87)

5 (E34) (12/87-01/97)

5

Radiator hose
319 115 3129

11 53 1 289 257

Notes

from engine cooler to expansion tank

References

 11 53 1 278 924
 11 53 1 286 915

 11 53 1 287 924
 11 53 1 289 257

Application info

3 (E30) (09/82-06/94)

Radiator hose
319 222 0019

11 53 1 705 223

Notes

 from engine to engine cooler
 Upper

References

11 53 1 705 223


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Radiator hose
319 115 3190

11 53 1 708 499

Notes

 from engine to engine cooler
 Upper

References

 11 53 1 433 340
 11 53 1 708 499

11 53 1 720 722


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

319 115 3180

11 53 1 711 002

Radiator hose



Notes

from expansion tank to engine cooler and water pipe for backflow

References

11 53 1 711 002

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

319 115 3134

11 53 1 713 221

Radiator hose



Notes

from radiator to intermediate piece Lower

References

11 53 1 713 221

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

319 115 3183

11 53 1 718 982

Radiator hose



Notes

Inner Diameter [mm] 45

References

11 53 1 718 982

Application info

3 (E30) (09/82-06/94)

5 (E34) (12/87-01/97)

Z1 (06/88-06/91)

5

Radiator hose
319 115 3138

11 53 1 720 524

Notes

 from engine to heating radiator
 for backflow

References

11 53 1 720 524


Application info

5 (E34) (12/87-01/97)

Radiator hose
319 115 3139

11 53 1 720 678

Notes

 from engine to engine cooler
 Upper

References

11 53 1 720 678

11 53 2 483 283


Application info

5 (E34) (12/87-01/97)

Radiator hose
319 115 3146

11 53 1 720 720

Notes

 from engine to engine cooler
 Upper

References

11 53 1 720 720


Application info

3 (E36) (09/90-08/00)

5

319 115 3000

11 53 1 721 708

Radiator hose



Notes

Upper

References

11 53 1 721 708

Application info

3 (E36) (09/90-08/00)

319 115 3184

11 53 1 721 711

Radiator hose



Notes

from coolant regulator housing to
intake manifold
Lower

References

11 53 1 721 711

Application info

3 (E36) (09/90-08/00)

319 115 3141

11 53 1 722 215

Radiator hose



Notes

from radiator to intermediate piece
Upper

References

11 53 1 722 215

Application info

5 (E34) (12/87-01/97)

5

Radiator hose
319 115 3142

11 53 1 722 218

Notes

Upper

References

11 53 1 718 997

11 53 1 722 218


Application info

3 (E30) (09/82-06/94)

Radiator hose
319 115 3185

11 53 1 722 682

Notes

 from radiator to intermediate piece
 Upper

References

11 53 1 718 917

11 53 1 722 682


Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

Radiator hose
319 115 3187

11 53 1 722 852

Notes

from engine to engine cooler

 Inner Diameter [mm]
 Outer Diameter [mm]
 Length [mm]

 39
 42
 470

References

11 53 1 722 852


Application info

5 (E34) (12/87-01/97)

5

319 115 3143

11 53 1 726 344

Radiator hose



Notes

from engine to engine cooler
Lower

References

11 53 1 726 344

Application info

3 (E36) (09/90-08/00)

319 115 3204

11 53 1 727 448

Radiator hose



Notes

Upper

References

11 53 1 727 448

Application info

3 (E36) (09/90-08/00)

319 222 0018

11 53 1 727 638

Radiator hose



Notes

from connecting pipe to engine

References

11 53 1 727 638

Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

5

Radiator hose
319 115 3210

11 53 1 730 351

Notes

from expansion tank to water pipe

References

11 53 1 730 351


Application info

3 (E36) (09/90-08/00)

Radiator hose
319 115 3189

11 53 1 730 928

Notes

 from engine to engine cooler
 Lower

References

11 53 1 730 928


Application info

3 (E36) (09/90-08/00)

Radiator hose
319 222 0012

11 53 1 734 455

Notes

Lower

References

11 53 1 727 449

11 53 1 734 455


Application info

3 (E36) (09/90-08/00)

319 115 3211

11 53 1 738 053

Radiator hose



Notes

from distributor to water pipe and cylinder head

References

11 53 1 738 053

Application info

3 (E36) (09/90-08/00)

319 115 3188

11 53 1 738 054

Radiator hose



Notes

for backflow
Lower

References

11 53 1 726 506

11 53 1 738 054

Application info

5 (E34) (12/87-01/97)

319 222 0008

11 53 1 738 055

Radiator hose



Notes

from heating cooler to engine
Lower

References

11 53 1 730 286

11 53 1 738 055

Application info

3 (E36) (09/90-08/00)

5

Radiator hose
319 115 3199

11 53 1 740 481

Notes

 from engine to engine cooler
 Lower

References

11 53 1 740 481


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Radiator hose
319 115 3198

11 53 1 740 832

Notes

 from engine to engine cooler
 Upper

References

11 53 1 740 832


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Radiator hose
319 115 3002

11 53 1 741 404

References

11 53 1 741 404

11 53 1 747 845


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

319 115 3206

11 53 1 741 405

Radiator hose



Notes

from engine cooler to water pump
Upper

References

11 53 1 731 319
11 53 1 741 312

11 53 1 741 405

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

319 115 3168

11 53 1 741 407

Radiator hose



Notes

from engine cooler to water pump
Lower

References

11 53 1 741 407

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

319 115 3215

11 53 1 741 408

Radiator hose



Notes

from engine cooler to water pump

References

11 53 1 741 408

Application info

7 (E38) (10/94-11/01)

5

Radiator hose
319 115 3214

11 53 1 741 409

Notes

Upper

References

11 53 1 741 409


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Radiator hose
319 222 0010

11 53 1 743 192

Notes

from engine to engine cooler

References

11 53 1 743 192


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Radiator hose
319 115 3197

11 53 1 745 595

Notes

 from engine cooler to water pump
 Upper

References

11 53 1 745 595


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

5

319 222 0020

11 53 7 500 733

Radiator hose



Notes

Upper

References

11 53 7 500 733

Application info

X5 (E53) (05/00--)

319 135 4103

13 54 1 703 865

Radiator hose



Notes

Upper

References

13 54 1 703 865

Application info

3 (E36) (09/90-08/00)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
Z3 (E36/7, E36/8) (10/95-06/03)

319 135 4107

13 54 1 735 173

Radiator hose



Notes

from engine to thermostat

References

13 54 1 735 173

Application info

3 (E36) (09/90-08/00)

5

Radiator hose
319 135 4108

13 54 1 735 174

Notes

from thermostat to radiator

References

13 54 1 735 174


Application info

3 (E36) (09/90-08/00)

Radiator hose
319 171 1103

17 11 1 723 521

Notes

from expansion tank to engine cooler

References

17 11 1 723 521


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Radiator hose
319 222 0027

17 12 3 415 433

References

17 12 3 415 433

Application info

X3 (E83) (01/04-12/08)

5

319 222 0023

17 12 7 519 256

Radiator hose



Notes

from thermostat to radiator
for foreflow
Upper Left

References

17 12 7 519 256

Application info

5 (E60, E61) (07/03-08/10)

319 222 0021

17 12 7 520 668

Radiator hose



Notes

for foreflow
EPDM (ethylene propylene diene
Monomer (M-class) rubber)
Upper Left

References

17 12 7 507 748

17 12 7 520 668

Application info

3 (E46) (02/98-12/07)

319 222 0022

17 12 7 531 581

Radiator hose



Notes

Lower

References

17 12 7 531 581

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

5

Radiator hose
319 222 0024

17 12 7 531 769

Notes

Lower

References

17 12 7 531 769


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

Radiator hose
319 222 0026

17 12 7 540 127

Notes

 for foreflow
 Upper

References

17 12 7 540 127


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Z4 (E89) (05/09--)

Radiator hose
319 222 0025

17 12 7 564 480

Notes

 from engine to thermostat
 Lower

References

17 12 7 564 480


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Z4 (E89) (05/09--)

300 171 1101

17 11 1 712 660

Support, cooling fan



Notes

Front and Rear

References

17 11 1 712 660

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

328 228 0006

11 53 1 437 040

Thermostat

Notes

Opening Temperature [°C]

with seal
97

References

11 53 0 139 877
11 53 1 436 823

11 53 1 437 040
11 53 7 509 227

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03-08/10)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01-08/05)
X3 (E83) (01/04-12/08)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

328 228 0002

11 53 1 437 085

Thermostat

Notes

Opening Temperature [°C]

with seal
Synthetic Material Housing
105

References

11 53 1 436 042

11 53 1 437 085



5

028 295 0001

11 53 1 739 755

Thermostat



Notes

Opening Temperature [°C]

with seal
Synthetic Material Housing
95

References

11 53 1 247 125
11 53 1 432 881

11 53 1 739 755

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

328 228 0007

11 53 2 247 019

Thermostat

Notes

Opening Temperature [°C]

with seal
85

References

11 53 2 247 019

Application info

3 (E46) (02/98-12/07)

5 (E39) (11/95-05/04)

328 228 0004

11 53 7 510 959

Thermostat

Notes

Opening Temperature [°C]

with seal
105

References

11 53 7 510 959



5

028 288 0000

11 53 7 511 580

Thermostat



Notes

Opening Temperature [°C]

with seal
88

References

11 53 1 571 083
11 53 1 712 043
11 53 1 721 002
11 53 1 721 003
11 53 1 721 004

11 53 1 733 803
11 53 1 743 528
11 53 1 743 542
11 53 7 511 083
11 53 7 511 580

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)
Z3 (E36/7, E36/8) (10/95-06/03)

028 292 0005

11 53 7 511 580

Thermostat



Notes

Opening Temperature [°C]

with seal
92

References

11 53 1 571 083
11 53 1 712 043
11 53 1 721 002
11 53 1 721 003
11 53 1 721 004

11 53 1 733 803
11 53 1 743 528
11 53 1 743 542
11 53 7 511 083
11 53 7 511 580

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)
Z3 (E36/7, E36/8) (10/95-06/03)

328 228 0001

11 53 1 720 173

Thermostat housing



Notes

with seal

References

11 53 1 720 173



Thermostat housing
328 228 0001
 11 53 1 720 173

+

Application info

 5 (E34) (12/87-01/97)
 7 (E32) (09/86-09/94)

 7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)

Water pump
313 011 2100
 11 51 0 007 039

Notes

Quality

 with seal
 Sealed with SiC/SiC

References

 11 51 0 007 039
 11 51 1 727 123

11 51 1 734 269


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Water pump
313 011 3100
 11 51 0 007 042

Notes

with seal

References

 11 51 0 007 042
 11 51 1 704 600
 11 51 1 731 680

 11 51 1 736 146
 11 51 1 741 001
 11 51 1 742 498

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

5

313 011 3300
11 51 0 007 043

Water pump



Notes

Quality

with seal
Sealed with SiC/SiC

References

11 51 0 007 043
11 51 1 736 203

11 51 1 741 002
11 51 1 742 517

Application info

7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

313 011 4300
11 51 0 393 336

Water pump



Notes

Quality

with seal
Sealed with SiC/SiC

References

11 51 0 393 336

11 51 1 713 266

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)
X5 (E53) (05/00-)

313 011 3400
11 51 0 393 338

Water pump



Notes

Quality

with seal
Sealed with SiC/SiC

References

11 51 0 393 338
11 51 1 721 872
11 51 1 727 468

11 51 1 734 595
11 51 1 734 602



Water pump
313 011 3400
 11 51 0 393 338

+

Application info

 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)

 5 (E34) (12/87-01/97)
 Z3 (E36/7, E36/8) (10/95-06/03)

Water pump
313 011 1300
 11 51 0 393 339

Notes

with seal

References

 11 51 0 393 339
 11 51 1 704 702

11 51 1 741 980


Application info

7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

Water pump
313 011 1100
 11 51 0 393 340

Notes

Quality

 with seal
 Sealed with SiC/SiC

References

 11 51 0 393 340
 11 51 1 742 598

11 51 1 742 647


Application info

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

5

313 011 0000
11 51 0 393 730

Water pump



Notes

Number of Ribs

for v-ribbed belt use
with seal
5

References

11 51 0 393 730
11 51 7 785 015

11 51 7 786 736

Application info

3 (E46) (02/98-12/07)

5 (E39) (11/95-05/04)

313 011 1200
11 51 0 393 731

Water pump



Notes

Quality
Number of Ribs

for v-ribbed belt use
with seal
Sealed with SiC/SiC
5

References

11 51 0 393 731
11 51 2 246 961

11 51 2 247 552

Application info

3 (E46) (02/98-12/07)

313 220 0007
11 51 1 406 650

Water pump



Notes

Quality

with seal
Sealed with SiC/SiC

References

11 51 1 401 284
11 51 1 402 427

11 51 1 406 650

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Water pump

313 220 0005
 11 51 7 515 778

Notes

Quality

 with accessories
 with seal
 Sealed with SiC/SiC

References

 11 51 7 511 220
 11 51 7 511 221

11 51 7 515 778



Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E46) (02/98-12/07)
 3 (E90, E91, E92, E93) (01/05-05/12)

 X1 (E84) (03/09--)
 X3 (E83) (01/04-12/08)
 Z4 (E85) (02/03--)

Water pump

313 011 2001
 11 51 7 527 799

Notes

Quality

 with seal
 Sealed with SiC/SiC

References

 11 51 1 433 712
 11 51 1 433 828
 11 51 1 437 648
 11 51 1 722 536
 11 51 1 730 414
 11 51 1 740 241
 11 51 1 744 243

 11 51 7 503 884
 11 51 7 504 040
 11 51 7 509 985
 11 51 7 527 799
 11 51 7 527 910
 11 53 1 433 828


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03-08/10)
 7 (E38) (10/94-11/01)

 7 (E65, E66) (11/01-08/05)
 X3 (E83) (01/04-12/08)
 X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)

Water pump

313 220 0017
 11 51 7 586 925

Notes

References

 11 51 7 546 994
 11 51 7 563 183

Electric

 11 51 7 586 924
 11 51 7 586 925


5

+

313 220 0017

11 51 7 586 925

Water pump



Application info

1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)
 5 (E60, E61) (07/03-08/10)
 6 (E63, E64) (01/04--)
 7 (E65, E66) (11/01-08/05)
 X1 (E84) (03/09--)

X3 (E83) (01/04-12/08)
 X5 (E70) (02/07-03/10)
 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)
 Z4 (E89) (05/09--)

11-13 220 0020

11 51 7 648 827

Water pump



Notes

with seal

References

11 51 7 550 484
 11 51 7 648 827

11 51 8 604 888

Application info

1 (F20, F21) (11/10--)

3 (F30, F31) (10/11--)

313 220 0004

11 51 7 786 192

Water pump



Notes

for v-ribbed belt use
 with seal
 Sealed with SiC/SiC
 5

Quality
 Number of Ribs

References

11 51 2 248 996
 11 51 2 354 055

11 51 2 354 057
 11 51 7 786 192

Application info

3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
 X5 (E53) (05/00--)

5

Water pump

313 220 0001
 11 51 7 790 471

Notes

for v-ribbed belt use
with seal

Number of Ribs

6

References

 11 51 7 788 305
 11 51 7 790 322
 11 51 7 790 471

 11 51 7 791 833
 11 51 7 805 808


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E46) (02/98-12/07)
 3 (E90, E91, E92, E93) (01/05-05/12)

 5 (E60, E61) (07/03-08/10)
 X3 (E83) (01/04-12/08)

Water pump

313 220 0006
 11 51 7 805 810

Notes

for v-ribbed belt use
with seal
Sealed with SiC/SiC

Number of Ribs

6

References

 11 51 7 790 135
 11 51 7 791 834

 11 51 7 801 609
 11 51 7 805 810


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)
 5 (E60, E61) (07/03-08/10)
 6 (E63, E64) (01/04--)

 X3 (E83) (01/04-12/08)
 X5 (E70) (02/07-03/10)
 X6 (E71) (05/08--)

Water pump

313 220 0009
 11 51 7 806 349

Notes

for v-ribbed belt use
with seal

Number of Ribs

6

References

 11 51 7 788 306
 11 51 7 794 247

11 51 7 806 349



5

+

313 220 0009

11 51 7 806 349

Water pump

Application info

3 (E46) (02/98-12/07)
7 (E65, E66) (11/01-08/05)

X5 (E53) (05/00--)

313 220 0012

11 51 7 807 311

Water pump



Notes

Number of Ribs

for v-ribbed belt use
with seal
6

References

11 51 7 807 311

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E60, E61) (07/03-08/10)

X1 (E84) (03/09--)
X3 (E83) (01/04-12/08)

313 220 0016

11 51 7 823 429

Water pump



Notes

Number of Ribs

for v-ribbed belt use
with seal
6

References

11 51 7 823 429

Application info

3 (E90, E91, E92, E93) (01/05-05/12)

5

Water pump
313 220 0018

11 51 8 516 435

Notes

Number of Ribs for v-ribbed belt use with seal
7

References

11 51 7 823 428 11 51 8 516 435


Application info

5 (F07) (10/09-12/10)
5 (F10, F11) (03/10-12/11)
7 (F01, F02, F03, F04) (06/08--)

X5 (E70) (02/07-03/10)
X6 (E71) (05/08--)

Water pump
313 011 3800

11 51 9 069 529

Notes

Quality with seal
Sealed with SiC/SiC

References

11 51 0 032 679 11 51 2 245 745
11 51 2 243 003 11 51 2 246 128
11 51 2 244 333 11 51 9 068 606
11 51 2 245 687 11 51 9 069 529


Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

Water pump
313 011 1900

11 51 9 070 752

Notes

Quality with seal
Sealed with SiC/SiC

References

11 51 1 258 147 11 51 1 259 660
11 51 1 258 701 11 51 9 070 749
11 51 1 258 933 11 51 9 070 752



5

+

313 011 1900

11 51 9 070 752

Water pump

+

Application info

3 (E21) (06/75-03/84)
3 (E30) (09/82-06/94)

5 (E12) (08/72-08/81)
5 (E28) (06/81-12/87)

313 011 2700

11 51 9 070 755

Water pump



Notes

Quality

with seal
Sealed with SiC/SiC

References

11 51 1 274 583
11 51 1 274 584
11 51 1 286 355
11 51 1 286 358

11 51 1 711 477
11 51 1 721 477
11 51 9 070 755

Application info

3 (E30) (09/82-06/94)

5

313 011 2300

11 51 9 070 757

Water pump



Notes

with seal

References

11 51 1 251 230
11 51 1 253 143
11 51 1 263 934
11 51 1 266 096

11 51 1 705 236
11 51 1 705 273
11 51 9 070 756
11 51 9 070 757

Application info

5 (E12) (08/72-08/81)
6 (E24) (04/76-09/90)

7 (E23) (05/77-08/86)

Water pump
313 011 2600
 11 51 9 070 759

Notes

Quality

 with seal
 Sealed with SiC/SiC

References

 11 51 1 719 836
 11 51 1 720 609

 11 51 9 070 758
 11 51 9 070 759

Application info

 3 (E30) (09/82-06/94)
 5 (E34) (12/87-01/97)

Z1 (06/88-06/91)

Water pump
313 011 2400
 11 51 9 070 761

Notes

Quality

 with seal
 Sealed with SiC/SiC

References

 11 51 1 271 436
 11 51 1 272 613
 11 51 1 286 417
 11 51 1 707 190
 11 51 1 707 191
 11 51 1 707 192
 11 51 1 707 193

 11 51 1 720 881
 11 51 1 720 883
 11 51 1 720 892
 11 51 1 720 893
 11 51 9 061 160
 11 51 9 070 761

Application info

 5 (E12) (08/72-08/81)
 5 (E28) (06/81-12/87)
 5 (E34) (12/87-01/97)

 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)
 7 (E32) (09/86-09/94)

Water pump
313 011 2900
 11 51 9 070 763

Notes

Quality

 with seal
 Sealed with SiC/SiC

References

 11 51 1 715 292
 11 51 1 721 337

11 51 9 070 763



5

+

313 011 2900

11 51 9 070 763

Water pump

Application info

3 (E30) (09/82-06/94)

5 (E34) (12/87-01/97)

313 011 2500

11 51 9 071 561

Water pump



Notes

Quality

with seal
Sealed with SiC/SiC

References

11 51 1 271 435
11 51 1 272 616
11 51 1 706 564
11 51 1 706 588
11 51 1 706 624

11 51 1 711 492
11 51 9 058 996
11 51 9 071 561
11 51 9 071 562

Application info

3 (E21) (06/75-03/84)
3 (E30) (09/82-06/94)

5 (E28) (06/81-12/87)

313 011 2201

11 51 9 570 765

Water pump



Notes

with seal

References

11 51 1 284 247
11 51 1 284 580
11 51 1 285 510
11 51 1 287 580

11 51 2 241 641
11 51 2 242 675
11 51 9 070 764
11 51 9 570 765

Application info

3 (E30) (09/82-06/94)

5

Breather hose
014 036 0010

11 15 1 703 775

References

11 15 1 703 775


Application info

 3 (E36) (09/90-08/00)
 5 (E39) (11/95-05/04)

 7 (E38) (10/94-11/01)
 Z3 (E36/7, E36/8) (10/95-06/03)

Breather hose
319 036 0001

11 15 1 739 557

References

11 15 1 739 557


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Breather hose
319 036 0002

11 15 1 743 386

References

11 15 1 743 386


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)

 5 (E34) (12/87-01/97)
 Z3 (E36/7, E36/8) (10/95-06/03)

5

014 036 0011

11 157 532 649

Breather hose

Notes

Lower Left

References

11 15 1 437 641

11 15 7 532 649



Application info

- 3 (E46) (02/98-12/07)
- 5 (E39) (11/95-05/04)
- 5 (E60, E61) (07/03-08/10)
- 7 (E65, E66) (11/01-08/05)

- X3 (E83) (01/04-12/08)
- Z3 (E36/7, E36/8) (10/95-06/03)
- Z4 (E85) (02/03--)

014 036 0012

11 61 1 432 559

Breather hose

Notes

Left Front

References

11 61 1 432 559



Application info

- 3 (E46) (02/98-12/07)
- 5 (E39) (11/95-05/04)
- 5 (E60, E61) (07/03-08/10)
- 7 (E38) (10/94-11/01)
- 7 (E65, E66) (11/01-08/05)

- X3 (E83) (01/04-12/08)
- X5 (E53) (05/00--)
- Z3 (E36/7, E36/8) (10/95-06/03)
- Z4 (E85) (02/03--)

359 203 0014

11 61 7 504 536

Breather hose

References

11 61 7 504 536



Breather hose
359 203 0014

11 61 7 504 536

+

Application info

 3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03-08/10)
 7 (E38) (10/94-11/01)
 7 (E65, E66) (11/01-08/05)

 X3 (E83) (01/04-12/08)
 X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)
Breather hose
314 036 0018

11 61 7 533 398

References

11 61 7 533 398


Application info

 3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03-08/10)
 7 (E65, E66) (11/01-08/05)

 X3 (E83) (01/04-12/08)
 X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)
Breather hose
314 036 0017

11 61 7 533 399

References

11 61 7 533 399


Application info

 3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03-08/10)
 7 (E65, E66) (11/01-08/05)

 X3 (E83) (01/04-12/08)
 X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)

5

314 040 0000

11 12 7 547 058

Breather valve



References

11 12 7 547 058

Application info

5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)
7 (E65, E66) (11/01-08/05)

X5 (E53) (05/00--)
X5 (E70) (02/07-03/10)

314 036 0008

11 15 1 703 484

Breather valve



References

11 15 1 703 484

Application info

3 (E36) (09/90-08/00)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
Z3 (E36/7, E36/8) (10/95-06/03)

314 036 0005

11 15 7 501 567

Breather valve



References

11 15 1 247 133

11 15 7 501 567



Breather valve
314 036 0005
 11 15 7 501 567

+

Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)

 5 (E34) (12/87-01/97)
 Z3 (E36/7, E36/8) (10/95-06/03)

Breather valve
314 036 0000
 11 61 7 501 566

References

11 61 7 501 566

11 61 7 501 566 S1


Application info

 3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03-08/10)
 7 (E38) (10/94-11/01)

 7 (E65, E66) (11/01-08/05)
 X3 (E83) (01/04-12/08)
 X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)

Muffler bracket
014 049 0008
 18 21 1 245 113

Notes

 End Silencer
 Front Silencer

References

18 21 1 245 113


Application info

 3 (E21) (06/75-03/84)
 5 (E12) (08/72-08/81)

6 (E24) (04/76-09/90)

5

312 137 2004

13 71 1 247 465

Air filter



Notes

Height [mm]	57
Width [mm]	150
Length [mm]	256
	Filter Insert

References

13 71 1 247 465	13 72 1 715 880
13 72 1 247 842	13 72 1 715 881
13 72 1 287 681	13 72 1 734 682
13 72 1 707 050	

Application info

3 (E30) (09/82-06/94)	7 (E32) (09/86-09/94)
3 (E36) (09/90-08/00)	8 (E31) (04/90-12/99)
5 (E28) (06/81-12/87)	Z1 (06/88-06/91)
5 (E34) (12/87-01/97)	

312 137 1001

13 71 2 246 416

Air filter



Notes

Height [mm]	42
Width [mm]	165
Length [mm]	580
	Filter Insert

References

13 71 2 243 783	13 71 2 246 416
-----------------	-----------------

Application info

3 (E36) (09/90-08/00)	5 (E39) (11/95-05/04)
5 (E34) (12/87-01/97)	7 (E38) (10/94-11/01)

312 321 0000

13 71 2 246 997

Air filter



Notes

Inner Diameter [mm]	108
Outer Diameter [mm]	155
Height [mm]	380
	Filter Insert

References

13 71 2 246 997



Air filter
312 321 0000
 13 71 2 246 997

Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E46) (02/98-12/07)
 3 (E90, E91, E92, E93) (01/05-05/12)

 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03-08/10)
 X3 (E83) (01/04-12/08)

Air filter
312 321 0001
 13 71 2 247 444

Notes

Inner Diameter [mm]	108.5
Outer Diameter [mm]	145
Height [mm]	498
	Filter Insert

References

13 71 2 247 444


Application info

 3 (E46) (02/98-12/07)
 3 (E90, E91, E92, E93) (01/05-05/12)
 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03-08/10)
 7 (E38) (10/94-11/01)


 7 (E65, E66) (11/01-08/05)
 X3 (E83) (01/04-12/08)
 X5 (E53) (05/00--)
 X5 (E70) (02/07-03/10)
 X6 (E71) (05/08--)
Air filter
312 321 0022
 13 71 3 419 934

Notes

Height [mm]	46
Width [mm]	166
Length [mm]	252
	Filter Insert

References

13 71 3 419 934


Application info

X3 (E83) (01/04-12/08)

5

312 321 0023

13 71 3 428 558

Air filter



Notes

Height [mm]	48
Width [mm]	134
Length [mm]	674
	Filter Insert

References

13 71 3 428 558

Application info

X3 (E83) (01/04-12/08)

312 321 0002

13 71 7 503 141

Air filter



Notes

Inner Diameter [mm]	69
Outer Diameter [mm]	171
Height [mm]	97
	Filter Insert

References

13 71 7 503 141

Application info

3 (E46) (02/98-12/07)

312 321 0005

13 71 7 505 007

Air filter



Notes

Height [mm]	63
Width [mm]	183
Length [mm]	294.5
	Filter Insert

References

13 71 7 256 008	13 71 7 526 008
13 71 7 505 007	

Application info

7 (E65, E66) (11/01-08/05)

5

Air filter
312 321 0011
 13 71 7 509 544

Notes

Inner Diameter [mm]	69.8
Outer Diameter [mm]	187.5
Height [mm]	85.2
	Filter Insert

References

13 71 7 509 544


Application info

3 (E46) (02/98-12/07)

Air filter
312 321 0008
 13 71 7 521 023

Notes

Height [mm]	42
Width [mm]	274.5
Width 1 [mm]	186.5
Length [mm]	312
	Filter Insert

References

13 71 7 521 023	13 71 7 521 037
-----------------	-----------------


Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

Air filter
312 321 0003
 13 71 7 521 033

Notes

Height [mm]	46
Width [mm]	230
Length [mm]	294
	Filter Insert

References

13 71 7 521 033	13 71 7 521 038
-----------------	-----------------


Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

312 321 0016

13 71 7 524 412

Air filter



Notes

Inner Diameter [mm]	69
Outer Diameter [mm]	143
Height [mm]	197
	Filter Insert

References

13 71 7 524 412

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

312 321 0004

13 71 7 532 754

Air filter



Notes

Inner Diameter [mm]	78.8
Outer Diameter [mm]	143
Height [mm]	200
	Filter Insert

References

13 71 7 532 754

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

X1 (E84) (03/09--)

3 (E90, E91, E92, E93) (01/05-05/12)

312 321 0020

13 71 7 536 006

Air filter



Notes

Inner Diameter [mm]	80
Outer Diameter [mm]	176
Height [mm]	173.6
	Filter Insert

References

13 71 7 536 006

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

X1 (E84) (03/09--)

3 (E90, E91, E92, E93) (01/05-05/12)


Air filter
312 321 0007
 13 71 7 542 294

Notes

Height [mm]	50
Width [mm]	250.2
Length [mm]	267.8
	Filter Insert

References

13 71 7 542 294


Application info

3 (E90, E91, E92, E93) (01/05-05/12)


Air filter
312 321 0006
 13 71 7 542 545

Notes

Height [mm]	48
Width 2 [mm]	199
Width 1 [mm]	227
Length [mm]	280
	Filter Insert

References

13 71 7 542 545


Application info

 X3 (E83) (01/04-12/08)
 Z4 (E85) (02/03--)

Z4 (E86) (03/06--)


Air filter
312 321 0024
 13 71 7 548 888

Notes

Height [mm]	38
Width [mm]	243
Length [mm]	355
	Filter Insert

References

13 71 7 548 888



Application info

X5 (E70) (02/07-03/10)

312 321 0028

13 71 7 548 897

Air filter



Notes

Height [mm]	38
Width [mm]	230
Width 1 [mm]	75
Length [mm]	295
	Filter Insert

References

13 71 7 548 897


Application info

X5 (E70) (02/07-03/10)

312 321 0029

13 71 7 548 898

Air filter



Notes

Height [mm]	38
Width [mm]	230
Width 1 [mm]	75
Length [mm]	295
	Filter Insert

References

13 71 7 548 898


Application info

X5 (E70) (02/07-03/10)

312 321 0021

13 71 7 571 355

Air filter



Notes

Height [mm]	35.2
Width [mm]	261.5
Length [mm]	276.5
	Filter Insert

References

13 71 7 571 355

+

Air filter
312 321 0021
 13 71 7 571 355

+

Application info

 5 (F07) (10/09-12/10)
 5 (F10, F11) (03/10-12/11)
 6 (F12, F13) (11/10-12/12)
 7 (F01, F02, F03, F04) (06/08--)

 X3 (F25) (09/10--)
 X5 (E70) (02/07-03/10)
 X6 (E71) (05/08--)


Air filter
312 321 0026
 13 71 7 582 908

Notes

 Height [mm] 51
 Width [mm] 252
 Length [mm] 272
 Filter Insert

References

13 71 7 582 908


Application info

Z4 (E89) (05/09--)


Air filter
312 321 0017
 13 71 7 793 647

Notes

 Height [mm] 47
 Width [mm] 273.1
 Width 1 [mm] 170.4
 Length [mm] 312.6
 Filter Insert

References

13 71 7 793 647


Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

5

312 321 0013

13 71 7 797 465

Air filter



Notes

Height [mm]	70
Width 2 [mm]	82
Width 1 [mm]	234
Length [mm]	302
	Filter Insert

References

13 71 7 797 465

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

312 321 0033

13 71 7 800 151

Air filter



Notes

Height [mm]	44.8
Width 2 [mm]	145
Width 1 [mm]	229
Length [mm]	505
	Filter Insert

References

13 71 7 800 151

Application info

5 (F07) (10/09-12/10)
5 (F10, F11) (03/10-12/11)

7 (F01, F02, F03, F04) (06/08--)

312 321 0035

13 71 7 811 026

Air filter



Notes

Height 2 [mm]	22
Height 1 [mm]	93
Width [mm]	269
Length [mm]	348
	Filter Insert

References

13 71 7 811 026



Air filter
312 321 0035
 13 71 7 811 026

Application info

 X3 (F25) (09/10--)
 X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)


Air filter
312 321 0038
 13 71 8 507 320

Notes

Height [mm]	42
Width [mm]	204
Length [mm]	230
	Filter Insert

References

13 71 7 630 911	13 71 8 507 320
-----------------	-----------------


Application info

 1 (F20, F21) (11/10--)
 2 (F22, F23, F46) (10/13--)
 3 (F30, F31) (10/11--)


 3 (F34) (03/13--)
 4 (F32, F33, F36) (07/13--)
Air filter
312 321 0037
 13 71 8 511 668

Notes

Height [mm]	70
Width [mm]	204
Length [mm]	230
	Filter Insert

References

13 71 8 511 668


Application info

1 (F20, F21) (11/10--)

3 (F30, F31) (10/11--)

5

312 321 0039
13 71 8 513 944

Air filter

Notes

Height [mm]	54
Width [mm]	292
Length [mm]	211
	Filter Insert

References


13 71 8 513 944

Application info

2 (F45) (09/14--)

312 137 2008
13 72 1 247 404

Air filter



Notes

Height [mm]	42
Width [mm]	235
Length [mm]	236
	Filter Insert

References

13 71 1 247 405	13 72 1 247 405
13 72 1 247 404	

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

312 137 2011
13 72 1 702 907

Air filter



Notes

Height [mm]	58
Width [mm]	150
Length [mm]	290
	Filter Insert

References

13 72 1 702 907	13 72 1 742 201
-----------------	-----------------

Application info

7 (E38) (10/94-11/01)

X5 (E53) (05/00--)

Air filter
312 137 2003

13 72 1 707 021

Notes

Height [mm]	58
Width [mm]	150
Length [mm]	381
	Filter Insert

References

13 72 1 707 021	13 72 1 714 952
-----------------	-----------------


Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

Air filter
312 137 2010

13 72 1 726 916

Notes

Height [mm]	58
Width [mm]	150
Length [mm]	327
	Filter Insert

References

13 72 1 311 880	13 72 1 726 916
-----------------	-----------------


Application info

5 (E34) (12/87-01/97)

Air filter
312 137 2005

13 72 1 730 946

Notes

Height [mm]	57.5
Width [mm]	178
Length [mm]	243
	Filter Insert

References

13 72 1 730 946	13 72 1 738 462
-----------------	-----------------


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)

 7 (E38) (10/94-11/01)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)

5

312 132 2007

13 72 1 736 675

Air filter



Notes

Height [mm]	58
Width [mm]	212
Length [mm]	256
	Filter Insert

References

13 71 1 736 675	13 72 1 736 562
13 72 1 433 933	13 72 1 736 675
13 72 1 702 158	13 72 1 747 280
13 72 1 733 562	


Application info

5 (E34) (12/87-01/97)	8 (E31) (04/90-12/99)
5 (E39) (11/95-05/04)	X5 (E53) (05/00--)
7 (E32) (09/86-09/94)	Z8 (E52) (06/00-06/03)
7 (E38) (10/94-11/01)	

312 137 2012

13 72 1 744 869

Air filter



Notes

Height [mm]	57.5
Width [mm]	178
Length [mm]	243
	Filter Insert

References

13 72 1 744 869

Application info

3 (E36) (09/90-08/00)	X3 (E83) (01/04-12/08)
3 (E46) (02/98-12/07)	Z3 (E36/7, E36/8) (10/95-06/03)
5 (E39) (11/95-05/04)	Z4 (E85) (02/03--)
7 (E38) (10/94-11/01)	

312 321 0027

13 72 7 834 714

Air filter



Notes

Height [mm]	57
Width [mm]	229
Length [mm]	257
	Filter Insert

References

13 72 7 834 714

Counterpart

312 321 0036

5

Air filter

312 321 0027
13 72 7 834 714



Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

Air filter

312 321 0036
13 72 7 834 715

Notes


Height [mm] 57
Width [mm] 229
Length [mm] 257
Filter Insert

References

13 72 7 834 715

Counterpart

312 321 0027



Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

Air filter

312 321 0034
13 72 7 838 804

Notes

Outer Diameter [mm] 161.2
Height [mm] 224
Filter Insert

References

13 72 7 838 804



Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

014 910 1000

16 11 1 106 487

Cap, fuel tank



Notes

Diameter [mm]

with key
with lock
44

References

16 11 1 106 487

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
5 (E34) (12/87-01/97)

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)
Z3 (E36/7, E36/8) (10/95-06/03)

314 133 2107

13 32 1 268 231

Fuel filter



Notes

Diameter [mm]
Height [mm]

Aluminium
81
157
In-Line Filter

References

13 32 1 268 231
13 32 1 270 038

13 32 9 063 165

Application info

3 (E21) (06/75-03/84)
3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
5 (E12) (08/72-08/81)
5 (E28) (06/81-12/87)

5 (E34) (12/87-01/97)
6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)
7 (E32) (09/86-09/94)
Z1 (06/88-06/91)

314 133 2108

13 32 1 268 231

Fuel filter



Notes

Diameter [mm]
Height [mm]

Steel
81
157
In-Line Filter

References

13 32 1 268 231
13 32 1 270 038

13 32 9 063 165

5

Fuel filter
314 133 2108

13 32 1 268 231

+ Application info

 3 (E21) (06/75-03/84)
 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)
 5 (E12) (08/72-08/81)
 5 (E28) (06/81-12/87)

 5 (E34) (12/87-01/97)
 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)
 7 (E32) (09/86-09/94)
 Z1 (06/88-06/91)

Fuel filter
314 323 0003

13 32 1 277 497

Notes

Diameter [mm]	Plastic
Height [mm]	30
	97
	In-Line Filter

References

13 32 1 277 497	13 32 1 278 272
-----------------	-----------------


Application info

 3 (E21) (06/75-03/84)
 3 (E30) (09/82-06/94)

 5 (E12) (08/72-08/81)
 5 (E28) (06/81-12/87)

Fuel filter
314 133 2109

13 32 1 702 632

Notes

Diameter [mm]	Aluminium
Height [mm]	55.3
	300
	In-Line Filter

References

13 32 1 702 632	13 32 1 740 986
13 32 1 740 985	


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)

 7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)
 Z3 (E36/7, E36/8) (10/95-06/03)

314 323 0009

13 32 1 709 535

Fuel filter



Notes

Diameter 1 [mm]	Steel
Diameter [mm]	55
Height [mm]	75
	310
	In-Line Filter

References

13 32 1 709 535

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

X5 (E53) (05/00--)

314 133 2106

13 32 1 720 102

Fuel filter



Notes

Diameter [mm]	Aluminium
Height [mm]	55
	205
	In-Line Filter

References

13 32 1 713 807	13 32 1 720 101
13 32 1 713 808	13 32 1 720 102

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)
8 (E31) (04/90-12/99)
Z1 (06/88-06/91)

312 133 2002

13 32 2 240 791

Fuel filter



Notes

	Zinc-coated
	Steel
Diameter [mm]	82
Height [mm]	182
Port Thread	M16x1,5
	Screw-on Filter

References

13 32 2 240 791	13 32 2 246 135
13 32 2 240 798	13 32 2 248 279
13 32 2 240 802	13 32 7 786 647
13 32 2 245 006	



Fuel filter
312 133 2002
 13 32 2 240 791

+ Application info

 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

Fuel filter
312 133 2001
 13 32 2 243 653

Notes

Diameter [mm]	Steel
Height [mm]	86
Port Thread	186.5
	M16x1,5
	Screw-on Filter

References

13 32 2 243 653


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Fuel filter
314 323 0006
 13 32 7 512 019

Notes

Diameter [mm]	Aluminium
Height [mm]	55
	315
	In-Line Filter

References

13 32 1 439 407	13 32 7 512 018
13 32 7 512 017	13 32 7 512 019


Application info

3 (E46) (02/98-12/07)

Z3 (E36/7, E36/8) (10/95-06/03)

314 323 0000

13 32 7 787 825

Fuel filter



Notes

Diameter [mm]
Height [mm]

Zinc-coated
Steel
84
177
In-Line Filter

References

13 32 7 785 350

13 32 7 787 825

Application info

3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)

X5 (E53) (05/00--)

314 323 0001

13 32 7 793 672

Fuel filter



Notes

Diameter [mm]
Height [mm]

Aluminium
55
251
In-Line Filter

References

13 32 7 793 672

Application info

3 (E90, E91, E92, E93) (01/05-05/12)

314 323 0002

13 32 7 794 549

Fuel filter



Notes

Diameter [mm]
Height [mm]

Aluminium
55
274
In-Line Filter

References

13 32 7 787 476

13 32 7 794 549

Application info

3 (E46) (02/98-12/07)

5

Fuel filter
314 323 0011
 13 32 7 811 227

Notes

	Aluminium
Diameter [mm]	55
Height [mm]	250
	In-Line Filter

References

13 32 7 788 700	13 32 7 811 401
13 32 7 811 227	


Application info

1 (E81, E82, E87, E88) (11/03-09/12)	6 (F12, F13) (11/10-12/12)
3 (E46) (02/98-12/07)	7 (E65, E66) (11/01-08/05)
5 (E60, E61) (07/03-08/10)	7 (F01, F02, F03, F04) (06/08--)
5 (F07) (10/09-12/10)	X3 (E83) (01/04-12/08)
5 (F10, F11) (03/10-12/11)	X5 (E70) (02/07-03/10)
6 (E63, E64) (01/04--)	X6 (E71) (05/08--)

Fuel filter
314 323 0010
 13 32 7 823 413

Notes

	Metal
Diameter [mm]	55
Height 1 [mm]	263
Height [mm]	251.5

References

13 32 7 823 413


Application info

3 (E90, E91, E92, E93) (01/05-05/12)	X3 (F25) (09/10--)
X1 (E84) (03/09--)	

Fuel filter
314 323 0008
 16 12 6 754 016

Notes

	Steel
Diameter [mm]	55
Height [mm]	205.5
	In-Line Filter

References

16 12 6 754 016



314 323 0008

16 12 6 754 016

Fuel filter



Application info

X5 (E53) (05/00--)

314 323 0007

16 12 6 765 756

Fuel filter



Notes

Diameter 1 [mm]
Diameter [mm]
Height [mm]

Aluminium
61
54.9
274.6
In-Line Filter

References

16 12 6 765 756

Application info

X5 (E53) (05/00--)

5

314 323 0013

Fuel filter



Notes

Diameter [mm]
Height [mm]

55
256.1
In-Line Filter

References

13 32 8 511 053

13 32 8 572 522

Application info

1 (F20, F21) (11/10--)
2 (F22, F23, F46) (10/13--)
3 (F30, F31) (10/11--)

3 (F34) (03/13--)
4 (F32, F33, F36) (07/13--)

Intake manifold, air supply
300 137 1107
 13 71 1 726 205

Notes

with suction pipe

References

13 71 1 726 205

13 71 1 726 325


Application info

3 (E30) (09/82-06/94)

Intake manifold, air supply
300 137 1102
 13 71 1 726 208

Notes

with suction pipe

References

13 71 1 726 208


Application info

5 (E34) (12/87-01/97)

Suction hose, air filter
300 135 4103
 13 54 1 726 634

References

13 54 1 726 634


Application info

5 (E34) (12/87-01/97)

300 135 4101

13 54 1 738 757

Suction hose, air filter



References

13 54 1 738 757


Application info

3 (E36) (09/90-08/00)

314 036 0006

11 61 7 501 562

Vent valve



References

11 61 7 501 562

Application info

5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

314 036 0007

11 61 7 501 563

Vent valve



References

11 61 7 501 563

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

5

A/T oil pan gasket
314 139 0005
 24 10 1 423 380

Notes

 Cork
 Duroplast
 Automatic Transmission, 5-speed
 Armstrong Paper

Manufacturer Restriction

References

24 10 1 423 380


Application info

 3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)

 7 (E38) (10/94-11/01)
 Z4 (E85) (02/03--)
A/T oil pan gasket
300 241 1107
 24 11 1 217 082

Notes

 Elastomer
 Automatic Transmission, 4-speed

References

24 11 1 217 082


Application info

 3 (E30) (09/82-06/94)
 5 (E28) (06/81-12/87)
 5 (E34) (12/87-01/97)

 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)
 7 (E32) (09/86-09/94)

A/T oil pan gasket
314 139 0004
 24 11 1 421 367

Notes


 Cork
 Duroplast
 Automatic Transmission, 4-speed
 Farpak
 with fastening material

Manufacturer Restriction

References

24 11 1 218 850

24 11 1 421 367



314 139 0004

24 11 1 421 367

A/T oil pan gasket

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)

5 (E34) (12/87-01/97)
Z3 (E36/7, E36/8) (10/95-06/03)

300 241 1401

24 11 1 421 599

A/T oil pan gasket



Notes

Manufacturer Restriction

Cork
Duroplast
Automatic Transmission, 4-speed
Farpak
with fastening material

References

24 11 1 421 599

Application info


3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)

5 (E34) (12/87-01/97)
Z3 (E36/7, E36/8) (10/95-06/03)

314 139 0002

24 11 1 422 676

A/T oil pan gasket



Notes

Elastomer
Automatic Transmission, 5-speed

References

24 11 1 422 676

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

X5 (E53) (05/00--)
Z8 (E52) (06/00-06/03)

A/T oil pan gasket
314 139 0001
 24 11 7 524 707

Notes

 Steel Elastomer
 Automatic Transmission, 5-speed
 with fastening material

References

24 11 1 423 587

24 11 7 524 707


Application info

 3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)
 X3 (E83) (01/04-12/08)

 X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)

A/T oil pan gasket
314 139 0003
 24 11 7 543 484


Notes

 Piece
 Cork
 Duroplast
 Automatic Transmission, 6-speed
 Farpak

Manufacturer Restriction

References

24 11 7 543 484


Application info

 7 (E65, E66) (11/01-08/05)
 X3 (E83) (01/04-12/08)

X5 (E53) (05/00--)

Buffer, oil pan
300 114 2101
 11 42 1 436 982

References

11 42 1 436 982



5

+

300 114 2101

11 42 1 436 982

Buffer, oil pan

+

Application info

5 (E39) (11/95-05/04)
7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

314 800 9001

11 12 1 743 294

Cap, oil filler



Notes

angular
Plastic

References

11 12 1 715 318	11 12 1 743 294
11 12 1 727 696	11 12 1 747 157
11 12 1 733 713	11 12 7 500 568
11 12 1 739 340	11 12 7 509 328

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)
7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01-08/05)
8 (E31) (04/90-12/99)
X3 (E83) (01/04-12/08)
X5 (E53) (05/00--)
X5 (E70) (02/07-03/10)
X6 (E71) (05/08--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)
Z8 (E52) (06/00-06/03)

314 114 0007

11 42 1 266 773

Oil filter



Notes

Diameter [mm]	76
Height [mm]	123
Thread Size	3/4"-16 UNF Screw-on Filter

References

11 42 1 264 508	11 42 1 266 773
-----------------	-----------------

Application info

3 (E21) (06/75-03/84)
3 (E30) (09/82-06/94)
5 (E12) (08/72-08/81)

5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)
Z1 (06/88-06/91)

Oil filter
300 114 2102

11 42 1 716 192

Notes

	with seal
Inner Diameter [mm]	64
Outer Diameter [mm]	25
Height [mm]	103
	Filter Insert

References

11 42 1 432 097	11 42 1 716 192
-----------------	-----------------


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)

 5 (E34) (12/87-01/97)
 Z3 (E36/7, E36/8) (10/95-06/03)

Oil filter
300 114 2103

11 42 1 727 300

Notes

	with seal
Inner Diameter [mm]	27
Outer Diameter [mm]	80
Height [mm]	88
	Filter Insert

References

11 42 1 709 514	11 42 1 709 865
11 42 1 709 856	11 42 1 727 300


Application info

 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Oil filter
300 114 2104

11 42 1 730 389

Notes

	without gasket / seal
Inner Diameter [mm]	28
Outer Diameter [mm]	82
Height [mm]	110
	Filter Insert

References

11 42 1 711 568	11 42 7 833 768
11 42 1 730 389	


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

5

314 114 0008

11 42 2 244 332

Oil filter



Notes

Inner Diameter [mm]	with seal
Outer Diameter [mm]	29
Height [mm]	89
	158
	Filter Insert

References

11 42 2 243 359	11 42 2 244 332
-----------------	-----------------

Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

314 322 0001

11 42 2 246 131

Oil filter



Notes

Inner Diameter [mm]	with seal
Outer Diameter [mm]	36.9
Height [mm]	83.2
	159.5
	Filter Insert

References

11 42 2 246 131

Application info

3 (E36) (09/90-08/00)

5 (E39) (11/95-05/04)

5 (E34) (12/87-01/97)

7 (E38) (10/94-11/01)

314 114 0001

11 42 2 247 018

Oil filter



Notes

Inner Diameter [mm]	with seal
Outer Diameter [mm]	31.5
Height [mm]	65
	115
	Filter Insert

References

11 42 2 247 018

Application info

3 (E46) (02/98-12/07)

5 (E39) (11/95-05/04)

Oil filter
300 114 2200

11 42 2 247 392

Notes

Inner Diameter [mm]	with seal
Outer Diameter [mm]	28.8
Height [mm]	68
	79
	Filter Insert

References

11 42 2 247 392	11 42 8 513 376
11 42 8 513 375	


Application info

 3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)

 7 (E38) (10/94-11/01)
 X5 (E53) (05/00--)
Oil filter
314 114 0005

11 42 7 508 969

Notes

Inner Diameter [mm]	with seal
Outer Diameter [mm]	31
Height [mm]	72
	80
	Filter Insert

References

11 42 7 508 969


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E46) (02/98-12/07)
 3 (E90, E91, E92, E93) (01/05-05/12)
 5 (E60, E61) (07/03-08/10)

 X1 (E84) (03/09--)
 X3 (E83) (01/04-12/08)
 Z4 (E85) (02/03--)
Oil filter
314 114 0004

11 42 7 510 717

Notes

Inner Diameter [mm]	with seal
Outer Diameter [mm]	25
Height [mm]	79.5
	160.5
	Filter Insert

References

11 42 1 435 101	11 42 1 745 391
11 42 1 745 390	11 42 7 510 717



314 114 0004
11 42 7 510 717

Oil filter

Application info

5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)
X5 (E53) (05/00--)
Z8 (E52) (06/00-06/03)

300 114 2701
11 42 7 512 300

Oil filter



Notes

Inner Diameter [mm]
Outer Diameter [mm]
Height [mm]

with seal
42
82.5
104
Filter Insert

References

11 42 1 427 908
11 42 1 740 534

11 42 7 509 430
11 42 7 512 300

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03-08/10)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01-08/05)
X3 (E83) (01/04-12/08)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

314 322 0000
11 42 7 566 327

Oil filter



Notes

Inner Diameter [mm]
Outer Diameter [mm]
Height [mm]

with seal
41
73.5
79
Filter Insert

References

11 42 7 541 827

11 42 7 566 327

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
1 (F20, F21) (11/10--)
3 (E90, E91, E92, E93) (01/05-05/12)
3 (F30, F31) (10/11--)
5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)

7 (E65, E66) (11/01-08/05)
7 (F01, F02, F03, F04) (06/08--)
X3 (E83) (01/04-12/08)
X5 (E70) (02/07-03/10)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

Oil filter
314 322 0005

11 42 7 635 557

Notes

Inner Diameter [mm]	31
Outer Diameter [mm]	64
Height [mm]	83
	Filter Insert

References

11 42 7 605 342	11 42 7 635 557
11 42 7 611 969	


Application info

1 (F20, F21) (11/10--)

3 (F30, F31) (10/11--)

Oil filter
314 114 0003

11 42 7 787 697

Notes

	with seal
Inner Diameter [mm]	31
Outer Diameter [mm]	63.5
Height [mm]	155
	Filter Insert

References

11 42 7 787 697


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E46) (02/98-12/07)

3 (E90, E91, E92, E93) (01/05-05/12)

5 (E60, E61) (07/03-08/10)

7 (E65, E66) (11/01-08/05)

X3 (E83) (01/04-12/08)

Oil filter
314 114 0006

11 42 7 788 460

Notes

	with seal
Inner Diameter [mm]	31.5
Outer Diameter [mm]	65
Height [mm]	152
	Filter Insert

References

11 42 7 788 454	11 42 7 788 461
11 42 7 788 460	11 42 8 513 377



314 114 0006

11 42 7 788 460

Oil filter

Application info

3 (E46) (02/98-12/07)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)
7 (E65, E66) (11/01-08/05)

X3 (E83) (01/04-12/08)
X5 (E53) (05/00--)
X5 (E70) (02/07-03/10)
X6 (E71) (05/08--)

314 322 0003

11 42 7 807 177

Oil filter



Notes

Inner Diameter [mm]	with seal
Outer Diameter [mm]	25
Height [mm]	64
	172
	Filter Insert

References

11 42 7 805 707	11 42 7 807 177
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E60, E61) (07/03-08/10)
5 (F10, F11) (03/10-12/11)
7 (F01, F02, F03, F04) (06/08--)

X1 (E84) (03/09--)
X3 (E83) (01/04-12/08)
X5 (E70) (02/07-03/10)
X6 (E71) (05/08--)

314 322 0002

11 42 7 808 443

Oil filter



Notes

Inner Diameter [mm]	with seal
Outer Diameter [mm]	28
Height [mm]	63
	155
	Filter Insert

References

11 42 7 808 443

Application info

3 (E90, E91, E92, E93) (01/05-05/12)
5 (F07) (10/09-12/10)

5 (F10, F11) (03/10-12/11)
7 (F01, F02, F03, F04) (06/08--)

5

Oil filter
300 114 2901

11 42 9 063 138

Notes

with seal
 Inner Diameter [mm] 27.7
 Outer Diameter [mm] 81
 Height [mm] 128.5
 Filter Insert

References

11 42 1 267 268 11 42 9 061 199
 11 42 1 718 816 11 42 9 063 138


Application info

5 (E12) (08/72-08/81) 6 (E24) (04/76-09/90)
 5 (E28) (06/81-12/87) 7 (E23) (05/77-08/86)
 5 (E34) (12/87-01/97) 7 (E32) (09/86-09/94)

Oil hose
359 001 0001

11 36 1 703 464

References

11 36 1 703 464


Application info

3 (E36) (09/90-08/00) 5 (E34) (12/87-01/97)

Oil hose
359 001 0002

11 36 1 705 532

References

11 36 1 705 532



5

+

359 001 0002

11 36 1 705 532

Oil hose



Application info

- 3 (E46) (02/98-12/07)
- 5 (E39) (11/95-05/04)
- 5 (E60, E61) (07/03-08/10)
- 7 (E38) (10/94-11/01)

- 7 (E65, E66) (11/01-08/05)
- X3 (E83) (01/04-12/08)
- X5 (E53) (05/00--)
- Z4 (E85) (02/03--)

314 126 1101

Oil pressure switch



Notes

- Pressure to [bar]
- Pressure from [bar]
- Spanner Size
- Thread Size
- Number of Poles

- Brown
- Opener
- 0.5
- 0.2
- 24
- M12 x 1,5
- 1

References

- 12 61 1 710 160
- 12 61 1 710 509

12 61 7 568 480

Application info

- 1 (E81, E82, E87, E88) (11/03-09/12)
- 1 (F20, F21) (11/10--)
- 2 (F22,F23,F46) (10/13--)
- 3 (E36) (09/90-08/00)
- 3 (E46) (02/98-12/07)
- 3 (E90, E91, E92, E93) (01/05-05/12)
- 3 (F30, F31) (10/11--)
- 4 (F32, F33, F36) (07/13--)
- 5 (E34) (12/87-01/97)
- 5 (E39) (11/95-05/04)
- 5 (E60, E61) (07/03-08/10)
- 5 (F07) (10/09-12/10)
- 5 (F10, F11) (03/10-12/11)
- 6 (E63, E64) (01/04--)
- 6 (F12, F13) (11/10-12/12)

- 7 (E38) (10/94-11/01)
- 7 (E65, E66) (11/01-08/05)
- 7 (F01, F02, F03, F04) (06/08--)
- X1 (E84) (03/09--)
- X3 (E83) (01/04-12/08)
- X3 (F25) (09/10--)
- X5 (E53) (05/00--)
- X5 (E70) (02/07-03/10)
- X6 (E71) (05/08--)
- Z3 (E36/7, E36/8) (10/95-06/03)
- Z4 (E85) (02/03--)
- Z4 (E86) (03/06--)
- Z4 (E89) (05/09--)
- Z8 (E52) (06/00-06/03)

314 038 0002

11 12 7 793 164

Oil trap



References

- 11 12 7 793 164



Oil trap
314 038 0002

11 12 7 793 164


Application info

 3 (E46) (02/98-12/07)
 5 (E39) (11/95-05/04)

 7 (E38) (10/94-11/01)
 X5 (E53) (05/00--)

Oil trap
314 038 0003

11 12 7 799 366

References

11 12 7 799 366

Application info

 3 (E46) (02/98-12/07)
 5 (E60, E61) (07/03-08/10)
 7 (E65, E66) (11/01-08/05)

 X3 (E83) (01/04-12/08)
 X5 (E53) (05/00--)

Oil trap
314 038 0004

11 12 7 799 367

References

11 12 7 799 367

Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E46) (02/98-12/07)
 3 (E90, E91, E92, E93) (01/05-05/12)

 5 (E60, E61) (07/03-08/10)
 X3 (E83) (01/04-12/08)

5

300 118 1123

11 81 1 094 149

Engine mount



Notes

Hydro Bearing
Left

References

11 81 1 094 149
11 81 1 139 819

11 81 4 407 513

Application info

5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

300 118 1124

11 81 1 094 150

Engine mount



Notes

Hydro Bearing
Right

References

11 81 1 094 150
11 81 1 139 820

11 81 4 407 514

Application info

5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

300 118 1103

11 81 1 128 932

Engine mount



Notes

Rubber-metal Bearing

References

11 81 1 128 932
11 81 1 176 077

11 81 1 176 141

Application info

5 (E28) (06/81-12/87)

6 (E24) (04/76-09/90)

5

Engine mount
300 118 1102

11 81 1 129 286


Notes

 Rubber-metal Bearing
 Left and right

References

11 81 1 129 286

11 81 1 176 387


Application info

3 (E30) (09/82-06/94)

Engine mount
300 118 1100

11 81 1 130 428

Notes

 Rubber-metal Bearing
 Left and right

References

11 81 1 130 428

11 81 1 175 979

11 81 1 176 211

11 81 1 176 212


Application info

5 (E28) (06/81-12/87)

Engine mount
300 118 1105

11 81 1 132 321

Notes

 Rubber-metal Bearing
 Left and right

References

11 81 1 132 321

11 81 1 175 212


Application info

3 (E21) (06/75-03/84)

3 (E30) (09/82-06/94)

5 (E12) (08/72-08/81)

5

300 118 1101

11 81 1 132 323

Engine mount



Notes

Rubber-metal Bearing
Left and right

References

11 81 1 132 323

11 81 1 246 437

Application info

3 (E21) (06/75-03/84)
3 (E30) (09/82-06/94)

5 (E12) (08/72-08/81)

300 118 1120

11 81 1 133 364

Engine mount



Notes

Rubber-metal Bearing
Left and right

References

11 81 1 133 364

Application info

5 (E34) (12/87-01/97)

300 118 1127

11 81 1 135 773

Engine mount



Notes

Rubber-metal Bearing
Front

References

11 81 1 135 773

Application info

5 (E34) (12/87-01/97)

5

Engine mount
314 030 0005

11 81 1 137 138

Notes

 Hydro Bearing
 Left and right

References

 11 81 1 137 138
 11 81 1 139 606

11 81 1 142 031


Application info

5 (E34) (12/87-01/97)

Engine mount
300 118 1126

11 81 1 138 879

Notes

 Rubber-metal Bearing
 Left and right

References

11 81 1 138 879


Application info

5 (E34) (12/87-01/97)

Engine mount
300 221 1601

11 81 1 139 883

Notes

 Hydro Bearing
 Left and right
 Front

References

11 81 1 139 883


Application info

3 (E36) (09/90-08/00)

5

300 118 1106

11 81 1 141 377

Engine mount



Notes

Hydro Bearing

References

11 81 1 137 238
11 81 1 137 775

11 81 1 141 377

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

300 118 1115

11 81 1 141 889

Engine mount



Notes

Hydro Bearing
Left

References

11 81 1 141 889

Application info

3 (E36) (09/90-08/00)

300 118 1111

11 81 1 175 736

Engine mount



Notes

Rubber-metal Bearing
Left and right

References

11 81 1 175 736

Application info

5 (E28) (06/81-12/87)

5

Engine mount
314 030 0003

11 81 2 283 798

Notes

Hydro Bearing

References

 11 81 1 136 542
 11 81 2 228 298

 11 81 2 283 798
 11 81 7 837 985

Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 3 (E90, E91, E92, E93) (01/05-05/12)

 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)
Engine mount
300 221 1103

22 11 1 092 823

Notes

 Hydro Bearing
 with flange
 Left

References

 22 11 1 092 823
 22 11 1 092 895

22 11 1 141 791

Counterpart

300 221 1104


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Engine mount
300 221 1104

22 11 1 092 824

Notes

 Hydro Bearing
 with flange
 Right

References

 22 11 1 092 824
 22 11 1 092 896

22 11 1 141 792

Counterpart

300 221 1103


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

5

300 221 1128

22 11 1 096 514

Engine mount



Notes

Hydro Bearing
Right

References

22 11 1 096 514

Counterpart

300 221 1127

Application info

5 (E39) (11/95-05/04)

300 221 1132

22 11 3 421 295

Engine mount



Notes

Hydro Bearing
Left Front

References

22 11 3 400 335

22 11 3 421 295

Application info

X3 (E83) (01/04-12/08)

314 030 0006

22 11 6 750 862

Engine mount



Notes

Hydro Bearing
Right

References

22 11 6 750 862

Application info

3 (E46) (02/98-12/07)

5

Engine mount
300 221 1127
 22 11 6 751 281

Notes

 Hydro Bearing
 Left

References

 22 11 1 097 153
 22 11 6 750 039

22 11 6 751 281

Counterpart

300 221 1128


Application info

5 (E39) (11/95-05/04)

Engine mount
300 221 1149
 22 11 6 752 741

Notes

 Hydro Bearing
 Left

References

22 11 6 752 741


Application info

5 (E39) (11/95-05/04)

Engine mount
300 221 1150
 22 11 6 752 742

Notes

 Hydro Bearing
 Right

References

22 11 6 752 742


Application info

5 (E39) (11/95-05/04)

5

300 221 1600

22 11 6 754 608

Engine mount



Notes

Hydro Bearing
Left and right

References

11 81 2 294 282	22 11 4 000 410
22 11 1 091 971	22 11 4 414 035
22 11 1 094 073	22 11 4 414 037
22 11 1 094 364	22 11 4 438 631
22 11 1 094 365	22 11 4 438 907
22 11 1 095 517	22 11 4 516 677
22 11 1 097 267	22 11 6 754 608

Application info

5 (E39) (11/95-05/04)

300 221 1139

22 11 6 760 330

Engine mount



Notes

Hydro Bearing

References

22 11 6 760 330

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)
Z4 (E89) (05/09--)

300 221 1124

22 11 6 761 089

Engine mount



Notes

Hydro Bearing
Left

References

22 11 6 761 089

Counterpart

300 221 1125

Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

5

Engine mount
300 221 1125

22 11 6 761 090

Notes

 Hydro Bearing
 Right

References

22 11 6 761 090

Counterpart

300 221 1124


Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

Engine mount
300 221 1153

22 11 6 762 607

Notes

 Hydro Bearing
 Left

References

22 11 6 762 607


Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

Engine mount
300 221 1154

22 11 6 762 608

Notes

 Hydro Bearing
 Right

References

22 11 6 762 608


Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

300 221 1113

22 11 6 768 799

Engine mount



Notes

Hydro Bearing
Pitman Arm to track rod

References

22 11 6 768 799

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

300 221 1114

22 11 6 768 800

Engine mount



Notes

Hydro Bearing

References

22 11 6 768 800

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

300 221 1115

22 11 6 768 852

Engine mount



Notes

Hydro Bearing

References

22 11 6 768 852



Engine mount
300 221 1115
 22 11 6 768 852

+

Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Engine mount
300 221 1116
 22 11 6 768 853

Notes

Hydro Bearing

References

22 11 6 768 853


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Engine mount
300 221 2119
 22 11 6 770 638

Notes

 Hydro Bearing
 Left and right
 Front

References

 22 11 1 096 997
 22 11 6 758 444

22 11 6 770 638


Application info

X5 (E53) (05/00--)

5

300 221 1123

22 11 6 770 793

Engine mount



Notes

Hydro Bearing
Front
Left and right

References

22 11 6 758 428

22 11 6 770 793

Application info

X5 (E53) (05/00--)

300 221 1120

22 11 6 770 794

Engine mount



Notes

Hydro Bearing
Left and right
Front

References

22 11 6 758 430

22 11 6 770 794

Application info

X5 (E53) (05/00--)

300 221 1140

22 11 6 771 362

Engine mount



Notes

Hydro Bearing
for manual transmission
Right

References

22 11 6 756 018

22 11 6 771 362

Application info

3 (E46) (02/98-12/07)

5

Engine mount
300 221 1126
 22 11 6 773 742

Notes

 Hydro Bearing
 Front
 Left and right

References

22 11 6 773 742


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Engine mount
300 221 1138
 22 11 6 773 744

Notes

 Hydro Bearing
 Right Front

References

 22 11 4 048 652
 22 11 6 772 152

22 11 6 773 744


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)

Z4 (E89) (05/09--)

Engine mount
300 221 1117
 22 11 6 774 619

Notes

 Hydro Bearing
 Left

References

 22 11 6 761 091
 22 11 6 770 725

22 11 6 774 619

Counterpart

300 221 1118


Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

5

300 221 1118

22 11 6 774 620

Engine mount



Notes

Hydro Bearing
Right

References

22 11 6 761 092
22 11 6 770 726

22 11 6 774 620

Counterpart

300 221 1117

Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

300 118 1107

22 11 6 779 970

Engine mount



Notes

Hydro Bearing
Left and right

References

11 81 1 092 583
11 81 1 140 985
22 11 1 095 444

22 11 6 771 361
22 11 6 779 970

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

300 221 1102

22 11 6 779 972

Engine mount



Notes

Hydro Bearing
Right Front

References

22 11 1 094 814
22 11 6 771 360

22 11 6 779 972

Application info

3 (E46) (02/98-12/07)

Z4 (E85) (02/03--)

5

Engine mount
300 221 1101
 22 11 6 785 583

Notes

 Hydro Bearing
 Left Front

References

 22 11 1 094 813 22 11 6 779 971
 22 11 6 771 359 22 11 6 785 583

Application info

3 (E46) (02/98-12/07)

Z4 (E85) (02/03--)

Engine mount
314 030 0010
 22 11 6 785 601

Notes

Hydro Bearing

References

22 11 6 785 601


Application info

5 (F07) (10/09-12/10)

5 (F10, F11) (03/10-12/11)

Engine mount
314 030 0011
 22 11 6 785 602

Notes

 Hydro Bearing
 Right

References

22 11 6 785 602


Application info

5 (F07) (10/09-12/10)

5 (F10, F11) (03/10-12/11)

300 123 1101

12 31 1 268 433

Mount, alternator



Notes

	for alternator
Inner Diameter [mm]	15
Outer Diameter [mm]	28.5
Outer Diameter [mm]	22.9
Height [mm]	19.3
	Lower

References

12 31 1 268 433	12 31 8 602 181
-----------------	-----------------

Application info

3 (E21) (06/75-03/84)
3 (E30) (09/82-06/94)
5 (E12) (08/72-08/81)

5 (E28) (06/81-12/87)
6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)

300 123 1102

12 31 1 268 435

Mount, alternator



Notes

	for alternator
Inner Diameter [mm]	15
Outer Diameter [mm]	21
Outer Diameter [mm]	26.6
Height [mm]	8.2
	Upper

References

12 31 1 268 435

Application info

3 (E21) (06/75-03/84)
3 (E30) (09/82-06/94)
5 (E12) (08/72-08/81)

5 (E28) (06/81-12/87)
6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)

300 123 1103

12 31 1 715 490

Mount, alternator



Notes

	for alternator
Inner Diameter [mm]	8
Outer Diameter [mm]	28
Outer Diameter [mm]	20
Outer Diameter [mm]	13.5
Height [mm]	38.5
	Upper

References

12 31 1 715 490



Mount, alternator
300 123 1103
 12 31 1 715 490

Application info

 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Mount, alternator
300 123 1104
 12 31 1 715 491

Notes

	for alternator
Inner Diameter [mm]	8
Outer Diameter [mm]	20
Outer Diameter [mm]	13.5
Outer Diameter [mm]	28
Height [mm]	35
	Lower

References

12 31 1 715 491


Application info

 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

314 631 0008
32 41 1 092 135

Hydraulic pump, P/S



Notes

Hydraulic
Aluminium

References

32 41 1 092 135

32 41 1 093 578

Application info

7 (E38) (10/94-11/01)

314 631 0000
32 41 1 092 433

Hydraulic pump, P/S



Notes

Manufacturer Restriction

Hydraulic
Aluminium
LuK

References

32 41 1 092 433

32 41 1 092 954

Application info

3 (E36) (09/90-08/00)

314 631 0007
32 41 1 092 742

Hydraulic pump, P/S



Notes

Hydraulic
Aluminium

References

32 41 1 092 741
32 41 1 092 742
32 41 1 093 040

32 41 1 094 098
32 41 1 097 149

Application info

5 (E39) (11/95-05/04)

Hydraulic pump, P/S

314 631 0002
 32 41 1 093 577

Notes

 Hydraulic
 Aluminium

References

32 41 1 093 360

32 41 1 093 577


Application info

3 (E36) (09/90-08/00)

Hydraulic pump, P/S

314 631 0003
 32 41 1 094 962

Notes

 Hydraulic
 Aluminium
 ZF

Manufacturer Restriction

References

32 41 1 094 962


Application info

3 (E46) (02/98-12/07)

Hydraulic pump, P/S

314 631 0004
 32 41 1 094 965

Notes

 Hydraulic
 Aluminium
 LUK

Manufacturer Restriction

References

32 41 1 094 965


Application info

3 (E46) (02/98-12/07)

314 631 0006

32 41 1 133 158

Hydraulic pump, P/S



Notes

Manufacturer Restriction

Hydraulic
Aluminium
ZF

References

32 41 1 133 158

32 41 1 133 386

Application info

5 (E34) (12/87-01/97)

314 631 0009

32 41 1 133 969

Hydraulic pump, P/S



Notes

Hydraulic
Aluminium

References

32 41 1 126 845

32 41 1 127 046

32 41 1 128 040

32 41 1 132 189

32 41 1 132 936

32 41 1 133 969

32 41 1 133 970

32 41 1 136 205

32 41 1 141 243

Application info

3 (E30) (09/82-06/94)


5 (E28) (06/81-12/87)

6 (E24) (04/76-09/90)

314 631 0001

32 41 1 141 419

Hydraulic pump, P/S



Notes

Manufacturer Restriction

Hydraulic
Aluminium
ZF

References

32 41 1 137 835

32 41 1 138 122

32 41 1 141 039

32 41 1 141 040

32 41 1 141 045

32 41 1 141 046

32 41 1 141 417

32 41 1 141 419

Application info

3 (E36) (09/90-08/00)

Hydraulic pump, P/S

314 631 0015

32 41 6 760 036

Notes

Manufacturer Restriction

 Hydraulic
 Aluminium
 LUK

References

32 41 6 750 423

32 41 6 760 036


Application info

3 (E46) (02/98-12/07)

P/S hose

359 203 0001

32 41 1 091 975

Notes

for backflow

References

32 41 1 091 975


Application info

7 (E38) (10/94-11/01)

P/S hose

359 203 0002

32 41 1 091 976

Notes

for backflow

References

32 41 1 091 976


Application info

7 (E38) (10/94-11/01)

359 202 0028
32 41 1 093 116

P/S hose

Notes

for foreflow

References

32 41 1 093 116
32 41 1 140 886

32 41 1 141 274
32 41 1 141 728

Application info

3 (E36) (09/90-08/00)

359 203 0003
32 41 1 093 129

P/S hose

Notes

for backflow
Lower

References

32 41 1 091 974

32 41 1 093 129



Application info

7 (E38) (10/94-11/01)

359 203 0004
32 41 1 093 149

P/S hose

Notes

for backflow
for left-hand drive vehicles

References

32 41 1 093 149



Application info

5 (E39) (11/95-05/04)

6

P/S hose
359 203 0005

32 41 1 093 247

References

32 41 1 092 087

32 41 1 093 247


Application info

3 (E36) (09/90-08/00)

P/S hose
359 202 0003

32 41 1 093 460

References

32 41 1 093 460


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

P/S hose
359 202 0029

32 41 1 093 461

Notes

for foreflow

References

32 41 1 093 461

Application info

3 (E36) (09/90-08/00)

359 202 0005
32 41 1 093 727

P/S hose



References
32 41 1 093 727

Application info
7 (E38) (10/94-11/01)

359 202 0008
32 41 1 093 728

P/S hose



References
32 41 1 093 728

Application info
7 (E38) (10/94-11/01)

359 203 0018
32 41 1 093 761

P/S hose



Notes
for backflow

References
32 41 1 093 761

Application info
Z3 (E36/7, E36/8) (10/95-06/03)

6

P/S hose
359 202 0002

32 41 1 093 929

References

32 41 1 093 929


Application info

7 (E38) (10/94-11/01)

P/S hose
359 203 0006

32 41 1 094 306

Notes

 for backflow
 Upper

References

32 41 1 094 306


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

P/S hose
359 632 0002

32 41 1 094 951

Notes

for backflow

References

32 41 1 094 951


Application info

3 (E46) (02/98-12/07)

359 203 0013
32 41 1 095 515

P/S hose



Notes

for backflow

References

32 41 1 095 515

Application info

5 (E39) (11/95-05/04)

359 202 0001
32 41 1 095 526

P/S hose



Notes

Suction Pipe
Front Axle

References

32 41 1 093 130
32 41 1 095 526

32 41 6 750 155

Application info

3 (E46) (02/98-12/07)
5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

X5 (E53) (05/00-)
Z3 (E36/7, E36/8) (10/95-06/03)

359 632 0003
32 41 1 096 731

P/S hose

Notes

for foreflow
for left-hand drive vehicles

References

32 41 1 096 731

32 41 1 096 930

Application info

5 (E39) (11/95-05/04)

P/S hose
359 202 0010

32 41 1 138 419

References

32 41 1 138 419


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

P/S hose
359 203 0011

32 41 1 141 505

Notes

for backflow

References

32 41 1 141 505


Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

P/S hose
359 203 0012

32 41 1 141 714

Notes

for backflow

References

32 41 1 141 714


Application info

3 (E36) (09/90-08/00)

359 202 0016
32 41 1 141 716

P/S hose



Notes

for left-hand drive vehicles
for vehicles with leveling control

References


32 41 1 141 716

Application info

5 (E34) (12/87-01/97)

359 202 0021
32 41 1 141 858

P/S hose



References

32 41 1 141 858

Application info

7 (E38) (10/94-11/01)

359 202 0019
32 41 1 141 953

P/S hose



Notes

Pressure Line

References

32 41 1 138 803

32 41 1 141 953

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

P/S hose
359 202 0023
 32 41 3 428 381

Notes

for foreflow

References

 32 41 0 359 373
 32 41 3 400 188

 32 41 3 417 081
 32 41 3 428 381

Application info

X3 (E83) (01/04-12/08)

P/S hose
359 632 0004
 32 41 6 751 242

Notes

 for foreflow
 from hydraulic pump to steering
 gear

References

32 41 6 751 242

Application info

3 (E46) (02/98-12/07)

P/S hose
359 202 0027
 32 41 6 759 774

Notes

for foreflow

References

32 41 1 096 344

32 41 6 759 774

Application info

X5 (E53) (05/00--)

359 202 0004

32 41 6 761 514

P/S hose



References

32 41 6 761 514

Application info

5 (E60, E61) (07/03-08/10)

359 202 0020

32 41 6 764 725

P/S hose



References

32 41 1 094 949

32 41 6 764 725

Application info

3 (E46) (02/98-12/07)

359 202 0006

32 41 6 767 136

P/S hose



Notes

for backflow

References

32 41 1 096 355

32 41 6 767 136

Application info

X5 (E53) (05/00--)

P/S hose
314 632 0001
 32 41 6 774 215

References

 32 41 6 750 156 32 41 6 774 215
 32 41 6 764 726

Application info

3 (E46) (02/98-12/07)

P/S hose
359 203 0015
 32 41 6 774 303

Notes

 for backflow
 for vehicles with active steering

References

 32 41 6 769 981 32 41 6 773 908
 32 41 6 771 061 32 41 6 774 303

Application info

1 (E81, E82, E87, E88) (11/03-09/12) 3 (E90, E91, E92, E93) (01/05-05/12)

P/S hose
359 203 0009
 32 41 6 774 304

Notes

 for backflow
 for vehicles with active steering

References

32 41 6 764 787 32 41 6 774 304

Application info

1 (E81, E82, E87, E88) (11/03-09/12) 3 (E90, E91, E92, E93) (01/05-05/12)

359 203 0016
32 41 6 776 882

P/S hose

Notes

for backflow

References

32 41 6 776 882

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

359 202 0024
32 41 6 784 330

P/S hose

Notes

for foreflow
for vehicles with active steering

References

32 41 4 035 940
32 41 4 036 418
32 41 6 769 998
32 41 6 771 390

32 41 6 776 640
32 41 6 782 716
32 41 6 784 330

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

359 202 0025
32 41 6 784 331

P/S hose

Notes

for foreflow

References

32 41 4 036 096
32 41 4 036 419
32 41 6 769 975
32 41 6 771 389

32 41 6 776 639
32 41 6 782 715
32 41 6 784 331

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

6

P/S hose
359 202 0026
 32 41 6 784 347

Notes

for foreflow

References

 32 41 6 764 814
 32 41 6 781 776

32 41 6 784 347

Application info

3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

P/S hose
359 203 0017
 32 41 6 796 391

Notes

for backflow

References

32 41 6 751 250

32 41 6 796 391

Application info

3 (E46) (02/98-12/07)

Idler arm bushing
300 322 1101
 32 21 1 136 452

Notes

Outer Diameter [mm]

 27
 Front Axle

References

 32 21 1 129 807
 32 21 1 133 698

32 21 1 136 452



6

+

300 322 1101
32 21 1 136 452

Idler arm bushing

Application info

5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
6 (E24) (04/76-09/90)

7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

314 632 0000
32 41 1 097 164

P/S fluid reservoir



Notes

with filter

References

32 41 1 097 164

32 41 6 851 217

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)
7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
7 (E65, E66) (11/01-08/05)
X3 (E83) (01/04-12/08)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z8 (E52) (06/00-06/03)

316 322 1101
32 21 1 136 450

Steering arm



Notes

Outer Diameter [mm]

27
with rubber mounting
Front Axle

References

32 21 1 123 881
32 21 1 129 051
32 21 1 129 978
32 21 1 130 661

32 21 1 131 067
32 21 1 133 699
32 21 1 136 450

Parts list

300 322 1101

Idler arm bushing

Application info

5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)
6 (E24) (04/76-09/90)

7 (E32) (09/86-09/94)
8 (E31) (04/90-12/99)

Steering boot
300 321 1101

32 11 1 117 426

Notes

Inner Diameter 2 [mm]	55
Inner Diameter 1 [mm]	55
Height [mm]	128

for vehicles without power steering

References

32 11 1 116 068	32 11 1 117 698
32 11 1 117 426	


Application info

3 (E21) (06/75-03/84)

3 (E30) (09/82-06/94)

Steering boot
300 321 1100

32 11 1 127 104

Notes

Inner Diameter 2 [mm]	37
Inner Diameter 1 [mm]	44
Height [mm]	165

Front Axle

References

32 11 1 127 104


Application info

3 (E30) (09/82-06/94)

Z1 (06/88-06/91)

Steering boot
300 321 3106

32 13 1 092 876

Notes

Inner Diameter 2 [mm]	53
Inner Diameter 1 [mm]	37
Height [mm]	177

for vehicles with power steering
 Front Axle Right
 Front Axle Left

References

32 13 1 092 876


Application info

5 (E39) (11/95-05/04)

Z8 (E52) (06/00-06/03)

6

300 322 1104
32 21 1 139 786

Steering boot



Notes

Inner Diameter 2 [mm]	Piece
Inner Diameter 1 [mm]	51
Height [mm]	37
	185
	for vehicles with power steering
	Front Axle Right
	Front Axle Left

References

32 11 1 137 070	32 21 1 139 786
-----------------	-----------------

Application info

3 (E36) (09/90-08/00)	Z3 (E36/7, E36/8) (10/95-06/03)
5 (E34) (12/87-01/97)	

314 620 0009
32 10 2 353 823

Steering boot kit

Notes

Inner Diameter 2 [mm]	with accessories
Inner Diameter 1 [mm]	60
Height [mm]	14
	210
	Front Axle Left
	Front Axle Right

References

32 10 2 353 823

Application info

1 (E81, E82, E87, E88) (11/03-09/12)	X1 (E84) (03/09--)
3 (E90, E91, E92, E93) (01/05-05/12)	

300 620 0000
32 10 6 765 234

Steering boot kit



Notes

Inner Diameter 2 [mm]	with accessories
Inner Diameter 1 [mm]	Thermoplast
Height [mm]	64
Manufacturer Restriction	16
	195
	ZF
	Front Axle Right
	Front Axle Left

References

32 10 6 765 234	32 10 6 865 426
32 10 6 782 252	



Steering boot kit
300 620 0000
 32 10 6 765 234

+

Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)
 X1 (E84) (03/09--)

 X5 (F15) (11/12--)
 X6 (F16) (08/14--)
 Z4 (E89) (05/09--)

Steering boot kit
100 620 0007
 32 10 6 765 782

Notes

Inner Diameter 2 [mm]	with accessories
Inner Diameter 1 [mm]	66
Height [mm]	15.5
	195
	Front Axle Right
	Front Axle Left

References

32 10 6 765 782	32 10 6 785 993
-----------------	-----------------


Application info

 5 (E60, E61) (07/03-08/10)
 5 (F07) (10/09-12/10)
 5 (F10, F11) (03/10-12/11)

 6 (E63, E64) (01/04--)
 7 (F01, F02, F03, F04) (06/08--)
 X3 (E83) (01/04-12/08)

Steering boot kit
314 620 0008
 32 10 6 779 622

Notes

Inner Diameter 2 [mm]	with accessories
Inner Diameter 1 [mm]	63
Height [mm]	16
	204
	Front Axle Left
	Front Axle Right

References

32 10 6 779 622	32 10 6 870 519
32 10 6 795 845	

Application info

 1 (F20, F21) (11/10--)
 2 (F22,F23,F46) (10/13--)
 3 (F30, F31) (10/11--)
 3 (F34) (03/13--)
 4 (F32, F33, F36) (07/13--)
 X3 (F25) (09/10--)

 X4 (F26) (04/14--)
 X5 (E70) (02/07-03/10)
 X5 (F15) (11/12--)
 X6 (E71) (05/08--)
 X6 (F16) (08/14--)

6

314 620 0004
32 10 6 791 561

Steering boot kit

Notes

Inner Diameter 2 [mm]	with accessories
Inner Diameter 1 [mm]	62
Height [mm]	16
	210
	Front Axle Left
	Front Axle Right

References

32 10 6 791 561

Application info

5 (F07) (10/09-12/10)
5 (F10, F11) (03/10-12/11)
6 (F12, F13) (11/10-12/12)

7 (F01, F02, F03, F04) (06/08--)
X6 (E71) (05/08--)

314 620 0005
32 10 6 854 893

Steering boot kit

Notes

Inner Diameter 2 [mm]	with accessories
Inner Diameter 1 [mm]	56
Height [mm]	16
	185
	Front Axle Left
	Front Axle Right

References

32 10 6 854 893

Application info

1 (F20, F21) (11/10--)
2 (F22, F23, F46) (10/13--)
3 (F30, F31) (10/11--)

3 (F34) (03/13--)
4 (F32, F33, F36) (07/13--)

314 620 0006
32 10 6 865 380

Steering boot kit

Notes

Inner Diameter 2 [mm]	with accessories
Inner Diameter 1 [mm]	51.5
Height [mm]	13.5
	187
	Front Axle Left
	Front Axle Right

References

32 10 6 865 380



314 620 0001/S

32 21 1 139 786

Steering boot kit



Notes

Inner Diameter 2 [mm]
Inner Diameter 1 [mm]
Height [mm]

Kit
with accessories
51
185
37
for vehicles with power steering
Front Axle Right
Front Axle Left

References

32 11 1 137 070

32 21 1 139 786

Parts list

300 322 1104/5

Steering boot kit

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

300 321 3101

32 13 1 094 629

Gasket set, steering rack



Notes

Front Axle

References

32 13 1 094 629

32 13 1 140 867


Application info

3 (E36) (09/90-08/00)

300 321 3100

32 13 1 132 798

Gasket set, steering rack



Notes

Front Axle

References

32 13 1 132 798

Gasket set, steering rack
300 321 3100
 32 13 1 132 798

Application info

3 (E30) (09/82-06/94)

Z1 (06/88-06/91)

Mount, steering rack
300 321 1102
 32 11 1 120 433

Notes

 Inner Diameter [mm] 39
 for vehicles without power steering
 Front Axle Right
 Front Axle Left

References

32 11 1 116 318

32 11 1 120 433


Application info

3 (E21) (06/75-03/84)

Axial rod
316 030 3044
 32 10 3 444 999*

Notes

 Thread Measurement 2 M14x1,5
 Thread Measurement 1 M18x1,5
 Length [mm] 219
 Front Axle Right
 Front Axle Left

References

 32 10 3 412 798*
 32 10 3 444 999*
 32 10 6 780 985*
 32 10 6 793 496*

 32 21 6 751 277*
 32 21 6 773 741*
 32 30 3 418 204*

Application info

 X3 (E83) (01/04-12/08)
 X5 (E53) (05/00--)

 X5 (E70) (02/07-03/10)
 X6 (E71) (05/08--)

Axial rod
316 030 3042

32 10 6 777 268*

Notes

Thread Measurement 2	M16x1,5
Thread Measurement 1	M18x1,5
Length [mm]	228
	Front Axle Right
	Front Axle Left

References

32 10 6 774 360	32 21 6 756 368
32 10 6 777 268*	


Application info

7 (E65, E66) (11/01-08/05)

Axial rod
316 031 0003

32 10 6 777 479*

Notes

Thread Measurement 2	M16x1,5
Thread Measurement 1	M18x1,5
Length [mm]	239
	Front Axle Right
	Front Axle Left

References

32 10 6 774 347	32 21 6 767 861
32 10 6 777 479*	32 21 6 777 451*
32 21 6 762 403	


Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

Axial rod
316 030 4600

32 10 6 777 503*

Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M18x1,5
Length [mm]	207
	Front Axle Right
	Front Axle Left

References

32 10 6 774 222*	32 10 6 777 504*
32 10 6 774 223*	32 11 1 096 897*
32 10 6 777 503*	32 21 1 096 898*


Application info

 3 (E46) (02/98-12/07)
 Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Axial rod
316 031 0013
 32 10 6 792 029*

Application info

1 (F20, F21) (11/10--)	3 (F34) (03/13--)
2 (F22,F23,F46) (10/13--)	4 (F32, F33, F36) (07/13--)
3 (F30, F31) (10/11--)	

Axial rod
316 031 0012
 32 10 6 799 960*

Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M16x1,5
Length [mm]	253
	Front Axle Right
	Front Axle Left

References

32 10 6 799 960*	32 10 6 799 965*
------------------	------------------


Application info

1 (F20, F21) (11/10--)	3 (F34) (03/13--)
2 (F22,F23,F46) (10/13--)	4 (F32, F33, F36) (07/13--)
3 (F30, F31) (10/11--)	

Axial rod
316 030 0000
 32 11 1 094 673*

Notes

Thread Measurement 2	M16x1
Thread Measurement 1	M18x1,5
Length [mm]	174
	Front Axle Right
	Front Axle Left

References

32 11 1 091 767	32 11 1 093 770
32 11 1 091 768	32 11 1 094 673*
32 11 1 091 769	32 11 1 094 674*
32 11 1 093 769	


Application info

5 (E39) (11/95-05/04)

316 030 4303

32 11 1 125 186*

Axial rod



Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M18x1,5
Length [mm]	230
	Front Axle

References

32 11 1 125 186*	32 11 1 126 620
------------------	-----------------

Counterpart

316 030 4305

Application info

3 (E30) (09/82-06/94)

316 030 4305

32 11 1 125 187*

Axial rod



Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M18x1,5
Length [mm]	231
	for vehicles with steering damper
	Front Axle Right

References

32 11 1 125 187*

Counterpart

316 030 4303

Application info

3 (E30) (09/82-06/94)

316 030 4342

32 11 1 139 315*

Axial rod



Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M18x1,5
Length [mm]	205
	Front Axle Right
	Front Axle Left

References

32 11 1 139 315*	32 11 1 139 316*
------------------	------------------

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

6

Axial rod

316 031 0004

32 21 6 762 243*

Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M18x1,5
Manufacturer Restriction	TRW
Length [mm]	246
	Front Axle Right
	Front Axle Left

References

32 21 6 762 243*	32 21 6 762 244*
------------------	------------------



Application info

1 (E81, E82, E87, E88) (11/03-09/12)	X1 (E84) (03/09--)
3 (E90, E91, E92, E93) (01/05-05/12)	

Drag link

316 040 4349

32 21 1 096 057

Notes

Thread Measurement 2	Guide Rod
Thread Measurement 1	M12x1,5
Length [mm]	M12x1,5
	889
	for left-hand drive vehicles
	Front Axle middle

References

32 21 1 091 913	32 21 1 093 435
32 21 1 091 917	32 21 1 096 057
32 21 1 093 433	



Application info

7 (E38) (10/94-11/01)

Drag link

316 040 4353

32 21 1 096 058

Notes

Thread Measurement 2	Guide Rod
Thread Measurement 1	M12x1,5
Length [mm]	M12x1,5
	889
	for right-hand drive vehicles
	Front Axle middle

References

32 21 1 091 914	32 21 1 093 436
32 21 1 091 918	32 21 1 096 058
32 21 1 093 434	



316 040 4353
32 21 1 096 058

Drag link

Application info
7 (E38) (10/94-11/01)

316 040 4226
32 21 1 129 015

Drag link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Guide Rod
M10x1
M10x1
480
for left-hand drive vehicles
Front Axle middle

References

32 21 1 124 232
32 21 1 124 906
32 21 1 127 136

32 21 1 127 272
32 21 1 129 014
32 21 1 129 015

Application info
5 (E28) (06/81-12/87)

6 (E24) (04/76-09/90)

316 040 4315
32 21 1 138 850

Drag link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Guide Rod
M10x1
M10x1
533
for left-hand drive vehicles
Front Axle middle

References

32 21 1 138 850

Application info
7 (E32) (09/86-09/94)

6

Drag link

316 040 4336

32 21 1 138 855

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

 Guide Rod
 M10x1
 M10x1
 525
 for right-hand drive vehicles
 Front Axle middle

References

 32 21 1 130 662
 32 21 1 133 618

 32 21 1 136 686
 32 21 1 138 855


Application info

5 (E34) (12/87-01/97)

Drag link

316 040 4331

32 21 1 138 864

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

 Guide Rod
 M10x1
 M10x1
 534
 for left-hand drive vehicles
 Front Axle middle

References

 32 21 1 130 661
 32 21 1 133 615
 32 21 1 136 685

 32 21 1 138 854
 32 21 1 138 864


Application info

5 (E34) (12/87-01/97)

Tie rod assembly

316 030 0009

32 10 3 444 999

Notes

 Thread Measurement 2
 Thread Measurement 1

 M18x1,5
 M14x1,5
 Front Axle Right
 Front Axle Left

References

 32 10 3 412 798
 32 10 3 444 999

32 30 3 418 204

Parts list

 316 030 3044
 316 020 0006

 Axial rod
 Tie rod end


316 030 0009
32 10 3 444 999

Tie rod assembly

Application info
X3 (E83) (01/04-12/08)

316 030 0017/HD
32 10 6 765 235

Tie rod assembly



Notes

Thread Measurement 2	M18x1,5
Thread Measurement 1	M14x1,5
Manufacturer Restriction	ZF
Reinforced Version	Front Axle Left

References

32 10 6 765 235

Parts list

316 031 0005	Axial rod
316 020 0007/HD	Tie rod end

Counterpart

316 030 0018/HD

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)
Z4 (E89) (05/09--)

316 030 0018/HD
32 10 6 765 236

Tie rod assembly



Notes

Thread Measurement 2	M18x1,5
Thread Measurement 1	M14x1,5
Manufacturer Restriction	ZF
Reinforced Version	Front Axle Right

References

32 10 6 765 236

Parts list

316 031 0005	Axial rod
316 020 0008/HD	Tie rod end

Counterpart

316 030 0017/HD

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)
Z4 (E89) (05/09--)

Tie rod assembly
316 030 0014
 32 10 6 768 879

Notes

 Thread Measurement 2 M18x1,5
 Thread Measurement 1 M14x1,5
 Front Axle Left

References

32 10 6 768 879 32 10 6 793 621

Parts list

 316 031 0008 Axial rod
 316 020 0010 Tie rod end

Counterpart

316 030 0015


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Tie rod assembly
316 030 0015
 32 10 6 768 880

Notes

 Thread Measurement 2 M18x1,5
 Thread Measurement 1 M14x1,5
 Front Axle Right

References

32 10 6 768 880 32 10 6 793 622

Parts list

 316 031 0008 Axial rod
 316 020 0009 Tie rod end

Counterpart

316 030 0014


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Tie rod assembly
316 030 0006
 32 10 6 774 318

Notes

 Thread Measurement 2 M18x1,5
 Thread Measurement 1 M12x1,5
 Front Axle Left

References

32 10 6 774 318 32 21 6 751 039

Parts list

 316 031 0010 Axial rod
 316 020 0014 Tie rod end

Counterpart

316 030 0024



316 030 0006
32 10 6 774 318

Tie rod assembly

Application info
3 (E46) (02/98-12/07)

316 030 0024
32 10 6 774 319

Tie rod assembly



Notes

Thread Measurement 2	M18x1,5
Thread Measurement 1	M12x1,5
	Front Axle Right

References

32 10 6 774 319	32 21 6 751 040
32 10 6 774 919	

Parts list

316 031 0010	Axial rod
316 020 0015	Tie rod end

Counterpart

316 030 0006

Application info
3 (E46) (02/98-12/07)

316 030 0010/HD
32 10 6 774 336

Tie rod assembly



Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M14x1,5
	Front Axle Right
	Front Axle Left

Reinforced Version

References

32 10 6 774 336	32 21 6 760 470
32 21 6 751 277	

Parts list

316 030 3044	Axial rod
316 020 0005/HD	Tie rod end

Application info
X5 (E53) (05/00--)

Tie rod assembly
316 030 0001
 32 10 6 777 268

Notes

Thread Measurement 2	M16x1,5
Thread Measurement 1	M14x1,5
	Front Axle Right
	Front Axle Left

References

32 10 6 774 360	32 21 6 756 368
32 10 6 777 268	

Parts list

316 030 3042	Axial rod
316 030 0002	Tie rod end


Application info

7 (E65, E66) (11/01-08/05)

Tie rod assembly
316 030 0011
 32 10 6 777 479

Notes

Thread Measurement 2	M18x1,5
Thread Measurement 1	M14x1,5
	Front Axle Right
	Front Axle Left

References

32 10 6 774 347	32 21 6 762 403
32 10 6 777 479	

Parts list

316 031 0003	Axial rod
316 030 0002	Tie rod end


Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

Tie rod assembly
316 030 0004
 32 10 6 777 503

Notes

Thread Measurement 2	M18x1,5
Thread Measurement 1	M12x1,5
	Front Axle Left

References

32 10 6 774 222	32 21 1 095 955
32 10 6 777 503	32 21 1 096 897
32 11 1 096 897	

Parts list

316 030 4600	Axial rod
316 020 4603	Tie rod end

Counterpart

316 030 0005



6



316 030 0004
32 10 6 777 503

Tie rod assembly

Application info

3 (E46) (02/98-12/07)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

316 030 0005
32 10 6 777 504

Tie rod assembly



Notes

Thread Measurement 2	M18x1,5
Thread Measurement 1	M12x1,5
	Front Axle Right

References

32 10 6 774 223	32 21 1 095 956
32 10 6 777 504	32 21 1 096 898
32 11 1 096 898	

Parts list

316 030 4600	Axial rod
316 020 4604	Tie rod end

Counterpart

316 030 0004

Application info

3 (E46) (02/98-12/07)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

316 030 0021
32 10 6 780 985

Tie rod assembly



Notes

Thread Measurement 2	M18x1,5
Thread Measurement 1	M14x1,5
	Front Axle Right
	Front Axle Left

References

32 10 6 780 985	32 21 6 773 741
32 10 6 793 496	

Parts list

316 030 3044	Axial rod
316 020 0020	Tie rod end

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

Tie rod assembly
316 030 4355

32 11 1 094 673

Notes

Thread Measurement 2	M18x1,5
Thread Measurement 1	M12x1,5 Front Axle Left

References

32 11 1 091 767	32 11 1 094 673
32 11 1 093 769	32 21 1 094 673

Parts list

316 030 0000	Axial rod
316 020 0002	Tie rod end

Counterpart

316 030 4354


Application info

5 (E39) (11/95-05/04)

Tie rod assembly
316 030 4354

32 11 1 094 674

Notes

Thread Measurement 2	M18x1,5
Thread Measurement 1	M12x1,5 Front Axle Right

References

32 11 1 091 768	32 11 1 094 674
32 11 1 093 770	32 21 1 094 674

Parts list

316 030 0000	Axial rod
316 020 0003	Tie rod end

Counterpart

316 030 4355


Application info

5 (E39) (11/95-05/04)

316 030 4301
32 11 1 125 186

Tie rod assembly



Notes

Thread Measurement 2	M18x1,5
Thread Measurement 1	M10x1
	Front Axle

References

32 11 1 125 186

Parts list

316 030 4303	Axial rod
316 020 4302	Tie rod end

Counterpart

316 030 4304

Application info

3 (E30) (09/82-06/94)

316 030 4304
32 11 1 125 187

Tie rod assembly



Notes

Thread Measurement 2	M18x1,5
Thread Measurement 1	M10x1
	for vehicles with steering damper
	Front Axle Right

References

32 11 1 125 187

Parts list

316 030 4305	Axial rod
316 020 4302	Tie rod end

Counterpart

316 030 4301

Application info

3 (E30) (09/82-06/94)

Tie rod assembly
316 030 4339
 32 11 1 139 315

Notes

 Thread Measurement 2 M18x1,5
 Thread Measurement 1 M10x1
 Front Axle Left

References

32 11 1 139 315 32 11 1 139 317

Parts list

 316 030 4342 Axial rod
 316 020 4341 Tie rod end

Counterpart

316 030 4340


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Tie rod assembly
316 030 4340
 32 11 1 139 316

Notes

 Thread Measurement 2 M18x1,5
 Thread Measurement 1 M10x1
 Front Axle Right

References

32 11 1 139 316

Parts list

 316 030 4342 Axial rod
 316 020 4344 Tie rod end

Counterpart

316 030 4339


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Tie rod assembly
316 030 3049
 32 21 1 117 212

Notes

 Thread Measurement 2 M10x1
 Thread Measurement 1 M10x1
 Front Axle Right
 Front Axle Left

References

32 21 1 117 212 32 21 1 118 619



316 030 3049
32 21 1 117 212

Tie rod assembly

Application info
7 (E23) (05/77-08/86)

316 030 4214
32 21 1 135 666

Tie rod assembly



Notes

Thread Measurement 2	M10x1
Thread Measurement 1	M10x1
	Front Axle Right
	Front Axle Left

References

32 21 1 124 231	32 21 1 135 666
32 21 1 129 020	32 21 1 135 668

Parts list

316 020 4215	Tie rod end
316 020 4216	Tie rod end

Application info

5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)
6 (E24) (04/76-09/90)

7 (E32) (09/86-09/94)
8 (E31) (04/90-12/99)

316 030 0012/HD
32 21 6 762 243

Tie rod assembly



Notes

Thread Measurement 2	M18x1,5
Thread Measurement 1	M14x1,5
Manufacturer Restriction	TRW
	Front Axle Left

Reinforced Version

References

32 21 6 762 243

Parts list

316 031 0004	Axial rod
316 020 0007/HD	Tie rod end

Counterpart

316 030 0013/HD

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Tie rod assembly

316 030 0013/HD

32 21 6 762 244

Notes

Thread Measurement 2	M18x1,5
Thread Measurement 1	M14x1,5
Manufacturer Restriction	TRW
Reinforced Version	Front Axle Right

References

32 21 6 762 244

Parts list

316 031 0004	Axial rod
316 020 0008/HD	Tie rod end

Counterpart

316 030 0012/HD


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Tie rod assembly
316 030 0016

32 21 6 777 451

Notes

Thread Measurement 2	M18x1,5
Thread Measurement 1	M14x1,5
	Front Axle Right
	Front Axle Left

References

32 21 6 767 861	32 21 6 777 451
-----------------	-----------------

Parts list

316 031 0003	Axial rod
316 020 0011	Tie rod end

Application info

5 (E60, E61) (07/03-08/10)


Tie rod end

316 020 0007/HD

32 10 6 765 089

Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M14x1,5
Length [mm]	135
Reinforced Version	Front Axle Left

References

32 10 6 765 089	32 10 6 767 781
-----------------	-----------------

Counterpart

316 020 0008/HD



316 020 0007/HD
32 10 6 765 089

Tie rod end



Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)
Z4 (E89) (05/09--)

316 020 0008/HD
32 10 6 765 090

Tie rod end



Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M14x1,5
Length [mm]	135
Reinforced Version	Front Axle Right

References

32 10 6 765 090	32 10 6 767 782
-----------------	-----------------

Counterpart

316 020 0007/HD

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)
Z4 (E89) (05/09--)

316 020 4603
32 10 6 774 220

Tie rod end



Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M12x1,5
Length [mm]	242
Reinforced Version	Front Axle Left

References

32 10 6 774 220	32 21 1 095 957
-----------------	-----------------

Counterpart

316 020 4604

Application info

3 (E46) (02/98-12/07)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Tie rod end
316 020 4604

32 10 6 774 221

Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M12x1,5
Length [mm]	242
	Front Axle Right

References

32 10 6 774 221	32 21 1 095 958
-----------------	-----------------

Counterpart

316 020 4603


Application info

3 (E46) (02/98-12/07)	Z4 (E86) (03/06--)
Z4 (E85) (02/03--)	

Tie rod end
316 020 0014

32 10 6 774 320

Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M12x1,5
Length [mm]	192
	Front Axle Left

References

32 10 6 774 320	32 21 6 751 041
-----------------	-----------------

Counterpart

316 020 0015


Application info

3 (E46) (02/98-12/07)

Tie rod end
316 020 0015

32 10 6 774 321

Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M12x1,5
Length [mm]	192
	Front Axle Right

References

32 10 6 774 321	32 21 6 751 042
-----------------	-----------------

Counterpart

316 020 0014


Application info

3 (E46) (02/98-12/07)

316 020 0005/HD
32 10 6 774 335

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M14x1,5
190
Front Axle Right
Front Axle Left

Reinforced Version

References

32 10 6 774 335
32 21 1 096 327

32 21 6 760 354

Application info

X5 (E53) (05/00--)

316 030 0002
32 10 6 776 946

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M16x1,5
M14x1,5
156
Front Axle Right
Front Axle Left

References

32 10 6 774 361
32 10 6 776 946

32 21 6 756 369

Application info

5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)

7 (E65, E66) (11/01-08/05)

316 020 0020
32 10 6 780 984

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M14x1,5
185
Front Axle Right
Front Axle Left

References

32 10 6 780 984
32 10 6 793 497

32 21 6 773 739

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

Tie rod end
316 020 0024

32 10 6 784 790

Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M14x1,5
Length [mm]	160
	Front Axle Left

References

32 10 6 784 790

Counterpart

316 020 0023


Application info

 5 (F07) (10/09-12/10)
 5 (F10, F11) (03/10-12/11)

 6 (F12, F13) (11/10-12/12)
 7 (F01, F02, F03, F04) (06/08--)
Tie rod end
316 020 0023

32 10 6 784 796

Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M14x1,5
Length [mm]	160
	Front Axle Right

References

32 10 6 784 796

Counterpart

316 020 0024


Application info

 5 (F07) (10/09-12/10)
 5 (F10, F11) (03/10-12/11)

 6 (F12, F13) (11/10-12/12)
 7 (F01, F02, F03, F04) (06/08--)
Tie rod end
316 020 0029

32 10 6 792 674

Notes

Thread Measurement 2	M16x1,5
Thread Measurement 1	M14x1,5
Length [mm]	168
	Front Axle Right
	Front Axle Left

References

32 10 6 792 674


Application info

X3 (F25) (09/10--)

X4 (F26) (04/14--)

6

316 020 0010

32 10 6 793 623

Tie rod end



Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M14x1,5
Length [mm]	122
	Front Axle Left

References

32 10 6 769 073	32 10 6 793 623
-----------------	-----------------

Counterpart

316 020 0009

Application info

3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

316 020 0009

32 10 6 793 624

Tie rod end



Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M14x1,5
Length [mm]	110
	Front Axle Right

References

32 10 6 769 074	32 10 6 793 624
-----------------	-----------------

Counterpart

316 020 0010

Application info

3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

316 020 0028

32 10 6 797 617

Tie rod end



Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M14x1,5
Length [mm]	150
	Front Axle Left

References

32 10 6 797 617

Counterpart

316 020 0027

Application info

1 (F20, F21) (11/10--)
3 (F30, F31) (10/11--)

3 (F34) (03/13--)
4 (F32, F33, F36) (07/13--)

6

Tie rod end
316 020 0027

32 10 6 797 618

Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M14x1,5
Length [mm]	150
	Front Axle Right

References

32 10 6 797 618

Counterpart

316 020 0028


Application info

1 (F20, F21) (11/10--)	3 (F34) (03/13--)
3 (F30, F31) (10/11--)	4 (F32, F33, F36) (07/13--)

Tie rod end
316 020 0026

32 10 6 799 966

Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M14x1,5
Length [mm]	150
	Front Axle Left

References

32 10 6 799 966

Counterpart

316 020 0025


Application info

1 (F20, F21) (11/10--)	3 (F34) (03/13--)
2 (F22, F23, F46) (10/13--)	4 (F32, F33, F36) (07/13--)
3 (F30, F31) (10/11--)	

Tie rod end
316 020 0025

32 10 6 799 967

Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M14x1,5
Length [mm]	150
	Front Axle Right

References

32 10 6 799 967

Counterpart

316 020 0026



316 020 0025
32 10 6 799 967

Tie rod end

Application info

- 1 (F20, F21) (11/10--)
- 2 (F22, F23, F46) (10/13--)
- 3 (F30, F31) (10/11--)

- 3 (F34) (03/13--)
- 4 (F32, F33, F36) (07/13--)

316 020 0002
32 11 1 094 673*

Tie rod end



Notes

Thread Measurement 2	M16x1
Thread Measurement 1	M12x1,5
Length [mm]	227
	Front Axle Left

References

32 11 1 094 673*

Counterpart

316 020 0003

Application info

5 (E39) (11/95-05/04)

316 020 0003
32 11 1 094 674*

Tie rod end



Notes

Thread Measurement 2	M16x1
Thread Measurement 1	M12x1,5
Length [mm]	227
	Front Axle Right

References

32 11 1 094 674*

Counterpart

316 020 0002

Application info

5 (E39) (11/95-05/04)

Tie rod end
316 020 4374

32 11 1 094 676

Notes

Thread Measurement 2	M16x1,5
Thread Measurement 1	M12x1,5
Length [mm]	230
	Front Axle Right

References

32 11 1 091 770	32 21 1 091 724
32 11 1 094 676	

Counterpart

316 020 4375


Application info

5 (E39) (11/95-05/04)

Tie rod end
316 020 3042

32 11 1 116 463

Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M10x1
Length [mm]	76
	Front Axle Right
	Front Axle Left

References

32 11 1 116 463


Application info

3 (E21) (06/75-03/84)

Tie rod end
316 020 4302

32 11 1 126 757

Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M10x1
Length [mm]	200
	Front Axle Right
	Front Axle Left

References

07 12 9 922 770	32 11 1 126 757
-----------------	-----------------


Application info

3 (E30) (09/82-06/94)

Z1 (06/88-06/91)

316 020 4341
32 11 1 139 313

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M10x1
210
Front Axle Left

References

32 11 1 139 313

Counterpart

316 020 4344

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

316 020 4344
32 11 1 139 314

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M10x1
210
Front Axle Right

References

32 11 1 139 314

Counterpart

316 020 4341

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

316 020 4375
32 21 1 091 723

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M16x1,5
M12x1,5
220
Front Axle Left

References

32 21 1 091 723

Counterpart

316 020 4374

Application info

5 (E39) (11/95-05/04)

Tie rod end
316 020 4216

32 21 1 135 819

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

 with left-hand thread
 M14x1,5
 M10x1
 80
 Front Axle Right
 Front Axle Left

References

 32 21 1 127 918
 32 21 1 130 001

32 21 1 135 819


Application info

 5 (E28) (06/81-12/87)
 5 (E34) (12/87-01/97)
 6 (E24) (04/76-09/90)

 7 (E32) (09/86-09/94)
 8 (E31) (04/90-12/99)

Tie rod end
316 020 4215

32 21 1 135 820

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

 with right-hand thread
 M14x1,5
 M10x1
 80
 Front Axle Right
 Front Axle Left

References

 32 21 1 127 917
 32 21 1 130 004

32 21 1 135 820


Application info

 5 (E28) (06/81-12/87)
 5 (E34) (12/87-01/97)
 6 (E24) (04/76-09/90)

 7 (E32) (09/86-09/94)
 8 (E31) (04/90-12/99)

Tie rod end
316 020 4350

32 21 1 141 345

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

 with left-hand thread
 M16x1,5
 M12x1,5
 219
 Front Axle Left

References

32 21 1 141 345

Counterpart

316 020 4351



6

+

316 020 4350
32 21 1 141 345

Tie rod end

Application info
7 (E38) (10/94-11/01)

316 020 4351
32 21 1 141 346

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with right-hand thread
M16x1,5
M12x1,5
219
Front Axle Right

References

32 21 1 141 346

Counterpart

316 020 4350

Application info
7 (E38) (10/94-11/01)

316 020 0011
32 21 6 767 860

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M16x1,5
M14x1,5
156
Front Axle Right
Front Axle Left

References

32 21 6 767 860

Application info
5 (E60, E61) (07/03-08/10)

Tie rod end
316 020 0006
32 30 3 418 202
Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M14x1,5
Length [mm]	210
	Front Axle Right
	Front Axle Left

References

32 30 3 418 202	32 41 3 413 476
-----------------	-----------------


Application info

X3 (E83) (01/04-12/08)

316 010 0008
31 103 418 341

Ball joint



Notes

Thread Size

with accessories
M14x1,5
Front Axle Right
Front Axle Left

References

31 103 412 726

31 103 418 341

Application info

X3 (E83) (01/04-12/08)

316 010 0011
31 103 438 623

Ball joint



Notes

Thread Size

with accessories
M14x1,5
Front Axle Right
Front Axle Left

References

31 100 363 476

31 103 438 623

Application info

X3 (E83) (01/04-12/08)

316 010 0018
31 106 787 665

Ball joint

Notes

Front Axle Left
Front Axle Right

References

31 106 787 665

Application info

X3 (F25) (09/10--)

X4 (F26) (04/14--)

Ball joint
316 010 4306

31 12 1 127 725*

Notes

Outer Diameter [mm] 41
 Height [mm] 126
 Thread Size M14x1,5
 inner
 Front Axle Right
 Front Axle Left

References

31 12 1 127 725* 31 12 1 127 726*


Application info

3 (E30) (09/82-06/94)

Z1 (06/88-06/91)

Ball joint
316 010 4307

31 12 1 127 725*

Notes

Outer Diameter [mm] 41
 Height [mm] 54
 Thread Size M12x1,5
 Outer
 Front Axle Right
 Front Axle Left

References

31 12 1 126 254 31 12 1 127 726*
 31 12 1 127 725*


Application info

3 (E30) (09/82-06/94)

Z1 (06/88-06/91)

Ball joint

316 010 4305/HD

31 12 2 282 121*

Notes

Outer Diameter [mm] 41
 Height [mm] 132
 Thread Size M14x1,5
 inner
 Front Axle Right
 Front Axle Left

Reinforced Version

References

31 12 1 094 465* 31 12 6 752 718*
 31 12 1 094 466* 31 12 6 758 220*
 31 12 1 752 717* 31 12 6 758 519*
 31 12 2 282 121* 31 12 6 758 520*
 31 12 2 282 122* 31 12 6 770 247*
 31 12 6 750 223* 31 12 6 770 248*
 31 12 6 750 224* 31 12 6 774 819*
 31 12 6 751 317* 31 12 6 774 820*
 31 12 6 751 318* 31 12 6 777 851*
 31 12 6 752 717* 31 12 6 777 852*



316 010 4305/HD

31 12 2 282 121*

Ball joint 

Application info

3 (E46) (02/98-12/07)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

316 010 0002

31 12 6 756 491

Ball joint



Notes

Thread Size

with accessories
M14x1,5
Front Axle Right
Front Axle Left

References

31 12 1 096 425

31 12 6 756 491

Application info

X5 (E53) (05/00--)

316 010 0003/HD

31 12 6 758 510

Ball joint 



Notes

Outer Diameter [mm]
Height [mm]
Thread Size

with roadworthy certificate
49
76
M12x1,5
Outer
Front Axle Right
Front Axle Left

Reinforced Version

References

31 12 1 096 685
31 12 1 140 398

31 12 6 758 510

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
Z3 (E36/7, E36/8) (10/95-06/03)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

Ball joint

316 010 4345

31 12 6 758 514*

Notes

Outer Diameter [mm] 41
 Height [mm] 136
 Thread Size M14x1,5
 inner
 Front Axle Right
 Front Axle Left

References

31 12 6 758 513* 31 12 6 758 514*



Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Ball joint

316 010 0015

31 12 6 768 988

Notes

Thread Size

with accessories
 M14x1,5
 Front Axle Right
 Front Axle Left

References

31 12 6 768 988



Application info

3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Ball joint

316 010 0014

31 12 6 775 967*

Notes

only in connection with

with accessories
 316 050 0044/HD
 Upper
 Front Axle Right
 Front Axle Left

References

31 12 6 775 967* 31 12 6 779 908*
 31 12 6 779 871*



Application info

5 (F07) (10/09-12/10)
 5 (F10, F11) (03/10-12/11)
 6 (F12, F13) (11/10-12/12)

7 (F01, F02, F03, F04) (06/08--)
 i8 (03/14--)

316 010 0016
31 12 6 777 753

Ball joint



Notes

Thread Measurement 2
Thread Measurement 1

M30x1,5
M16x1,5
Front Axle Right
Front Axle Left

References

31 12 6 777 753

Application info

5 (F07) (10/09-12/10)
5 (F10, F11) (03/10-12/11)

6 (F12, F13) (11/10-12/12)
7 (F01, F02, F03, F04) (06/08--)

316 010 0017
31 12 6 779 840

Ball joint



Notes

Outer Diameter [mm]
Thread Size

with accessories
41
M14x1,5
Front Axle Right
Front Axle Left

References

31 12 6 779 840

Application info

5 (E60, E61) (07/03-08/10)

300 311 0002
31 12 1 136 531

Bracket, control arm



Notes

with accessories
with rubber mounting
Front Axle Left

References

31 12 1 136 531

Parts list

300 311 3003

Mount, control arm

Counterpart

300 311 0003

Bracket, control arm
300 311 0002
 31 12 1 136 531

Application info

 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Bracket, control arm
300 610 0001
 31 12 1 136 531

Notes

 Kit
 with rubber mounting
 Front Axle Right
 Front Axle Left

References

31 12 1 136 531

31 12 1 136 532

Parts list

 300 311 0002
 300 311 0003

 Bracket, control arm
 Bracket, control arm

Application info

 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Bracket, control arm
300 311 0003
 31 12 1 136 532

Notes

 with accessories
 with rubber mounting
 Front Axle Right

References

31 12 1 136 532

Parts list

300 311 3003

Mount, control arm

Counterpart

300 311 0002


Application info

 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

7

300 311 2604/HD

31 12 6 783 376

Bracket, control arm



Notes

Kit
with accessories
with rubber mounting
Front Axle Right
Front Axle Left

Reinforced Version

References

31 12 1 095 277	31 12 6 751 435
31 12 1 095 278	31 12 6 751 436
31 12 1 096 284	31 12 6 753 059
31 12 1 096 983	31 12 6 753 060
31 12 1 096 984	31 12 6 754 899
31 12 4 004 359	31 12 6 754 900
31 12 4 004 360	31 12 6 757 623
31 12 6 750 221	31 12 6 777 850
31 12 6 750 222	31 12 6 783 376

Parts list

300 311 2919/HD	Mount, control arm
-----------------	--------------------

Application info


3 (E46) (02/98-12/07)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

316 050 0020/HD

31 10 2 348 046

Control arm



Notes

Thread Size
Length [mm]

Aluminium
M14x1,5
421
with rubber mounting
Control Arm
Front
Front Axle Right

Reinforced Version

References

31 10 2 348 046	31 12 6 760 184
31 10 4 026 720	31 12 6 765 996
31 12 4 046 438	31 12 6 774 826

Parts list

314 610 0000/HD	Control arm bushing
-----------------	---------------------

Counterpart

316 050 0019/HD

Application info

5 (E60, E61) (07/03-08/10)

Control arm



316 050 0019/HD

31 10 2 348 047

Notes

Thread Size
Length [mm]

Aluminium
M14x1,5
421
with rubber mounting
Control Arm
Front
Front Axle Left

Reinforced Version

References

31 10 2 348 047	31 12 6 760 183
31 10 4 026 719	31 12 6 765 995
31 12 4 046 437	31 12 6 774 825

Parts list

314 610 0000/HD	Control arm bushing
-----------------	---------------------

Counterpart

316 050 0020/HD



Application info

5 (E60, E61) (07/03-08/10)

Control arm



316 050 0027/HD

31 10 3 443 127

Notes

Length [mm]

Steel
444
with rubber mounting
Control Arm
Front
Front Axle Left

Reinforced Version

References

31 10 0 363 477	31 10 3 443 127
-----------------	-----------------

Parts list

300 311 2104/HD	Control arm bushing
-----------------	---------------------

Counterpart

316 050 0028/HD



Application info

X3 (E83) (01/04-12/08)

Control arm

316 050 0016/HD
31 10 3 451 882
Notes

 Thread Size
 Length [mm]

 Steel
 M14x1,5
 278
 with rubber mounting
 Control Arm
 Rear
 Front Axle Right

Reinforced Version

References

 31 10 3 412 136
 31 10 3 415 028
 31 10 3 418 338

 31 10 3 426 434
 31 10 3 451 882

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 0015/HD


Application info

X3 (E83) (01/04-12/08)

Control arm
316 050 0060
31 10 6 787 673
Notes

Length [mm]

 Cast Steel
 425
 with rubber mounting
 Control Arm
 Front
 Front Axle Left

References

31 10 6 787 673

Parts list

314 610 0019

Control arm bushing

Counterpart

316 050 0061


Application info

X3 (F25) (09/10--)

X4 (F26) (04/14--)

316 050 0061
31 10 6 787 674

Control arm



Notes

Length [mm] Cast Steel
425
with rubber mounting
Control Arm
Front
Front Axle Right

References

31 10 6 787 674

Parts list

314 610 0019 Control arm bushing

Counterpart

316 050 0060

Application info

X3 (F25) (09/10--)

X4 (F26) (04/14--)

316 050 0029/HD

31 12 1 092 609

Control arm



Notes

Thread Size Aluminium
M14x1,5
Length [mm] 450
with rubber mounting
Control Arm
Rear
Front Axle Left

Reinforced Version

References

31 12 1 092 609 31 12 1 092 819

Parts list

300 311 2909/HD Control arm bushing

Counterpart

316 050 0030/HD

Application info

5 (E39) (11/95-05/04)

Control arm

316 050 0030/HD

31 12 1 092 610

Notes

 Thread Size
 Length [mm]

 Aluminium
 M14x1,5
 450
 with rubber mounting
 Control Arm
 Rear
 Front Axle Right

Reinforced Version

References

31 12 1 092 610

31 12 1 092 820

Parts list

300 311 2909/HD

Control arm bushing

Counterpart

316 050 0029/HD


Application info

5 (E39) (11/95-05/04)

Control arm
316 050 3901

31 12 1 094 233

Notes

 Thread Size
 Length [mm]

 Aluminium
 M14x1,5
 314
 with rubber mounting
 Control Arm
 Rear
 Front Axle Left

References

31 12 1 093 449

31 12 1 094 233

31 12 9 069 568

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 3902


Application info

5 (E39) (11/95-05/04)

316 050 3902
31 12 1 094 234

Control arm



Notes

Thread Size
Length [mm]

Aluminium
M14x1,5
314
with rubber mounting
Control Arm
Rear
Front Axle Right

References

31 12 1 093 450
31 12 1 094 234

31 12 2 341 296
31 12 9 069 568

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 3901

Application info

5 (E39) (11/95-05/04)

316 050 4206
31 12 1 123 025

Control arm



Notes

Thread Size
Length [mm]

Steel
M12x1,5
294
with rubber mounting
Control Arm
Lower
Front Axle Left

References

31 12 1 123 025

Parts list

300 311 2101

Control arm bushing

Counterpart

316 050 4207

Application info


3 (E21) (06/75-03/84)

Control arm
316 050 4207

31 12 1 123 026

Notes

Thread Size M12x1,5
 Length [mm] 294
 with rubber mounting
 Control Arm
 Lower
 Front Axle Right


References

31 12 1 123 026 31 12 1 123 027

Parts list

300 311 2101 Control arm bushing

Counterpart

316 050 4206

Application info

3 (E21) (06/75-03/84)

Control arm
316 050 4367

31 12 1 127 725

Notes

Thread Measurement 2 M12x1,5
 Thread Measurement 1 M14x1,5
 with ball joint
 Control Arm
 Front Axle Left


References

31 12 1 127 725 31 12 1 701 059

Parts list

 316 010 4306 Ball joint
 316 010 4307 Ball joint

Counterpart

316 050 4366

Application info

3 (E30) (09/82-06/94)

Z1 (06/88-06/91)

Control arm

316 050 4224/HD

31 12 1 132 354

Notes

Thread Size M14x1,5
 Length [mm] 388
 with rubber mounting
 Control Arm
 Rear
 Front Axle Right

Reinforced Version

References

31 12 1 124 955 31 12 1 129 246
 31 12 1 125 550 31 12 1 132 346
 31 12 1 125 552 31 12 1 132 354
 31 12 1 127 142

Parts list

300 311 2906/HD Control arm bushing

Counterpart

316 050 4223/HD


Application info

5 (E28) (06/81-12/87)

6 (E24) (04/76-09/90)

Control arm
316 050 4371

31 12 1 139 987

Notes

Thread Size M14x1,5
 Length [mm] 325
 with rubber mounting
 Control Arm
 Front
 Front Axle Left

References

31 12 1 133 237 32 21 1 139 987
 31 12 1 139 987

Parts list

300 311 2107 Control arm bushing

Counterpart

316 050 4370


Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

316 050 4370
31 12 1 139 988

Control arm



Notes

Thread Size
Length [mm]

Aluminium
M14x1,5
325
with rubber mounting
Control Arm
Front
Front Axle Right

References

31 12 1 133 238
31 12 1 139 988

32 21 1 139 988

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 4371

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

316 050 4217
31 12 1 139 991

Control arm



Notes

Thread Size
Length [mm]

Steel
M14x1,5
325
with rubber mounting
Control Arm
Front
Front Axle Left

References

31 12 1 124 401
31 12 1 131 587

31 12 1 139 991

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 4218

Application info

5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)

6 (E24) (04/76-09/90)
7 (E32) (09/86-09/94)

Control arm
316 050 4218

31 12 1 139 992

Notes

 Thread Size
 Length [mm]

 Steel
 M14x1,5
 325
 with rubber mounting
 Control Arm
 Front
 Front Axle Right

References

 31 12 1 124 402
 31 12 1 131 582

 31 12 1 131 588
 31 12 1 139 992

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 4217


Application info

 5 (E28) (06/81-12/87)
 5 (E34) (12/87-01/97)

 6 (E24) (04/76-09/90)
 7 (E32) (09/86-09/94)

Control arm

316 050 4317/HD

31 12 1 139 999

Notes

 Thread Size
 Length [mm]

 Steel
 M14x1,5
 414
 with rubber mounting
 Control Arm
 Rear
 Front Axle Left

Reinforced Version

References

 31 12 1 130 089
 31 12 1 130 597

31 12 1 139 999

Parts list

300 311 2103/HD

Control arm bushing

Counterpart

316 050 4318/HD


Application info

7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

316 050 4318/HD
31 12 1 140 000

Control arm 



Notes

Thread Size
Length [mm]

Steel
M14x1,5
414
with rubber mounting
Control Arm
Rear
Front Axle Right

Reinforced Version

References

31 12 1 130 090
31 12 1 130 598

31 12 1 133 490
31 12 1 140 000

Parts list

300 311 2103/HD

Control arm bushing

Counterpart

316 050 4317/HD

Application info

7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

316 050 4332/HD
31 12 1 141 097

Control arm 



Notes

Thread Size
Length [mm]

Steel
M14x1,5
388
with rubber mounting
Control Arm
Rear
Front Axle Left

Reinforced Version

References

31 12 1 132 159
31 12 1 133 711

31 12 1 141 097

Parts list

300 311 2103/HD

Control arm bushing

Counterpart

316 050 4333/HD

Application info

5 (E34) (12/87-01/97)

Control arm

316 050 4333/HD

31 12 1 141 098

Notes

Thread Size M14x1,5
 Length [mm] 388
 with rubber mounting
 Control Arm
 Rear
 Front Axle Right

Reinforced Version

References

31 12 1 132 160 31 12 1 141 098
 31 12 1 133 712

Parts list

300 311 2103/HD Control arm bushing

Counterpart

316 050 4332/HD


Application info

5 (E34) (12/87-01/97)

Control arm

316 050 3903/HD

31 12 1 141 717

Notes

Thread Size M14x1,5
 Length [mm] 428
 with rubber mounting
 Control Arm
 Front
 Front Axle Left

Reinforced Version

References

31 12 1 092 023 31 12 1 141 717

Parts list

300 311 2914/HD Control arm bushing

Counterpart

316 050 3904/HD


Application info

5 (E39) (11/95-05/04)

Z8 (E52) (06/00-06/03)

316 050 3904/HD

31 12 1 141 718

Control arm



Notes

Thread Size
Length [mm]

Aluminium
M14x1,5
428
with rubber mounting
Control Arm
Front
Front Axle Right

Reinforced Version

References

31 12 1 092 024

31 12 1 141 718

Parts list

300 311 2914/HD

Control arm bushing

Counterpart

316 050 3903/HD

Application info

5 (E39) (11/95-05/04)

Z8 (E52) (06/00-06/03)

316 050 4363/HD

31 12 1 141 721

Control arm



Notes

Thread Size
Length [mm]

Steel
M14x1,5
438
with rubber mounting
Control Arm
Rear
Front Axle Left

Reinforced Version

References

31 12 1 141 721

31 12 1 141 723

Parts list

300 311 2909/HD

Control arm bushing

Counterpart

316 050 4362/HD

Application info

7 (E38) (10/94-11/01)

Control arm

316 050 4362/HD

31 12 1 141 722

Notes

 Thread Size
 Length [mm]

 Steel
 M14x1,5
 438
 with rubber mounting
 Control Arm
 Rear
 Front Axle Right

Reinforced Version

References

31 12 1 141 722

31 12 1 141 724

Parts list

300 311 2909/HD

Control arm bushing

Counterpart

316 050 4363/HD


Application info

7 (E38) (10/94-11/01)

Control arm
316 050 0001

31 12 1 141 961

Notes

 Thread Size
 Length [mm]

 Aluminium
 M14x1,5
 330
 with rubber mounting
 Control Arm
 Front
 Front Axle Left

References

31 12 1 141 961

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 0002


Application info

5 (E39) (11/95-05/04)

316 050 0002
31 12 1 141 962

Control arm



Notes

Thread Size
Length [mm]

Aluminium
M14x1,5
330
with rubber mounting
Control Arm
Front
Front Axle Right

References

31 12 1 141 962

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 0001

Application info

5 (E39) (11/95-05/04)

316 050 4361
31 12 1 142 087

Control arm



Notes

Thread Size
Length [mm]

Aluminium
M14x1,5
323
with rubber mounting
Control Arm
Front
Front Axle Left

References

31 12 1 142 087

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 4360

Application info

7 (E38) (10/94-11/01)

Control arm
316 050 4360

31 12 1 142 088

Notes

 Thread Size
 Length [mm]

 Aluminium
 M14x1,5
 323
 with rubber mounting
 Control Arm
 Front
 Front Axle Right

References

31 12 1 142 088

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 4361


Application info

7 (E38) (10/94-11/01)

Control arm

316 050 0003/HD

31 12 2 282 121

Notes

 Thread Measurement 2
 Thread Measurement 1

 Aluminium
 M14x1,5
 M12x1,5
 with ball joint
 Control Arm
 Front Axle Left

Reinforced Version

References

 31 12 1 094 465
 31 12 1 096 985
 31 12 1 752 717
 31 12 2 282 121
 31 12 6 750 223
 31 12 6 751 317

 31 12 6 752 717
 31 12 6 758 220
 31 12 6 758 519
 31 12 6 770 247
 31 12 6 774 819
 31 12 6 777 851

Parts list

 316 010 0003/HD
 316 010 4305/HD

 Ball joint
 Ball joint

Counterpart

316 050 0004/HD


Application info

 3 (E46) (02/98-12/07)
 Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

316 050 0004/HD

31 12 2 282 122

Control arm



Notes

Thread Measurement 2
Thread Measurement 1

Aluminium
M14x1,5
M12x1,5
with ball joint
Control Arm
Front Axle Right

Reinforced Version

References

31 12 1 094 466
31 12 1 096 986
31 12 2 282 122
31 12 6 750 224
31 12 6 751 318

31 12 6 752 718
31 12 6 758 520
31 12 6 770 248
31 12 6 774 820
31 12 6 777 852

Parts list

316 010 0003/HD
316 010 4305/HD

Ball joint
Ball joint

Counterpart

316 050 0003/HD

Application info

3 (E46) (02/98-12/07)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

316 050 0013

31 12 2 347 983

Control arm



Notes

Thread Size
Length [mm]

Aluminium
M14x1,5
300
with rubber mounting
Control Arm
Rear
Front Axle Left

References

31 12 2 347 983
31 12 2 347 985
31 12 6 755 835
31 12 6 770 121

31 12 6 770 771
31 12 6 770 837
31 12 6 777 937
31 12 6 777 939

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 0014

Application info

6 (E63, E64) (01/04--)

7 (E65, E66) (11/01-08/05)

Control arm
316 050 0014

31 12 2 347 984

Notes

 Thread Size
 Length [mm]

 Aluminium
 M14x1,5
 300
 with rubber mounting
 Control Arm
 Rear
 Front Axle Right

References

 31 12 2 347 984
 31 12 2 347 986
 31 12 6 755 836
 31 12 6 770 122

 31 12 6 770 772
 31 12 6 770 838
 31 12 6 777 938
 31 12 6 777 940

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 0013


Application info

6 (E63, E64) (01/04--)

7 (E65, E66) (11/01-08/05)

Control arm

316 050 3602/HD

31 12 6 758 513

Notes

 Thread Measurement 2
 Thread Measurement 1

 with roadworthy certificate
 Steel
 M14x1,5
 M12x1,5
 with ball joint
 Control Arm
 Front Axle Left

Reinforced Version

References

 31 12 1 094 275
 31 12 1 136 529
 31 12 1 140 399

 31 12 1 140 957
 31 12 6 758 513
 31 12 6 758 515

Parts list

 316 010 0003/HD
 316 010 4345

 Ball joint
 Ball joint

Counterpart

316 050 3601/HD


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

316 050 3601/HD
31 12 6 758 514

Control arm



Notes

Thread Measurement 2
Thread Measurement 1

Reinforced Version

References

31 12 1 092 276
31 12 1 136 530
31 12 1 140 400

with roadworthy certificate
Steel
M14x1,5
M12x1,5
with ball joint
Control Arm
Front Axle Right

31 12 1 140 958
31 12 6 758 514
31 12 6 758 516

Parts list

316 010 0003/HD
316 010 4345

Ball joint
Ball joint

Counterpart

316 050 3602/HD

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

316 050 0009
31 12 6 760 275

Control arm



Notes

Thread Size
Length [mm]

References

31 12 1 096 315

Parts list

300 311 2107

Counterpart

316 050 0010

Steel
M14x1,5
300
with rubber mounting
Control Arm
Rear
Front Axle Left

31 12 6 760 275

Control arm bushing

Application info

X5 (E53) (05/00-)

Control arm
316 050 0010

31 12 6 760 276

Notes

Thread Size	Steel
Length [mm]	M14x1,5
	300
	with rubber mounting
	Control Arm
	Rear
	Front Axle Right

References

31 12 1 096 316	31 12 6 760 276
-----------------	-----------------

Parts list

300 311 2107	Control arm bushing
--------------	---------------------

Counterpart

316 050 0009


Application info

X5 (E53) (05/00--)

Control arm
316 050 0017

31 12 6 768 297

Notes

Thread Size	Aluminium
Length [mm]	M14x1,5
	298
	with rubber mounting
	Control Arm
	Rear
	Front Axle Left

References

31 12 4 028 607	31 12 6 768 297
31 12 6 760 181	

Parts list

300 311 2107	Control arm bushing
--------------	---------------------

Counterpart

316 050 0018


Application info

5 (E60, E61) (07/03-08/10)

316 050 0018
31 12 6 768 298

Control arm



Notes

Thread Size
Length [mm]

Aluminium
M14x1,5
298
with rubber mounting
Control Arm
Rear
Front Axle Right

References

31 12 4 028 608
31 12 6 760 182

31 12 6 768 298

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 0017

Application info

5 (E60, E61) (07/03-08/10)

316 050 0045
31 12 6 768 989

Control arm



Notes

Thread Size
Length [mm]

Steel
M14x1,5
275
with bearing(s)
Control Arm
Front
Front Axle Right
Front Axle Left

References

31 12 6 768 989

31 12 6 768 989 S2

Parts list

314 610 0007

Control arm bushing

Application info

3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Control arm

316 050 0007/HD

31 12 6 769 717

Notes

Length [mm] Steel
 600
 with rubber mounting
 Control Arm
 Front
 Front Axle Left

Reinforced Version

References

31 12 1 096 169 31 12 6 769 717

Parts list

300 311 2104/HD Control arm bushing

Counterpart

316 050 0008/HD


Application info

X5 (E53) (05/00--)

Control arm

316 050 0008/HD

31 12 6 769 718

Notes

Length [mm] Steel
 600
 with rubber mounting
 Control Arm
 Front
 Front Axle Right

Reinforced Version

References

31 12 1 096 170 31 12 6 769 718

Parts list

300 311 2104/HD Control arm bushing

Counterpart

316 050 0007/HD


Application info

X5 (E53) (05/00--)

7

316 035 0005/HD
31 12 6 769 797

Control arm 



Notes

Thread Size
Length [mm]

Aluminium
M14x1,5
400
with rubber mounting
Control Arm
Front
Front Axle Left

Reinforced Version

References

31 12 4 036 269
31 12 6 763 703
31 12 6 763 707

31 12 6 769 797
31 12 6 769 801

Parts list

314 610 0000/HD

Control arm bushing

Counterpart

316 035 0006/HD

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)
Z4 (E89) (05/09--)

316 035 0006/HD
31 12 6 769 798

Control arm 



Notes

Thread Size
Length [mm]

Aluminium
M14x1,5
400
with rubber mounting
Control Arm
Front
Front Axle Right

Reinforced Version

References

31 12 4 036 270
31 12 6 763 704
31 12 6 763 708

31 12 6 769 798
31 12 6 769 802

Parts list

314 610 0000/HD

Control arm bushing

Counterpart

316 035 0005/HD

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)
Z4 (E89) (05/09--)

Control arm
316 050 0022

31 12 6 770 849

Notes

 Thread Size
 Length [mm]

 Aluminium
 M14x1,5
 284
 with rubber mounting
 Control Arm
 Rear
 Front Axle Left

References

31 12 6 763 699

31 12 6 770 849

Parts list

314 610 0001

Control arm bushing

Counterpart

316 050 0021

Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Control arm
316 050 0021

31 12 6 770 850

Notes

 Thread Size
 Length [mm]

 Aluminium
 M14x1,5
 284
 with rubber mounting
 Control Arm
 Rear
 Front Axle Right

References

31 12 6 763 700

31 12 6 770 850

Parts list

314 610 0001

Control arm bushing

Counterpart

316 050 0022

Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

316 050 0036

31 12 6 771 893

Control arm



Notes

Thread Size
Length [mm]

Steel
M14x1,5
343
with rubber mounting
Control Arm
Lower
Rear
Front Axle Left

References

31 12 6 771 893

Counterpart

316 050 0035

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

316 050 0035

31 12 6 771 894

Control arm



Notes

Thread Size
Length [mm]

Steel
M14x1,5
343
with rubber mounting
Control Arm
Lower
Rear
Front Axle Right

References

31 12 6 771 894

Counterpart

316 050 0036

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

Control arm

316 050 0038/HD

31 12 6 773 949

Notes

 Thread Size
 Length [mm]

 Steel
 M14x1,5
 414
 with rubber mounting
 Control Arm
 Lower
 Front
 Front Axle Left

Reinforced Version

References

31 12 6 773 949

Parts list

314 610 0004/HD

Control arm bushing

Counterpart

316 050 0037/HD


Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

Control arm

316 050 0037/HD

31 12 6 773 950

Notes

 Thread Size
 Length [mm]

 Steel
 M14x1,5
 414
 with rubber mounting
 Control Arm
 Lower
 Front
 Front Axle Right

Reinforced Version

References

31 12 6 773 950

Parts list

314 610 0004/HD

Control arm bushing

Counterpart

316 050 0038/HD


Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

316 050 0011/HD
31 12 6 774 831

Control arm 



Notes

Thread Size M14x1,5
Length [mm] 424
with rubber mounting
Control Arm
Front
Front Axle Left

Reinforced Version

References

31 12 4 026 453	31 12 6 760 519
31 12 4 046 441	31 12 6 765 993
31 12 6 756 101	31 12 6 774 831

Parts list

314 610 0000/HD	Control arm bushing
-----------------	---------------------

Counterpart

316 050 0012/HD

Application info

7 (E65, E66) (11/01-08/05)

316 050 0012/HD
31 12 6 774 832

Control arm 



Notes

Thread Size M14x1,5
Length [mm] 424
with rubber mounting
Control Arm
Front
Front Axle Right

Reinforced Version

References

31 12 4 026 454	31 12 6 760 520
31 12 4 046 442	31 12 6 765 994
31 12 6 756 102	31 12 6 774 832

Parts list

314 610 0000/HD	Control arm bushing
-----------------	---------------------

Counterpart

316 050 0011/HD

Application info

7 (E65, E66) (11/01-08/05)

Control arm

316 050 0044/HD

31 12 6 775 967

Notes

 Aluminium
 with rubber mounting
 with ball joint
 Control Arm
 Adjustable
 Upper
 Front Axle Right
 Front Axle Left


Reinforced Version

References

31 12 6 775 967	31 12 6 854 613
31 12 6 779 871	31 12 6 854 614
31 12 6 779 908	31 12 6 857 516

Parts list

316 010 0014	Ball joint
314 610 0008/HD	Control arm bushing


Application info

 5 (F07) (10/09-12/10)
 5 (F10, F11) (03/10-12/11)
 6 (F12, F13) (11/10-12/12)

 7 (F01, F02, F03, F04) (06/08--)
 i8 (03/14--)
Control arm
316 050 0050

31 12 6 775 971

Notes

 Thread Size
 Length [mm]

 Aluminium
 M16x1,5
 398
 with rubber mounting
 Control Arm
 Lower
 Front
 Front Axle Left

References

31 12 6 775 971

Parts list

314 610 0014	Control arm bushing
--------------	---------------------

Counterpart

316 050 0051


Application info

5 (F10, F11) (03/10-12/11)

6 (F12, F13) (11/10-12/12)

316 050 0051
31 12 6 775 972

Control arm



Notes

Thread Size
Length [mm]

Aluminium
M16x1,5
398
with rubber mounting
Control Arm
Lower
Front
Front Axle Right

References

31 12 6 775 972

Parts list

314 610 0014

Control arm bushing

Counterpart

316 050 0050

Application info

5 (F10, F11) (03/10-12/11)

6 (F12, F13) (11/10-12/12)

316 050 0034
31 12 6 776 417

Control arm



Notes

Aluminium
with rubber mounting
Control Arm
Upper
Front Axle Left

References

31 12 6 776 417

31 12 6 863 785

Parts list

314 610 0017

Control arm bushing

Counterpart

316 050 0033

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

Control arm
316 050 0033

31 12 6 776 418

Notes

 Aluminium
 with rubber mounting
 Control Arm
 Upper
 Front Axle Right

References

31 12 6 776 418

31 12 6 863 786

Parts list

314 610 0017

Control arm bushing

Counterpart

316 050 0034


Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

Control arm
316 050 0058

31 12 6 787 669

Notes

 Thread Size
 Length [mm]

 Cast Steel
 M14x1,5
 295
 with rubber mounting
 Control Arm
 Rear
 Front Axle Left

References

31 10 6 787 669

31 12 6 787 669

Parts list

314 610 0021

Control arm bushing

Counterpart

316 050 0059


Application info

X3 (F25) (09/10--)

X4 (F26) (04/14--)

316 050 0059
31 12 6 787 670

Control arm



Notes

Thread Size
Length [mm]

Cast Steel
M14x1,5
295
with rubber mounting
Control Arm
Rear
Front Axle Right

References

31 10 6 787 670

31 12 6 787 670

Parts list

314 610 0021

Control arm bushing

Counterpart

316 050 0058

Application info

X3 (F25) (09/10--)

X4 (F26) (04/14--)

316 050 0048
31 12 6 794 203

Control arm



Notes

Thread Size
Length [mm]

Aluminium
M16x1,5
306
with rubber mounting
Control Arm
Lower
Rear
Front Axle Left

References

31 12 6 794 203

Parts list

314 610 0012

314 610 0013

Control arm bushing

Control arm bushing

Counterpart

316 050 0049

Application info

5 (F10, F11) (03/10-12/11)

6 (F12, F13) (11/10-12/12)

Control arm
316 050 0049

31 12 6 794 204

Notes

 Thread Size
 Length [mm]

 Aluminium
 M16x1,5
 306
 with rubber mounting
 Control Arm
 Lower
 Rear
 Front Axle Right

References

31 12 6 794 204

Parts list

 314 610 0012 Control arm bushing
 314 610 0013 Control arm bushing

Counterpart

316 050 0048

Application info

5 (F10, F11) (03/10-12/11)

6 (F12, F13) (11/10-12/12)

Control arm
316 050 0056

31 12 6 798 107

Notes

 Thread Size
 Length [mm]

 Aluminium
 M16x1,5
 313
 with rubber mounting
 Control Arm
 Rear
 Front Axle Left

References

 31 12 6 775 963 31 12 6 850 781
 31 12 6 798 107

Parts list

 314 610 0012 Control arm bushing
 314 610 0013 Control arm bushing

Counterpart

316 050 0057

Application info

5 (F07) (10/09-12/10)

7 (F01, F02, F03, F04) (06/08--)

316 050 0057
31 12 6 798 108

Control arm



Notes

Thread Size
Length [mm]

Aluminium
M16x1,5
313
with rubber mounting
Control Arm
Rear
Front Axle Right

References

31 12 6 775 964
31 12 6 798 108

31 12 6 850 782

Parts list

314 610 0012
314 610 0013

Control arm bushing
Control arm bushing

Counterpart

316 050 0056

Application info

7 (F01, F02, F03, F04) (06/08--)

316 050 0083
31 12 6 852 991

Control arm



Notes

Aluminium
with rubber mounting
with ball joint
Control Arm
Rear
Front Axle Left

References

31 12 6 852 991

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 0084

Application info

1 (F20, F21) (11/10--)
2 (F22, F23, F46) (10/13--)
3 (F30, F31) (10/11--)

3 (F34) (03/13--)
4 (F32, F33, F36) (07/13--)

Control arm
316 050 0084

31 12 6 852 992

Notes

 Aluminium
 with ball joint
 with rubber mounting
 Control Arm
 Rear
 Front Axle Right

References

31 12 6 852 992

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 0083

Application info

 1 (F20, F21) (11/10--)
 2 (F22, F23, F46) (10/13--)
 3 (F30, F31) (10/11--)
 3 (F34) (03/13--)
 4 (F32, F33, F36) (07/13--)
Control arm
316 050 0054

33 30 6 772 241

Notes

 Thread Size
 Length [mm]

 with accessories
 Aluminium
 M14x1,5
 306
 with rubber mounting
 Control Arm
 Upper
 Rear Axle Left

References

 33 30 6 772 241
 33 30 6 773 941
 33 32 1 090 815
 33 32 1 094 209
 33 32 6 758 141
 33 32 6 759 157
 33 32 6 767 753
 33 32 6 767 759
 33 32 6 767 831

 33 32 6 767 967
 33 32 6 768 789
 33 32 6 769 971
 33 32 6 770 775
 33 32 6 770 839
 33 32 6 774 793
 33 32 6 774 841
 33 32 6 777 425

Counterpart

316 050 0055

Application info

 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03-08/10)
 6 (E63, E64) (01/04--)
 7 (E65, E66) (11/01-08/05)

316 050 0055
33 30 6 772 242

Control arm



Notes

Thread Size
Length [mm]

with accessories
Aluminium
M14x1,5
306
with rubber mounting
Control Arm
Upper
Rear Axle Right

References

33 30 6 772 242	33 32 6 767 968
33 30 6 773 942	33 32 6 768 790
33 32 1 090 816	33 32 6 769 972
33 32 1 094 210	33 32 6 770 776
33 32 6 758 142	33 32 6 770 840
33 32 6 759 158	33 32 6 774 794
33 32 6 767 754	33 32 6 774 842
33 32 6 767 760	33 32 6 777 426
33 32 6 767 832	

Counterpart

316 050 0054

Application info

5 (E39) (11/95-05/04)
5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)
7 (E65, E66) (11/01-08/05)

316 050 3807
33 32 6 770 059

Control arm



Notes

Thread Size
Length [mm]

Sheet Steel
M14x1,5
306
with rubber mounting
with ball joint
Control Arm
Upper
Rear Axle Left

References

33 32 1 090 905	33 32 6 770 059
-----------------	-----------------

Counterpart

316 050 3808

Application info

7 (E38) (10/94-11/01)

Z8 (E52) (06/00-06/03)

Control arm
316 050 3808

33 32 6 770 060

Notes

 Thread Size
 Length [mm]

 Sheet Steel
 M14x1,5
 306
 with rubber mounting
 with ball joint
 Control Arm
 Upper
 Rear Axle Right

References

33 32 1 090 906

33 32 6 770 060

Counterpart

316 050 3807

Application info

7 (E38) (10/94-11/01)

Z8 (E52) (06/00-06/03)

Control arm
316 333 2101

33 32 6 770 749

Notes

 Sheet Steel
 with rubber mounting
 for control arm
 Lower
 Rear Axle Right
 Rear Axle Left

References

33 32 1 090 030

33 32 1 091 620

33 32 6 770 749

Application info

5 (E39) (11/95-05/04)

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

7 (E38) (10/94-11/01)

7 (E65, E66) (11/01-08/05)

X5 (E53) (05/00--)

Z8 (E52) (06/00-06/03)

7

316 035 0008
33 32 6 770 859

Control arm



Notes

Thread Size
Length [mm]

Sheet Steel
M14x1,5
306
with rubber mounting
with ball joint
Control Arm
Upper
Rear
Rear Axle Left

References

33 32 1 095 411
33 32 6 768 273

33 32 6 770 747
33 32 6 770 859

Counterpart

316 035 0007

Application info

X5 (E53) (05/00--)

316 035 0007
33 32 6 770 860

Control arm



Notes

Thread Size
Length [mm]

Sheet Steel
M14x1,5
306
with rubber mounting
with ball joint
Control Arm
Upper
Rear
Rear Axle Right

References

33 32 1 095 412
33 32 6 768 274

33 32 6 770 748
33 32 6 770 860

Counterpart

316 035 0008

Application info

X5 (E53) (05/00--)

Control arm
316 050 0041

33 32 6 770 969

Notes

 Thread Size
 Length [mm]

 Aluminium
 M14x1,5
 344
 with rubber mounting
 Control Arm
 Upper
 Rear
 Rear Axle Left

References

33 32 6 770 969

33 32 6 796 001

Counterpart

316 050 0042

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

Control arm
316 050 0042

33 32 6 770 970

Notes

 Thread Size
 Length [mm]

 Aluminium
 M14x1,5
 344
 with rubber mounting
 Control Arm
 Upper
 Rear
 Rear Axle Right

References

33 32 6 770 970

33 32 6 796 002

Counterpart

316 050 0041

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

316 050 0039
33 32 6 779 387

Control arm



Notes

Thread Size
Length [mm]

Aluminium
M12x1,5
212
with rubber mounting
Control Arm
Upper
Front
Rear Axle Left

References

33 32 4 046 917
33 32 6 770 963

33 32 6 779 387
33 32 6 795 047

Counterpart

316 050 0040

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

316 050 0040
33 32 6 779 388

Control arm



Notes

Thread Size
Length [mm]

Aluminium
M12x1,5
212
with rubber mounting
Control Arm
Upper
Front
Rear Axle Right

References

33 32 4 046 918
33 32 6 770 964

33 32 6 779 388
33 32 6 795 048

Counterpart

316 050 0039

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

Control arm bushing

300 311 2104/HD

31 10 3 412 781

Notes

Inner Diameter [mm]	14
Outer Diameter [mm]	66
Height [mm]	63
	Front
	Front Axle Right
	Front Axle Left

Reinforced Version

References

31 10 3 412 781	31 12 1 096 372
31 12 0 307 882	31 12 6 769 715


Application info

X3 (E83) (01/04-12/08)

X5 (E53) (05/00--)

Control arm bushing
314 610 0006

31 10 6 771 194

Notes

Inner Diameter [mm]	14
Outer Diameter [mm]	43
Height [mm]	55
	inner
	Front Axle Right
	Front Axle Left

References

31 10 6 771 194


Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

Control arm bushing
314 610 0005

31 10 6 771 897

Notes

Inner Diameter [mm]	14
Outer Diameter [mm]	43
Height [mm]	50
	Outer
	Front Axle Right
	Front Axle Left

References

31 10 6 771 897	31 12 6 855 509
-----------------	-----------------


Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

314 610 0004/HD
31 10 6 778 015

Control arm bushing



Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	70
Height [mm]	90
	Lower
	Front
	Front Axle Right
	Front Axle Left

Reinforced Version

References

31 10 6 778 015

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

314 610 0019

31 10 6 786 951

Control arm bushing



Notes

Inner Diameter [mm]	14
Outer Diameter [mm]	65
Height [mm]	84
	Front
	Front Axle Right
	Front Axle Left

References

31 10 6 786 951

Application info

X3 (F25) (09/10--)

X4 (F26) (04/14--)

314 610 0021

31 10 6 786 959

Control arm bushing



Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	46
Height [mm]	54
	Front Axle Right
	Front Axle Left

References

31 10 6 786 959	31 12 6 852 992*
31 12 6 792 277	31 12 6 854 727*
31 12 6 852 991*	31 12 6 854 728*



Control arm bushing
314 610 0021
 31 10 6 786 959

+

Application info

- | | |
|-----------------------------|-----------------------------|
| 1 (F20, F21) (11/10--) | 4 (F32, F33, F36) (07/13--) |
| 2 (F22, F23, F46) (10/13--) | X3 (F25) (09/10--) |
| 3 (F30, F31) (10/11--) | X4 (F26) (04/14--) |
| 3 (F34) (03/13--) | |

Control arm bushing

300 311 2909/HD
 31 12 0 006 482

Notes

	Kit
Inner Diameter [mm]	14
Outer Diameter [mm]	66
Height [mm]	76
	Front
	Front Axle Right
	Front Axle Left

Reinforced Version

References

31 12 0 006 482	31 12 9 068 734
31 12 1 093 707	31 12 9 069 829
31 12 1 141 752	31 12 9 071 085


Application info

- | | |
|-----------------------|-----------------------|
| 5 (E39) (11/95-05/04) | 7 (E38) (10/94-11/01) |
|-----------------------|-----------------------|

Control arm bushing

314 610 0000/HD
 31 12 0 304 308

Notes

	Kit
Inner Diameter [mm]	12
Outer Diameter [mm]	70.2
Height [mm]	76
	Front
	Front Axle Right
	Front Axle Left

Reinforced Version

References

31 12 0 302 754	31 12 0 406 872
31 12 0 304 308	31 12 6 765 991
31 12 0 305 612	31 12 6 765 992
31 12 0 393 540	31 12 6 767 992
31 12 0 398 350	31 12 6 768 302


Application info

- | | |
|--------------------------------------|----------------------------|
| 1 (E81, E82, E87, E88) (11/03-09/12) | 7 (E65, E66) (11/01-08/05) |
| 3 (E90, E91, E92, E93) (01/05-05/12) | X1 (E84) (03/09--) |
| 5 (E60, E61) (07/03-08/10) | Z4 (E89) (05/09--) |
| 6 (E63, E64) (01/04--) | |

7

300 311 2107
31 12 1 124 622

Control arm bushing



Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	47
Height [mm]	52
	Rear
	Front Axle Right
	Front Axle Left

References

31 12 1 094 235	31 12 1 133 236
31 12 1 124 622	31 12 1 139 826

Application info

5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03-08/10)
6 (E24) (04/76-09/90)
6 (E63, E64) (01/04--)

7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
7 (E65, E66) (11/01-08/05)
8 (E31) (04/90-12/99)
X3 (E83) (01/04-12/08)
X5 (E53) (05/00--)

300 311 2103/HD
31 12 1 133 710

Control arm bushing



Notes

Inner Diameter [mm]	14
Outer Diameter [mm]	58
Height [mm]	48
	Rear
	Front Axle Right
	Front Axle Left

Reinforced Version

References

31 12 1 130 587	31 12 1 136 606
31 12 1 133 488	31 12 1 136 607
31 12 1 133 710	31 12 1 139 456
31 12 1 136 605	

Application info

5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

Control arm bushing
314 610 0011
 31 12 6 768 818

Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	70
Height [mm]	66
	Rear
	Front Axle Right
	Front Axle Left

References

31 12 0 410 791	31 12 6 768 818
-----------------	-----------------

Application info

3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Control arm bushing
314 610 0007
 31 12 6 768 989*

Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	47
Height [mm]	56
	Front
	Front Axle Right
	Front Axle Left

References

31 12 6 768 989*


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Control arm bushing
314 610 0001
 31 12 6 770 849*

Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	46
Height [mm]	71
	Rear
	Front Axle Right
	Front Axle Left

References

31 12 6 763 699	31 12 6 770 849*
31 12 6 763 700	31 12 6 770 850*
31 12 6 765 597	


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

314 610 0008/HD
31 12 6 775 967*

Control arm bushing



Notes

Inner Diameter [mm]	10
Outer Diameter [mm]	40
Height [mm]	52
	Rear
	Front
	Upper
	Front Axle Right
	Front Axle Left

Reinforced Version

References

31 12 6 775 967*	31 12 6 779 871*
31 12 6 775 981*	31 12 6 779 908*

Application info

5 (F07) (10/09-12/10)
5 (F10, F11) (03/10-12/11)
6 (F12, F13) (11/10-12/12)

7 (F01, F02, F03, F04) (06/08--)
i8 (03/14--)

314 610 0014
31 12 6 775 971*

Control arm bushing



Notes

Inner Diameter [mm]	14
Outer Diameter [mm]	70
Height [mm]	86
	Lower
	Front
	Front Axle Right
	Front Axle Left

References

31 12 6 775 971*	31 12 6 775 972*
------------------	------------------

Application info

5 (F10, F11) (03/10-12/11)

6 (F12, F13) (11/10-12/12)

Control arm bushing
314 610 0012

31 12 6 794 203*

Notes

Inner Diameter [mm]	14
Outer Diameter [mm]	43
Height [mm]	55
	Lower
	Outer
	Rear
	Front Axle Right
	Front Axle Left

References

31 12 6 775 963*	31 12 6 798 107*
31 12 6 775 964*	31 12 6 798 108*
31 12 6 784 569	31 12 6 850 781*
31 12 6 794 203*	31 12 6 850 782*
31 12 6 794 204*	


Application info

 5 (F07) (10/09-12/10)
 5 (F10, F11) (03/10-12/11)

 6 (F12, F13) (11/10-12/12)
 7 (F01, F02, F03, F04) (06/08--)
Control arm bushing
314 610 0013

31 12 6 794 203*

Notes

Inner Diameter [mm]	14
Outer Diameter [mm]	56
Height [mm]	90
	Lower
	inner
	Rear
	Front Axle Right
	Front Axle Left

References

31 12 6 775 963*	31 12 6 794 204*
31 12 6 775 964*	31 12 6 798 107*
31 12 6 775 980	31 12 6 798 108*
31 12 6 791 455	31 12 6 850 781*
31 12 6 794 203*	31 12 6 850 782*


Application info

 5 (F07) (10/09-12/10)
 5 (F10, F11) (03/10-12/11)

 6 (F12, F13) (11/10-12/12)
 7 (F01, F02, F03, F04) (06/08--)

314 610 0022
31 12 6 855 743

Control arm bushing

Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	70
Height [mm]	95
	Front Axle Left
	Front Axle Right

References

31 12 6 851 255	31 12 6 855 743
31 12 6 851 261	

Application info

1 (F20, F21) (11/10--)	3 (F34) (03/13--)
3 (F30, F31) (10/11--)	

300 311 2906/HD
31 12 9 058 816

Control arm bushing



Notes

	Kit
Inner Diameter [mm]	14
Outer Diameter [mm]	59
Height [mm]	37
	Rear
	Front Axle Right
	Front Axle Left

Reinforced Version

References

31 10 1 129 078	31 12 1 126 416
31 12 1 124 967	31 12 1 126 426
31 12 1 125 428	31 12 9 058 816
31 12 1 125 429	31 12 9 058 817
31 12 1 126 302	31 12 9 058 818
31 12 1 126 394	31 12 9 058 819

Application info

5 (E28) (06/81-12/87)	6 (E24) (04/76-09/90)
-----------------------	-----------------------

Control arm bushing

300 311 2914/HD

31 12 9 068 753

Notes

	Kit
Inner Diameter [mm]	12
Outer Diameter [mm]	58
Height [mm]	68
	Front
	Front Axle Right
	Front Axle Left
Reinforced Version	


References

31 12 1 092 010	31 12 9 068 753
-----------------	-----------------

Application info

5 (E39) (11/95-05/04)

Z8 (E52) (06/00-06/03)

Control arm bushing
314 710 0005

33 32 6 777 980*

Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	45
Height [mm]	48
	inner
	Rear
	Upper
	Rear Axle Right
	Rear Axle Left


References

33 32 6 763 473*	33 32 6 782 168*
33 32 6 767 190	34 52 6 778 469*
33 32 6 777 980*	

Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

7

314 710 0006
33 32 6 777 980*

Control arm bushing



Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	46
Height [mm]	50
	Outer
	Rear
	Upper
	Rear Axle Right
	Rear Axle Left

References

33 32 6 763 473*	34 52 6 778 469*
33 32 6 777 980*	

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

316 050 0104/HD
31 10 2 348 046

Control arm set



Notes

with accessories
Front Axle Right
Front Axle Left

Full Set
Reinforced Version

References

31 10 2 348 046	31 12 6 760 182
31 10 2 348 047	31 12 6 760 183
31 10 4 026 719	31 12 6 760 184
31 10 4 026 720	31 12 6 765 995
31 12 4 028 607	31 12 6 765 996
31 12 4 028 608	31 12 6 768 297
31 12 4 046 437	31 12 6 768 298
31 12 4 046 438	31 12 6 774 825
31 12 6 760 181	31 12 6 774 826

Parts list

316 050 0017	Control arm
316 050 0018	Control arm
316 050 0019/HD	Control arm
316 050 0020/HD	Control arm
316 060 0013/HD	Stabilizer link
316 060 0014/HD	Stabilizer link

Application info

5 (E60, E61) (07/03-08/10)

Control arm set

316 050 0107/HD

31 10 3 443 127

Notes

 Full Set
 Reinforced Version

 with accessories
 Front Axle Right
 Front Axle Left

References

31 10 0 363 477	31 10 3 426 433
31 10 0 363 478	31 10 3 426 434
31 10 3 412 135	31 10 3 443 127
31 10 3 412 136	31 10 3 443 128
31 10 3 415 027	31 10 3 451 881
31 10 3 415 028	31 10 3 451 882
31 10 3 418 337	31 12 0 360 275
31 10 3 418 338	

Parts list

316 010 0011	Ball joint
316 050 0015/HD	Control arm
316 050 0016/HD	Control arm
316 050 0027/HD	Control arm
316 050 0028/HD	Control arm
316 060 0018/HD	Stabilizer link
316 060 0019/HD	Stabilizer link


Application info

X3 (E83) (01/04-12/08)

Control arm set

316 050 0103/HD

31 12 1 094 233

Notes

 Full Set
 Reinforced Version

 with accessories
 Front Axle Right
 Front Axle Left

References

31 12 1 092 023	31 12 1 094 234
31 12 1 092 024	31 12 1 141 717
31 12 1 093 449	31 12 1 141 718
31 12 1 093 450	31 12 2 341 296
31 12 1 094 233	31 12 9 069 568

Parts list

316 050 3901	Control arm
316 050 3902	Control arm
316 050 3903/HD	Control arm
316 050 3904/HD	Control arm
316 060 4358/HD	Stabilizer link
316 060 4359/HD	Stabilizer link


Application info


5 (E39) (11/95-05/04)

7

316 050 0105/HD

31 12 2 347 983

Control arm set



Notes

with accessories
Front Axle Right
Front Axle Left

Full Set
Reinforced Version

References

31 12 2 347 983	31 12 6 765 993
31 12 2 347 984	31 12 6 765 994
31 12 2 347 985	31 12 6 770 121
31 12 2 347 986	31 12 6 770 122
31 12 4 026 453	31 12 6 770 771
31 12 4 026 454	31 12 6 770 772
31 12 4 046 441	31 12 6 770 837
31 12 4 046 442	31 12 6 770 838
31 12 6 755 835	31 12 6 774 831
31 12 6 755 836	31 12 6 774 832
31 12 6 756 101	31 12 6 777 937
31 12 6 756 102	31 12 6 777 938
31 12 6 760 519	31 12 6 777 939
31 12 6 760 520	31 12 6 777 940

Parts list

316 050 0011/HD	Control arm
316 050 0012/HD	Control arm
316 050 0013	Control arm
316 050 0014	Control arm
316 060 0003/HD	Stabilizer link
316 060 0004/HD	Stabilizer link

Application info

7 (E65, E66) (11/01-08/05)

316 050 0023/HD

31 12 6 758 513

Control arm set



Notes

with holder
Pre-assembled
Steel
with ball joint
Front Axle Right
Front Axle Left

Reinforced Version

References

31 12 1 092 276	31 12 1 140 957
31 12 1 094 275	31 12 1 140 958
31 12 1 136 529	31 12 6 758 513
31 12 1 136 530	31 12 6 758 514
31 12 1 140 399	31 12 6 758 515
31 12 1 140 400	31 12 6 758 516

Parts list

316 050 3601/HD	Control arm
316 050 3602/HD	Control arm
300 610 0001	Bracket, control arm

Control arm set

316 050 0023/HD

31 12 6 758 513

+

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Control arm set

316 050 0106/HD

31 12 6 760 275

Notes

 with accessories
 Front Axle Right
 Front Axle Left

 Full Set
 Reinforced Version

References

31 12 1 096 169	31 12 6 760 275
31 12 1 096 170	31 12 6 760 276
31 12 1 096 315	31 12 6 769 717
31 12 1 096 316	31 12 6 769 718

Parts list

316 010 0002	Ball joint
316 050 0007/HD	Control arm
316 050 0008/HD	Control arm
316 050 0009	Control arm
316 050 0010	Control arm
316 060 0005/HD	Stabilizer link
316 060 0006/HD	Stabilizer link


Application info

X5 (E53) (05/00-)

Control arm set

316 050 0101/HD

31 12 6 769 797

Notes

 with accessories
 Front Axle Right
 Front Axle Left

 Full Set
 Reinforced Version

References

31 12 4 036 269	31 12 6 763 708
31 12 4 036 270	31 12 6 769 797
31 12 6 763 699	31 12 6 769 798
31 12 6 763 700	31 12 6 769 801
31 12 6 763 703	31 12 6 769 802
31 12 6 763 704	31 12 6 770 849
31 12 6 763 707	31 12 6 770 850

Parts list

316 035 0005/HD	Control arm
316 035 0006/HD	Control arm
316 050 0021	Control arm
316 050 0022	Control arm
316 060 0016/HD	Stabilizer link
316 060 0017/HD	Stabilizer link



7

+

316 050 0101/HD
31 12 6 769 797

Control arm set



Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

316 050 0108/HD
31 12 6 771 893

Control arm set



Notes

with accessories
Front Axle Right
Front Axle Left

Full Set
Reinforced Version

References

31 12 6 771 893	31 12 6 776 417
31 12 6 771 894	31 12 6 776 418
31 12 6 773 949	31 12 6 863 785
31 12 6 773 950	31 12 6 863 786

Parts list

316 050 0033	Control arm
316 050 0034	Control arm
316 050 0035	Control arm
316 050 0036	Control arm
316 050 0037/HD	Control arm
316 050 0038/HD	Control arm


Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

316 050 0080/HD
31 12 6 775 967

Control arm set



Notes

with accessories
Front Axle Right
Front Axle Left

Full Set
Reinforced Version

References

31 12 6 775 967	31 12 6 794 203
31 12 6 775 971	31 12 6 794 204
31 12 6 775 972	31 12 6 854 613
31 12 6 779 871	31 12 6 854 614
31 12 6 779 908	31 12 6 857 516

Parts list

316 050 0044/HD	Control arm
316 050 0048	Control arm
316 050 0049	Control arm
316 050 0050	Control arm
316 050 0051	Control arm
316 060 0033/HD	Stabilizer link

Control arm set

316 050 0080/HD

31 12 6 775 967


Application info

5 (F10, F11) (03/10-12/11)

6 (F12, F13) (11/10-12/12)

Control arm set

316 050 0000/HD

31 12 6 777 851

Notes

 with holder
 Pre-assembled
 Aluminium
 with ball joint
 Front Axle Right
 Front Axle Left

Reinforced Version

References

31 12 1 094 465	31 12 6 752 718
31 12 1 094 466	31 12 6 758 220
31 12 1 096 985	31 12 6 758 519
31 12 1 096 986	31 12 6 758 520
31 12 1 752 717	31 12 6 758 623
31 12 2 282 121	31 12 6 770 247
31 12 2 282 122	31 12 6 770 248
31 12 6 750 223	31 12 6 774 819
31 12 6 750 224	31 12 6 774 820
31 12 6 751 317	31 12 6 777 851
31 12 6 751 318	31 12 6 777 852
31 12 6 752 717	

Parts list

316 050 0003/HD	Control arm
316 050 0004/HD	Control arm
300 311 2604/HD	Bracket, control arm


Application info

 3 (E46) (02/98-12/07)
 Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Mount, axle rod
300 333 2105

33 32 1 092 247

Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	35
Height [mm]	67
	inner
	Upper
	Rear Axle Right
	Rear Axle Left

References

33 32 1 092 247	33 32 1 137 571
-----------------	-----------------



300 333 2105
33 32 1 092 247

Mount, axle rod

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
X3 (E83) (01/04-12/08)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)
Z4 (E89) (05/09--)

300 333 2102
33 32 6 770 824

Mount, axle rod



Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	38
Height [mm]	57
	inner
	Lower
	Rear Axle Right
	Rear Axle Left

References

33 32 1 092 248	33 32 6 770 824
33 32 1 138 383	

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
X3 (E83) (01/04-12/08)
Z1 (06/88-06/91)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)
Z4 (E89) (05/09--)

300 333 2103
33 32 6 771 828

Mount, axle rod



Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	46
Height [mm]	57
	Outer
	Lower
	Rear Axle Right
	Rear Axle Left

References

33 32 1 136 311	33 32 6 771 828
-----------------	-----------------

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
X3 (E83) (01/04-12/08)
Z1 (06/88-06/91)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)
Z4 (E89) (05/09--)

Mount, control arm
300 311 2901
 31 12 6 754 547

Notes

Inner Diameter [mm]	Kit
Outer Diameter [mm]	20
Height [mm]	60
	60
	Front Axle Right
	Front Axle Left

References

31 12 1 096 982	31 12 6 754 547
31 12 4 000 612	31 12 6 755 432
31 12 6 750 057	31 12 9 071 663
31 12 6 751 372	31 12 9 071 952
31 12 6 753 058	


Application info

3 (E46) (02/98-12/07)

Mount, control arm

300 311 2919/HD
 31 12 6 783 376*

Notes

Inner Diameter [mm]	Kit
Outer Diameter [mm]	with accessories
Height [mm]	20
	66
	60
	Front Axle Right
	Front Axle Left

Reinforced Version

References

31 12 6 757 623*	31 12 6 783 376*
31 12 6 777 850*	


Application info

 3 (E46) (02/98-12/07)
 Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Mount, control arm
300 311 2911
 31 12 9 058 814

Notes

Inner Diameter [mm]	Kit
Outer Diameter [mm]	18
Height [mm]	60
	33
	for vehicles without air condition-
	ing
	Front Axle Right
	Front Axle Left

References

31 12 1 127 377	31 12 9 058 814
-----------------	-----------------



300 311 2911
31 12 9 058 814

Mount, control arm

Application info
3 (E30) (09/82-06/94)

300 311 2918
31 12 9 058 815

Mount, control arm



Notes

Kit	18
Inner Diameter [mm]	61
Outer Diameter [mm]	33
Height [mm]	for vehicles with air conditioning
	Front Axle Right
	Front Axle Left

References

31 12 1 127 378	31 12 9 058 815
31 12 1 130 123	31 12 9 058 931
31 12 1 130 140	

Application info
3 (E30) (09/82-06/94)

Z1 (06/88-06/91)

300 311 3003
31 12 9 059 288

Mount, control arm



Notes

Inner Diameter [mm]	18
Outer Diameter [mm]	60
Height [mm]	33
	Front Axle Right
	Front Axle Left

References

31 12 1 135 079	31 12 9 059 288
31 12 1 135 352	

Application info
3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Mount, control arm
300 311 2907
 31 12 9 061 222

Notes

Inner Diameter [mm]	Kit
Outer Diameter [mm]	18
Height [mm]	60
	33
	Lower
	Front Axle Right
	Front Axle Left

References

31 12 2 226 032	31 12 9 061 222
31 12 2 226 160	


Application info

3 (E30) (09/82-06/94)

Mount, control arm
300 311 2908
 31 12 9 064 875

Notes

Inner Diameter [mm]	Kit
Outer Diameter [mm]	18
Height [mm]	60
	33
	Front Axle Right
	Front Axle Left

References

31 12 9 064 875


Application info

3 (E36) (09/90-08/00)

Mount, control arm
316 010 4347
 33 32 2 347 944*

Notes

Inner Diameter [mm]	with accessories
Outer Diameter [mm]	16
Height [mm]	57
	68
	Rear Axle Right
	Rear Axle Left

References

33 32 1 090 504	33 32 6 750 371
33 32 1 095 631	33 32 6 767 748
33 32 2 347 944*	



7

+

316 010 4347
33 32 2 347 944*

Mount, control arm

Application info

5 (E39) (11/95-05/04)
5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01-08/05)
X5 (E53) (05/00--)
Z8 (E52) (06/00-06/03)

314 711 0003
33 32 6 780 438

Mount, control arm



Notes

Inner Diameter [mm]	16.1
Outer Diameter [mm]	52
Height [mm]	60.3
	Rear Axle Left
	Rear Axle Right

References

33 32 6 780 438

Application info

5 (F07) (10/09-12/10)
5 (F10, F11) (03/10-12/11)

6 (F12, F13) (11/10-12/12)
7 (F01, F02, F03, F04) (06/08--)

300 311 2903
31 12 9 059 288

Repair kit, control arm



Notes

Kit	
Inner Diameter [mm]	18
Outer Diameter [mm]	60
Height [mm]	33
	for control arm
	Front Axle Right
	Front Axle Left

References

31 12 1 135 079	31 12 9 059 288
31 12 1 135 352	

Parts list

300 311 3003	Mount, control arm
--------------	--------------------

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Rod/strut, suspension
316 050 2100

33 30 3 411 651

Notes

Length [mm] Push Rod
 Sheet Steel
 557
 with rubber mounting
 Lower
 Rear Axle Right
 Rear Axle Left

References

33 30 3 411 651 33 32 6 760 675
 33 32 1 092 237 33 32 6 770 813
 33 32 1 138 380

Parts list

300 333 2102 Mount, axle rod


Application info

3 (E36) (09/90-08/00) Z4 (E85) (02/03--)
 3 (E46) (02/98-12/07) Z4 (E86) (03/06--)
 X3 (E83) (01/04-12/08) Z4 (E89) (05/09--)
 Z1 (06/88-06/91)

Rod/strut, suspension
316 060 4225

33 32 1 126 476

Notes

Length [mm] Coupling Rod
 Steel
 50
 with rubber mounting
 Rear Axle Right
 Rear Axle Left

References

33 32 1 123 463 33 32 1 126 476
 33 32 1 125 665


Application info

5 (E28) (06/81-12/87) 7 (E23) (05/77-08/86)
 5 (E34) (12/87-01/97) 7 (E32) (09/86-09/94)
 6 (E24) (04/76-09/90)

316 035 0011
33 32 2 348 884

Rod/strut, suspension



Notes

Thread Size
Length [mm]

Guide Rod
Aluminium
M12x1,5
212
with rubber mounting
Upper
Rear Axle Right

References

33 32 2 348 884

33 32 6 775 084

Counterpart

316 035 0010

Application info

5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)

7 (E65, E66) (11/01-08/05)

316 035 0010
33 32 2 348 885

Rod/strut, suspension



Notes

Thread Size
Length [mm]

Guide Rod
Aluminium
M12x1,5
212
with rubber mounting
Upper
Rear Axle Left

References

33 32 2 348 885

33 32 6 775 083

Counterpart

316 035 0011

Application info

5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)

7 (E65, E66) (11/01-08/05)

Rod/strut, suspension
316 050 0026
33 32 6 763 471
Notes

Length [mm] Push Rod
 Sheet Steel
 413
 with rubber mounting
 Rear
 Upper
 Rear Axle Right
 Rear Axle Left


References

33 32 6 763 471

Parts list

316 710 0000 Mount, axle carrier

Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Rod/strut, suspension
316 050 0024
33 32 6 765 425
Notes

Length [mm] Push Rod
 Sheet Steel
 241
 with rubber mounting
 Front
 Upper
 Rear Axle Right
 Rear Axle Left


References

 33 32 6 765 425 33 32 6 782 237
 33 32 6 765 535 33 32 6 782 238

Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

316 039 3807
33 32 6 768 791

Rod/strut, suspension



Notes

Thread Size
Length [mm]

Camber Link
Aluminium
M10x1,5
211
with rubber mounting
Upper
Rear Axle Right
Rear Axle Left

References

33 32 1 090 745
33 32 1 097 264

33 32 6 768 791

Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

316 035 0000
33 32 6 774 796

Rod/strut, suspension



Notes

Thread Size
Length [mm]

Guide Rod
Aluminium
M10x1,5
212
with rubber mounting
Upper
Front
Rear Axle Right
Rear Axle Left

References

33 32 1 095 414
33 32 6 768 269

33 32 6 770 742
33 32 6 774 796

Application info

X5 (E53) (05/00--)

Rod/strut, suspension
316 035 0001
33 32 6 777 424
Notes

 Thread Size
 Length [mm]

 Guide Rod
 Aluminium
 M10x1,5
 212
 with rubber mounting
 Upper
 Rear Axle Right
 Rear Axle Left

References

33 32 0 300 946	33 32 2 779 820
33 32 0 398 361	33 32 6 763 324
33 32 0 403 294	33 32 6 768 268
33 32 0 414 345	33 32 6 770 753
33 32 0 421 750	33 32 6 774 795
33 32 1 096 797	33 32 6 777 424
33 32 2 282 065	


Application info

 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03-08/10)

 6 (E63, E64) (01/04--)
 7 (E65, E66) (11/01-08/05)

Rod/strut, suspension
316 050 0025
33 32 6 777 980
Notes

Length [mm]

 Push Rod
 Sheet Steel
 274
 with rubber mounting
 Centre
 Upper
 Rear Axle Right
 Rear Axle Left

References

33 32 6 763 473	34 52 6 778 469
33 32 6 777 980	

Parts list

314 710 0005	Control arm bushing
314 710 0006	Control arm bushing


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

300 313 5104
31 35 1 125 350

Mount, rod/strut stabilizer



Notes

Inner Diameter [mm] 17
Front Axle Right
Front Axle Left

References

31 35 1 124 998 31 35 1 125 350

Application info

5 (E28) (06/81-12/87)

314 615 0011
31 30 3 404 065

Mount, stabilizer



Notes

Inner Diameter [mm] 22
inner
Front Axle Right
Front Axle Left

References

31 30 3 404 065

Application info

X3 (E83) (01/04-12/08)

314 615 0012
31 30 3 413 134

Mount, stabilizer



Notes

Inner Diameter [mm] 23
inner
Front Axle Right
Front Axle Left

References

31 30 3 413 134

Application info

X3 (E83) (01/04-12/08)

314 615 0018
31 35 1 090 268

Mount, stabilizer



Notes

Inner Diameter [mm] 25.5
Front Axle Right
Front Axle Left

References

31 35 1 090 268

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

314 615 0013
31 35 1 090 300

Mount, stabilizer



Notes

Inner Diameter [mm] 22.5
Front Axle Right
Front Axle Left

References

31 35 1 090 300

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

314 615 0014
31 35 1 091 228

Mount, stabilizer



Notes

Inner Diameter [mm] 23.5
Front Axle Right
Front Axle Left

References

31 35 1 091 228

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Mount, stabilizer
300 313 5110

31 35 1 091 555

Notes

 Inner Diameter [mm] 21
 Front Axle Right
 Front Axle Left

References

31 35 1 091 555


Application info

7 (E38) (10/94-11/01)

Mount, stabilizer
314 615 0002

31 35 1 093 108

Notes

 Inner Diameter [mm] 23
 inner
 Front Axle Right
 Front Axle Left

References

31 35 1 093 108


Application info

5 (E39) (11/95-05/04)

Mount, stabilizer
314 615 0021

31 35 1 093 263

Notes

 Inner Diameter [mm] 24
 Front Axle Right
 Front Axle Left

References

31 35 1 093 263


Application info

5 (E39) (11/95-05/04)

7

314 615 0009

31 35 1 094 554

Mount, stabilizer



Notes

Inner Diameter [mm] 22
inner
Front Axle Right
Front Axle Left

References

31 35 1 094 554 31 35 1 094 555

Application info

3 (E46) (02/98-12/07)

314 615 0010

31 35 1 094 556

Mount, stabilizer



Notes

Inner Diameter [mm] 24
inner
Front Axle Right
Front Axle Left

References

31 35 1 094 556 31 35 1 096 061

Application info

3 (E46) (02/98-12/07)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

314 615 0001

31 35 1 095 271

Mount, stabilizer



Notes

Inner Diameter [mm] 25
Front Axle Right
Front Axle Left

References

31 35 1 095 271

Application info

3 (E46) (02/98-12/07)

Mount, stabilizer
300 313 5109

31 35 1 097 021

Notes

 Inner Diameter [mm] 29
 Front Axle Right
 Front Axle Left

References

31 35 1 097 021


Application info

X5 (E53) (05/00-)

Mount, stabilizer
314 615 0003

31 35 1 097 179

Notes

 Inner Diameter [mm] 23
 inner
 Front Axle Right
 Front Axle Left

References

31 35 1 097 179 33 55 6 751 269


Application info

3 (E46) (02/98-12/07)

Z4 (E85) (02/03-)

Mount, stabilizer
300 313 5105

31 35 1 127 414

Notes

 Inner Diameter [mm] 19
 inner
 Front Axle Right
 Front Axle Left

References

31 35 1 126 774 31 35 1 127 414


Application info

3 (E30) (09/82-06/94)

7

300 313 5107

31 35 1 132 786

Mount, stabilizer



Notes

Inner Diameter [mm] 24
inner
Front Axle Right
Front Axle Left

References

31 35 1 131 621 31 35 1 132 786

Application info

5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

300 313 5111

31 35 1 133 738

Mount, stabilizer



Notes

Inner Diameter [mm] 24
inner
Front Axle Right
Front Axle Left

References

31 35 1 133 738

Application info

5 (E34) (12/87-01/97)

300 313 5106

31 35 1 135 805

Mount, stabilizer



Notes

Inner Diameter [mm] 23
inner
Front Axle Right
Front Axle Left

References

31 35 1 135 805

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

Mount, stabilizer
314 615 0019

31 35 1 140 188

Notes

 Inner Diameter [mm] 26
 Front Axle Right
 Front Axle Left

References

31 35 1 140 188


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Mount, stabilizer
314 615 0004

31 35 6 753 928

Notes

 Inner Diameter [mm] 25
 inner
 Front Axle Right
 Front Axle Left

References

 31 35 6 753 928 31 35 6 763 267
 31 35 6 761 589 31 35 6 764 113
 31 35 6 761 591 31 35 6 766 509

Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

7 (E65, E66) (11/01-08/05)

Mount, stabilizer
314 615 0005

31 35 6 765 574

Notes

 Inner Diameter [mm] 27
 Front Axle Right
 Front Axle Left

References

31 35 6 765 574


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Z4 (E89) (05/09--)

314 715 0000
33 53 6 765 584

Mount, stabilizer



Notes

Inner Diameter [mm] 10
Rear Axle Right
Rear Axle Left

References

33 53 6 765 584

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

300 335 5103
33 55 1 093 663

Mount, stabilizer



Notes

Inner Diameter [mm] 13
Rear Axle Right
Rear Axle Left

References

33 55 1 093 663

Application info

5 (E39) (11/95-05/04)

300 335 5107
33 55 1 131 155

Mount, stabilizer



Notes

Inner Diameter [mm] 15
inner
Rear Axle Right
Rear Axle Left

References

33 55 1 131 155

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

Mount, stabilizer
314 615 0024

33 55 6 761 001

Notes

 Inner Diameter [mm] 11
 Rear Axle Left
 Rear Axle Right

References

33 55 6 761 001


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)

5 (E60, E61) (07/03-08/10)

Mount, stabilizer
314 615 0023

33 55 6 775 448

Notes

 Inner Diameter [mm] 14
 Rear Axle Left
 Rear Axle Right

References

33 55 6 775 448


Application info

5 (F10, F11) (03/10-12/11)

6 (F12, F13) (11/10-12/12)

Mount, stabilizer
314 715 0001

33 55 6 788 861

Notes

 Inner Diameter [mm] 13
 Rear Axle Right
 Rear Axle Left

References

33 55 6 788 861


Application info

5 (F10, F11) (03/10-12/11)

7

316 060 0018/HD

31 30 3 414 299

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
300
Front Axle Left

Reinforced Version

References

31 30 3 413 201

31 30 3 414 299

Counterpart

316 060 0019/HD


Application info

X3 (E83) (01/04-12/08)

316 060 0019/HD

31 30 3 414 300

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
300
Front Axle Right

Reinforced Version

References

31 30 3 413 202

31 30 3 414 300

Counterpart

316 060 0018/HD

Application info

X3 (E83) (01/04-12/08)

316 060 0003/HD

31 30 6 781 545

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M10x1,5
M10x1,5
426
Front Axle Left

Reinforced Version

References

31 30 6 781 545

31 35 6 778 069

31 35 6 753 767

Counterpart

316 060 0004/HD

Stabilizer link

316 060 0003/HD

31 30 6 781 545


Application info

7 (E65, E66) (11/01-08/05)

Stabilizer link

316 060 0004/HD

31 30 6 781 546

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

 Coupling Rod
 M10x1,5
 M10x1,5
 426
 Front Axle Right

Reinforced Version

References

 31 30 6 781 546
 31 35 6 753 768

31 35 6 778 070

Counterpart

316 060 0003/HD


Application info

7 (E65, E66) (11/01-08/05)

Stabilizer link

316 060 0013/HD

31 30 6 781 547

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

 Coupling Rod
 M10x1,5
 M10x1,5
 300
 Front Axle Left

Reinforced Version

References

 31 30 6 781 547
 31 35 2 347 945*
 31 35 4 014 531

 31 35 6 760 985
 31 35 6 769 499

Counterpart

316 060 0014/HD


Application info

5 (E60, E61) (07/03-08/10)

7

316 060 0014/HD
31 30 6 781 548

Stabilizer link 



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M10x1,5
M10x1,5
300
Front Axle Right

Reinforced Version

References

31 30 6 781 548
31 35 2 347 945*
31 35 4 014 532

31 35 6 760 986
31 35 6 769 500

Counterpart

316 060 0013/HD

Application info

5 (E60, E61) (07/03-08/10)

316 060 0051/HD
31 30 6 781 549

Stabilizer link 



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
422
Front Axle Left

Reinforced Version

References

31 30 6 781 549

Counterpart

316 060 0052/HD

Application info

5 (E60, E61) (07/03-08/10)

Stabilizer link

316 060 0052/HD

31 30 6 781 550

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

Reinforced Version

 with spanner attachment
 Coupling Rod
 M10x1,5
 M10x1,5
 422
 Front Axle Right

References

31 30 6 781 550

Counterpart

316 060 0051/HD

Application info

5 (E60, E61) (07/03-08/10)

Stabilizer link

316 060 0038/HD

31 30 6 787 163

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

Reinforced Version

 with spanner attachment
 Coupling Rod
 M12x1,5
 M12x1,5
 340
 Front Axle Left

References

31 30 6 787 163

Counterpart

316 060 0039/HD

Application info

X3 (F25) (09/10--)

X4 (F26) (04/14--)

Stabilizer link

316 060 0039/HD

31 30 6 787 164

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

Reinforced Version

 with spanner attachment
 Coupling Rod
 M12x1,5
 M12x1,5
 340
 Front Axle Right

References

31 30 6 787 164

Counterpart

316 060 0038/HD

7



316 060 0039/HD

31 30 6 787 164

Stabilizer link



Application info

X3 (F25) (09/10--)

X4 (F26) (04/14--)

316 060 0040/HD

31 30 6 792 211

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
310
Front Axle Left

Reinforced Version

References

31 30 6 792 211

Counterpart

316 060 0041/HD

Application info

1 (F20, F21) (11/10--)
2 (F22,F23,F46) (10/13--)
3 (F30, F31) (10/11--)

3 (F34) (03/13--)
4 (F32, F33, F36) (07/13--)

316 060 0041/HD

31 30 6 792 212

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
310
Front Axle Right

Reinforced Version

References

31 30 6 792 212

Counterpart

316 060 0040/HD

Application info

1 (F20, F21) (11/10--)
2 (F22,F23,F46) (10/13--)
3 (F30, F31) (10/11--)

3 (F34) (03/13--)
4 (F32, F33, F36) (07/13--)

Stabilizer link



316 060 4311/HD

31 35 1 091 764


Notes

Inner Diameter 1 [mm]	with spanner attachment
Thread Measurement 1	Coupling Rod
Length [mm]	8
	M10x1,5
	67
	Front Axle Right
	Front Axle Left

Reinforced Version

References

31 35 1 091 764	31 35 1 128 737
31 35 1 127 689	



Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)

Z1 (06/88-06/91)
Z3 (E36/7, E36/8) (10/95-06/03)

Stabilizer link



316 060 4359/HD

31 35 1 095 661

Notes

Thread Measurement 2	with spanner attachment
Thread Measurement 1	Coupling Rod
Length [mm]	M10x1,5
	M10x1,5
	240
	Front Axle Left

Reinforced Version

References

31 35 1 091 855	31 35 1 095 661
-----------------	-----------------

Counterpart

316 060 4358/HD



Application info

5 (E39) (11/95-05/04)

316 060 4358/HD

31 35 1 095 662

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Reinforced Version

References

31 35 1 091 856

Counterpart

316 060 4359/HD

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
240
Front Axle Right

31 35 1 095 662

Application info

5 (E39) (11/95-05/04)

316 060 0002/HD

31 35 1 095 664

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Reinforced Version

References

31 35 1 092 304

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
285
Front Axle Right
Front Axle Left

31 35 1 095 664

Application info

5 (E39) (11/95-05/04)

316 060 4364/HD

31 35 1 095 695

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Reinforced Version

References

31 35 1 091 496

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
308
Front Axle Right
Front Axle Left

31 35 1 095 695

Stabilizer link

316 060 4364/HD

31 35 1 095 695


Application info

7 (E38) (10/94-11/01)

Z8 (E52) (06/00-06/03)

Stabilizer link

316 060 4322/HD

31 35 1 134 582

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

Reinforced Version

 with spanner attachment
 Coupling Rod
 M10x1,5
 M10x1,5
 240
 Front Axle Right
 Front Axle Left

References

 31 35 1 124 380
 31 35 1 127 194
 31 35 1 128 050

 31 35 1 130 075
 31 35 1 134 582

Application info

 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)
 5 (E28) (06/81-12/87)
 5 (E34) (12/87-01/97)

 6 (E24) (04/76-09/90)
 7 (E32) (09/86-09/94)
 8 (E31) (04/90-12/99)

Stabilizer link

316 060 0007/HD

31 35 1 701 066

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

Reinforced Version

 with spanner attachment
 Coupling Rod
 M10x1,5
 M10x1,5
 240
 Front Axle Right
 Front Axle Left

References

31 35 1 701 066


Application info

3 (E30) (09/82-06/94)

7

316 060 0001/HD

31 35 2 227 203

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
231
Right
Left

Reinforced Version

References

31 35 2 227 203

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

316 060 0005/HD

31 35 6 750 703

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M12X1,5
M12X1,5
358
Front Axle Left

Reinforced Version

References

31 35 6 750 703

Counterpart

316 060 0006/HD

Application info

X5 (E53) (05/00-)

316 060 0006/HD

31 35 6 750 704

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M12X1,5
M12X1,5
358
Front Axle Right

Reinforced Version

References

31 35 6 750 704

Counterpart

316 060 0005/HD

Stabilizer link

316 060 0006/HD

31 35 6 750 704


Application info

X5 (E53) (05/00--)

Stabilizer link

316 060 0009/HD

31 35 6 751 079

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

Reinforced Version

References

31 35 6 751 079

Counterpart

316 060 0010/HD

 with spanner attachment
 Coupling Rod
 M10x1,5
 M10x1,5
 308
 Front Axle Left

Application info

3 (E46) (02/98-12/07)

Stabilizer link

316 060 0010/HD

31 35 6 751 080

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

Reinforced Version

References

31 35 6 751 080

Counterpart

316 060 0009/HD

 with spanner attachment
 Coupling Rod
 M10x1,5
 M10x1,5
 308
 Front Axle Right

Application info

3 (E46) (02/98-12/07)

316 060 0016/HD
31 35 6 765 933

Stabilizer link 



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Reinforced Version

References

31 35 6 765 933

Counterpart

316 060 0017/HD


with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
290
Front Axle Left

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)
Z4 (E89) (05/09--)

316 060 0017/HD
31 35 6 765 934

Stabilizer link 



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Reinforced Version

References

31 35 6 765 934

Counterpart

316 060 0016/HD

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
290
Front Axle Right

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)
Z4 (E89) (05/09--)

Stabilizer link

316 060 0025/HD

31 35 6 768 771

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

Reinforced Version

References

31 35 6 768 771

Counterpart

316 060 0026/HD

 with spanner attachment
 Coupling Rod
 M10x1,5
 M10x1,5
 340
 Front Axle Left

Application info

3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Stabilizer link

316 060 0026/HD

31 35 6 768 772

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

Reinforced Version

References

31 35 6 768 772

Counterpart

316 060 0025/HD

 with spanner attachment
 Coupling Rod
 M10x1,5
 M10x1,5
 340
 Front Axle Right

Application info

3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Stabilizer link

316 060 0033/HD

31 35 6 777 319

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

Reinforced Version

References

31 35 6 777 319

 with spanner attachment
 Coupling Rod
 M12x1,5
 M12x1,5
 300
 Front Axle Right
 Front Axle Left


316 060 0033/HD
31 35 6 777 319

Stabilizer link

Application info

5 (F07) (10/09-12/10)
5 (F10, F11) (03/10-12/11)

6 (F12, F13) (11/10-12/12)
7 (F01, F02, F03, F04) (06/08--)

316 060 4607/HD
31 35 6 780 847

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
270
Front Axle Right
Front Axle Left

Reinforced Version

References

31 35 1 095 694

31 35 6 780 847

Application info

3 (E46) (02/98-12/07)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

316 060 0030/HD
31 35 6 857 623

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M12x1,75
M12x1,75
248
Front Axle Left

Reinforced Version

References

31 35 6 773 023
31 35 6 857 623

31 35 6 859 651

Counterpart

316 060 0031/HD

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

Stabilizer link

316 060 0031/HD
31 35 6 857 624
Notes

with spanner attachment
 Coupling Rod
 Thread Measurement 2 M12X1,75
 Thread Measurement 1 M12X1,75
 Length [mm] 248
 Reinforced Version Front Axle Right

References

31 35 6 773 024
 31 35 6 857 624

Counterpart

316 060 0030/HD


Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)


Stabilizer link

316 060 0011/HD
33 50 3 414 297
Notes

with spanner attachment
 Coupling Rod
 Thread Measurement 2 M10x1,5
 Thread Measurement 1 M10x1,5
 Length [mm] 95
 Reinforced Version Rear Axle Right
 Rear Axle Left

References

33 50 3 412 794
 33 50 3 413 197


Application info

X3 (E83) (01/04-12/08)

316 060 0029/HD
33 50 6 781 537

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Reinforced Version

References

33 50 6 768 493
33 50 6 781 537

with spanner attachment
Coupling Rod
M12x1,5
M12x1,75
161
Rear Axle Right
Rear Axle Left

33 55 6 771 937
33 55 6 857 626

Application info

5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)

X5 (E70) (02/07-03/10)
X6 (E71) (05/08--)

316 060 0000/HD
33 50 6 781 538

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Reinforced Version

References

33 50 6 781 538

with spanner attachment
Coupling Rod
M12x1,5
M10x1,5
207
Rear Axle Right
Rear Axle Left

33 55 6 757 460

Application info

7 (E65, E66) (11/01-08/05)

316 060 0024/HD
33 50 6 781 539

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Reinforced Version

References

33 50 6 781 539

with spanner attachment
Coupling Rod
M12x1,5
M12x1,5
215
Rear Axle Right
Rear Axle Left

33 55 6 753 770

Stabilizer link

316 060 0024/HD

33 50 6 781 539


Application info

7 (E65, E66) (11/01-08/05)

Stabilizer link

316 060 0012/HD

33 50 6 781 540

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

Reinforced Version

 with spanner attachment
 Coupling Rod
 M12x1,5
 M10x1,5
 132
 Rear Axle Right
 Rear Axle Left

References

33 50 6 781 540

33 55 6 761 000

Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

Stabilizer link

316 060 0042/HD

33 50 6 785 607

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

Reinforced Version

 with spanner attachment
 Coupling Rod
 M10x1,5
 M10x1,5
 136
 Rear Axle Left

References

33 50 6 785 607

Counterpart

316 060 0043/HD

Application info

 1 (F20, F21) (11/10--)
 3 (F30, F31) (10/11--)

 3 (F34) (03/13--)
 X1 (E84) (03/09--)

7

316 060 0043/HD
33 50 6 785 608

Stabilizer link 



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Reinforced Version

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
136
Rear Axle Right

References

33 50 6 785 608

Counterpart

316 060 0042/HD

Application info

1 (F20, F21) (11/10--)
3 (F30, F31) (10/11--)

3 (F34) (03/13--)
X1 (E84) (03/09--)

316 060 4610
33 55 1 094 619

Stabilizer link



Notes

Inner Diameter 2 [mm]
Inner Diameter 1 [mm]
Length [mm]

References

33 55 1 094 619

Coupling Rod
8
7
95
Rear Axle Right
Rear Axle Left

Application info

3 (E46) (02/98-12/07)

300 335 5105
33 55 1 095 532

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

References

33 55 1 092 292

Coupling Rod
M10x1,5
M10x1,5
66
Rear Axle Right
Rear Axle Left

33 55 1 095 532



Stabilizer link
300 335 5105

33 55 1 095 532


Application info

5 (E39) (11/95-05/04)

Stabilizer link


316 060 4365/HD

33 55 1 095 696

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

Reinforced Version

 with spanner attachment
 Coupling Rod
 M10x1,5
 M10x1,5
 77
 Rear Axle Right
 Rear Axle Left

References

33 55 1 091 497

33 55 1 095 696

Application info

7 (E38) (10/94-11/01)

Stabilizer link

316 060 0008/HD

33 55 1 096 735

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

Reinforced Version

 with spanner attachment
 Coupling Rod
 M12X1,5
 M12X1,5
 65
 Rear Axle Right
 Rear Axle Left

References

33 55 1 096 735

Application info

X5 (E53) (05/00--)

7

300 335 5102
33 55 1 126 932

Stabilizer link



Notes

Inner Diameter 2 [mm]
Inner Diameter 1 [mm]
Length [mm]

Coupling Rod
8
8
130
Rear Axle Right
Rear Axle Left

References

33 55 1 124 375

33 55 1 126 932

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
5 (E28) (06/81-12/87)

6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)
Z1 (06/88-06/91)

300 335 5101
33 55 1 135 307

Stabilizer link



Notes

Inner Diameter 2 [mm]
Inner Diameter 1 [mm]
Length [mm]

Coupling Rod
8
6
60
Rear Axle Right
Rear Axle Left

References

33 55 1 131 131

33 55 1 135 307

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)
Z3 (E36/7, E36/8) (10/95-06/03)

316 060 0020/HD
33 55 6 764 428

Stabilizer link



Notes

Inner Diameter 1 [mm]
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
8
M10x1,5
160
Rear Axle Right
Rear Axle Left

Reinforced Version

References

33 55 6 764 428



Stabilizer link

316 060 0020/HD

33 55 6 764 428


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Stabilizer link

316 060 0048/HD

33 55 6 777 635

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

Reinforced Version

References

33 55 6 777 635

 with spanner attachment
 Coupling Rod
 M10x1,5
 M12x1,5
 110
 Rear Axle Right
 Rear Axle Left

Application info

 5 (F10, F11) (03/10-12/11)
 6 (F12, F13) (11/10-12/12)

7 (F01, F02, F03, F04) (06/08--)

Stabilizer link

316 060 0049/HD

33 55 6 786 429

Notes

 Thread Measurement 2
 Thread Measurement 1
 Length [mm]

Reinforced Version

References

33 55 6 786 429

 with spanner attachment
 Coupling Rod
 M12x1,5
 M12x1,5
 200
 Rear Axle Right
 Rear Axle Left

Application info

5 (F07) (10/09-12/10)

5 (F10, F11) (03/10-12/11)

7

316 060 0050/HD
37 10 6 775 189

Stabilizer link 



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Reinforced Version

References

37 10 6 775 189

with spanner attachment
Coupling Rod
M12x1,5
M12x1,5
110
Rear Axle Right
Rear Axle Left


Application info

5 (F10, F11) (03/10-12/11)
6 (F12, F13) (11/10-12/12)

7 (F01, F02, F03, F04) (06/08--)

316 060 0036
37 11 6 857 627

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

References

37 11 6 771 929
37 11 6 857 627

Counterpart

316 060 0037

Coupling Rod
for vehicles with active stabilizer
M12x1,5
M12x1,5
248
Front Axle Left

37 11 6 859 653


Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

316 060 0037
37 11 6 857 628

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

References

37 11 6 771 930
37 11 6 857 628

Counterpart

316 060 0036

Coupling Rod
for vehicles with active stabilizer
M12x1,5
M12x1,5
248
Front Axle Right

37 11 6 859 654

Stabilizer link
316 060 0037
 37 11 6 857 628

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

Axle support bushing
300 331 7101
 33 17 1 090 389

Notes

Inner Diameter [mm]	14
Outer Diameter [mm]	54
Height [mm]	54
	Front
	Rear Axle Right
	Rear Axle Left

References

33 17 1 090 099	33 17 1 091 685
33 17 1 090 389	


Application info

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

Z8 (E52) (06/00-06/03)

Axle support bushing
300 331 7100
 33 17 1 093 008

Notes

Outer Diameter [mm]	69
Height 2 [mm]	42
Height 1 [mm]	58
	Rear
	Rear Axle Right
	Rear Axle Left

References

33 17 1 093 008


Application info

5 (E39) (11/95-05/04)

300 331 7102

33 17 1 131 903



Axle support bushing

Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	52
Height [mm]	60
	Rear
	Rear Axle Right
	Rear Axle Left

References

33 17 1 131 903

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

300 331 7601/HD

33 17 6 751 808



Axle support bushing



Notes

Inner Diameter [mm]	14
Outer Diameter [mm]	68
Height [mm]	60
	inner
	Rear
	Rear Axle Left

Reinforced Version

References

33 17 1 093 565

33 17 6 751 808

Application info

3 (E46) (02/98-12/07)
X3 (E83) (01/04-12/08)

Z4 (E85) (02/03--)

314 710 0002

33 17 6 760 287



Axle support bushing

Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	54
Height [mm]	54
	inner
	Front
	Rear Axle Right
	Rear Axle Left

References

33 17 6 760 287

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Axle support bushing

314 710 0003

33 17 6 760 288

Notes

Inner Diameter [mm]	14
Outer Diameter [mm]	72
Height [mm]	57
	inner
	Rear
	Rear Axle Right
	Rear Axle Left

References

33 17 6 760 288	33 17 6 770 866
-----------------	-----------------


Application info

1 (E81, E82, E87, E88) (11/03-09/12)	Z4 (E85) (02/03--)
3 (E90, E91, E92, E93) (01/05-05/12)	Z4 (E86) (03/06--)
X1 (E84) (03/09--)	

Axle support bushing

300 331 7604

33 17 6 770 763

Notes

Inner Diameter [mm]	14
Outer Diameter [mm]	72
Height [mm]	60
	Rear
	Rear Axle Right
	Rear Axle Left

References

33 17 0 392 928	33 17 6 757 313
33 17 0 403 288	33 17 6 770 763


Application info

7 (E65, E66) (11/01-08/05)

Axle support bushing

300 331 7603

33 17 6 770 764

Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	54
Height [mm]	54
	Front
	Rear Axle Right
	Rear Axle Left

References

33 17 6 757 314	33 17 6 770 764
-----------------	-----------------


Application info

7 (E65, E66) (11/01-08/05)

300 331 7109
33 17 6 770 788

Axle support bushing



Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	47
Height [mm]	47
	inner
	Front
	Rear Axle Right
	Rear Axle Left

References

33 17 1 093 175	33 17 6 770 788
-----------------	-----------------

Application info

3 (E46) (02/98-12/07)
X3 (E83) (01/04-12/08)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

300 333 1001
33 31 1 090 946

Axle support bushing



Notes

Inner Diameter [mm]	14
Outer Diameter [mm]	59
Height [mm]	84
	Outer
	Rear Axle Right
	Rear Axle Left

References

33 31 1 090 945	33 31 1 090 946
-----------------	-----------------

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

300 333 1112
33 31 1 090 956

Axle support bushing



Notes

Inner Diameter [mm]	19
Outer Diameter [mm]	81
Height [mm]	90
	Rear
	Front
	Rear Axle Right
	Rear Axle Left

References

33 31 1 090 274	33 31 1 090 956
-----------------	-----------------

Application info

7 (E38) (10/94-11/01)

Z8 (E52) (06/00-06/03)

Axle support bushing

300 333 1104

33 31 1 091 422

Notes

Inner Diameter [mm]	19
Outer Diameter [mm]	81
Height [mm]	93
	Rear
	Front
	Rear Axle Right
	Rear Axle Left

References

33 31 1 091 422


Application info

5 (E39) (11/95-05/04)

Axle support bushing


300 333 1111/HD

33 31 1 094 036

Notes

Inner Diameter [mm]	19
Outer Diameter [mm]	80
Height [mm]	140
	Rear Axle Right
	Rear Axle Left

Reinforced Version

References

33 31 1 094 036


Application info

5 (E39) (11/95-05/04)

Axle support bushing


300 333 1101/HD

33 31 1 128 670

Notes

Inner Diameter [mm]	15
Outer Diameter [mm]	80
Height [mm]	85
	Front
	Rear Axle Right
	Rear Axle Left

Reinforced Version

References

31 31 1 128 670	33 31 1 128 702
33 31 1 128 670	33 31 1 129 760


Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

7

300 333 1102

33 31 1 129 144

Axle support bushing



Notes

Inner Diameter [mm]	15
Outer Diameter [mm]	58
Height [mm]	104
	Front
	Rear Axle Right
	Rear Axle Left

References

31 31 1 130 537	33 31 1 129 144
33 31 1 126 747	33 31 1 130 537
33 31 1 128 566	

Application info

3 (E30) (09/82-06/94)

300 333 1103/HD

33 31 1 130 487

Axle support bushing



Notes

Inner Diameter [mm]	15
Outer Diameter [mm]	70
Height [mm]	85
	Front
	Rear Axle Right
	Rear Axle Left

Reinforced Version

References

31 31 1 127 533	33 31 1 127 533
31 31 1 130 488	33 31 1 130 487
33 31 1 121 041	33 31 1 130 488

Application info

5 (E28) (06/81-12/87)
6 (E24) (04/76-09/90)

7 (E23) (05/77-08/86)

300 333 1105/HD

33 31 6 770 454

Axle support bushing



Notes

Inner Diameter [mm]	19
Outer Diameter [mm]	95
Height [mm]	93
	Rear
	Front
	Rear Axle Right
	Rear Axle Left

Reinforced Version

References

33 31 1 093 662	33 31 6 770 454
-----------------	-----------------

Axle support bushing

300 333 1105/HD

33 31 6 770 454


Application info

X5 (E53) (05/00--)

Axle support bushing

300 333 1601/HD

33 31 6 770 750

Notes

Inner Diameter [mm]	19
Outer Diameter [mm]	96
Height [mm]	97
	Rear Axle Right
	Rear Axle Left

Reinforced Version

References

33 31 0 392 927	33 31 1 096 772
33 31 0 403 287	33 31 6 770 750


Application info

7 (E65, E66) (11/01-08/05)

Axle support bushing
300 333 1108

33 31 6 770 781

Notes

Inner Diameter [mm]	21
Outer Diameter [mm]	72
Height [mm]	63
	Rear
	Rear Axle Right
	Rear Axle Left

References

33 31 1 092 517	33 31 6 770 781
-----------------	-----------------


Application info

 3 (E46) (02/98-12/07)
 X3 (E83) (01/04-12/08)
 Z4 (E85) (02/03--)

 Z4 (E86) (03/06--)
 Z4 (E89) (05/09--)

300 333 1905
33 31 9 059 300

Axle support bushing



Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	61
Height [mm]	77
	Front
	Rear Axle Right
	Rear Axle Left

References

33 31 9 059 300

Application info

3 (E36) (09/90-08/00)

300 333 1906
33 31 9 059 301

Axle support bushing



Notes

Inner Diameter [mm]	17
Outer Diameter [mm]	63
Height [mm]	67
	Rear
	Rear Axle Right
	Rear Axle Left

References

33 31 9 059 301

Application info

3 (E36) (09/90-08/00)

300 333 2104/HD
33 32 6 770 786

Axle support bushing



Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	60
Height [mm]	49
	Rear Axle Right
	Rear Axle Left

Reinforced Version

References

33 32 1 097 009	33 32 6 757 885
33 32 1 137 806	33 32 6 770 786
33 32 2 228 153	33 32 6 770 817

Axle support bushing

300 333 2104/HD

33 32 6 770 786


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 X3 (E83) (01/04-12/08)

 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)
Axle support bushing
300 333 2901

33 32 9 061 946

Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	44
Height 1 [mm]	67
	Rear
	Rear Axle Right
	Rear Axle Left

References

33 32 1 123 462	33 32 9 058 823
33 32 1 125 563	33 32 9 061 946
33 32 1 137 459	


Application info

 5 (E28) (06/81-12/87)
 5 (E34) (12/87-01/97)
 6 (E24) (04/76-09/90)

 7 (E23) (05/77-08/86)
 7 (E32) (09/86-09/94)
Mount, axle carrier
300 331 7107

33 17 6 770 457

Notes

Inner Diameter [mm]	12.2
Height [mm]	54
	Front
	Rear Axle Right
	Rear Axle Left

References

33 17 1 096 192	33 17 6 770 457
-----------------	-----------------

Application info

X5 (E53) (05/00--)

300 331 7602
33 17 6 770 768

Mount, axle carrier



Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	47
Height [mm]	47
	Front
	Rear Axle Right
	Rear Axle Left

References

33 17 6 758 081	33 17 6 770 768
-----------------	-----------------

Application info

3 (E46) (02/98-12/07)

Z4 (E85) (02/03--)

314 710 0000
33 31 6 758 259

Mount, axle carrier



Notes

Inner Diameter [mm]	17
Outer Diameter [mm]	76
Height [mm]	87
	Outer
	Upper
	Front
	Rear Axle Right
	Rear Axle Left

References

33 31 6 758 259

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

314 710 0001
33 31 6 758 260

Mount, axle carrier



Notes

Inner Diameter [mm]	17
Outer Diameter [mm]	86
Height [mm]	72
	Outer
	Rear
	Rear Axle Right
	Rear Axle Left

References

33 31 6 758 260

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Mount, axle carrier

300 333 1109/HD

33 31 6 770 783

Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	70
Height [mm]	66
	Front
	Rear Axle Left

Reinforced Version

References

33 31 1 092 515	33 31 6 770 783
33 31 6 757 393	

Counterpart

300 333 1110/HD


Application info

3 (E46) (02/98-12/07)

X3 (E83) (01/04-12/08)

Mount, axle carrier

300 333 1110/HD

33 31 6 770 784

Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	70
Height [mm]	66
	Front
	Rear Axle Right

Reinforced Version

References

33 31 1 092 516	33 31 6 770 784
33 31 6 757 394	

Counterpart

300 333 1109/HD


Application info

3 (E46) (02/98-12/07)

X3 (E83) (01/04-12/08)

Mount, axle carrier
316 010 4347

33 32 2 347 944*

Notes

	with accessories
Inner Diameter [mm]	16
Outer Diameter [mm]	57
Height [mm]	68
	Rear Axle Right
	Rear Axle Left

References

33 32 1 090 504	33 32 6 750 371
33 32 1 095 631	33 32 6 767 748
33 32 2 347 944*	



Repair kit, subframe

300 333 2902

33 32 9 061 945

Notes

Inner Diameter [mm]	12
Outer Diameter [mm]	30
Height [mm]	70
	Front
	Rear Axle Right
	Rear Axle Left

References

33 32 1 110 115	33 32 1 137 564
33 32 1 117 259	33 32 9 058 821
33 32 1 123 774	33 32 9 061 945



Application info

3 (E21) (06/75-03/84)
 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)
 5 (E12) (08/72-08/81)

5 (E28) (06/81-12/87)
 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)
 Z3 (E36/7, E36/8) (10/95-06/03)

Coil spring

314 033 0004


31 33 1 090 761

Notes

Thickness [mm]	12.9
Height [mm]	370
	Front Axle
Replace in pairs only	

References

31 33 1 090 760	31 33 1 090 761
-----------------	-----------------



Application info

3 (E36) (09/90-08/00)

Coil spring

314 639 0006


31 33 1 091 517

Notes

	Front Axle
Replace in pairs only	

References

31 33 1 091 517	31 33 1 091 530
-----------------	-----------------



314 639 0006
31 33 1 091 517


Coil spring



Application info
7 (E38) (10/94-11/01)

314 639 0002
31 33 1 093 069

Coil spring



Notes

Replace in pairs only

Front Axle


References

31 33 1 093 069

Application info
3 (E46) (02/98-12/07)

314 639 0001
31 33 1 093 071

Coil spring



Notes

Replace in pairs only

Front Axle

References

31 33 1 093 071

31 33 1 096 184

Application info
5 (E39) (11/95-05/04)

Coil spring
314 031 0001
 31 33 1 133 336

Notes

Thickness [mm]	13
Height [mm]	400
	Front Axle

Replace in pairs only

References

31 33 1 133 336	31 33 1 134 386
-----------------	-----------------


Application info

5 (E34) (12/87-01/97)

Coil spring
314 739 0003
 33 53 1 093 632


Notes

	Rear Axle
--	-----------

Replace in pairs only

References

33 53 1 093 632	33 53 1 093 634
33 53 1 093 633	33 53 1 093 940


Application info

5 (E39) (11/95-05/04)

Coil spring
314 739 0010
 33 53 1 093 939


Notes

	Rear Axle
--	-----------

Replace in pairs only

References


33 53 1 093 939


Application info

5 (E39) (11/95-05/04)

314 739 0013
33 53 1 094 740

Coil spring



Notes

Replace in pairs only

Rear Axle

References

33 53 1 094 740


33 53 1 095 736

Application info

3 (E46) (02/98-12/07)

314 739 0000
33 53 1 095 732

Coil spring



Notes

Replace in pairs only

Mini Block
Rear Axle

References

33 53 1 095 732

Application info

3 (E46) (02/98-12/07)

314 033 0003
33 53 1 132 248

Coil spring



Notes

Thickness [mm]
Height [mm]

11.9
361

for vehicles without leveling control
Rear Axle

Replace in pairs only

References

33 53 1 132 248

Application info

5 (E34) (12/87-01/97)

Coil spring

314 739 0002

33 53 6 750 250

Notes


 Mini Block
 for vehicles without towbar
 Rear Axle

Replace in pairs only

References

33 53 1 096 187

33 53 6 750 250



Application info

3 (E46) (02/98-12/07)

Dust cover kit, shock absorber

314 740 0002

33 53 1 091 640

Notes

 Kit
 Rear Axle

References

33 53 1 091 640

Parts list

300 335 3101

300 335 2111

 Rubber stop, suspension
 Dust cover/boot, strut


Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98-12/07)

Dust cover kit, shock absorber

314 640 0000

Notes

 Kit
 Front Axle


Application info

5 (E39) (11/95-05/04)

5 (E60, E61) (07/03-08/10)

314 640 0001

Dust cover kit, shock absorber



Notes

Kit
Front Axle

Application info

3 (E21) (06/75-03/84)
3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
5 (E12) (08/72-08/81)
5 (E28) (06/81-12/87)

5 (E34) (12/87-01/97)
6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)
7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
Z1 (06/88-06/91)

314 640 0002

Dust cover kit, shock absorber



Notes

Kit
Front Axle

Application info

5 (E39) (11/95-05/04)

5 (E60, E61) (07/03-08/10)

314 640 0003

Dust cover kit, shock absorber



Notes

Kit
Front Axle

Dust cover kit, shock absorber
314 640 0003

Application info

X5 (E53) (05/00--)

Dust cover kit, shock absorber
314 640 0004
Notes

 Kit
 Front Axle

Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E46) (02/98-12/07)

3 (E90, E91, E92, E93) (01/05-05/12)

Dust cover kit, shock absorber
314 640 0005
Notes

 Kit
 Front Axle

Application info

3 (E90, E91, E92, E93) (01/05-05/12)

314 640 0007

Dust cover kit, shock absorber



Notes

Kit
Front Axle

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E46) (02/98-12/07)

3 (E90, E91, E92, E93) (01/05-05/12)
Z4 (E85) (02/03--)

314 640 0008

Dust cover kit, shock absorber

Notes

Kit
Front Axle

Parts list

314 642 0007
300 643 0000

Rubber stop, suspension
Dust cover/boot, strut

Application info

X3 (E83) (01/04-12/08)

314 740 0001

Dust cover kit, shock absorber



Notes

Kit
Rear Axle

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

Dust cover kit, shock absorber
314 740 0003
Notes

 Kit
 Rear Axle

Application info

5 (E39) (11/95-05/04)

Dust cover kit, shock absorber
314 740 0004
Notes

 Kit
 Rear Axle

Application info

5 (E39) (11/95-05/04)

Dust cover kit, shock absorber
314 740 0005
Notes

 Kit
 Rear Axle

Application info

X5 (E53) (05/00--)

7

314 740 0006

Dust cover kit, shock absorber



Notes

Kit
Rear Axle

Application info

5 (E39) (11/95-05/04)

314 740 0007

Dust cover kit, shock absorber



Notes

Kit
Rear Axle

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

314 740 0008

Dust cover kit, shock absorber



Notes

Kit
Rear Axle

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Dust cover kit, shock absorber
314 740 0009
Notes

 Kit
 Rear Axle

Application info

5 (E60, E61) (07/03-08/10)

Dust cover kit, shock absorber
314 740 0010
Notes

 Kit
 Rear Axle

Application info

5 (E60, E61) (07/03-08/10)

Dust cover kit, shock absorber
314 740 0011
Notes

 Kit
 Rear Axle

Application info

5 (E60, E61) (07/03-08/10)

7

314 740 0012

Dust cover kit, shock absorber



Notes

Kit
Rear Axle

Application info

5 (E60, E61) (07/03-08/10)

7 (E65, E66) (11/01-08/05)

314 740 0014

Dust cover kit, shock absorber



Notes

Kit
Rear Axle

Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98-12/07)

300 643 0000

31 32 1 125 878

Dust cover/boot, strut



Notes

Height [mm]

195
Front Axle

References

31 32 1 125 878



Dust cover/boot, strut
300 643 0000
 31 32 1 125 878

Application info

 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)
 7 (E32) (09/86-09/94)

 7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)
 X3 (E83) (01/04-12/08)
 X5 (E53) (05/00--)
Dust cover/boot, strut
300 313 3111
 31 33 1 134 314

Notes

 Height [mm] 91
 Front Axle

References

31 33 1 134 314


Application info

 3 (E30) (09/82-06/94)
 5 (E34) (12/87-01/97)

 7 (E32) (09/86-09/94)
 Z1 (06/88-06/91)

Dust cover/boot, strut
300 335 2111
 33 52 1 136 283

Notes

 Height [mm] 194
 Rear Axle

References

33 52 1 136 283


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)

Z4 (E85) (02/03--)

7

Rubber stop, suspension
314 642 0007

31 30 3 411 973

Notes

 Height [mm] 90
 Front Axle

References

31 30 3 411 973


Application info

X3 (E83) (01/04-12/08)

X5 (E53) (05/00--)

Rubber stop, suspension
314 642 0005

31 30 6 757 046

Notes

 Height [mm] 80
 for vehicles with sports suspension
 Front Axle

References

 31 30 2 290 313 31 33 6 757 046
 31 30 6 757 046

Application info

3 (E46) (02/98-12/07)

Rubber stop, suspension
314 642 0002

31 33 1 094 750

Notes

 Height [mm] 85
 Front Axle

References

31 33 1 094 750


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E46) (02/98-12/07)

X3 (E83) (01/04-12/08)

7

300 313 3104
31 33 1 124 449

Rubber stop, suspension



Notes

Height [mm] 85
Front Axle

References

31 33 1 124 449 31 33 1 125 215

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)

6 (E24) (04/76-09/90)
7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
7 (E65, E66) (11/01-08/05)

300 313 3118
31 33 1 140 140

Rubber stop, suspension



Notes

Height [mm] 90
Front Axle

References

31 33 1 140 140

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)

7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

314 642 0003
31 33 6 750 892

Rubber stop, suspension



Notes

Height [mm] 90
Front Axle

References

31 30 2 290 314 31 33 6 750 892



Rubber stop, suspension
314 642 0003

31 33 6 750 892


Application info

3 (E46) (02/98-12/07)

Rubber stop, suspension
314 642 0004

31 33 6 764 085

Notes

 Height [mm] 85
 Front Axle

References

31 33 6 764 085


Application info

5 (E60, E61) (07/03-08/10)

X1 (E84) (03/09--)

Rubber stop, suspension
314 642 0006

31 33 6 771 352

Notes

 Height [mm] 80
 Front Axle

References

31 33 6 767 320 31 33 6 771 352


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

314 642 0009
31 33 6 771 380

Rubber stop, suspension



Notes

Height [mm] 85
Front Axle

References

31 33 6 771 380

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

314 642 0001
31 33 6 778 544

Rubber stop, suspension



Notes

Height [mm] 75
for vehicles with sports suspension
Front Axle

References

31 33 1 094 751 31 33 6 778 544

Application info

3 (E46) (02/98-12/07)

Z4 (E85) (02/03--)

314 742 0002
33 50 6 757 047

Rubber stop, suspension



Notes

Height [mm] 80
for vehicles with sports suspension
Rear Axle

References

33 50 2 290 347 33 50 6 757 047

Application info

3 (E46) (02/98-12/07)

Rubber stop, suspension
314 742 0001

33 50 6 757 368

Notes

Height [mm]

 for vehicles with sports suspension
 110
 Rear Axle

References

 33 50 2 290 319
 33 50 6 757 368

33 53 6 757 368


Application info

3 (E46) (02/98-12/07)

Rubber stop, suspension
314 742 0007

33 50 6 773 628

Notes

Height [mm]

 95
 Rear Axle

References

33 50 6 773 628


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

Rubber stop, suspension
300 335 3104

33 53 1 091 031

Notes

Height [mm]

 90
 Rear Axle

References

33 53 1 091 031


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

7

300 335 3103
33 53 1 135 624

Rubber stop, suspension



Notes

Height [mm] 99
Rear Axle

References

33 53 1 135 624

Application info

5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)

300 335 3101
33 53 1 136 395

Rubber stop, suspension



Notes

for vehicles without M-technology
for vehicles without sports suspen-
sion
Height [mm] 105
Rear Axle

References

33 50 2 290 318 33 53 1 136 395

Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98-12/07)

314 742 0003
33 53 6 767 334

Rubber stop, suspension



Notes

Height [mm] 230
Rear Axle

References

33 50 4 034 410 33 53 6 767 334

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Rubber stop, suspension
314 742 0005

33 53 6 767 335

Notes

 Height [mm] 220
 Rear Axle

References

33 53 6 767 335


Application info

 1 (E81, E82, E87, E88) (11/03-09/12)
 3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

Rubber stop, suspension
314 742 0006

33 53 6 771 381

Notes

 Height [mm] 95
 Rear Axle

References

33 53 6 771 381


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

Shock absorber
326 623 0010

31 31 1 091 569

Notes

 Suspension Strut
 Gas Pressure
 Twin-Tube
 Front Axle Left

References

31 31 1 091 503 31 31 1 091 569

Counterpart

326 623 0011


Application info

7 (E38) (10/94-11/01)

7

326 623 0011

31 31 1 091 570

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Right

References

31 31 1 091 504

31 31 1 091 570

Counterpart

326 623 0010

Application info

7 (E38) (10/94-11/01)

326 623 0026

31 31 1 092 487

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Left

References

31 31 1 090 711
31 31 1 090 713
31 31 1 091 773

31 31 1 092 307
31 31 1 092 487

Counterpart

326 623 0027

Application info

3 (E36) (09/90-08/00)

326 623 0027

31 31 1 092 488

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Right

References

31 31 1 090 712
31 31 1 090 714
31 31 1 091 774

31 31 1 092 308
31 31 1 092 488

Counterpart

326 623 0026

+

Shock absorber
326 623 0027

31 31 1 092 488


Application info

3 (E36) (09/90-08/00)

Shock absorber
326 623 0052

31 31 1 094 189

Notes

 Suspension Strut
 Gas Pressure
 Twin-Tube
 Front Axle Left

References

31 31 1 091 703

31 31 1 094 189

Counterpart

326 623 0053


Application info

Z3 (E36/7, E36/8) (10/95-06/03)

Shock absorber
326 623 0053

31 31 1 094 190

Notes

 Suspension Strut
 Gas Pressure
 Twin-Tube
 Front Axle Right

References

31 31 1 091 704

31 31 1 094 190

Counterpart

326 623 0052


Application info

Z3 (E36/7, E36/8) (10/95-06/03)

326 623 0000
31 31 1 096 849

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Left

References

31 31 1 094 561
31 31 1 096 849

31 31 6 750 785

Counterpart

326 623 0016

Application info

3 (E46) (02/98-12/07)

326 623 0016
31 31 1 096 850

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Right

References

31 31 1 094 562
31 31 1 096 850

31 31 6 750 786

Counterpart

326 623 0000

Application info

3 (E46) (02/98-12/07)

326 623 0020
31 31 1 096 851

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Left

References

31 30 6 757 043
31 31 1 094 563
31 31 1 096 367
31 31 1 096 851
31 31 1 096 855

31 31 2 282 097
31 31 2 282 101
31 31 2 282 459
31 31 6 750 787
31 31 6 750 791

Counterpart

326 623 0019

Shock absorber
326 623 0020

31 31 1 096 851


Application info

3 (E46) (02/98-12/07)

Shock absorber
326 623 0019

31 31 1 096 852

Notes

 Suspension Strut
 Gas Pressure
 Twin-Tube
 Front Axle Right

References

 31 30 6 757 044
 31 31 1 094 564
 31 31 1 096 368
 31 31 1 096 852
 31 31 1 096 856

 31 31 2 282 098
 31 31 2 282 102
 31 31 2 282 460
 31 31 6 750 788
 31 31 6 750 792

Counterpart

326 623 0020


Application info

3 (E46) (02/98-12/07)

Shock absorber
326 623 0003

31 31 1 096 858

Notes

 Suspension Strut
 Gas Pressure
 Twin-Tube
 Front Axle

References

 31 31 1 093 644
 31 31 1 094 041

 31 31 1 096 858
 31 31 1 096 862

Application info

5 (E39) (11/95-05/04)

326 624 0003
31 31 1 133 517

Shock absorber



Notes

Suspension Strut Insert
Gas Pressure
Twin-Tube
Front Axle

References

31 31 1 133 517

Application info

5 (E28) (06/81-12/87)

6 (E24) (04/76-09/90)

326 623 0050
31 31 3 453 521

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Left

References

31 30 3 411 619
31 30 3 413 145
31 30 3 449 389
31 30 3 451 393

31 30 3 451 395
31 31 3 412 397
31 31 3 453 521
31 31 3 453 523

Counterpart

326 623 0051

Application info

X3 (E83) (01/04-12/08)

326 623 0051
31 31 3 453 522

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Right

References

31 30 3 411 620
31 30 3 413 146
31 30 3 449 390
31 30 3 451 394

31 30 3 451 396
31 31 3 412 398
31 31 3 453 522
31 31 3 453 524

Counterpart

326 623 0050

Shock absorber
326 623 0051
 31 31 3 453 522

Application info

X3 (E83) (01/04-12/08)

Shock absorber
326 623 0048
 31 31 6 752 597

Notes

 Suspension Strut
 Gas Pressure
 Twin-Tube
 Front Axle Left

References

31 31 6 752 597	31 31 6 786 531
31 31 6 753 187	31 31 6 786 533
31 31 6 762 727	31 31 6 786 535
31 31 6 770 165	31 31 6 786 539

Counterpart

326 623 0049


Application info

7 (E65, E66) (11/01-08/05)

Shock absorber
326 623 0049
 31 31 6 752 598

Notes

 Suspension Strut
 Gas Pressure
 Twin-Tube
 Front Axle Right

References

31 31 6 752 598	31 31 6 786 532
31 31 6 753 188	31 31 6 786 534
31 31 6 762 728	31 31 6 786 536
31 31 6 770 166	31 31 6 786 540

Counterpart

326 623 0048


Application info

7 (E65, E66) (11/01-08/05)

326 623 0018
31 31 6 759 561

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Left

References

31 31 1 095 911
31 31 1 096 853

31 31 6 750 789
31 31 6 759 561

Counterpart

326 623 0017

Application info

3 (E46) (02/98-12/07)

326 623 0017
31 31 6 759 562

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Right

References

31 31 1 095 912
31 31 1 096 854

31 31 6 750 790
31 31 6 759 562

Counterpart

326 623 0018

Application info

3 (E46) (02/98-12/07)

326 623 0013
31 31 6 764 603

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
for vehicles with standard chassis
Front Axle Left

References

31 30 6 754 341
31 30 6 754 343
31 31 1 096 271
31 31 6 764 599

31 31 6 764 601
31 31 6 764 603
31 33 6 750 359

Counterpart

326 623 0014

Shock absorber
326 623 0013

31 31 6 764 603


Application info

X5 (E53) (05/00-)

Shock absorber
326 623 0014

31 31 6 764 604

Notes

 Suspension Strut
 Gas Pressure
 Twin-Tube
 for vehicles with standard chassis
 Front Axle Right

References

 31 30 6 754 342
 31 30 6 754 344
 31 31 1 096 272
 31 31 6 764 600

 31 31 6 764 602
 31 31 6 764 604
 31 33 6 750 360

Counterpart

326 623 0013


Application info

X5 (E53) (05/00-)

Shock absorber
326 623 0032

31 31 6 766 993

Notes

 Suspension Strut
 Gas Pressure
 Twin-Tube
 Front Axle Left

References

 31 30 6 775 055
 31 31 6 766 993
 31 31 6 768 795
 31 31 6 768 797

 31 31 6 775 055
 31 31 6 775 057
 31 32 6 764 457
 31 32 6 764 459

Counterpart

326 623 0033


Application info

5 (E60, E61) (07/03-08/10)

326 623 0033

31 31 6 766 994



Shock absorber

Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Right

References

31 30 6 775 056
31 31 6 766 994
31 31 6 768 796
31 31 6 768 798

31 31 6 775 056
31 31 6 775 058
31 32 6 764 458
31 32 6 764 460

Counterpart

326 623 0032

Application info

5 (E60, E61) (07/03-08/10)

326 623 0038

31 31 6 780 193



Shock absorber

Notes

Suspension Strut
Gas Pressure
Monotube
Front Axle Left

References

31 31 6 773 255
31 31 6 775 099

31 31 6 780 193

Counterpart

326 623 0039

Application info

3 (E90, E91, E92, E93) (01/05-05/12)

326 623 0039

31 31 6 780 194



Shock absorber

Notes

Suspension Strut
Gas Pressure
Monotube
Front Axle Right

References

31 31 6 773 256
31 31 6 775 100

31 31 6 780 194

Counterpart

326 623 0038



Shock absorber
326 623 0039

31 31 6 780 194


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

Shock absorber
326 623 0030

31 31 6 786 013

Notes

 Suspension Strut
 Gas Pressure
 Twin-Tube
 Front Axle Left

References

31 30 6 771 177	31 31 6 785 593
31 31 6 768 211	31 31 6 786 001
31 31 6 771 723	31 31 6 786 005
31 31 6 772 917	31 31 6 786 009
31 31 6 772 921	31 31 6 786 013
31 31 6 780 075	31 31 6 796 155
31 31 6 785 589	

Counterpart

326 623 0031


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

Shock absorber
326 623 0031

31 31 6 786 014

Notes

 Suspension Strut
 Gas Pressure
 Twin-Tube
 Front Axle Right

References

31 30 6 771 178	31 31 6 785 590
31 31 6 768 212	31 31 6 785 594
31 31 6 768 216	31 31 6 786 002
31 31 6 771 724	31 31 6 786 006
31 31 6 772 918	31 31 6 786 010
31 31 6 772 922	31 31 6 786 014
31 31 6 780 076	31 31 6 796 156

Counterpart

326 623 0030


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

7

326 623 0042
31 31 6 786 017

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Left

References

31 31 6 768 915
31 31 6 771 553

31 31 6 786 017

Counterpart

326 623 0043

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

326 623 0043
31 31 6 786 018

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Right

References

31 31 6 768 916
31 31 6 771 554

31 31 6 786 018

Counterpart

326 623 0042

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

326 625 0000
31 31 6 789 363

Shock absorber



Notes

Bottom Fork
Top pin
Gas Pressure
Twin-Tube
Front Axle Left

References

31 31 6 789 363

Counterpart

326 625 0001

Shock absorber
326 625 0000
 31 31 6 789 363

Application info

5 (F10, F11) (03/10-12/11)

Shock absorber
326 625 0001
 31 31 6 789 364

Notes

 Bottom Fork
 Top pin
 Gas Pressure
 Twin-Tube
 Front Axle Right

References

31 31 6 789 364

Counterpart

326 625 0000


Application info

5 (F10, F11) (03/10-12/11)

Shock absorber
326 624 0007
 31 32 1 092 283

Notes

 Suspension Strut Insert
 Gas Pressure
 Twin-Tube
 Front Axle

References

 31 32 1 091 000
 31 32 1 092 283
 31 32 1 138 836

 31 32 1 139 407
 31 32 1 139 410

Application info

5 (E34) (12/87-01/97)

326 624 0000
31 32 1 132 540

Shock absorber



Notes

Suspension Strut Insert
Gas Pressure
Twin-Tube
Front Axle

References

31 32 1 132 540

Application info

7 (E32) (09/86-09/94)

326 624 0001
31 32 1 133 224

Shock absorber



Notes

Suspension Strut Insert
Gas Pressure
Twin-Tube
Front Axle

References

31 32 1 133 224

31 32 1 133 232

Application info

3 (E30) (09/82-06/94)

326 624 0002
31 32 1 134 565

Shock absorber



Notes

Suspension Strut Insert
Gas Pressure
Twin-Tube
Front Axle

References

31 32 1 134 565
31 32 1 134 573

31 32 1 135 675

Application info

5 (E34) (12/87-01/97)

Shock absorber
326 624 0004

31 32 1 135 635

Notes

 Suspension Strut Insert
 Gas Pressure
 Twin-Tube
 Front Axle

References

31 30 1 133 438	31 32 1 132 249
31 32 1 125 151	31 32 1 133 181
31 32 1 125 475	31 32 1 135 465
31 32 1 128 126	31 32 1 135 635
31 32 1 131 111	31 32 1 135 892


Application info

3 (E30) (09/82-06/94)

Z1 (06/88-06/91)

Shock absorber
326 624 0008

31 32 1 135 858

Notes

 Suspension Strut Insert
 Gas Pressure
 Twin-Tube
 Front Axle

References

31 32 1 135 416	31 32 1 135 858
-----------------	-----------------


Application info

5 (E34) (12/87-01/97)

Shock absorber
326 624 0006

31 32 1 139 409

Notes

 Suspension Strut Insert
 Gas Pressure
 Twin-Tube
 Front Axle

References

31 31 1 138 667	31 32 1 139 409
31 32 1 092 284	31 32 1 139 411
31 32 1 139 408	31 32 1 140 160


Application info

5 (E34) (12/87-01/97)

7

326 623 0044
31 32 6 781 918

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle

References

31 31 6 778 676
31 32 4 048 550

31 32 6 780 486
31 32 6 781 918

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

326 725 0025
33 50 3 451 402

Shock absorber



Notes

Bottom eye
Top pin
Gas Pressure
Twin-Tube
Rear Axle

References

33 50 3 413 789
33 50 3 413 790
33 50 3 449 392
33 50 3 451 402
33 50 3 451 404
33 52 0 363 604

33 52 0 363 605
33 52 3 413 234
33 52 3 413 259
33 52 3 413 789
33 52 3 413 790
33 52 3 414 164

Application info

X3 (E83) (01/04-12/08)

326 725 0012
33 50 6 751 543

Shock absorber



Notes

Top pin
Bottom eye
Gas Pressure
Twin-Tube
for vehicles with standard chassis
Rear Axle

References

33 50 6 751 543
33 50 6 751 544
33 52 1 096 278
33 52 6 750 361

33 52 6 755 839
33 52 6 764 875
33 52 6 767 702
33 52 6 767 703



Shock absorber
326 725 0012
 33 50 6 751 543

Application info

X5 (E53) (05/00--)

Shock absorber
326 725 0010
 33 52 1 091 421

Notes

 Top pin
 Bottom eye
 Gas Pressure
 Twin-Tube
 Rear Axle

References

33 52 1 091 421


Application info

7 (E38) (10/94-11/01)

Shock absorber
326 725 0002
 33 52 1 092 278

Notes

 Top pin
 Bottom eye
 Gas Pressure
 Twin-Tube
 Rear Axle

References

 33 52 1 092 278
 33 52 1 133 596
 33 52 1 133 601

 33 52 1 135 613
 33 52 1 135 860
 33 52 1 138 669

Application info

5 (E34) (12/87-01/97)

7

326 725 0008
33 52 1 092 309

Shock absorber



Notes

Top pin
Bottom eye
Gas Pressure
Twin-Tube
Rear Axle

References

33 52 1 090 826	33 52 1 138 158
33 52 1 090 830	33 52 2 282 100
33 52 1 091 095	33 52 2 282 461
33 52 1 091 245	33 52 6 750 781
33 52 1 091 274	33 52 6 750 783
33 52 1 092 309	33 52 6 757 365
33 52 1 092 489	33 52 6 757 366
33 52 1 095 646	33 52 6 759 099
33 52 1 095 913	33 52 6 759 100
33 52 1 137 927	

Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98-12/07)

326 725 0007
33 52 1 093 646

Shock absorber



Notes

Top pin
Bottom eye
Gas Pressure
Twin-Tube
Rear Axle

References

33 52 1 093 646	33 52 1 094 467
-----------------	-----------------

Application info

5 (E39) (11/95-05/04)

326 725 0026
33 52 1 095 788

Shock absorber



Notes

Bottom eye
Top pin
Gas Pressure
Twin-Tube
Rear Axle

References

33 52 1 092 575	33 52 1 095 061
33 52 1 094 187	33 52 1 095 788

Shock absorber
326 725 0026
 33 52 1 095 788

Application info

Z3 (E36/7, E36/8) (10/95-06/03)

Shock absorber
326 725 0006
 33 52 1 126 561

Notes

 Top pin
 Bottom eye
 Gas Pressure
 Twin-Tube
 Rear Axle

References

33 52 1 126 561

33 52 1 133 519


Application info

5 (E28) (06/81-12/87)

6 (E24) (04/76-09/90)

Shock absorber
326 725 0013
 33 52 1 131 395

Notes

 Top pin
 Bottom eye
 Gas Pressure
 Twin-Tube
 Rear Axle

References

33 52 1 131 395


Application info

7 (E32) (09/86-09/94)

326 725 0004
33 52 1 135 636

Shock absorber



Notes

Top pin
Bottom eye
Gas Pressure
Twin-Tube
Rear Axle

References

31 31 1 125 156	33 52 1 133 182
33 52 1 091 629	33 52 1 133 225
33 52 1 091 999	33 52 1 133 231
33 52 1 125 156	33 52 1 133 233
33 52 1 127 491	33 52 1 133 564
33 52 1 128 130	33 52 1 135 180
33 52 1 131 085	33 52 1 135 466
33 52 1 131 112	33 52 1 135 636
33 52 1 132 250	33 52 1 135 888
33 52 1 132 489	33 52 1 138 908

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)

Z1 (06/88-06/91)

326 725 0000
33 52 2 282 099

Shock absorber



Notes

Top pin
Bottom eye
Gas Pressure
Twin-Tube
Rear Axle

References

33 52 1 095 647	33 52 6 750 782
33 52 1 096 366	33 52 6 750 784
33 52 2 282 099	33 52 6 757 045

Application info

3 (E46) (02/98-12/07)

326 725 0024
33 52 6 758 095

Shock absorber



Notes

Bottom eye
Top pin
Gas Pressure
Twin-Tube
Rear Axle

References

33 52 6 758 094	33 52 6 786 541
33 52 6 758 095	33 52 6 786 542

Shock absorber
326 725 0024
 33 52 6 758 095

Application info

7 (E65, E66) (11/01-08/05)

Shock absorber
326 725 0016
 33 52 6 771 555

Notes

 Bottom Pin
 Top pin
 Gas Pressure
 Twin-Tube
 Rear Axle

References

33 50 4 035 261	33 52 6 771 729
33 50 4 035 872	33 52 6 772 916
33 52 6 768 917	33 52 6 772 926
33 52 6 768 921	33 52 6 780 077
33 52 6 771 555	33 52 6 780 081
33 52 6 771 559	33 52 6 780 195
33 52 6 771 725	


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Shock absorber
326 725 0019
 33 52 6 779 985

Notes

 Bottom Pin
 Top pin
 Gas Pressure
 Twin-Tube
 Rear Axle

References

33 52 6 773 253	33 52 6 779 985
-----------------	-----------------


Application info

3 (E90, E91, E92, E93) (01/05-05/12)

326 725 0020
33 52 6 781 921

Shock absorber



Notes

Bottom eye
Top pin
Gas Pressure
Twin-Tube
Rear Axle Left

References

33 52 4 048 553
33 52 6 778 677

33 52 6 780 489
33 52 6 781 921

Counterpart

326 725 0021

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

326 725 0021
33 52 6 781 922

Shock absorber



Notes

Bottom eye
Top pin
Gas Pressure
Twin-Tube
Rear Axle Right

References

33 52 4 048 554
33 52 6 778 678

33 52 6 780 490
33 52 6 781 922

Counterpart

326 725 0020

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

326 725 0017
33 52 6 785 982

Shock absorber



Notes

Top pin
Bottom eye
Gas Pressure
Twin-Tube
Rear Axle

References

33 52 6 766 065
33 52 6 766 605

33 52 6 775 059
33 52 6 785 982



Shock absorber
326 725 0017
 33 52 6 785 982

Application info

5 (E60, E61) (07/03-08/10)

Shock absorber
326 725 0018
 33 52 6 786 524

Notes

 Top pin
 Bottom eye
 Gas Pressure
 Twin-Tube
 Rear Axle

References

33 52 6 766 587

33 52 6 786 524


Application info

5 (E60, E61) (07/03-08/10)

Shock absorber
326 725 0009
 33 52 6 789 380

Notes

 Bottom eye
 Top pin
 Gas Pressure
 Twin-Tube
 Rear Axle

References

 33 52 6 784 019
 33 52 6 789 379
 33 52 6 789 380

 33 52 6 789 381
 33 52 6 798 786
 33 52 6 855 966

Application info

5 (F10, F11) (03/10-12/11)

6 (F12, F13) (11/10-12/12)

7

326 725 0027
33 52 6 793 714

Shock absorber

Notes

Bottom Pin
Top pin
Gas Pressure
Twin-Tube
Rear Axle

References

33 52 6 788 495
33 52 6 788 496

33 52 6 793 714

Application info

X1 (E84) (03/09--)

326 725 0029
33 52 6 797 771

Shock absorber

Notes

Bottom eye
Top pin
Gas Pressure
Twin-Tube
Rear Axle

References

33 52 6 784 114
33 52 6 784 115

33 52 6 797 771
33 52 6 797 772

Application info

5 (F10, F11) (03/10-12/11)

314 641 0003
31 30 6 775 098

Strut mount



Notes

Rubber-metal Bearing
Steel
with ball bearing
Front Axle

References

31 30 6 767 451

31 30 6 775 098

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

5 (E60, E61) (07/03-08/10)
X1 (E84) (03/09--)

Strut mount
300 313 3109

31 30 6 779 604

Notes

 without ball bearing
 Front Axle

References

 31 30 6 779 604
 31 33 1 096 311

31 33 6 769 584


Application info

X5 (E53) (05/00-)

Strut mount
300 313 3106

31 33 1 090 611

Notes

 without ball bearing
 Front Axle

References

31 33 1 090 611


Application info

7 (E38) (10/94-11/01)

Strut mount
300 313 3114

31 33 1 091 708

Notes

 without ball bearing
 Front Axle

References

31 33 1 091 708


Application info

5 (E39) (11/95-05/04)

Z8 (E52) (06/00-06/03)

300 313 3103
31 33 1 091 709

Strut mount



Notes

with ball bearing
Front Axle

References

31 33 1 091 709

Application info

5 (E39) (11/95-05/04)

300 313 3101
31 33 1 110 195

Strut mount



Notes

with ball bearing
Front Axle

References

31 33 1 110 195

Application info

3 (E21) (06/75-03/84)

300 313 3119
31 33 1 139 436

Strut mount



Notes

with ball bearing
Front Axle

References

31 33 1 135 577

31 33 1 139 436

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

8 (E31) (04/90-12/99)

Strut mount



300 313 3112/HD

31 33 1 139 438

Notes

with ball bearing
Front Axle

Reinforced Version

References

31 33 1 139 438



Application info

7 (E32) (09/86-09/94)

Strut mount

300 313 3108

31 33 1 139 452

Notes

with ball bearing
Front Axle

References

31 33 1 124 508

31 33 1 139 452



Application info

3 (E30) (09/82-06/94)

5 (E28) (06/81-12/87)

5 (E34) (12/87-01/97)

6 (E24) (04/76-09/90)

Z1 (06/88-06/91)

Strut mount

300 313 3601

31 33 6 760 943

Notes

Rubber-metal Bearing
Aluminium
with ball bearing
Front Axle

References

31 33 6 760 943

31 33 6 769 582



7

+

300 313 3601
31 33 6 760 943

Strut mount

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E46) (02/98-12/07)
3 (E90, E91, E92, E93) (01/05-05/12)
5 (E39) (11/95-05/04)

5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)
X1 (E84) (03/09--)
X3 (E83) (01/04-12/08)

314 641 0005
31 33 6 779 612

Strut mount



Notes

without ball bearing
Front Axle

References

31 33 6 753 966

31 33 6 779 612

Application info

7 (E65, E66) (11/01-08/05)

314 641 0001
31 33 6 779 613

Strut mount



Notes

Aluminium
with ball bearing
Front Axle

References

31 33 1 090 467
31 33 1 092 885
31 33 1 135 582
31 33 6 759 871

31 33 6 764 947
31 33 6 769 585
31 33 6 779 613

Application info

3 (E36) (09/90-08/00)
Z3 (E36/7, E36/8) (10/95-06/03)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

Strut mount
314 741 0002

33 50 3 450 542

Notes

 without ball bearing
 Rear Axle

References

33 50 3 413 925

33 50 3 450 542


Application info

X3 (E83) (01/04-12/08)

Strut mount
300 335 2106

33 52 1 091 710

Notes

 without ball bearing
 Rear Axle

References

33 52 1 091 710


Application info

5 (E39) (11/95-05/04)

Strut mount

300 335 9102/HD

33 52 1 092 362

Notes

 with seal
 without ball bearing
 Rear Axle

 Slim Set
 Reinforced Version

References

33 50 4 035 929

33 52 1 137 972

33 50 4 035 931

33 52 6 754 096

33 52 1 092 362

33 52 6 779 670

33 52 1 125 554

37 12 1 133 412

33 52 1 128 819



300 335 9102/HD
33 52 1 092 362

Strut mount 

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
Z1 (06/88-06/91)

Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

300 335 2110
33 52 1 093 416

Strut mount



Notes

without ball bearing
Rear Axle

References

33 52 1 093 416

Application info

5 (E39) (11/95-05/04)

300 335 2108
33 52 1 094 091

Strut mount



Notes

without ball bearing
Rear Axle

References

33 52 1 091 238

33 52 1 094 091

Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Strut mount

300 355 2105/HD

33 52 1 132 088

Notes

Alternative Repair Kit

 Piece
 300 355 1105/HD
 without ball bearing
 Rear Axle

Reinforced Version

References

33 52 1 132 088


Application info

7 (E32) (09/86-09/94)

Strut mount

300 335 1104/HD

33 52 1 132 270

Notes

Reinforced Version

 Kit
 without ball bearing
 Rear Axle

References

33 52 1 132 078

33 52 1 132 270

Parts list

300 335 2104/HD

Strut mount


Application info

5 (E34) (12/87-01/97)

Strut mount

300 335 2104/HD

33 52 1 132 270

Notes

Alternative Repair Kit

 Piece
 300 335 1104/HD
 without ball bearing
 Rear Axle

Reinforced Version

References

33 52 1 132 078

33 52 1 132 270


Application info

5 (E34) (12/87-01/97)

7

314 741 0001
33 52 6 768 544

Strut mount



Notes

without ball bearing
Lower
Rear Axle

References

33 52 6 768 544

33 52 6 772 811

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

X1 (E84) (03/09--)

300 335 2109
33 52 6 773 669

Strut mount



Notes

without ball bearing
Rear Axle

References

33 52 1 097 272

33 52 6 773 669

Application info

X5 (E53) (05/00--)

314 741 0000
33 52 6 779 611

Strut mount



Notes

Inner Diameter [mm]

12
without ball bearing
Rear Axle

References

33 52 6 753 810
33 52 6 769 744

33 52 6 779 611

Application info

5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)

7 (E65, E66) (11/01-08/05)

Strut mount



300 371 2102/HD

37 12 1 129 867

Notes

Reinforced Version

References

37 12 1 129 867

Piece
without ball bearing
Rear Axle



Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

Dust cap, wheel bearing



300 312 1103

31 20 6 777 789

References

31 20 6 777 789

31 21 1 130 124



Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)
6 (E24) (04/76-09/90)

7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

Mount, wheel bearing housing

316 010 0004

33 30 6 852 895

Notes

Inner Diameter [mm]
Outer Diameter [mm]
Height [mm]

12
45
57
Rear Axle Right
Rear Axle Left

References

33 30 6 852 895
33 32 1 138 722

33 32 1 140 345
33 32 6 775 551



7



316 010 0004
33 30 6 852 895

Mount, wheel bearing housing

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)
Z4 (E89) (05/09--)

316 010 4347
33 32 2 347 944*

Mount, wheel bearing housing



Notes

	with accessories
Inner Diameter [mm]	16
Outer Diameter [mm]	57
Height [mm]	68
	Rear Axle Right
	Rear Axle Left

References

33 32 1 090 504	33 32 6 750 371
33 32 1 095 631	33 32 6 767 748
33 32 2 347 944*	

Application info

5 (E39) (11/95-05/04)
5 (E60, E61) (07/03-08/10)
6 (E63, E64) (01/04--)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01-08/05)
X5 (E53) (05/00--)
Z8 (E52) (06/00-06/03)

316 010 0012
33 32 6 770 985

Mount, wheel bearing housing



Notes

Inner Diameter [mm]	16
Outer Diameter [mm]	52
Height [mm]	67
	Lower
	Rear Axle Right
	Rear Axle Left

References

33 32 6 770 985

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

Mount, wheel bearing housing
316 710 0001
 33 32 6 775 552

Notes

Inner Diameter [mm]	14
Outer Diameter [mm]	47
Height [mm]	55
	Outer
	Rear Axle Right
	Rear Axle Left

References

33 32 6 756 249	33 32 6 792 553
33 32 6 775 552	


Application info

1 (E81, E82, E87, E88) (11/03-09/12)	3 (F30, F31) (10/11--)
1 (F20, F21) (11/10--)	3 (F34) (03/13--)
2 (F22, F23, F46) (10/13--)	4 (F32, F33, F36) (07/13--)
3 (E90, E91, E92, E93) (01/05-05/12)	X1 (E84) (03/09--)

Mount, wheel bearing housing
314 710 0017
 33 32 6 790 493

Notes

Inner Diameter [mm]	14
Outer Diameter [mm]	47
Height [mm]	62
	Rear
	Rear Axle Left
	Rear Axle Right

References

33 32 6 790 493

Application info

X3 (F25) (09/10--)	X4 (F26) (04/14--)
--------------------	--------------------

Wheel bearing
100 405 0101
 31 21 1 101 115*

Notes

Alternative Repair Kit	100 598 0101/SK
Alternative Repair Kit	100 598 0101
Inner Diameter [mm]	29
Outer Diameter [mm]	50
Height [mm]	14.73
	inner
	Rear Axle

References

31 21 1 101 115*



100 405 0101

31 21 1 101 115*

Wheel bearing

Application info

3 (E21) (06/75-03/84)

300 334 1102

31 21 1 132 284

Wheel bearing



Notes

Alternative Repair Kit	300 334 1102/S
Inner Diameter [mm]	42
Outer Diameter [mm]	75
Height [mm]	37
	Rear Axle

References

31 21 1 129 256	33 41 1 130 617
31 21 1 132 284	33 41 1 468 747

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)

Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

014 098 0024

31 21 2 634 103

Wheel bearing



Notes

Alternative Repair Kit	614 750 0009
Alternative Repair Kit	714 502 0006
Alternative Repair Kit	014 033 0048
Alternative Repair Kit	100 498 0023
Alternative Repair Kit	100 598 0002
Inner Diameter [mm]	19
Outer Diameter [mm]	45
Height [mm]	17

References

31 21 2 634 103

Application info

3 (E21) (06/75-03/84)
5 (E12) (08/72-08/81)

6 (E24) (04/76-09/90)

Wheel bearing
100 405 0201

31 21 2 634 104

Notes

Alternative Repair Kit	100 598 0101
Alternative Repair Kit	100 598 0101/SK
Inner Diameter [mm]	17.5
Outer Diameter [mm]	40
Height [mm]	15

References

31 21 2 634 104


Application info

3 (E21) (06/75-03/84)

Wheel bearing
300 334 1103

33 41 1 123 415

Notes

Alternative Repair Kit	300 334 1103/S
Inner Diameter [mm]	37
Outer Diameter [mm]	74
Height [mm]	45
	Rear Axle

References

33 41 1 123 415


Application info

5 (E28) (06/81-12/87)

5 (E34) (12/87-01/97)

Wheel bearing
300 334 1101

33 41 1 124 358

Notes

Alternative Repair Kit	300 334 1101/S
Inner Diameter [mm]	39
Outer Diameter [mm]	72
Height [mm]	37

References

33 41 1 124 358

33 41 1 468 928


Application info

3 (E30) (09/82-06/94)

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

7

300 334 1100
33 41 1 134 549

Wheel bearing



Notes

Alternative Repair Kit	300 334 1100/S
Inner Diameter [mm]	42
Outer Diameter [mm]	80
Height [mm]	42
	Rear Axle

References

33 41 1 123 426	33 41 1 133 124
33 41 1 131 670	33 41 1 134 549
33 41 1 133 123	

Application info

5 (E28) (06/81-12/87)	7 (E23) (05/77-08/86)
5 (E34) (12/87-01/97)	7 (E32) (09/86-09/94)
6 (E24) (04/76-09/90)	

300 312 1111/S
31 20 3 450 600

Wheel bearing kit



Notes

	with add-on material
Inner Diameter [mm]	49
Outer Diameter [mm]	90
Height [mm]	45
	Front Axle left and right

References

31 20 3 450 600	31 22 6 783 913
31 22 6 751 978	

Application info

3 (E90, E91, E92, E93) (01/05-05/12)	X3 (E83) (01/04-12/08)
5 (E60, E61) (07/03-08/10)	X5 (E53) (05/00--)

300 334 1105
33 41 1 090 505*

Wheel bearing kit



Notes

	with add-on material for vehicles with ABS
Inner Diameter [mm]	45
Outer Diameter [mm]	85
Height [mm]	41
	Rear Axle left and right

References

33 41 1 090 505*	33 41 1 468 904
33 41 1 137 685	

Wheel bearing kit
300 334 1105

33 41 1 090 505*


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)
 X3 (E83) (01/04-12/08)

 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)
 Z8 (E52) (06/00-06/03)

Wheel bearing kit
300 334 1103/S

33 41 1 123 415*

Notes

	with accessories
Inner Diameter [mm]	37
Outer Diameter [mm]	74
Height [mm]	45
	Rear Axle left and right

References

33 41 1 123 415*

Parts list

300 334 1103	Wheel bearing
--------------	---------------


Application info

5 (E28) (06/81-12/87)

5 (E34) (12/87-01/97)

Wheel bearing kit
300 334 1101/S

33 41 1 124 358*

Notes

	with add-on material
Inner Diameter [mm]	39
Outer Diameter [mm]	72
Height [mm]	37
	Rear Axle left and right

References

33 41 1 124 358*

Parts list

300 334 1101	Wheel bearing
--------------	---------------


Application info

 3 (E30) (09/82-06/94)
 3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

300 334 1102/S

33 41 1 130 617

Wheel bearing kit



Notes

Inner Diameter [mm]
Outer Diameter [mm]
Height [mm]

with accessories
42
75
37
Rear Axle left and right

References

31 21 1 129 256
31 21 1 132 284
33 41 1 130 617

33 41 1 468 747
33 41 2 220 987

Parts list

300 334 1102

Wheel bearing

Application info

3 (E30) (09/82-06/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)

Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

300 334 1100/S

33 41 1 134 549

Wheel bearing kit



Notes

Inner Diameter [mm]
Outer Diameter [mm]
Height [mm]

with accessories
42
80
42
Rear Axle left and right

References

33 41 1 123 426
33 41 1 131 670

33 41 1 133 123
33 41 1 134 549

Parts list

300 334 1100

Wheel bearing

Application info

5 (E28) (06/81-12/87)
5 (E34) (12/87-01/97)
6 (E24) (04/76-09/90)

7 (E23) (05/77-08/86)
7 (E32) (09/86-09/94)

314 752 0002

33 41 6 762 314

Wheel bearing kit



Notes

Inner Diameter [mm]
Outer Diameter [mm]
Height [mm]

with add-on material
45
80
37
Rear Axle left and right

References

33 41 6 762 314

33 41 6 764 180

Wheel bearing kit
314 752 0002
 33 41 6 762 314

Application info

X5 (E53) (05/00--)

Wheel bearing kit
314 750 0000
 33 41 6 762 317*

Notes

	with add-on material
Inner Diameter [mm]	42
Outer Diameter [mm]	75
Height [mm]	37
	Rear Axle left and right

References

33 41 6 762 317*


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

Wheel bearing kit
300 750 0001
 33 41 6 762 321

Notes

	with add-on material
Inner Diameter [mm]	45
Outer Diameter [mm]	85
Height [mm]	41
	Rear Axle left and right

References

33 41 6 762 321

33 41 6 762 322


Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

7

314 750 0004
33 41 6 795 961

Wheel bearing kit



Notes

Inner Diameter [mm]	51
Outer Diameter [mm]	100
Height [mm]	50
Number of Holes	4
	Rear Axle left and right

References

33 41 6 770 974	33 41 6 795 961
-----------------	-----------------

Application info

X5 (E70) (02/07-03/10)

X6 (E71) (05/08--)

300 312 2105
31 20 4 081 309

Wheel hub

Notes

Outer Diameter [mm]	145
Bolt Hole Circle Ø [mm]	120
Rim Hole Number	5
	with add-on material
	with integrated wheel bearing
	with integrated ABS sensor
	Front Axle left and right

References

31 20 4 081 309	31 20 6 791 007
31 20 6 775 771	31 20 6 850 158

Application info

5 (F07) (10/09-12/10)
5 (F10, F11) (03/10-12/11)

6 (F12, F13) (11/10-12/12)
7 (F01, F02, F03, F04) (06/08--)

300 312 2104
31 20 6 795 959

Wheel hub



Notes

Outer Diameter [mm]	144
Bolt Hole Circle Ø [mm]	120
Rim Hole Number	5
	with add-on material
	Four-point mounting
	with fastening material
	with integrated wheel bearing
	Front Axle left and right

References

31 20 6 779 735	31 20 6 795 959
-----------------	-----------------

Wheel hub
300 312 2104
 31 20 6 795 959

Application info

 X5 (E70) (02/07-03/10)
 X5 (F15) (11/12--)

 X6 (E71) (05/08--)
 X6 (F16) (08/14--)

Wheel hub
300 312 1101
 31 21 1 129 386

Notes

	without add-on material
Number of Teeth, ABS ring	48
Diameter [mm]	97
Inner Diameter [mm]	37
Outer Diameter [mm]	139
Bolt Hole Circle Ø [mm]	120
Rim Hole Number	5
	with ABS sensor ring
	with integrated wheel bearing
	Front Axle left and right


References

31 21 1 129 386	31 21 2 226 640
31 21 1 468 751	

Application info

 5 (E34) (12/87-01/97)
 7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

Wheel hub
300 312 1102
 31 21 1 131 297

Notes

	without add-on material
Number of Teeth, ABS ring	48
Inner Diameter [mm]	31
Outer Diameter [mm]	120
Bolt Hole Circle Ø [mm]	100
Thread Size	M12x1,5
Rim Hole Number	4
	with ABS sensor ring
	with integrated wheel bearing
	Front Axle left and right


References

31 21 1 128 157	31 21 1 131 297
31 21 1 128 569	

Application info

3 (E30) (09/82-06/94)

Z1 (06/88-06/91)

300 312 1102/S

31 21 1 131 297*

Wheel hub



Notes

Number of Teeth, ABS ring	48
Inner Diameter [mm]	31
Outer Diameter [mm]	120
Bolt Hole Circle Ø [mm]	100
Rim Hole Number	4

with add-on material
with ABS sensor ring
with integrated wheel bearing
Front Axle left and right

References

31 21 1 128 157	31 21 1 131 297*
31 21 1 128 569	

Parts list

300 312 1102	Wheel hub
--------------	-----------

Application info

3 (E30) (09/82-06/94)

Z1 (06/88-06/91)

300 312 1107

31 21 6 765 157

Wheel hub



Notes

Outer Diameter [mm]	147
Bolt Hole Circle Ø [mm]	115
Rim Hole Number	5

without add-on material
Four-point mounting
with integrated wheel bearing
Front Axle left and right

References

31 21 6 765 157

Application info

1 (E81, E82, E87, E88) (11/03-09/12)
3 (E90, E91, E92, E93) (01/05-05/12)

Z4 (E89) (05/09--)

Wheel hub

300 312 2103

31 22 1 092 519

Notes

Inner Diameter 1 [mm]	without add-on material
Outer Diameter [mm]	27
Bolt Hole Circle Ø [mm]	139
Rim Hole Number	120
	5
	with integrated sensor ring
	with integrated wheel bearing
	Front Axle left and right

References

31 21 1 137 996	31 22 1 092 519
-----------------	-----------------



Application info

7 (E38) (10/94-11/01)

Wheel hub

300 312 2101

31 22 1 093 427

Notes

Inner Diameter [mm]	with add-on material
Outer Diameter [mm]	for vehicles with ABS
Bolt Hole Circle Ø [mm]	62
Rim Hole Number	139
	115
	5
	Four-point mounting
	with wheel studs
	with integrated wheel bearing
	Front Axle left and right

References

31 22 1 093 427



Application info

5 (E39) (11/95-05/04)

300 312 2100

31 22 1 139 345

Wheel hub



Notes

Number of Teeth, ABS ring	48
Diameter [mm]	83
Inner Diameter [mm]	37
Outer Diameter [mm]	139
Bolt Hole Circle Ø [mm]	120
Rim Hole Number	5
	without add-on material
	with ABS sensor ring
	with integrated wheel bearing
	Front Axle left and right

References

31 22 1 139 345	31 22 1 468 926
-----------------	-----------------

Application info

5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

300 312 2100/S

31 22 1 139 345

Wheel hub



Notes

Number of Teeth, ABS ring	48
Diameter [mm]	83
Inner Diameter [mm]	37
Outer Diameter [mm]	139
Bolt Hole Circle Ø [mm]	120
Rim Hole Number	5
	with add-on material
	with ABS sensor ring
	with integrated wheel bearing
	Front Axle left and right

References

31 22 1 139 345	31 22 1 468 926
-----------------	-----------------

Parts list

300 312 2100	Wheel hub
--------------	-----------

Application info

5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

Wheel hub

314 652 0002

31 22 6 750 217

Notes

 Outer Diameter [mm]
 Bolt Hole Circle Ø [mm]
 Rim Hole Number

 with add-on material
 145
 106
 5
 Four-point mounting
 with integrated wheel bearing
 Front Axle left and right

References

31 22 6 750 217



Application info

7 (E65, E66) (11/01-08/05)

Wheel hub

300 652 0001

31 22 6 757 024

Notes

 Number of Teeth, ABS ring
 Inner Diameter 1 [mm]
 Outer Diameter [mm]
 Bolt Hole Circle Ø [mm]
 Rim Hole Number

 without add-on material
 48
 37
 142
 120
 5
 with ABS sensor ring
 with integrated wheel bearing
 Front Axle left and right

References

31 22 6 757 024



Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98-12/07)
 Z3 (E36/7, E36/8) (10/95-06/03)

 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)
7

300 652 0001/S
31 22 6 757 024

Wheel hub



Notes

Number of Teeth, ABS ring
Inner Diameter 1 [mm]
Outer Diameter [mm]
Bolt Hole Circle Ø [mm]
Rim Hole Number

with add-on material
48
37
142
120
5
with ABS sensor ring
with integrated wheel bearing
Front Axle left and right

References

31 22 6 757 024

Parts list

300 652 0001 Wheel hub

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98-12/07)

Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

300 312 1106
31 22 6 765 601

Wheel hub



Notes

Outer Diameter [mm]
Bolt Hole Circle Ø [mm]
Rim Hole Number

with add-on material
143
106
5
Four-point mounting
with wheel studs
with integrated wheel bearing
Front Axle left and right

References

31 22 6 760 177 31 22 6 765 601

Application info

5 (E60, E61) (07/03-08/10)

6 (E63, E64) (01/04--)

314 752 0003
33 41 1 093 567

Wheel hub



Notes

Outer Diameter [mm]
Bolt Hole Circle Ø [mm]
Rim Hole Number

without add-on material
Disc Brake
145
120
5
without wheel bearing
Rear Axle left and right

References

33 41 1 093 567 33 41 1 136 180

Wheel hub
314 752 0003

33 41 1 093 567


Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98-12/07)

Wheel hub
314 752 0001

33 41 1 095 238

Notes

	with add-on material
Inner Diameter [mm]	45
Outer Diameter [mm]	80
Bolt Hole Circle Ø [mm]	106
	with wheel bearing
Number of Holes	4
	Rear Axle left and right


References

33 41 1 095 238

Application info

 5 (E60, E61) (07/03-08/10)
 6 (E63, E64) (01/04--)

 7 (E65, E66) (11/01-08/05)
 X5 (E53) (05/00--)

Wheel hub
300 343 1101

33 41 1 095 652

Notes

	without add-on material
Inner Diameter [mm]	45
Outer Diameter [mm]	80
Bolt Hole Circle Ø [mm]	106
	with integrated sensor ring
	with wheel bearing
Number of Holes	4
	Rear Axle left and right


References

33 41 1 093 102	33 41 1 095 652
33 41 1 093 725	33 41 1 095 654

Application info

5 (E39) (11/95-05/04)

5 (E60, E61) (07/03-08/10)

7

300 343 1101/S
33 41 1 095 652

Wheel hub



Notes

Inner Diameter [mm]	45
Outer Diameter [mm]	90
Bolt Hole Circle Ø [mm]	106
	with integrated sensor ring
	with wheel bearing
Number of Holes	4
	Rear Axle left and right

References

33 41 1 093 102	33 41 1 095 652
33 41 1 093 725	33 41 1 095 654

Parts list

300 343 1101	Wheel hub
--------------	-----------

Application info

5 (E39) (11/95-05/04)

5 (E60, E61) (07/03-08/10)

314 752 0006
33 41 6 760 056

Wheel hub



Notes

Outer Diameter [mm]	without add-on material
	145
Bolt Hole Circle Ø [mm]	120
Rim Hole Number	5
	without wheel bearing
	Rear Axle left and right

References

33 41 6 760 056

Application info

1 (E81, E82, E87, E88) (11/03-09/12)

3 (E90, E91, E92, E93) (01/05-05/12)

MEYLE no.	Ref. no.	Page
BMW		
014 020 1039	12 12 1 288 161	259
	12 23 1 286 058	
	12 23 1 288 245	
014 036 0010	11 15 1 703 775	339
014 036 0011	11 15 1 437 641	340
	11 15 7 532 649	
014 036 0012	11 61 1 432 559	340
014 049 0008	18 21 1 245 113	343
014 098 0024	31 21 2 634 103	622
014 098 9017	26 12 1 103 728	170
	26 12 1 209 590	
	26 12 1 225 071	
014 731 1021	12 31 1 172 002	273
	12 31 1 271 664	
	12 31 1 722 755	
	12 31 1 726 022	
	12 32 1 279 548	
	12 32 1 711 399	
014 731 1023	12 31 1 172 002	274
	12 31 1 271 664	
	12 31 1 722 755	
	12 31 1 726 022	
	12 32 1 279 548	
	12 32 1 711 399	
014 731 1090	12 31 1 710 732	273
014 910 1000	16 11 1 106 487	358
025 204 3715	34 11 1 103 321	104
	34 11 1 103 726	
	34 11 1 103 744	
	34 11 1 111 649	
	34 11 1 117 979	
	34 11 1 159 257	
	34 11 1 160 263	
	34 11 1 160 263	
025 205 8816	34 11 1 117 002	103
	34 11 1 150 523	
	34 11 1 150 524	
	34 11 1 150 527	
	34 11 1 152 655	
	34 11 1 158 270	
	34 11 1 159 249	
34 11 1 159 251		
025 206 2919	34111153203	105
	34111154611	
	34111154612	
	34111155076	
	34111156462	

MEYLE no.	Ref. no.	Page		
BMW				
025 206 7516	34111157510	123		
	34111157561			
	34111157562			
	34111157624			
	34111157923			
	34111157924			
	34111159415			
	34111159416			
	34111161717			
	34112225850			
	34112226084			
	34119061081			
	025 209 6820		34 21 1 153 196	105
			34 21 1 153 913	
			34 21 1 154 398	
34 21 1 154 399				
34 21 1 154 613				
34 21 1 154 614				
34 21 1 155 077				
34 21 1 156 744				
34 21 1 156 745				
34 21 1 156 746				
34 21 1 156 747				
34 21 1 156 748				
34 21 1 156 749				
34 21 1 157 514				
34 21 1 157 757				
34 21 1 157 758				
34 21 1 157 925				
34 21 1 157 926				
34 21 1 158 323				
34 21 1 158 643				
34 21 1 158 912				
34 21 1 159 003				
34 21 1 159 273				
34 21 1 159 276				
34 21 2 226 013				

MEYLE no.	Ref. no.	Page
BMW		
	34 11 1 160 450 34 11 1 160 459 34 11 1 162 535 34 11 2 228 248 34 11 2 229 935 34 11 2 282 554 34 11 2 282 555	
025 209 9517	34 21 1 157 044 34 21 1 157 334 34 21 1 157 563 34 21 1 157 814 34 21 1 158 108 34 21 1 158 221 34 21 1 158 266 34 21 1 158 270 34 21 1 158 562 34 21 1 158 642 34 21 1 159 814 34 21 1 160 198 34 21 1 160 199 34 21 1 162 536 34 21 2 225 860 34 21 2 225 865 34 21 2 226 092 34 21 6 761 253	124
025 211 7317	34 11 1 154 442 34 11 1 154 443 34 11 1 155 998 34 11 1 155 999 34 11 1 156 898 34 11 1 156 899 34 11 1 157 747 34 11 1 157 748 34 11 1 160 522 34 11 1 161 057 34 11 1 161 347 34 11 1 161 349 34 11 1 162 481 34 11 9 058 982 34 11 9 058 989	104
025 212 8217	34 21 6 776 937	133
025 212 8217/PD	34 21 6 776 937	133
025 214 7118	34 11 1 162 210 34 11 1 162 900 34 11 1 163 921 34 11 1 163 922	109

MEYLE no.	Ref. no.	Page
BMW		
	34 11 1 163 923 34 11 2 227 334 34 11 2 227 863 34 11 6 761 249	
025 214 8619	34 11 1 163 307 34 11 1 165 227 34 11 2 229 031 34 11 3 427 503 34 11 6 761 252	138
025 214 8619/PD	34 11 1 163 307 34 11 1 165 227 34 11 2 229 031 34 11 3 427 503 34 11 6 761 252	109
025 214 8717	34 21 1 163 324 34 21 1 163 326 34 21 1 164 581 34 21 1 164 582 34 21 3 403 241 34 21 6 750 160 34 21 6 752 632 34 21 6 761 240 34 21 6 761 248 34 21 6 761 250 34 21 6 761 251 34 21 6 790 071	126
025 214 8717/PD	34 21 1 163 324 34 21 1 163 326 34 21 1 164 581 34 21 1 164 582 34 21 3 403 241 34 21 6 750 160 34 21 6 752 632 34 21 6 761 240 34 21 6 761 248 34 21 6 761 250 34 21 6 761 251 34 21 6 790 071	128
025 216 0717	34 21 1 162 446 34 21 1 165 233 34 21 6 761 238	127
025 216 0717/PD	34 21 1 162 446 34 21 1 165 233 34 21 6 761 238	127
025 216 7720	34 11 1 163 387 34 11 1 163 953	110

MEYLE no.	Ref. no.	Page
BMW		
	34 11 1 164 330 34 11 1 164 331 34 11 6 761 277 34 11 6 761 279	
025 216 7720/PD	34 11 1 163 387 34 11 1 163 953 34 11 1 164 330 34 11 1 164 331 34 11 6 761 277 34 11 6 761 279	110
025 216 9117	34 21 1 163 395 34 21 6 761 281	129
025 216 9117/PD	34 21 1 163 395 34 21 6 761 281	129
025 219 3417	34 21 1 160 340 34 21 1 160 533 34 21 1 161 455 34 21 1 164 499 34 21 1 164 501 34 21 1 165 235 34 21 6 750 190 34 21 6 761 239 34 21 6 761 241 34 21 6 778 168	127
025 219 3417/PD	34 21 1 160 340 34 21 1 160 533 34 21 1 161 455 34 21 1 164 499 34 21 1 164 501 34 21 1 165 235 34 21 6 750 190 34 21 6 761 239 34 21 6 761 241 34 21 6 778 168	128
025 219 9020	-	139
025 219 9020/PD	-	139
025 231 8320	34 11 3 404 362 34 11 6 750 148 34 11 6 754 705 34 11 6 761 243 34 11 6 779 652	107
025 231 8320/PD	34 11 3 404 362 34 11 6 750 148 34 11 6 754 705 34 11 6 761 243	107

MEYLE no.	Ref. no.	Page
BMW		
	34 11 6 779 652	
025 232 8717	34 11 1 160 356 34 11 1 160 357 34 11 1 160 532 34 11 1 161 437 34 11 1 161 438 34 11 1 161 445 34 11 1 161 446 34 11 1 163 850 34 11 1 164 498 34 11 1 164 500 34 11 1 165 555 34 11 2 157 570 34 11 6 752 482 34 11 6 752 731 34 11 6 756 128 34 11 6 761 237 34 11 6 761 242 34 11 6 761 244 34 11 9 070 047 34 21 2 157 575	108
025 232 8717/PD	34 11 1 160 356 34 11 1 160 357 34 11 1 160 532 34 11 1 161 437 34 11 1 161 438 34 11 1 161 445 34 11 1 161 446 34 11 1 163 850 34 11 1 164 498 34 11 1 164 500 34 11 1 165 555 34 11 2 157 570 34 11 6 752 482 34 11 6 752 731 34 11 6 756 128 34 11 6 761 237 34 11 6 761 242 34 11 9 070 047 34 21 2 157 575	108
025 233 1320	34 11 6 780 711	116
025 233 1320/PD	34 11 6 780 711	116
025 233 4720	34 11 2 283 764 34 11 2 283 865 34 11 6 753 668	106

MEYLE no.	Ref. no.	Page
BMW		
	34 11 6 761 283 34 11 6 761 284 34 11 6 763 089 34 11 6 763 591 34 11 6 764 540 34 11 6 767 191 34 11 6 767 580 34 11 6 781 873 34 11 6 794 915 34 11 6 794 918	
025 233 4720/PD	34 11 2 283 764 34 11 2 283 865 34 11 6 753 668 34 11 6 761 283 34 11 6 761 284 34 11 6 763 089 34 11 6 763 591 34 11 6 764 540 34 11 6 767 191 34 11 6 767 580 34 11 6 781 873 34 11 6 794 915 34 11 6 794 918	106
025 234 4717	34 21 6 753 850 34 21 6 758 870 34 21 6 761 285	130
025 234 4717/PD	34 21 6 753 850 34 21 6 758 870 34 21 6 761 285	130
025 234 4821	34 11 6 756 350 34 11 6 761 282	111
025 234 4821/PD	34 11 6 756 350 34 11 6 761 282	111
025 235 5017	34 21 6 769 105 34 21 6 775 678 34 21 6 791 938	132
025 235 5017/PD	34 21 6 769 105 34 21 6 775 678 34 21 6 791 938	132
025 236 2316	34 21 6 767 145 34 21 6 767 146 34 21 6 774 417 34 21 6 777 240 34 21 6 779 294 34 21 6 788 183	134
025 236 2316/PD	34 21 6 767 145	134

MEYLE no.	Ref. no.	Page
BMW		
	34 21 6 767 146 34 21 6 774 417 34 21 6 777 240 34 21 6 779 294 34 21 6 788 183	
025 237 3017	34 11 0 301 476 34 11 6 763 305 34 21 0 403 290 34 21 2 283 366 34 21 2 284 296 34 21 2 284 685 34 21 6 757 536 34 21 6 761 286 34 21 6 768 471	124
025 237 3017/PD	34 11 0 301 476 34 11 6 763 305 34 21 0 403 290 34 21 2 283 366 34 21 2 284 296 34 21 2 284 685 34 21 6 757 536 34 21 6 761 286 34 21 6 768 471	125
025 237 3116	34 21 6 775 342 34 21 6 790 966	136
025 237 3116/PD	34 21 6 775 342 34 21 6 790 966	136
025 237 3217	34 21 6 763 043 34 21 6 763 044	130
025 237 3217/PD	34 21 6 763 043 34 21 6 763 044	131
025 237 9120	34 11 0 300 361 34 11 2 284 065 34 11 6 763 652 34 11 6 764 312 34 11 6 768 287 34 11 6 770 575 34 11 6 774 258	112
025 237 9120/PD	34 11 0 300 361 34 11 2 284 065 34 11 6 763 652 34 11 6 764 312 34 11 6 768 287 34 11 6 770 575 34 11 6 774 258	113
025 237 9420	34 11 2 339 267	111

MEYLE no.	Ref. no.	Page
BMW		
	34 11 2 339 268 34 11 6 763 617 34 11 6 763 618	
025 237 9420/PD	34 11 2 339 267 34 11 2 339 268 34 11 6 763 617 34 11 6 763 618	112
025 239 1517	34 11 6 767 143 34 11 6 767 144 34 11 6 771 837 34 11 6 771 838 34 11 6 774 050	115
025 239 2617	34 21 6 767 148 34 21 6 767 150 34 21 6 773 161 34 21 6 774 692	131
025 239 2617/PD	34 21 6 767 148 34 21 6 767 150 34 21 6 773 161 34 21 6 774 692	132
025 239 3517	34 11 6 769 763 34 11 6 769 951	113
025 239 3517/PD	34 11 6 769 763 34 11 6 769 951	114
025 240 9620	34 11 6 769 099 34 11 6 769 100 34 11 6 771 868 34 11 6 771 972 34 11 6 777 772 34 11 6 797 859 34 11 6 799 166	114
025 241 6120	34 11 6 776 161 34 11 6 783 542 34 11 6 794 917	118
025 241 6120/PD	34 11 6 776 161 34 11 6 783 542 34 11 6 794 917	119
025 241 7019	34 11 4 074 370 34 11 6 778 403 34 11 6 779 293 34 11 6 852 253	121
025 241 7019/PD	34 11 4 074 370 34 11 6 778 403 34 11 6 779 293 34 11 6 852 253	122
025 241 7219	34 11 6 778 048	118

MEYLE no.	Ref. no.	Page
BMW		
	34 11 6 791 514	
025 241 7219/PD	34 11 6 778 048 34 11 6 791 514	118
025 243 1517	34 21 6 784 808 34 21 6 791 421	135
025 243 1617	34 11 6 784 807 34 11 6 786 044	117
025 243 1617/PD	34 11 6 784 807 34 11 6 786 044	117
025 245 5918	34 21 6 788 275	135
025 245 5918/PD	34 21 6 788 275	135
025 245 6118	34 21 6 788 284 34 21 6 796 741 34 21 6 798 193 34 21 6 862 202	137
025 245 6118/PD	34 21 6 788 284 34 21 6 796 741 34 21 6 798 193 34 21 6 862 202	137
025 246 8820	34 11 6 775 314 34 11 6 850 885	120
025 246 8820/PD	34 11 6 775 314 34 11 6 850 885	120
025 246 9719	34 11 6 775 310 34 11 6 856 591 34 11 6 858 047	115
025 246 9719/PD	34 11 6 775 310 34 11 6 856 591 34 11 6 858 047	116
025 247 0318	34 21 2 284 389 34 21 2 284 466 34 21 6 775 346	125
025 247 0318/PD	34 21 2 284 389 34 21 2 284 466 34 21 6 775 346	126
025 250 1418	34 11 6 850 567 34 11 6 858 910	123
025 250 2916	34 21 6 855 474	137
025 250 4519	34 11 6 775 318 34 11 6 775 322 34 11 6 851 269	120
025 250 4519/PD	34 11 6 775 318 34 11 6 775 322 34 11 6 851 269	121
025 251 9919	34 10 6 859 181 34 10 6 859 182	122

MEYLE no.	Ref. no.	Page
BMW		
	34 11 4 073 936 34 11 6 798 978 34 11 6 854 126 34 11 6 856 193	
025 253 0717	34 21 6 850 569 34 21 6 873 093	138
025 255 0618	34 11 6 850 568	119
028 271 0004	11 53 1 571 083 11 53 1 712 043 11 53 1 721 002 11 53 1 721 003 11 53 1 721 004 11 53 1 733 803 11 53 1 743 528 11 53 1 743 542 11 53 7 511 083 11 53 7 511 580	325
028 271 0005	11 53 1 710 953 11 53 1 710 954 11 53 1 713 040	323
028 275 0003	11 53 1 571 083 11 53 1 712 043 11 53 1 721 002 11 53 1 721 003 11 53 1 721 004 11 53 1 733 803 11 53 1 743 528 11 53 1 743 542 11 53 7 511 083 11 53 7 511 580	325
028 280 0004	11 53 1 710 953 11 53 1 710 954 11 53 1 713 040	323
028 288 0000	11 53 1 571 083 11 53 1 712 043 11 53 1 721 002 11 53 1 721 003 11 53 1 721 004 11 53 1 733 803 11 53 1 743 528 11 53 1 743 542 11 53 7 511 083 11 53 7 511 580	326
028 292 0005	11 53 1 571 083 11 53 1 712 043 11 53 1 721 002	326

MEYLE no.	Ref. no.	Page
BMW		
	11 53 1 721 003 11 53 1 721 004 11 53 1 733 803 11 53 1 743 528 11 53 1 743 542 11 53 7 511 083 11 53 7 511 580	
028 295 0001	11 53 1 247 125 11 53 1 432 881 11 53 1 739 755	324
029 280 1212	-	24
029 290 1110	61 62 7 138 508	25
029 290 1111	61 62 7 129 280	25
029 330 1311	-	25
029 350 1412	-	26
029 350 1414	61 62 7 118 207	24
029 350 1416	-	26
050 007 1855	11287568247	285
100 325 0005	24 34 1 423 376	200
100 405 0101	31 21 1 101 115*	621
100 405 0201	31 21 2 634 104	623
100 498 0091/SK	31 60 7 507 402	170
100 525 0012	34 32 2 227 489	158
100 620 0007	32 10 6 765 782 32 10 6 785 993	417
100 698 0008	34 11 1 153 200 34 11 1 157 041 34 11 1 158 200	139
100 900 0000	11 76 1 277 565	263
100 919 0013	12 62 1 288 158 13 62 1 288 158	265
100 953 0012	61 31 1 366 727 61 31 1 371 907	280
100 955 0002	61 66 1 368 589	23
100 955 0006	67 12 8 362 154 67 12 8 377 612	23
11-13 220 0020	11 51 7 550 484 11 51 7 648 827 11 51 8 604 888	332
300 022 0163	12 23 2 241 387 12 23 2 241 389	258
300 114 2101	11 42 1 436 982	369
300 114 2102	11 42 1 432 097 11 42 1 716 192	371
300 114 2103	11 42 1 709 514 11 42 1 709 856	371

MEYLE no.	Ref. no.	Page
BMW		
	11 42 1 709 865 11 42 1 727 300	
300 114 2104	11 42 1 711 568 11 42 1 730 389 11 42 7 833 768	371
300 114 2200	11 42 2 247 392 11 42 8 513 375 11 42 8 513 376	373
300 114 2701	11 42 1 427 908 11 42 1 740 534 11 42 7 509 430 11 42 7 512 300	374
300 114 2901	11 42 1 267 268 11 42 1 718 816 11 42 9 061 199 11 42 9 063 138	377
300 115 0002	11 52 1 712 058	299
300 115 0003	11 52 1 278 716 11 52 1 284 681 11 52 1 719 040 11 52 1 719 267	299
300 115 0004	11 52 1 719 265 11 52 1 723 363 11 52 1 723 573	300
300 115 0005	11 52 1 712 110	299
300 115 0006	17 41 7 504 732	301
300 115 3102	11 53 1 740 478	290
300 118 1100	11 81 1 130 428 11 81 1 175 979 11 81 1 176 211 11 81 1 176 212	381
300 118 1101	11 81 1 132 323 11 81 1 246 437	382
300 118 1102	11 81 1 129 286 11 81 1 176 387	381
300 118 1103	11 81 1 128 932 11 81 1 176 077 11 81 1 176 141	380
300 118 1105	11 81 1 132 321 11 81 1 175 212	381
300 118 1106	11 81 1 137 238 11 81 1 137 775 11 81 1 141 377	384
300 118 1107	11 81 1 092 583 11 81 1 140 985 22 11 1 095 444	394

MEYLE no.	Ref. no.	Page
BMW		
	22 11 6 771 361 22 11 6 779 970	
300 118 1111	11 81 1 175 736	384
300 118 1115	11 81 1 141 889	384
300 118 1120	11 81 1 133 364	382
300 118 1123	11 81 1 094 149 11 81 1 139 819 11 81 4 407 513	380
300 118 1124	11 81 1 094 150 11 81 1 139 820 11 81 4 407 514	380
300 118 1126	11 81 1 138 879	383
300 118 1127	11 81 1 135 773	382
300 123 1101	12 31 1 268 433 12 31 8 602 181	396
300 123 1102	12 31 1 268 435	396
300 123 1103	12 31 1 715 490	396
300 123 1104	12 31 1 715 491	397
300 135 0001	24 34 1 423 376	218
300 135 0002	24 34 1 422 673	218
300 135 0007	24 11 7 624 192 24 11 8 612 901	216
300 135 0301	24 11 7 557 069	214
300 135 0302	24 11 7 557 070	214
300 135 0303	24 11 7 557 071 24 15 2 333 825	215
300 135 0304	24 11 7 593 565	215
300 135 1004	24 15 2 333 907	217
300 135 1005	24 15 2 333 903	217
300 135 1006	24 11 7 543 550* 24 15 2 333 899	216
300 135 4101	13 54 1 738 757	366
300 135 4103	13 54 1 726 634	365
300 137 0002	24 11 7 543 550	192
300 137 1102	13 71 1 726 208	365
300 137 1107	13 71 1 726 205 13 71 1 726 325	365
300 171 1101	17 11 1 712 660	322
300 171 1103	17 11 1 723 520	294
300 171 1104	17 11 1 712 835	293
300 221 1101	22 11 1 094 813 22 11 6 771 359 22 11 6 779 971 22 11 6 785 583	395
300 221 1102	22 11 1 094 814 22 11 6 771 360	394

MEYLE no.	Ref. no.	Page
BMW		
	22 11 6 779 972	
300 221 1103	22 11 1 092 823 22 11 1 092 895 22 11 1 141 791	385
300 221 1104	22 11 1 092 824 22 11 1 092 896 22 11 1 141 792	385
300 221 1113	22 11 6 768 799	390
300 221 1114	22 11 6 768 800	390
300 221 1115	22 11 6 768 852	390
300 221 1116	22 11 6 768 853	391
300 221 1117	22 11 6 761 091 22 11 6 770 725 22 11 6 774 619	393
300 221 1118	22 11 6 761 092 22 11 6 770 726 22 11 6 774 620	394
300 221 1120	22 11 6 758 430 22 11 6 770 794	392
300 221 1123	22 11 6 758 428 22 11 6 770 793	392
300 221 1124	22 11 6 761 089	388
300 221 1125	22 11 6 761 090	389
300 221 1126	22 11 6 773 742	393
300 221 1127	22 11 1 097 153 22 11 6 750 039 22 11 6 751 281	387
300 221 1128	22 11 1 096 514	386
300 221 1132	22 11 3 400 335 22 11 3 421 295	386
300 221 1137	22 31 3 451 444	200
300 221 1138	22 11 4 048 652 22 11 6 772 152 22 11 6 773 744	393
300 221 1139	22 11 6 760 330	388
300 221 1140	22 11 6 756 018 22 11 6 771 362	392
300 221 1142	22 31 6 770 289	201, 209
300 221 1142	22 31 6 770 289	201, 209
300 221 1144	22 31 6 750 858 22 31 6 773 125 22 31 6 773 693	202, 210
300 221 1144	22 31 6 750 858 22 31 6 773 125 22 31 6 773 693	202, 210

MEYLE no.	Ref. no.	Page
BMW		
300 221 1149	22 11 6 752 741	387
300 221 1150	22 11 6 752 742	387
300 221 1153	22 11 6 762 607	389
300 221 1154	22 11 6 762 608	389
300 221 1600	11 81 2 294 282 22 11 1 091 971 22 11 1 094 073 22 11 1 094 364 22 11 1 094 365 22 11 1 095 517 22 11 1 097 267 22 11 4 000 410 22 11 4 414 035 22 11 4 414 037 22 11 4 438 631 22 11 4 438 907 22 11 4 516 677 22 11 6 754 608	388
300 221 1601	11 81 1 139 883	383
300 221 2119	22 11 1 096 997 22 11 6 758 444 22 11 6 770 638	391
300 223 1101	22 31 1 094 916 22 31 6 771 221 23 71 1 130 205 23 71 1 131 664	202, 209
300 223 1101	22 31 1 094 916 22 31 6 771 221 23 71 1 130 205 23 71 1 131 664	202, 209
300 223 1600	22 31 6 753 316 22 31 6 771 220 22 31 6 799 330 23 70 1 138 517	203, 210
300 223 1600	22 31 6 753 316 22 31 6 771 220 22 31 6 799 330 23 70 1 138 517	203, 210
300 223 1601	22 31 6 751 760 22 31 6 754 088	201, 209
300 223 1601	22 31 6 751 760 22 31 6 754 088	201, 209
300 223 1602	22 31 6 771 130 22 32 1 092 897	201
300 223 1603	22 31 6 799 411	203

MEYLE no.	Ref. no.	Page
BMW		
300 223 1604	22 31 6 799 845	204, 211
300 223 1604	22 31 6 799 845	204, 211
300 237 0100	23 70 1 141 532 23 70 1 141 614 23 71 1 133 487 24 71 1 134 740	204, 211
300 237 0100	23 70 1 141 532 23 70 1 141 614 23 71 1 133 487 24 71 1 134 740	204, 211
300 237 1101	22 31 6 771 219 22 31 6 799 331 23 71 1 137 817	203, 211
300 237 1101	22 31 6 771 219 22 31 6 799 331 23 71 1 137 817	203, 211
300 237 1104	23 71 1 175 939	205, 212
300 237 1104	23 71 1 175 939	205, 212
300 237 1105	23 71 1 176 041	205, 212
300 237 1105	23 71 1 176 041	205, 212
300 237 1113	22 31 3 400 343 22 31 3 421 301	200, 208
300 237 1113	22 31 3 400 343 22 31 3 421 301	200, 208
300 241 1106	24 11 1 218 899	196
300 241 1106/S	24 11 1 218 899	192
300 241 1107	24 11 1 217 082	367
300 241 1401	24 11 1 421 599	368
300 241 1701	24 11 1 423 604 24 11 7 508 517 24 11 7 510 012 24 11 7 533 699 24 11 7 557 070	193
300 243 1102/S	24 31 1 218 204 24 31 1 218 571	194
300 243 3101/S	24 31 1 218 550 24 34 1 215 544	194
300 243 4104	24 34 1 421 200 24 34 1 422 419	198
300 243 4104/S	24 34 1 421 200 24 34 1 422 419	195
300 243 4105	24 34 1 219 156 24 34 1 219 631 24 34 1 422 513	198
300 243 4105/S	24 34 1 219 156 24 34 1 219 631	195

MEYLE no.	Ref. no.	Page
BMW		
	24 34 1 422 513	
300 243 4106	24 34 1 423 109	199
300 243 4107	24 34 1 422 673	199
300 243 4108/S	24 34 1 423 376	196
300 247 0101	24 70 1 138 428	206, 213
300 247 0101	24 70 1 138 428	206, 213
300 247 0102	24 70 1 138 427	205, 213
300 247 0102	24 70 1 138 427	205, 213
300 247 0104	24 70 1 138 435	206, 213
300 247 0104	24 70 1 138 435	206, 213
300 247 1100	24 71 1 130 188 24 71 1 131 663	207
300 247 1102	24 71 1 128 372	206
300 251 1100	25 11 1 202 649 25 11 1 208 580	191
300 251 1101	25 11 1 220 577 25 11 1 220 832 25 11 1 222 039 25 11 7 519 669	191
300 251 1102	25 11 1 204 422	190
300 261 1003	26 11 1 106 113	181
300 261 2103/S	26 12 1 226 442 26 12 1 226 657	163
300 261 2104	26 12 1 226 731	164
300 261 2106	26 12 1 227 660	165
300 261 2108	26 12 1 229 089	166
300 261 2110	26 12 1 227 997	166
300 261 2110/S	26 12 1 227 997	166
300 261 2112/S	26 12 1 229 726 26 12 7 507 740	168
300 261 2113	26 12 7 558 745	169
300 261 2115	26 12 1 229 242	167
300 261 2117	26 12 2 282 496 26 12 7 501 258 26 12 7 506 783	168
300 261 2121/S	26 12 1 229 431	168
300 261 2190/S	26 12 1 225 152	163
300 261 2191	26 12 1 226 723	163
300 261 2191/S	26 12 1 226 723	164
300 261 2194/S	26 12 1 226 731	164
300 261 2196/S	26 12 1 227 660	165
300 261 2198/S	26 12 1 229 089	167
300 261 2700	26 12 1 229 492 26 12 7 501 257	169
300 261 2790/S	26 12 1 229 492	169

MEYLE no.	Ref. no.	Page
BMW		
	26 12 7 501 257	
300 261 2911/S	26 12 1 229 317	167
300 311 0002	31 12 1 136 531	456
300 311 0003	31 12 1 136 532	457
300 311 2103/HD	31 12 1 130 587 31 12 1 133 488 31 12 1 133 710 31 12 1 136 605 31 12 1 136 606 31 12 1 136 607 31 12 1 139 456	502
300 311 2104/HD	31 10 3 412 781 31 12 0 307 882 31 12 1 096 372 31 12 6 769 715	499
300 311 2107	31 12 1 094 235 31 12 1 124 622 31 12 1 133 236 31 12 1 139 826	502
300 311 2604/HD	31 12 1 095 277 31 12 1 095 278 31 12 1 096 284 31 12 1 096 983 31 12 1 096 984 31 12 4 004 359 31 12 4 004 360 31 12 6 750 221 31 12 6 750 222 31 12 6 751 435 31 12 6 751 436 31 12 6 753 059 31 12 6 753 060 31 12 6 754 899 31 12 6 754 900 31 12 6 757 623 31 12 6 777 850 31 12 6 783 376	458
300 311 2901	31 12 1 096 982 31 12 4 000 612 31 12 6 750 057 31 12 6 751 372 31 12 6 753 058 31 12 6 754 547 31 12 6 755 432 31 12 9 071 663	515

MEYLE no.	Ref. no.	Page
BMW		
	31 12 9 071 952	
300 311 2903	31 12 1 135 079 31 12 1 135 352 31 12 9 059 288	518
300 311 2906/HD	31 10 1 129 078 31 12 1 124 967 31 12 1 125 428 31 12 1 125 429 31 12 1 126 302 31 12 1 126 394 31 12 1 126 416 31 12 1 126 426 31 12 9 058 816 31 12 9 058 817 31 12 9 058 818 31 12 9 058 819	506
300 311 2907	31 12 2 226 032 31 12 2 226 160 31 12 9 061 222	517
300 311 2908	31 12 9 064 875	517
300 311 2909/HD	31 12 0 006 482 31 12 1 093 707 31 12 1 141 752 31 12 9 068 734 31 12 9 069 829 31 12 9 071 085	501
300 311 2911	31 12 1 127 377 31 12 9 058 814	515
300 311 2914/HD	31 12 1 092 010 31 12 9 068 753	507
300 311 2918	31 12 1 127 378 31 12 1 130 123 31 12 1 130 140 31 12 9 058 815 31 12 9 058 931	516
300 311 2919/HD	31 12 6 757 623* 31 12 6 777 850* 31 12 6 783 376*	515
300 311 3003	31 12 1 135 079 31 12 1 135 352 31 12 9 059 288	516
300 312 1101	31 21 1 129 386 31 21 1 468 751 31 21 2 226 640	629
300 312 1102	31 21 1 128 157 31 21 1 128 569	629

MEYLE no.	Ref. no.	Page
BMW		
	31 21 1 131 297	
300 312 1102/S	31 21 1 128 157 31 21 1 128 569 31 21 1 131 297*	630
300 312 1103	31 20 6 777 789 31 21 1 130 124	619
300 312 1106	31 22 6 760 177 31 22 6 765 601	634
300 312 1107	31 21 6 765 157	630
300 312 1111/S	31 20 3 450 600 31 22 6 751 978 31 22 6 783 913	624
300 312 2100	31 22 1 139 345 31 22 1 468 926	632
300 312 2100/S	31 22 1 139 345 31 22 1 468 926	632
300 312 2101	31 22 1 093 427	631
300 312 2103	31 21 1 137 996 31 22 1 092 519	631
300 312 2104	31 20 6 779 735 31 20 6 795 959	628
300 312 2105	31 20 4 081 309 31 20 6 775 771 31 20 6 791 007 31 20 6 850 158	628
300 313 3101	31 33 1 110 195	612
300 313 3103	31 33 1 091 709	612
300 313 3104	31 33 1 124 449 31 33 1 125 215	582
300 313 3106	31 33 1 090 611	611
300 313 3108	31 33 1 124 508 31 33 1 139 452	613
300 313 3109	31 30 6 779 604 31 33 1 096 311 31 33 6 769 584	611
300 313 3111	31 33 1 134 314	579
300 313 3112/HD	31 33 1 139 438	613
300 313 3114	31 33 1 091 708	611
300 313 3118	31 33 1 140 140	582
300 313 3119	31 33 1 135 577 31 33 1 139 436	612
300 313 3601	31 33 6 760 943 31 33 6 769 582	613
300 313 5104	31 35 1 124 998 31 35 1 125 350	524
300 313 5105	31 35 1 126 774	529

MEYLE no.	Ref. no.	Page
BMW		
	31 35 1 127 414	
300 313 5106	31 35 1 135 805	530
300 313 5107	31 35 1 131 621 31 35 1 132 786	530
300 313 5109	31 35 1 097 021	529
300 313 5110	31 35 1 091 555	527
300 313 5111	31 35 1 133 738	530
300 321 1100	32 11 1 127 104	415
300 321 1101	32 11 1 116 068 32 11 1 117 426 32 11 1 117 698	415
300 321 1102	32 11 1 116 318 32 11 1 120 433	421
300 321 3100	32 13 1 132 798	420
300 321 3101	32 13 1 094 629 32 13 1 140 867	420
300 321 3106	32 13 1 092 876	415
300 321 3601	32 13 6 751 026	419
300 322 1101	32 21 1 129 807 32 21 1 133 698 32 21 1 136 452	413
300 322 1104	32 11 1 137 070 32 21 1 139 786	416
300 322 1104/S	32 11 1 137 070 32 21 1 139 786	419
300 325 0000	24 11 0 403 404 24 11 7 519 359 24 11 7 522 923 24 11 7 571 227 24 15 2 333 903	190
300 325 0001	24 11 7 536 387 24 11 7 571 217 24 15 2 333 907	190
300 325 0002	24 11 7 604 960 24 11 7 613 253 24 11 7 624 192 24 11 8 612 901	189
300 331 7100	33 17 1 093 008	555
300 331 7101	33 17 1 090 099 33 17 1 090 389 33 17 1 091 685	555
300 331 7102	33 17 1 131 903	556
300 331 7104	33 17 1 103 842 33 17 1 121 908 33 17 1 126 951	207
300 331 7105	33 17 1 129 783	207

MEYLE no.	Ref. no.	Page
BMW		
	33 17 1 129 786	
300 331 7107	33 17 1 096 192 33 17 6 770 457	563
300 331 7109	33 17 1 093 175 33 17 6 770 788	558
300 331 7110	33 17 1 135 242	208
300 331 7601/HD	33 17 1 093 565 33 17 6 751 808	556
300 331 7602	33 17 6 758 081 33 17 6 770 768	564
300 331 7603	33 17 6 757 314 33 17 6 770 764	557
300 331 7604	33 17 0 392 928 33 17 0 403 288 33 17 6 757 313 33 17 6 770 763	557
300 332 0701	33 20 7 518 902 33 21 7 572 446	176
300 332 1101	33 21 1 229 594	175
300 332 1102	33 21 1 229 209	171
300 332 1102/SK	33 21 1 229 209	172
300 332 1103	33 21 1 229 213	172
300 332 1104	33 21 1 229 375	173
300 332 1105	33 21 1 229 593	175
300 332 1702	33 21 1 229 376 33 21 7 504 704	176
300 332 1901	33 21 1 225 541 33 21 9 067 810	177
300 332 1901/SK	33 21 1 225 541 33 21 9 067 810	177
300 332 1902	33 21 1 229 221 33 21 1 229 376 33 21 9 067 815	177
300 332 1903	33 21 1 227 602 33 21 9 067 817	178
300 332 1904	33 21 1 229 205 33 21 9 067 818 33 21 9 067 899	178
300 332 1905	33 21 1 209 551 33 21 9 067 906	179
300 332 1905/SK	33 21 1 209 551 33 21 9 067 906	180
300 333 1001	33 31 1 090 945 33 31 1 090 946	558
300 333 1101/HD	31 31 1 128 670 33 31 1 128 670	559

MEYLE no.	Ref. no.	Page
BMW		
	33 31 1 128 702 33 31 1 129 760	
300 333 1102	31 31 1 130 537 33 31 1 126 747 33 31 1 128 566 33 31 1 129 144 33 31 1 130 537	560
300 333 1103/HD	31 31 1 127 533 31 31 1 130 488 33 31 1 121 041 33 31 1 127 533 33 31 1 130 487 33 31 1 130 488	560
300 333 1104	33 31 1 091 422	559
300 333 1105/HD	33 31 1 093 662 33 31 6 770 454	560
300 333 1106	33 31 1 132 251 33 31 1 132 257	208
300 333 1108	33 31 1 092 517 33 31 6 770 781	561
300 333 1109/HD	33 31 1 092 515 33 31 6 757 393 33 31 6 770 783	565
300 333 1110/HD	33 31 1 092 516 33 31 6 757 394 33 31 6 770 784	565
300 333 1111/HD	33 31 1 094 036	559
300 333 1112	33 31 1 090 274 33 31 1 090 956	558
300 333 1601/HD	33 31 0 392 927 33 31 0 403 287 33 31 1 096 772 33 31 6 770 750	561
300 333 1905	33 31 9 059 300	562
300 333 1906	33 31 9 059 301	562
300 333 2102	33 32 1 092 248 33 32 1 138 383 33 32 6 770 824	514
300 333 2103	33 32 1 136 311 33 32 6 771 828	514
300 333 2104/HD	33 32 1 097 009 33 32 1 137 806 33 32 2 228 153 33 32 6 757 885 33 32 6 770 786	562

MEYLE no.	Ref. no.	Page
BMW		
	33 32 6 770 817	
300 333 2105	33 32 1 092 247 33 32 1 137 571	513
300 333 2901	33 32 1 123 462 33 32 1 125 563 33 32 1 137 459 33 32 9 058 823 33 32 9 061 946	563
300 333 2902	33 32 1 110 115 33 32 1 117 259 33 32 1 123 774 33 32 1 137 564 33 32 9 058 821 33 32 9 061 945	567
300 334 1100	33 41 1 123 426 33 41 1 131 670 33 41 1 133 123 33 41 1 133 124 33 41 1 134 549	624
300 334 1100/S	33 41 1 123 426 33 41 1 131 670 33 41 1 133 123 33 41 1 134 549	626
300 334 1101	33 41 1 124 358 33 41 1 468 928	623
300 334 1101/S	33 41 1 124 358*	625
300 334 1102	31 21 1 129 256 31 21 1 132 284 33 41 1 130 617 33 41 1 468 747	622
300 334 1102/S	31 21 1 129 256 31 21 1 132 284 33 41 1 130 617 33 41 1 468 747 33 41 2 220 987	626
300 334 1103	33 41 1 123 415	623
300 334 1103/S	33 41 1 123 415*	625
300 334 1105	33 41 1 090 505* 33 41 1 137 685 33 41 1 468 904	624
300 335 1104/HD	33 52 1 132 078 33 52 1 132 270	617
300 335 2104/HD	33 52 1 132 078 33 52 1 132 270	617
300 335 2106	33 52 1 091 710	615
300 335 2108	33 52 1 091 238	616

MEYLE no.	Ref. no.	Page
BMW		
	33 52 1 094 091	
300 335 2109	33 52 1 097 272 33 52 6 773 669	618
300 335 2110	33 52 1 093 416	616
300 335 2111	33 52 1 136 283	579
300 335 3101	33 50 2 290 318 33 53 1 136 395	586
300 335 3103	33 53 1 135 624	586
300 335 3104	33 53 1 091 031	585
300 335 5101	33 55 1 131 131 33 55 1 135 307	552
300 335 5102	33 55 1 124 375 33 55 1 126 932	552
300 335 5103	33 55 1 093 663	532
300 335 5105	33 55 1 092 292 33 55 1 095 532	550
300 335 5107	33 55 1 131 155	532
300 335 9102/HD	33 50 4 035 929 33 50 4 035 931 33 52 1 092 362 33 52 1 125 554 33 52 1 128 819 33 52 1 137 972 33 52 6 754 096 33 52 6 779 670 37 12 1 133 412	615
300 343 0000	34 35 6 759 917 34 35 6 764 298 34 35 6 768 595 34 35 6 776 421 34 35 6 789 492	242
300 343 0001	34 35 6 759 918 34 35 6 764 299 34 35 6 768 596 34 35 6 776 422 34 35 6 789 493	242
300 343 0002	34 35 6 763 667 34 35 6 768 597 34 35 6 776 423 34 35 6 789 494	244
300 343 1101	33 41 1 093 102 33 41 1 093 725 33 41 1 095 652 33 41 1 095 654	635
300 343 1101/S	33 41 1 093 102 33 41 1 093 725	636

MEYLE no.	Ref. no.	Page
BMW		
	33 41 1 095 652 33 41 1 095 654	
300 343 2100	34 32 1 108 134 34 32 1 115 697 34 32 1 153 107 34 32 1 159 881 34 32 4 051 524	154
300 343 2102	34 32 1 154 327 34 32 1 154 904 34 32 1 159 890	155
300 343 2103	34 32 1 113 184 34 32 1 115 694 34 32 1 159 879	154
300 343 2104	34 32 1 159 889	155
300 343 2105	34 32 1 156 157 34 32 1 159 891	156
300 343 2106	34 32 1 113 183 34 32 1 159 878	154
300 343 2107	34 32 1 159 717	153
300 343 2108	34 32 1 159 524	153
300 343 2109	34 30 1 165 249	147
300 343 2110	34 32 1 162 616	157
300 343 2111	34 32 1 162 612	157
300 343 2112	34 30 1 163 080	146
300 343 2113	34 30 1 163 155	146
300 343 2114	34 30 1 165 190	147
300 343 2117	34 32 1 165 587 34 32 6 766 966	159
300 343 2118	34 30 1 165 174	146
300 343 2121	34 30 1 166 118	148
300 343 5101	34 11 2 225 107 34 35 1 179 820 34 35 1 180 432 34 35 1 180 781	235
300 343 5103	34 35 1 181 342 34 35 1 181 344	236
300 343 5104	34 35 1 181 802	236
300 343 5107	34 35 1 181 337 34 35 1 181 338	236
300 343 5108	34 35 1 182 533	237
300 343 5110	34 35 1 182 064	237
300 343 5112	34 35 1 182 065	237
300 343 5113	34 35 1 163 065 34 35 2 229 018	238
300 343 5114	34 35 1 164 371	234

MEYLE no.	Ref. no.	Page
BMW		
300 343 5115	34 35 1 164 372	234
300 343 5116	34 35 1 163 207	234
300 343 5117	34 35 6 751 311	240
300 343 5120	34 35 1 165 580	235
300 343 5163	34 35 1 163 066	233
300 349 5119	34 35 1 165 579	235
300 352 1101	35 21 1 108 634	26, 36
300 352 1101	35 21 1 108 634	26, 36
300 355 2105/HD	33 52 1 132 088	617
300 371 2102/HD	37 12 1 129 867	619
300 372 1102	37 21 1 124 595 37 21 1 132 043	580
300 513 2100	51 32 1 938 884	7
300 525 0002	34 32 6 760 909 34 32 6 767 390	159
300 525 0003	34 32 2 228 295	158
300 525 0004	34 30 6 767 458	150
300 525 0005	34 30 6 767 458 34 30 6 771 720 34 30 6 790 550	151
300 525 0006	34 30 6 762 838 34 30 6 789 433 34 30 6 798 523	150
300 525 0007	34 30 6 762 837 34 30 6 768 851 34 30 6 789 431 34 30 6 792 253	150
300 525 0008	34 32 6 753 610	158
300 525 0011	34 32 1 163 759	157
300 610 0001	31 12 1 136 531 31 12 1 136 532	457
300 620 0000	32 10 6 765 234 32 10 6 782 252 32 10 6 865 426	416
300 643 0000	31 32 1 125 878	578
300 652 0001	31 22 6 757 024	633
300 652 0001/S	31 22 6 757 024	634
300 750 0001	33 41 6 762 321 33 41 6 762 322	627
300 919 0001	65 81 6 905 133	220
312 132 2007	13 71 1 736 675 13 72 1 433 933 13 72 1 702 158 13 72 1 733 562 13 72 1 736 562 13 72 1 736 675	356

MEYLE no.	Ref. no.	Page
BMW		
	13 72 1 747 280	
312 133 2001	13 32 2 243 653	361
312 133 2002	13 32 2 240 791 13 32 2 240 798 13 32 2 240 802 13 32 2 245 006 13 32 2 246 135 13 32 2 248 279 13 32 7 786 647	360
312 137 1001	13 71 2 243 783 13 71 2 246 416	344
312 137 2003	13 72 1 707 021 13 72 1 714 952	355
312 137 2004	13 71 1 247 465 13 72 1 247 842 13 72 1 287 681 13 72 1 707 050 13 72 1 715 880 13 72 1 715 881 13 72 1 734 682	344
312 137 2005	13 72 1 730 946 13 72 1 738 462	355
312 137 2008	13 71 1 247 405 13 72 1 247 404 13 72 1 247 405	354
312 137 2010	13 72 1 311 880 13 72 1 726 916	355
312 137 2011	13 72 1 702 907 13 72 1 742 201	354
312 137 2012	13 72 1 744 869	356
312 319 0001	64 11 1 393 489 64 11 9 069 895	28
312 319 0002	64 31 1 000 004 64 31 8 361 899 64 31 9 071 934 64 31 9 216 591	30
312 319 0003	64 31 1 390 836	30
312 319 0004/S	64 31 8 391 198 64 31 9 069 927 64 31 9 216 589	32
312 319 0005/S	64 31 9 069 926	33
312 319 0006	64 11 6 915 763 64 31 6 915 763	31
312 319 0007/S	64 31 6 935 822 64 31 9 174 370	35

MEYLE no.	Ref. no.	Page
BMW		
312 319 0012/S	64 11 6 921 018	27
312 319 0013	64 31 8 409 043 64 31 9 224 084	32
312 319 0015	64 31 6 946 629 64 31 6 962 548 64 31 6 962 551 64 31 9 142 114 64 31 9 313 517	34
312 319 0016/S	64 11 8 363 274 64 31 9 071 933	34
312 319 0019	64 11 8 391 914 64 11 8 391 915 64 31 9 069 925	33
312 319 0020/S	64 11 8 391 385	28
312 319 0021	64 11 9 237 554	29
312 319 0023/S	64 31 9 237 158	36
312 320 0002	64 11 9 907 450 64 31 2 182 458 64 31 9 071 935 64 31 9 216 590 64 31 9 257 504	36
312 320 0004/S	64 11 0 008 138 64 11 2 182 533 64 11 8 391 200 64 11 9 070 073 64 11 9 216 588 64 31 2 207 985	27
312 320 0005/S	64 11 8 390 447 64 31 9 070 072 64 31 9 272 810	33
312 320 0006	64 11 6 915 764 64 31 6 915 764	31
312 320 0007/S	64 31 6 913 506 64 31 6 935 823 64 31 9 171 858	35
312 320 0008/S	64 11 9 163 329 64 11 9 272 642	28
312 320 0012/S	64 11 6 921 019 64 11 9 272 643	30
312 320 0013	64 31 8 409 044 64 31 9 218 706 64 31 9 224 085	32
312 320 0015	64 31 6 946 549 64 31 6 946 628 64 31 9 142 115	34

MEYLE no.	Ref. no.	Page
BMW		
312 320 0021	64 11 9 237 555	29
312 320 0023/S	64 31 9 237 157	35
312 321 0000	13 71 2 246 997	344
312 321 0001	13 71 2 247 444	345
312 321 0002	13 71 7 503 141	346
312 321 0003	13 71 7 521 033 13 71 7 521 038	347
312 321 0004	13 71 7 532 754	348
312 321 0005	13 71 7 256 008 13 71 7 505 007 13 71 7 526 008	346
312 321 0006	13 71 7 542 545	349
312 321 0007	13 71 7 542 294	349
312 321 0008	13 71 7 521 023 13 71 7 521 037	347
312 321 0011	13 71 7 509 544	347
312 321 0013	13 71 7 797 465	352
312 321 0016	13 71 7 524 412	348
312 321 0017	13 71 7 793 647	351
312 321 0020	13 71 7 536 006	348
312 321 0021	13 71 7 571 355	350
312 321 0022	13 71 3 419 934	345
312 321 0023	13 71 3 428 558	346
312 321 0024	13 71 7 548 888	349
312 321 0026	13 71 7 582 908	351
312 321 0027	13 72 7 834 714	356
312 321 0028	13 71 7 548 897	350
312 321 0029	13 71 7 548 898	350
312 321 0033	13 71 7 800 151	352
312 321 0034	13 72 7 838 804	357
312 321 0035	13 71 7 811 026	352
312 321 0036	13 72 7 834 715	357
312 321 0037	13 71 8 511 668	353
312 321 0038	13 71 7 630 911 13 71 8 507 320	353
312 321 0039	13 71 8 513 944	354
313 011 0000	11 51 0 393 730 11 51 7 785 015 11 51 7 786 736	330
313 011 1100	11 51 0 393 340 11 51 1 742 598 11 51 1 742 647	329
313 011 1200	11 51 0 393 731 11 51 2 246 961 11 51 2 247 552	330
313 011 1300	11 51 0 393 339	329

MEYLE no.	Ref. no.	Page
BMW		
	11 51 1 704 702 11 51 1 741 980	
313 011 1900	11 51 1 258 147 11 51 1 258 701 11 51 1 258 933 11 51 1 259 660 11 51 9 070 749 11 51 9 070 752	335
313 011 2001	11 51 1 433 712 11 51 1 433 828 11 51 1 437 648 11 51 1 722 536 11 51 1 730 414 11 51 1 740 241 11 51 1 744 243 11 51 7 503 884 11 51 7 504 040 11 51 7 509 985 11 51 7 527 799 11 51 7 527 910 11 53 1 433 828	331
313 011 2100	11 51 0 007 039 11 51 1 727 123 11 51 1 734 269	327
313 011 2201	11 51 1 284 247 11 51 1 284 580 11 51 1 285 510 11 51 1 287 580 11 51 2 241 641 11 51 2 242 675 11 51 9 070 764 11 51 9 570 765	338
313 011 2300	11 51 1 251 230 11 51 1 253 143 11 51 1 263 934 11 51 1 266 096 11 51 1 705 236 11 51 1 705 273 11 51 9 070 756 11 51 9 070 757	336
313 011 2400	11 51 1 271 436 11 51 1 272 613 11 51 1 286 417 11 51 1 707 190 11 51 1 707 191 11 51 1 707 192	337

MEYLE no.	Ref. no.	Page
BMW		
	11 51 1 707 193 11 51 1 720 881 11 51 1 720 883 11 51 1 720 892 11 51 1 720 893 11 51 9 061 160 11 51 9 070 761	
313 011 2500	11 51 1 271 435 11 51 1 272 616 11 51 1 706 564 11 51 1 706 588 11 51 1 706 624 11 51 1 711 492 11 51 9 058 996 11 51 9 071 561 11 51 9 071 562	338
313 011 2600	11 51 1 719 836 11 51 1 720 609 11 51 9 070 758 11 51 9 070 759	337
313 011 2700	11 51 1 274 583 11 51 1 274 584 11 51 1 286 355 11 51 1 286 358 11 51 1 711 477 11 51 1 721 477 11 51 9 070 755	336
313 011 2900	11 51 1 715 292 11 51 1 721 337 11 51 9 070 763	337
313 011 3100	11 51 0 007 042 11 51 1 704 600 11 51 1 731 680 11 51 1 736 146 11 51 1 741 001 11 51 1 742 498	327
313 011 3300	11 51 0 007 043 11 51 1 736 203 11 51 1 741 002 11 51 1 742 517	328
313 011 3400	11 51 0 393 338 11 51 1 721 872 11 51 1 727 468 11 51 1 734 595 11 51 1 734 602	328
313 011 3800	11 51 0 032 679	335

MEYLE no.	Ref. no.	Page
BMW		
	11 51 2 243 003 11 51 2 244 333 11 51 2 245 687 11 51 2 245 745 11 51 2 246 128 11 51 9 068 606 11 51 9 069 529	
313 011 4300	11 51 0 393 336 11 51 1 713 266	328
313 061 0002	61 66 1 377 830 61 66 1 380 066	22
313 067 0001	67 12 6 973 097 67 12 8 362 157 67 12 8 377 430 67 12 8 377 613	12
313 220 0001	11 51 7 788 305 11 51 7 790 322 11 51 7 790 471 11 51 7 791 833 11 51 7 805 808	333
313 220 0004	11 51 2 248 996 11 51 2 354 055 11 51 2 354 057 11 51 7 786 192	332
313 220 0005	11 51 7 511 220 11 51 7 511 221 11 51 7 515 778	331
313 220 0006	11 51 7 790 135 11 51 7 791 834 11 51 7 801 609 11 51 7 805 810	333
313 220 0007	11 51 1 401 284 11 51 1 402 427 11 51 1 406 650	330
313 220 0009	11 51 7 788 306 11 51 7 794 247 11 51 7 806 349	333
313 220 0012	11 51 7 807 311	334
313 220 0016	11 51 7 823 429	334
313 220 0017	11 51 7 546 994 11 51 7 563 183 11 51 7 586 924 11 51 7 586 925	331
313 220 0018	11 51 7 823 428 11 51 8 516 435	335

MEYLE no.	Ref. no.	Page
BMW		
314 009 0001	11 28 1 440 378	282
314 023 0000	12 23 2 248 059	260
314 030 0003	11 81 1 136 542 11 81 2 228 298 11 81 2 283 798 11 81 7 837 985	385
314 030 0005	11 81 1 137 138 11 81 1 139 606 11 81 1 142 031	383
314 030 0006	22 11 6 750 862	386
314 030 0010	22 11 6 785 601	395
314 030 0011	22 11 6 785 602	395
314 031 0001	31 33 1 133 336 31 33 1 134 386	569
314 033 0003	33 53 1 132 248	570
314 033 0004	31 33 1 090 760 31 33 1 090 761	567
314 036 0000	11 61 7 501 566 11 61 7 501 566 S1	343
314 036 0005	11 15 1 247 133 11 15 7 501 567	342
314 036 0006	11 61 7 501 562	366
314 036 0007	11 61 7 501 563	366
314 036 0008	11 15 1 703 484	342
314 036 0017	11 61 7 533 399	341
314 036 0018	11 61 7 533 398	341
314 038 0002	11 12 7 793 164	378
314 038 0003	11 12 7 799 366	379
314 038 0004	11 12 7 799 367	379
314 040 0000	11 12 7 547 058	342
314 042 0005	34 41 1 160 729 34 41 1 160 924 34 41 6 761 289	143
314 042 0006	34 41 1 163 244 34 41 1 163 255 34 41 1 165 968 34 41 6 755 273 34 41 6 761 290 34 41 6 761 291	143
314 042 0006/S	34 41 1 163 244 34 41 1 163 255 34 41 1 165 968 34 41 6 755 273 34 41 6 761 290 34 41 6 761 291	143
314 042 0007	34 41 1 163 988	144

MEYLE no.	Ref. no.	Page
BMW		
	34 41 6 761 292	
314 042 0007/S	34 41 1 163 988 34 41 6 761 292	144
314 042 0008	34 41 0 393 646 34 41 1 156 962 34 41 1 165 546 34 41 1 165 962 34 41 6 756 538 34 41 6 761 293 34 41 6 780 041 34 41 6 790 186	145
314 112 0000	11 28 1 726 343 11 28 1 748 131	283
314 112 0001	11 28 1 726 181 11 28 1 738 061 11 28 1 738 605 11 28 1 748 130 11 28 7 841 228	282
314 112 0002	11 28 2 245 087	284
314 112 0003	11 28 1 731 220	284
314 112 0004	11 28 1 731 838	282
314 112 0005	11 28 2 245 166	283
314 113 1112	11 31 1 721 259 11 31 1 721 264 11 31 1 727 141	284
314 114 0001	11 42 2 247 018	372
314 114 0003	11 42 7 787 697	375
314 114 0004	11 42 1 435 101 11 42 1 745 390 11 42 1 745 391 11 42 7 510 717	373
314 114 0005	11 42 7 508 969	373
314 114 0006	11 42 7 788 454 11 42 7 788 460 11 42 7 788 461 11 42 8 513 377	375
314 114 0007	11 42 1 264 508 11 42 1 266 773	370
314 114 0008	11 42 2 243 359 11 42 2 244 332	372
314 115 2101	11 52 1 271 416 11 52 1 287 829 11 52 1 289 120 11 52 1 466 000 11 52 1 706 619 11 52 1 719 042	301

MEYLE no.	Ref. no.	Page
BMW		
	11 52 1 719 266 11 52 1 723 027 11 52 1 723 918 11 52 1 723 919 11 52 1 723 920 11 52 1 723 921 11 52 1 740 962 11 52 9 055 969	
314 115 2105	11 52 1 723 829 11 52 1 737 489 11 52 1 745 134 11 52 7 500 339 11 52 7 502 804	303
314 115 2106	11 52 2 243 303	300
314 115 2201	11 52 2 241 290 11 52 2 243 304 11 52 2 244 413 11 52 2 245 195 11 52 2 245 496 11 52 2 245 498	301
314 115 2203	11 52 2 246 042	302
314 115 2204	11 52 2 249 216	302
314 115 2701	11 52 1 709 499 11 52 1 719 269 11 52 1 740 963 11 52 7 505 302	303
314 115 9401	34 41 1 159 468 34 41 6 761 294	145
314 115 9402	34 41 1 118 053 34 41 1 157 823 34 41 1 159 467	142
314 126 0000	12 62 1 710 535 12 62 1 747 281	264
314 126 1101	12 61 1 710 160 12 61 1 710 509 12 61 7 568 480	378
314 131 0000	12 13 1 404 309 12 13 1 703 227 12 13 1 703 228 12 13 1 703 825 12 13 1 748 017 12 13 1 748 018 12 13 9 067 830	261
314 131 0001	12 13 1 404 309* 12 13 1 703 227* 12 13 1 703 228*	261

MEYLE no.	Ref. no.	Page
BMW		
	12 13 1 703 825* 12 13 1 748 017* 12 13 1 748 018* 12 13 9 067 830*	
314 133 2106	13 32 1 713 807 13 32 1 713 808 13 32 1 720 101 13 32 1 720 102	360
314 133 2107	13 32 1 268 231 13 32 1 270 038 13 32 9 063 165	358
314 133 2108	13 32 1 268 231 13 32 1 270 038 13 32 9 063 165	358
314 133 2109	13 32 1 702 632 13 32 1 740 985 13 32 1 740 986	359
314 136 2101	13 62 1 357 414	265
314 136 2102	13 62 1 284 397 13 62 1 709 966	266
314 136 2103	13 62 1 433 076	265
314 137 0001	24 34 1 422 673	196
314 137 0002	24 11 7 507 790 24 11 7 510 011 24 11 7 533 700 24 11 7 557 069	192
314 137 0003	24 11 1 423 605 24 11 7 507 643 24 11 7 510 010 24 11 7 533 657 24 11 7 557 071	197
314 137 0003/S	24 11 1 423 605 24 11 7 507 643 24 11 7 510 010 24 11 7 533 657 24 11 7 557 071	193
314 137 0005	24 11 7 581 604 24 11 7 593 565	198
314 137 0005/S	24 11 7 581 604 24 11 7 593 565	194
314 139 0000	12 13 1 317 232 12 13 1 317 585 12 13 1 402 440 12 13 1 402 713 12 13 1 404 102 12 13 1 703 359	260

MEYLE no.	Ref. no.	Page
BMW		
	12 13 1 720 166	
	12 13 1 726 177	
	12 13 1 726 178	
	12 13 1 727 108	
	12 13 1 729 842	
	12 13 1 730 765	
	12 13 1 730 766	
	12 13 1 731 884	
	12 13 1 734 468	
	12 13 1 748 394	
	12 13 1 748 395	
	12 13 1 777 666	
	12 13 7 599 218	
	12 13 9 066 468	
314 139 0001	24 11 1 423 587 24 11 7 524 707	369
314 139 0002	24 11 1 422 676	368
314 139 0003	24 11 7 543 484	369
314 139 0004	24 11 1 218 850 24 11 1 421 367	367
314 139 0005	24 10 1 423 380	367
314 152 0001	26 11 1 204 294 26 11 1 207 785 26 11 1 225 624	182
314 152 0002	26 11 1 227 410 26 11 1 227 410 S1	182
314 152 0003	26 11 1 227 869	183
314 152 0004	26 11 1 227 690 26 11 1 229 065	183
314 152 0005	26 11 1 227 717 26 11 1 229 080 26 11 1 229 360	183
314 152 0007	26 11 7 503 159	184
314 152 0008	26 11 1 209 168 26 11 1 227 420 26 11 7 511 454	185
314 152 0012	26 11 7 542 238	186
314 152 0013	26 11 2 226 527	184
314 152 1006	26 11 1 229 754 26 11 7 572 664	187
314 152 1009	26 11 7 512 619 26 11 7 573 276	187
314 152 1010	26 11 7 527 392 26 11 7 527 392 S1	186
314 152 1011	26 11 7 522 027	186
314 152 1012	26 11 7 546 425	188

MEYLE no.	Ref. no.	Page
BMW		
	26 11 7 610 061	
314 152 1112	26 11 7 610 061	188
314 152 1312	26 11 7 610 061	189
314 154 0001	34 21 1 154 236	161
314 159 0000	34 21 1 159 569	162
314 171 0000	17 11 1 712 196	293
314 171 0001	17 11 1 741 167	294
314 223 0000	17 11 1 436 413 17 11 7 573 751 17 11 7 573 781 17 13 2 247 553 17 13 7 787 039	294
314 223 0001	17 11 7 573 780 17 13 7 787 040	295
314 223 0002	17 11 1 436 381	293
314 223 0003	17 10 7 514 964	292
314 223 0004	17 13 7 519 368 17 13 7 543 026 17 13 7 567 462 17 13 7 607 482	296
314 223 0005	17 13 7 519 219 17 13 7 542 986	296
314 223 0006	17 13 7 543 003 17 13 8 600 275	297
314 223 0007	17 13 7 501 959	295
314 223 0008	17 13 7 552 546	296
314 223 0009	17 13 7 601 950 17 13 7 647 284	297
314 223 0013	17 13 7 601 949 17 13 7 647 283 17 13 7 806 038	297
314 226 0002	11 53 1 708 808	289
314 226 0003	11 53 1 714 738	289
314 226 0004	11 53 1 743 199	291
314 226 0005	11 53 1 743 329	291
314 226 0006	11 53 1 739 208 11 53 1 743 679	291
314 226 0007	11 53 7 505 055 11 53 7 560 130	292
314 226 0008	11 53 1 722 531	290
314 226 0009	11 53 1 709 232	289
314 226 0010	11 53 1 247 122	288
314 226 0011	11 53 1 739 208	290
314 226 0012	11 12 2 247 744 11 12 7 806 196	288
314 231 4101	23 14 1 221 706	279

MEYLE no.	Ref. no.	Page
BMW		
	23 14 1 434 584 23 14 7 506 637 23 14 7 524 811	
314 236 0008	64 11 8 372 493	277
314 236 0010	17 11 7 590 699 17 42 7 523 259	304
314 238 0000	17 11 0 141 325 17 11 1 712 788 17 12 7 515 488	287
314 238 0001	11 51 1 730 554	286
314 238 0002	11 51 1 436 590	285
314 238 0003	17 13 7 516 004	303
314 261 1101	26 11 1 107 832	181
314 261 1104	26 11 1 105 398 26 11 7 518 304	185
314 316 0001	24 11 7 543 550	197
314 316 7501	31 60 7 507 403 31 60 7 565 315	171
314 319 0000/S	64 11 6 945 593 64 31 6 945 585	31
314 320 0000/S	64 11 6 945 594 64 11 9 248 294 64 31 6 945 586	29
314 322 0000	11 42 7 541 827 11 42 7 566 327	374
314 322 0001	11 42 2 246 131	372
314 322 0002	11 42 7 808 443	376
314 322 0003	11 42 7 805 707 11 42 7 807 177	376
314 322 0005	11 42 7 605 342 11 42 7 611 969 11 42 7 635 557	375
314 323 0000	13 32 7 785 350 13 32 7 787 825	362
314 323 0001	13 32 7 793 672	362
314 323 0002	13 32 7 787 476 13 32 7 794 549	362
314 323 0003	13 32 1 277 497 13 32 1 278 272	359
314 323 0006	13 32 1 439 407 13 32 7 512 017 13 32 7 512 018 13 32 7 512 019	361
314 323 0007	16 12 6 765 756	364
314 323 0008	16 12 6 754 016	363

MEYLE no.	Ref. no.	Page
BMW		
314 323 0009	13 32 1 709 535	360
314 323 0010	13 32 7 823 413	363
314 323 0011	13 32 7 788 700 13 32 7 811 227 13 32 7 811 401	363
314 323 0013	13 32 8 511 053 13 32 8 572 522	364
314 352 0000	34 35 2 229 780	238
314 353 0000	34 35 3 411 756	239
314 353 0002	34 35 3 411 757	239
314 356 0000	34 35 6 755 266 34 35 6 778 037	242
314 356 0001	34 35 6 755 267 34 35 6 778 038	243
314 356 0002	34 35 6 757 896	240
314 356 0005	34 35 6 762 252 34 35 6 789 439	240
314 356 0006	34 35 6 762 253 34 35 6 789 445	241
314 356 0007	34 35 6 764 851 34 35 6 777 650 34 35 6 789 441	243
314 495 0001	33 21 9 067 819	179
314 495 0002	33 21 1 229 589 33 21 7 529 920	174
314 495 0003	33 21 1 229 590	175
314 495 0004	33 21 1 229 372	173
314 495 0005	33 21 1 229 373	173
314 495 0006	33 21 1 229 379	174
314 495 0008	33 21 1 229 378	174
314 495 0011	33 21 7 504 524	176
314 495 0012	31 60 7 544 433 31 60 7 570 270	171
314 498 0005	31 60 7 505 005 31 60 7 505 006 31 60 7 561 341 31 60 7 561 342 31 60 7 565 313* 31 60 7 565 314	181
314 498 0006	31 60 3 450 565* 31 60 3 450 566* 31 60 7 529 201* 31 60 7 529 202*	180
314 525 0000/S	34 30 1 165 766	148
314 525 0001	34 30 1 165 075	149

MEYLE no.	Ref. no.	Page
BMW		
	34 30 1 166 248	
314 525 0003	34 30 3 411 443	149
314 525 0004	34 30 3 411 444	149
314 525 0005	34 32 6 757 744	159
314 525 0006/S	34 30 1 165 765	147
314 525 0007	34 32 1 162 479	156
314 525 0008	34 32 1 162 477	156
314 525 0009	34 30 6 771 690	151
314 525 0010	34 51 1 090 565	161
314 525 0012	34 30 6 782 862 34 32 6 765 398	152
314 525 0013	34 30 6 778 260	152
314 525 0014	34 30 6 776 293 34 30 6 788 437	151
314 525 0015	34 32 6 768 124	160
314 525 0016	34 30 6 787 512	152
314 525 0017	34 30 6 799 424	153
314 525 0018	34 32 6 776 867 34 32 6 788 439	160
314 525 0019	34 32 6 776 868 34 32 6 788 438 34 32 6 853 746	160
314 527 0001	34 35 6 771 766 34 35 6 780 699 34 35 6 789 505	245
314 527 0003	34 35 6 772 008 34 35 6 789 501	244
314 527 0004	34 35 6 773 008 34 35 6 789 502	244
314 527 0006	34 35 6 777 649 34 35 6 779 619 34 35 6 789 440	243
314 527 0007	34 35 2 282 935	238
314 527 0008	34 35 3 414 662	239
314 527 0009	34 35 6 792 567	251
314 527 0010	34 35 6 792 571 34 35 6 854 168	252
314 527 0011	34 35 6 792 559	249
314 527 0012	34 35 6 792 564	250
314 527 0013	34 35 6 792 568	251
314 527 0015	34 35 6 791 962	247
314 527 0016	34 35 6 791 958	246
314 527 0017	34 35 6 791 961	247
314 527 0019	34 35 6 775 850	241
314 527 0020	34 35 6 792 289	248

MEYLE no.	Ref. no.	Page
BMW		
314 527 0021	34 35 6 792 292	248
314 527 0022	34 35 6 775 858	241
314 527 0024	34 35 6 792 565	251
314 527 0025	34 35 6 791 960	247
314 527 0026	34 35 7 836 795	252
314 527 0027	34 35 6 792 560	249
314 527 0028	34 35 6 792 561	250
314 527 0029	34 35 6 791 963	248
314 527 0031	34 35 6 790 341	246
314 527 0032	34 35 6 790 340	246
314 527 0033	34 35 6 792 562	250
314 527 0034	34 35 6 790 303	245
314 527 0035	34 35 6 790 304	245
314 527 0036	34 35 7 836 969	252
314 610 0000/HD	31 12 0 302 754 31 12 0 304 308 31 12 0 305 612 31 12 0 393 540 31 12 0 398 350 31 12 0 406 872 31 12 6 765 991 31 12 6 765 992 31 12 6 767 992 31 12 6 768 302	501
314 610 0001	31 12 6 763 699 31 12 6 763 700 31 12 6 765 597 31 12 6 770 849* 31 12 6 770 850*	503
314 610 0004/HD	31 10 6 778 015	500
314 610 0005	31 10 6 771 897 31 12 6 855 509	499
314 610 0006	31 10 6 771 194	499
314 610 0007	31 12 6 768 989*	503
314 610 0008/HD	31 12 6 775 967* 31 12 6 775 981* 31 12 6 779 871* 31 12 6 779 908*	504
314 610 0011	31 12 0 410 791 31 12 6 768 818	503
314 610 0012	31 12 6 775 963* 31 12 6 775 964* 31 12 6 784 569 31 12 6 794 203* 31 12 6 794 204* 31 12 6 798 107*	505

MEYLE no.	Ref. no.	Page
BMW		
	31 12 6 798 108*	
	31 12 6 850 781*	
	31 12 6 850 782*	
314 610 0013	31 12 6 775 963* 31 12 6 775 964* 31 12 6 775 980 31 12 6 791 455 31 12 6 794 203* 31 12 6 794 204* 31 12 6 798 107* 31 12 6 798 108* 31 12 6 850 781* 31 12 6 850 782*	505
314 610 0014	31 12 6 775 971* 31 12 6 775 972*	504
314 610 0019	31 10 6 786 951	500
314 610 0021	31 10 6 786 959 31 12 6 792 277 31 12 6 852 991* 31 12 6 852 992* 31 12 6 854 727* 31 12 6 854 728*	500
314 610 0022	31 12 6 851 255 31 12 6 851 261 31 12 6 855 743	506
314 613 1101	23 14 1 135 071 23 14 1 352 153 23 14 1 354 071 61 31 1 352 153	279
314 613 1303	61 31 1 387 916	277
314 613 1304	61 31 1 393 361	278
314 613 1801	61 31 1 378 207 61 31 1 378 208 61 31 1 378 209 61 31 8 360 420	275
314 615 0001	31 35 1 095 271	528
314 615 0002	31 35 1 093 108	527
314 615 0003	31 35 1 097 179 33 55 6 751 269	529
314 615 0004	31 35 6 753 928 31 35 6 761 589 31 35 6 761 591 31 35 6 763 267 31 35 6 764 113 31 35 6 766 509	531

MEYLE no.	Ref. no.	Page
BMW		
314 615 0005	31 35 6 765 574	531
314 615 0007	31 35 1 090 263	525
314 615 0008	31 35 1 090 186	525
314 615 0009	31 35 1 094 554 31 35 1 094 555	528
314 615 0010	31 35 1 094 556 31 35 1 096 061	528
314 615 0011	31 30 3 404 065	524
314 615 0012	31 30 3 413 134	524
314 615 0013	31 35 1 090 300	526
314 615 0014	31 35 1 091 228	526
314 615 0016	31 35 1 090 186	525
314 615 0018	31 35 1 090 268	526
314 615 0019	31 35 1 140 188	531
314 615 0021	31 35 1 093 263	527
314 615 0023	33 55 6 775 448	533
314 615 0024	33 55 6 761 001	533
314 620 0001/S	32 11 1 137 070 32 21 1 139 786	420
314 620 0004	32 10 6 791 561	418
314 620 0005	32 10 6 854 893	418
314 620 0006	32 10 6 865 380	418
314 620 0008	32 10 6 779 622 32 10 6 795 845 32 10 6 870 519	417
314 620 0009	32 10 2 353 823	416
314 631 0000	32 41 1 092 433 32 41 1 092 954	398
314 631 0001	32 41 1 137 835 32 41 1 138 122 32 41 1 141 039 32 41 1 141 040 32 41 1 141 045 32 41 1 141 046 32 41 1 141 417 32 41 1 141 419	400
314 631 0002	32 41 1 093 360 32 41 1 093 577	399
314 631 0003	32 41 1 094 962	399
314 631 0004	32 41 1 094 965	399
314 631 0006	32 41 1 133 158 32 41 1 133 386	400
314 631 0007	32 41 1 092 741 32 41 1 092 742 32 41 1 093 040 32 41 1 094 098	398

MEYLE no.	Ref. no.	Page
BMW		
	32 41 1 097 149	
314 631 0008	32 41 1 092 135 32 41 1 093 578	398
314 631 0009	32 41 1 126 845 32 41 1 127 046 32 41 1 128 040 32 41 1 132 189 32 41 1 132 936 32 41 1 133 969 32 41 1 133 970 32 41 1 136 205 32 41 1 141 243	400
314 631 0015	32 41 6 750 423 32 41 6 760 036	401
314 632 0000	32 41 1 097 164 32 41 6 851 217	414
314 632 0001	32 41 6 750 156 32 41 6 764 726 32 41 6 774 215	411
314 639 0001	31 33 1 093 071 31 33 1 096 184	568
314 639 0002	31 33 1 093 069	568
314 639 0006	31 33 1 091 517 31 33 1 091 530	567
314 640 0000	-	571
314 640 0001	-	572
314 640 0002	-	572
314 640 0003	-	572
314 640 0004	-	573
314 640 0005	-	573
314 640 0007	-	574
314 640 0008	-	574
314 641 0001	31 33 1 090 467 31 33 1 092 885 31 33 1 135 582 31 33 6 759 871 31 33 6 764 947 31 33 6 769 585 31 33 6 779 613	614
314 641 0003	31 30 6 767 451 31 30 6 775 098	610
314 641 0005	31 33 6 753 966 31 33 6 779 612	614
314 641 0008	31 33 1 090 611 31 33 1 090 612	580
314 642 0001	31 33 1 094 751	584

MEYLE no.	Ref. no.	Page
BMW		
	31 33 6 778 544	
314 642 0002	31 33 1 094 750	581
314 642 0003	31 30 2 290 314 31 33 6 750 892	582
314 642 0004	31 33 6 764 085	583
314 642 0005	31 30 2 290 313 31 30 6 757 046 31 33 6 757 046	581
314 642 0006	31 33 6 767 320 31 33 6 771 352	583
314 642 0007	31 30 3 411 973	581
314 642 0009	31 33 6 771 380	584
314 652 0002	31 22 6 750 217	633
314 698 0006	34 11 1 153 195 34 11 1 157 038	140
314 710 0000	33 31 6 758 259	564
314 710 0001	33 31 6 758 260	564
314 710 0002	33 17 6 760 287	556
314 710 0003	33 17 6 760 288 33 17 6 770 866	557
314 710 0004	33 32 6 763 093 33 32 6 770 829	566
314 710 0005	33 32 6 763 473* 33 32 6 767 190 33 32 6 777 980* 33 32 6 782 168* 34 52 6 778 469*	507
314 710 0006	33 32 6 763 473* 33 32 6 777 980* 34 52 6 778 469*	508
314 710 0017	33 32 6 790 493	621
314 711 0003	33 32 6 780 438	518
314 715 0000	33 53 6 765 584	532
314 715 0001	33 55 6 788 861	533
314 739 0000	33 53 1 095 732	570
314 739 0002	33 53 1 096 187 33 53 6 750 250	571
314 739 0003	33 53 1 093 632 33 53 1 093 633 33 53 1 093 634 33 53 1 093 940	569
314 739 0010	33 53 1 093 939	569
314 739 0013	33 53 1 094 740 33 53 1 095 736	570
314 740 0001	-	574

MEYLE no.	Ref. no.	Page
BMW		
314 740 0002	33 53 1 091 640	571
314 740 0003	-	575
314 740 0004	-	575
314 740 0005	-	575
314 740 0006	-	576
314 740 0007	-	576
314 740 0008	-	576
314 740 0009	-	577
314 740 0010	-	577
314 740 0011	-	577
314 740 0012	-	578
314 740 0014	-	578
314 741 0000	33 52 6 753 810 33 52 6 769 744 33 52 6 779 611	618
314 741 0001	33 52 6 768 544 33 52 6 772 811	618
314 741 0002	33 50 3 413 925 33 50 3 450 542	615
314 741 0004	33 50 6 771 737 33 50 6 771 738	580
314 742 0001	33 50 2 290 319 33 50 6 757 368 33 53 6 757 368	585
314 742 0002	33 50 2 290 347 33 50 6 757 047 33 53 6 757 047	584
314 742 0003	33 50 4 034 410 33 53 6 767 334	586
314 742 0005	33 53 6 767 335	587
314 742 0006	33 53 6 771 381	587
314 742 0007	33 50 6 773 628	585
314 750 0000	33 41 6 762 317*	627
314 750 0004	33 41 6 770 974 33 41 6 795 961	628
314 752 0001	33 41 1 095 238	635
314 752 0002	33 41 6 762 314 33 41 6 764 180	626
314 752 0003	33 41 1 093 567 33 41 1 136 180	634
314 752 0006	33 41 6 760 056	636
314 800 0021	61 31 8 376 440	273
314 800 0032	37 14 6 784 697	281
314 800 0038	13 62 2 247 878 13 62 2 249 320 13 62 7 794 646	269

MEYLE no.	Ref. no.	Page
BMW		
	13 62 7 796 054	
314 800 0041	34 52 1 164 474 34 52 1 164 643	222
314 800 0044	34 52 6 752 702	225
314 800 0046	34 52 6 760 533 34 52 6 771 704	229
314 800 0048	34 52 6 757 281	227
314 800 0049	34 52 1 166 126	223
314 800 0050	12 61 1 433 509 12 61 1 702 842 12 61 7 508 002	271
314 800 0051	12 61 1 439 810 12 61 7 508 003	271
314 800 0052	13 61 7 787 142	271
314 800 9001	11 12 1 715 318 11 12 1 727 696 11 12 1 733 713 11 12 1 739 340 11 12 1 743 294 11 12 1 747 157 11 12 7 500 568 11 12 7 509 328	370
314 800 9004	17 11 1 712 669 17 11 1 742 231	298
314 800 9005	17 11 1 719 167 17 11 1 742 232 17 11 4 379 048	298
314 800 9018	61 31 1 384 739	270
314 800 9019	61 31 8 360 417	274
314 810 0000	61 31 8 360 857	272
314 810 0001	13 62 1 703 993	266
314 830 0002	12 36 1 729 005 12 63 1 711 266 61 36 1 729 004	264
314 850 0000	61 31 8 363 668	276
314 850 0001	61 31 8 363 662	275
314 850 0002	61 31 8 363 669	276
314 850 0003	61 31 8 363 664	275
314 860 0001	12 23 7 786 869	258
314 860 0002	12 23 7 788 957	259
314 860 0003	12 23 0 035 934 12 23 7 803 368	257
314 862 0000	12 13 1 404 309* 12 13 1 703 227* 12 13 1 703 228* 12 13 1 703 825*	272

MEYLE no.	Ref. no.	Page
BMW		
	12 13 1 740 477 12 13 1 748 017* 12 13 1 748 018* 12 13 9 067 830* 12 13 9 067 831	
314 870 0000	67 12 8 360 244	24
314 870 0001	67 12 6 934 159 67 12 7 302 589	22
314 870 0002	61 66 1 380 068 61 66 8 360 614	22
314 880 0000	64 11 6 920 365 64 11 6 923 204 64 11 6 929 486 64 11 6 931 680 64 11 8 364 173 64 11 8 377 579 64 11 8 385 549	277
314 885 0002	12 13 7 559 842 12 13 7 571 644 12 13 7 582 627 12 13 7 594 935 12 13 7 638 477	262
314 885 0003	12 13 7 838 388 12 13 7 841 754	263
314 885 0004	12 13 7 523 345 12 13 7 548 553	262
314 885 0005	12 13 1 712 219 12 13 1 712 223 12 13 7 550 012 12 13 7 551 260 12 13 7 575 010 12 13 7 594 938	262
314 899 0000	12 14 1 742 629 13 62 7 839 138	255
314 899 0001	34 52 1 163 027 34 52 1 163 188 34 52 1 165 519	221
314 899 0002	34 52 1 163 028 34 52 1 181 126 34 52 1 181 971 34 52 1 182 063 34 52 1 182 067	221
314 899 0004	12 14 1 247 218 12 14 1 247 259	253
314 899 0005	12 14 1 713 007	255

MEYLE no.	Ref. no.	Page
BMW		
	12 14 1 720 852	
314 899 0007	12 14 1 714 763 12 14 1 720 853	256
314 899 0010	12 14 1 703 221	267
314 899 0022	34 52 1 164 651 34 52 1 165 609	222
314 899 0023	12 14 1 731 887	256
314 899 0024	34 52 0 025 723 34 52 1 165 534 34 52 6 756 375	226
314 899 0027	34 52 0 025 724 34 52 1 165 535 34 52 6 756 376	227
314 899 0029	12 14 1 435 351 12 14 1 438 082 12 14 7 506 273 12 14 7 518 628	268
314 899 0030	34 52 1 182 159	224
314 899 0031	34 52 6 771 702	229
314 899 0032	34 52 6 771 703	229
314 899 0033	34 52 6 762 465	228
314 899 0034	34 52 6 762 466	228
314 899 0035	34 52 1 182 076	223
314 899 0036	34 52 1 182 077	223
314 899 0037	12 14 1 703 277	253
314 899 0038	12 14 1 435 350 12 14 1 438 081 12 14 7 539 165	268
314 899 0039	34 52 1 182 160	224
314 899 0040	12 14 1 730 027	254
314 899 0042	17 11 7 506 601 17 13 0 409 622 17 13 7 524 812 17 13 7 553 919	269
314 899 0043	61 31 8 360 876	270
314 899 0044	12 14 1 742 185	269
314 899 0045	34 52 6 760 424 34 52 6 785 020 34 52 6 870 075	231
314 899 0046	34 52 0 025 722 34 52 1 165 533 34 52 6 756 374	226
314 899 0047	34 52 0 025 720 34 52 1 165 536 34 52 6 756 377	227
314 899 0048	34 52 1 164 370	221

MEYLE no.	Ref. no.	Page
BMW		
	34 52 1 164 652	
314 899 0049	34 52 6 752 681 34 52 6 792 897	231
314 899 0050	34 52 6 752 682 34 52 6 792 896	231
314 899 0051	34 52 6 752 683	225
314 899 0052	12 14 1 709 616 12 14 1 744 492	253
314 899 0053	13 62 7 787 192 13 62 7 809 334	255
314 899 0054	17 11 7 546 548	220
314 899 0055	12 14 1 743 072	267
314 899 0056	34 52 6 752 016 34 52 6 756 379	233
314 899 0057	34 52 6 761 650 34 52 6 761 800 34 52 6 771 708	230
314 899 0059	34 52 6 761 651 34 52 6 761 801 34 52 6 771 709	230
314 899 0060	34 52 0 025 726 34 52 6 756 380 34 52 6 756 573	233
314 899 0061	34 52 0 025 721 34 52 1 165 532 34 52 6 756 373	226
314 899 0062	34 52 6 760 425 34 52 6 785 021 34 52 6 870 076	232
314 899 0063	34 52 3 405 906 34 52 3 420 330	224
314 899 0064	34 52 6 760 534 34 52 6 771 705	230
314 899 0065	34 52 6 762 476 34 52 6 785 022 34 52 6 870 077	232
314 899 0066	34 52 3 405 907 34 52 3 420 331	225
314 899 0068	34 52 6 760 047 34 52 6 771 701	228
314 899 0069	12 14 1 740 383 12 14 1 740 959 12 14 1 748 400	267
314 899 0070	67 11 1 387 606 67 11 1 387 726	279

MEYLE no.	Ref. no.	Page
BMW		
	67 11 8 353 012	
314 899 0071	67 11 8 352 165	278
314 899 0072	67 11 1 387 607 67 11 1 393 999 67 11 8 353 011	278
314 899 0073	37 14 0 141 444 37 14 1 093 697 37 14 1 093 699 37 14 6 778 811 37 14 6 784 696	280
314 899 0074	12 14 7 503 140 13 62 7 548 994	254
314 899 8003	12 14 1 726 066	257
314 906 4201	34 21 9 064 270	141
314 906 8101	34 21 9 067 127	142
314 909 0000	51 33 1 977 609	13
314 909 0001	51 33 7 020 659	14
314 909 0002	51 33 1 977 610	13
314 909 0003	51 33 8 252 393	17
314 909 0004	51 33 8 159 832 51 33 8 236 860 51 33 8 252 394	17
314 909 0005	51 33 7 020 660	14
314 909 0006	51 35 8 212 099	20
314 909 0007	51 35 8 212 100	21
314 909 0008	51 33 7 024 811 51 33 7 138 861 51 33 7 202 479	16
314 909 0009	51 33 7 024 812 51 33 7 138 862 51 33 7 202 480	16
314 909 0010	51 33 8 254 911	18
314 909 0011	51 33 8 254 912	18
314 909 0012	51 35 7 125 059 51 35 8 254 913	18
314 909 0013	51 35 7 125 060 51 35 8 254 914	19
314 909 0018	51 35 8 159 835	20
314 909 0019	51 35 8 159 836	20
314 909 0020	51 35 8 252 429	21
314 909 0021	51 35 8 252 430	21
314 909 0027	51 33 7 140 587	14
314 909 0028	51 33 7 140 588	15
314 909 0029	51 35 7 140 589	19
314 909 0030	51 35 7 140 590	19
314 909 0031	51 33 7 075 667	15

MEYLE no.	Ref. no.	Page
BMW		
	51 33 7 184 383	
314 909 0032	51 33 7 075 668 51 33 7 184 384	15
314 909 0033	51 33 8 229 105	16
314 909 0034	51 33 8 229 106	17
314 910 0000	51 21 8 243 615	1
314 910 0001	51 21 8 243 616	1
315 521 0002/PD	34 11 6 770 729 34 11 6 855 000	60
315 521 0003/PD	34 11 6 774 875 34 11 6 792 219 34 11 6 855 006	64
315 521 0004/PD	34 11 6 771 985 34 11 6 793 245	64
315 521 0005/PD	34 11 6 771 986 34 11 6 793 244 34 11 6 868 938	63
315 521 0006/PD	34 11 6 771 982 34 11 6 793 243	63
315 521 0012/PD	34 10 6 787 490	40
315 521 0013/PD	34 11 6 792 215	61
315 521 0014/PD	34 11 6 792 217	62
315 521 0016/PD	34 11 6 792 221	62
315 521 3001	34 11 1 154 749 34 11 1 154 750 34 11 1 160 847 34 11 1 160 915	40
315 521 3004	34 11 1 151 655 34 11 1 151 656 34 11 1 163 135 34 11 1 163 136	42
315 521 3006	34 11 1 158 042 34 11 1 159 898 34 11 1 161 693	41
315 521 3007	34 11 1 160 673 34 11 6 757 750 34 11 6 757 751	49
315 521 3007/PD	34 11 1 160 673 34 11 6 757 750 34 11 6 757 751	50
315 521 3008	34 11 1 157 503 34 11 1 158 040 34 11 1 159 897 34 11 1 160 849 34 11 1 160 936	41
315 521 3009	34 11 1 154 747	46

MEYLE no.	Ref. no.	Page
BMW		
	34 11 6 752 434	
315 521 3011	34 11 1 160 674 34 11 1 162 282 34 11 1 162 288 34 11 1 164 199 34 11 1 164 431 34 11 1 164 921 34 11 1 165 455 34 11 6 766 239 34 11 6 794 301 34 11 6 855 153	65
315 521 3011/PD	34 11 1 160 674 34 11 1 162 282 34 11 1 162 288 34 11 1 164 199 34 11 1 164 431 34 11 1 164 921 34 11 1 165 455 34 11 6 766 239 34 11 6 794 301 34 11 6 855 153	65
315 521 3015	34 11 1 162 093 34 11 6 757 752 34 11 6 757 753	50
315 521 3015/PD	34 11 1 162 093 34 11 6 757 752 34 11 6 757 753	51
315 521 3019	34 11 1 163 013 34 11 1 163 081 34 11 1 164 839 34 11 6 767 061	57
315 521 3019/PD	34 11 1 163 013 34 11 1 163 081 34 11 1 164 839 34 11 6 767 061	58
315 521 3020	34 11 1 164 539 34 11 6 757 526 34 11 6 766 224 34 11 6 794 302 34 11 6 855 152 34 11 6 864 058	68
315 521 3020/PD	34 11 1 164 539 34 11 6 757 526 34 11 6 766 224 34 11 6 794 302 34 11 6 855 152	68

MEYLE no.	Ref. no.	Page
BMW		
	34 11 6 864 058	
315 521 3023	34 11 1 159 602 34 11 1 159 895 34 11 1 159 916 34 11 6 757 746 34 11 6 757 747	48
315 521 3023/PD	34 11 1 159 602 34 11 1 159 895 34 11 1 159 916 34 11 6 757 746 34 11 6 757 747	49
315 521 3024	34 11 1 165 859 34 11 6 767 059	56
315 521 3024/PD	34 11 1 165 859 34 11 6 767 059	57
315 521 3025	34 11 6 750 713 34 11 6 756 045 34 11 6 765 457 34 11 6 766 036 34 11 6 794 300 34 11 6 859 679	66
315 521 3025/PD	34 11 6 750 713 34 11 6 756 045 34 11 6 765 457 34 11 6 766 036 34 11 6 794 300 34 11 6 859 679	66
315 521 3029	34 10 1 166 071 34 11 6 769 305 34 11 6 855 156 34 11 6 864 047	59
315 521 3029/PD	34 10 1 166 071 34 11 6 769 305 34 11 6 855 156 34 11 6 864 047	59
315 521 3050	34 11 1 161 372 34 11 1 164 973 34 11 1 165 072 34 11 6 757 756	51
315 521 3050/PD	34 11 1 161 372 34 11 1 164 973 34 11 1 165 072 34 11 6 757 756	52
315 521 3051	34 11 2 227 171 34 11 2 227 737	42
315 521 3051/PD	34 11 2 227 171	43

MEYLE no.	Ref. no.	Page
BMW		
	34 11 2 227 737	
315 521 3052	34 11 2 227 172 34 11 2 227 738	43
315 521 3052/PD	34 11 2 227 172 34 11 2 227 738	44
315 521 3058	34 11 6 750 265	45
315 521 3058/PD	34 11 6 750 265	46
315 521 3059	34 11 6 750 267 34 11 6 864 057	67
315 521 3059/PD	34 11 6 750 267 34 11 6 864 057	67
315 521 3060	34 11 6 753 221 34 11 6 767 269 34 11 6 864 906	70
315 521 3060/PD	34 11 6 753 221 34 11 6 767 269 34 11 6 864 906	47
315 521 3061	34 11 6 756 745 34 11 6 764 021 34 11 6 864 059	69
315 521 3061/PD	34 11 6 756 745 34 11 6 764 021 34 11 6 864 059	69
315 521 3062	34 11 6 764 629 34 11 6 854 996	52
315 521 3062/PD	34 11 6 764 629 34 11 6 854 996	53
315 521 3063	34 11 6 764 641	53
315 521 3063/PD	34 11 6 764 641	54
315 521 3064	34 11 6 764 645 34 11 6 854 999	54
315 521 3064/PD	34 11 6 764 645 34 11 6 854 999	55
315 521 3070	34 11 6 756 847	47
315 521 3070/PD	34 11 6 756 847	48
315 521 3074	34 11 3 400 151	44
315 521 3074/PD	34 11 3 400 151	45
315 521 3076	34 11 6 753 091 34 11 6 766 107	55
315 521 3076/PD	34 11 6 753 091 34 11 6 766 107	56
315 521 3082	34 11 6 767 353	58
315 523 0001/PD	34 21 6 778 051 34 21 6 855 005	97
315 523 0004/PD	34 21 6 771 970 34 21 6 793 247	101

MEYLE no.	Ref. no.	Page
BMW		
	34 21 6 868 940	
315 523 0005/PD	34 21 6 771 971 34 21 6 793 246	101
315 523 0007/PD	34 21 6 763 345	87
315 523 0013/PD	34 21 6 752 545 34 21 6 766 225 34 21 6 794 306	93
315 523 0014/PD	34 21 6 754 137 34 21 6 766 219 34 21 6 794 303	83
315 523 0015/PD	34 20 6 790 362 34 20 6 868 936	71
315 523 0016/PD	34 21 6 792 225	99
315 523 0017/PD	34 21 6 792 227	99
315 523 0018/PD	34 21 6 792 229 34 21 6 864 900	100
315 523 0019/PD	34 21 6 792 233 34 21 6 864 899	100
315 523 0020/PD	34 21 6 787 931 34 21 6 795 755	98
315 523 0022	34 21 6 782 605	97
315 523 0022/PD	34 21 6 782 605	98
315 523 3001	34 21 1 119 581 34 21 1 122 282 34 21 6 755 407	83
315 523 3002	34 21 1 121 387 34 21 1 152 571 34 21 1 153 140 34 21 1 162 968 34 21 1 163 140	73
315 523 3004	34 21 1 156 668 34 21 1 162 305	72
315 523 3005	34 21 1 158 936 34 21 1 162 289 34 21 1 164 511 34 21 1 165 457 34 21 6 855 158 34 21 6 864 051	76
315 523 3005/PD	34 21 1 158 936 34 21 1 162 289 34 21 1 164 511 34 21 1 165 457 34 21 6 855 158 34 21 6 864 051	76
315 523 3006	34 21 1 157 781 34 21 1 165 258	75

MEYLE no.	Ref. no.	Page
BMW		
	34 21 1 165 259	
315 523 3007	34 21 1 155 499 34 21 1 157 360 34 21 1 157 361 34 21 1 165 257	75
315 523 3008/PD	34 21 1 155 501 34 21 1 162 967 34 21 1 163 138	72
315 523 3009	34 21 1 157 953 34 21 1 159 900 34 21 6 757 748 34 21 6 757 749	85
315 523 3009/PD	34 21 1 157 953 34 21 1 159 900 34 21 6 757 748 34 21 6 757 749	85
315 523 3012	34 21 1 163 153 34 21 1 164 175 34 21 1 164 840 34 21 6 767 060	94
315 523 3012/PD	34 21 1 163 153 34 21 1 164 175 34 21 1 164 840 34 21 6 767 060	95
315 523 3018	34 21 1 163 669 34 21 1 163 835 34 21 1 164 129 34 21 6 767 049	93
315 523 3018/PD	34 21 1 163 669 34 21 1 163 835 34 21 1 164 129 34 21 6 767 049	94
315 523 3021	34 21 1 162 315 34 21 1 165 211 34 21 6 855 155 34 21 6 864 903	74
315 523 3021/PD	34 21 1 162 315 34 21 1 165 211 34 21 6 855 155 34 21 6 864 903	74
315 523 3022	34 21 1 165 563 34 21 6 855 154 34 21 6 864 056	77
315 523 3022/PD	34 21 6 855 154 34 21 6 864 056	102
315 523 3026	34 21 1 164 911	90

MEYLE no.	Ref. no.	Page
BMW		
	34 21 6 765 458 34 21 6 794 299 34 21 6 859 678	
315 523 3026/PD	34 21 1 164 911 34 21 6 765 458 34 21 6 794 299 34 21 6 859 678	91
315 523 3030	34 20 1 166 073 34 21 6 855 157 34 21 6 864 052	70
315 523 3030/PD	34 20 1 166 073 34 21 6 855 157 34 21 6 864 052	71
315 523 3055	34 21 1 160 809 34 21 6 758 552 34 21 6 758 553	86
315 523 3055/PD	34 21 1 160 809 34 21 6 758 552 34 21 6 758 553	86
315 523 3056	34 21 1 158 556	141
315 523 3058	34 21 1 163 845 34 21 1 164 399 34 21 6 794 298	73
315 523 3059	34 11 6 764 643 34 11 6 772 669 34 11 6 854 998	60
315 523 3059/PD	34 11 6 764 643 34 11 6 772 669 34 11 6 854 998	61
315 523 3060	34 21 1 166 127	77
315 523 3060/PD	34 21 1 166 127	78
315 523 3061	34 21 1 166 129	78
315 523 3061/PD	34 21 1 166 129	79
315 523 3062	34 21 6 753 215 34 21 6 772 085	95
315 523 3062/PD	34 21 6 753 215 34 21 6 772 085	96
315 523 3063	34 21 6 764 647 34 21 6 855 001	87
315 523 3063/PD	34 21 6 764 647 34 21 6 855 001	88
315 523 3064	34 21 6 764 651 34 21 6 855 007	88
315 523 3064/PD	34 21 6 764 651 34 21 6 855 007	89
315 523 3065	34 21 6 764 653	102

MEYLE no.	Ref. no.	Page
BMW		
	34 21 6 855 008 34 21 6 864 901	
315 523 3065/PD	34 21 6 764 653 34 21 6 855 008 34 21 6 864 901	103
315 523 3066	34 21 6 764 655 34 21 6 855 004	89
315 523 3066/PD	34 21 6 764 655 34 21 6 855 004	90
315 523 3067	34 21 6 765 889 34 21 6 864 054	91
315 523 3067/PD	34 21 6 765 889 34 21 6 864 054	92
315 523 3068	34 21 4 031 275 34 21 4 031 725 34 21 6 764 649 34 21 6 769 271 34 21 6 855 002	82
315 523 3068/PD	34 21 4 031 275 34 21 4 031 725 34 21 6 764 649 34 21 6 769 271 34 21 6 855 002	82
315 523 3071	34 21 2 227 178	80
315 523 3072	34 21 2 227 177	80
315 523 3075	34 21 3 332 217	81
315 523 3075/PD	34 21 3 332 217	81
315 523 3078	34 21 6 756 849	84
315 523 3078/PD	34 21 6 756 849	84
315 523 3079	34 21 1 159 486	141
315 523 3080	34 21 1 166 131	79
315 523 3081/PD	34 21 6 765 891	92
315 523 3082/PD	34 21 6 775 291	96
316 010 0002	31 12 1 096 425 31 12 6 756 491	454
316 010 0003/HD	31 12 1 096 685 31 12 1 140 398 31 12 6 758 510	454
316 010 0004	33 30 6 852 895 33 32 1 138 722 33 32 1 140 345 33 32 6 775 551	619
316 010 0008	31 10 3 412 726 31 10 3 418 341	452
316 010 0011	31 10 0 363 476	452

MEYLE no.	Ref. no.	Page
BMW		
	31 10 3 438 623	
316 010 0012	33 32 6 770 985	620
316 010 0014	31 12 6 775 967* 31 12 6 779 871* 31 12 6 779 908*	455
316 010 0015	31 12 6 768 988	455
316 010 0016	31 12 6 777 753	456
316 010 0017	31 12 6 779 840	456
316 010 0018	31 10 6 787 665	452
316 010 4305/HD	31 12 1 094 465* 31 12 1 094 466* 31 12 1 752 717* 31 12 2 282 121* 31 12 2 282 122* 31 12 6 750 223* 31 12 6 750 224* 31 12 6 751 317* 31 12 6 751 318* 31 12 6 752 717* 31 12 6 752 718* 31 12 6 758 220* 31 12 6 758 519* 31 12 6 758 520* 31 12 6 770 247* 31 12 6 770 248* 31 12 6 774 819* 31 12 6 774 820* 31 12 6 777 851* 31 12 6 777 852*	453
316 010 4306	31 12 1 127 725* 31 12 1 127 726*	453
316 010 4307	31 12 1 126 254 31 12 1 127 725* 31 12 1 127 726*	453
316 010 4345	31 12 6 758 513* 31 12 6 758 514*	455
316 010 4347	33 32 1 090 504 33 32 1 095 631 33 32 2 347 944* 33 32 6 750 371 33 32 6 767 748	517, 565, 620
316 010 4347	33 32 1 090 504 33 32 1 095 631 33 32 2 347 944* 33 32 6 750 371	517, 565, 620

MEYLE no.	Ref. no.	Page
BMW		
	33 32 6 767 748	
316 010 4347	33 32 1 090 504 33 32 1 095 631 33 32 2 347 944* 33 32 6 750 371 33 32 6 767 748	517, 565, 620
316 020 0002	32 11 1 094 673*	446
316 020 0003	32 11 1 094 674*	446
316 020 0005/HD	32 10 6 774 335 32 21 1 096 327 32 21 6 760 354	442
316 020 0006	32 30 3 418 202 32 41 3 413 476	451
316 020 0007/HD	32 10 6 765 089 32 10 6 767 781	439
316 020 0008/HD	32 10 6 765 090 32 10 6 767 782	440
316 020 0009	32 10 6 769 074 32 10 6 793 624	444
316 020 0010	32 10 6 769 073 32 10 6 793 623	444
316 020 0011	32 21 6 767 860	450
316 020 0014	32 10 6 774 320 32 21 6 751 041	441
316 020 0015	32 10 6 774 321 32 21 6 751 042	441
316 020 0020	32 10 6 780 984 32 10 6 793 497 32 21 6 773 739	442
316 020 0023	32 10 6 784 796	443
316 020 0024	32 10 6 784 790	443
316 020 0025	32 10 6 799 967	445
316 020 0026	32 10 6 799 966	445
316 020 0027	32 10 6 797 618	445
316 020 0028	32 10 6 797 617	444
316 020 0029	32 10 6 792 674	443
316 020 3042	32 11 1 116 463	447
316 020 4215	32 21 1 127 917 32 21 1 130 004 32 21 1 135 820	449
316 020 4216	32 21 1 127 918 32 21 1 130 001 32 21 1 135 819	449
316 020 4302	07 12 9 922 770 32 11 1 126 757	447

MEYLE no.	Ref. no.	Page
BMW		
316 020 4341	32 11 1 139 313	448
316 020 4344	32 11 1 139 314	448
316 020 4350	32 21 1 141 345	449
316 020 4351	32 21 1 141 346	450
316 020 4374	32 11 1 091 770 32 11 1 094 676 32 21 1 091 724	447
316 020 4375	32 21 1 091 723	448
316 020 4603	32 10 6 774 220 32 21 1 095 957	440
316 020 4604	32 10 6 774 221 32 21 1 095 958	441
316 030 0000	32 11 1 091 767 32 11 1 091 768 32 11 1 091 769 32 11 1 093 769 32 11 1 093 770 32 11 1 094 673* 32 11 1 094 674*	425
316 030 0001	32 10 6 774 360 32 10 6 777 268 32 21 6 756 368	433
316 030 0002	32 10 6 774 361 32 10 6 776 946 32 21 6 756 369	442
316 030 0004	32 10 6 774 222 32 10 6 777 503 32 11 1 096 897 32 21 1 095 955 32 21 1 096 897	433
316 030 0005	32 10 6 774 223 32 10 6 777 504 32 11 1 096 898 32 21 1 095 956 32 21 1 096 898	434
316 030 0006	32 10 6 774 318 32 21 6 751 039	431
316 030 0009	32 10 3 412 798 32 10 3 444 999 32 30 3 418 204	429
316 030 0010/HD	32 10 6 774 336 32 21 6 751 277 32 21 6 760 470	432
316 030 0011	32 10 6 774 347 32 10 6 777 479	433

MEYLE no.	Ref. no.	Page
BMW		
	32 21 6 762 403	
316 030 0012/HD	32 21 6 762 243	438
316 030 0013/HD	32 21 6 762 244	439
316 030 0014	32 10 6 768 879 32 10 6 793 621	431
316 030 0015	32 10 6 768 880 32 10 6 793 622	431
316 030 0016	32 21 6 767 861 32 21 6 777 451	439
316 030 0017/HD	32 10 6 765 235	430
316 030 0018/HD	32 10 6 765 236	430
316 030 0021	32 10 6 780 985 32 10 6 793 496 32 21 6 773 741	434
316 030 0024	32 10 6 774 319 32 10 6 774 919 32 21 6 751 040	432
316 030 3042	32 10 6 774 360 32 10 6 777 268* 32 21 6 756 368	423
316 030 3044	32 10 3 412 798* 32 10 3 444 999* 32 10 6 780 985* 32 10 6 793 496* 32 21 6 751 277* 32 21 6 773 741* 32 30 3 418 204*	421
316 030 3049	32 21 1 117 212 32 21 1 118 619	437
316 030 4214	32 21 1 124 231 32 21 1 129 020 32 21 1 135 666 32 21 1 135 668	438
316 030 4301	32 11 1 125 186	436
316 030 4303	32 11 1 125 186* 32 11 1 126 620	426
316 030 4304	32 11 1 125 187	436
316 030 4305	32 11 1 125 187*	426
316 030 4339	32 11 1 139 315 32 11 1 139 317	437
316 030 4340	32 11 1 139 316	437
316 030 4342	32 11 1 139 315* 32 11 1 139 316*	426
316 030 4354	32 11 1 091 768 32 11 1 093 770 32 11 1 094 674	435

MEYLE no.	Ref. no.	Page
BMW		
	32 21 1 094 674	
316 030 4355	32 11 1 091 767 32 11 1 093 769 32 11 1 094 673 32 21 1 094 673	435
316 030 4600	32 10 6 774 222* 32 10 6 774 223* 32 10 6 777 503* 32 10 6 777 504* 32 11 1 096 897* 32 21 1 096 898*	423
316 031 0003	32 10 6 774 347 32 10 6 777 479* 32 21 6 762 403 32 21 6 767 861 32 21 6 777 451*	423
316 031 0004	32 21 6 762 243* 32 21 6 762 244*	427
316 031 0005	32 10 6 765 235* 32 10 6 765 236*	422
316 031 0008	32 10 6 768 879* 32 10 6 768 880*	422
316 031 0010	32 10 6 774 318* 32 10 6 774 319*	422
316 031 0011	32 10 6 784 716* 32 10 6 784 719*	424
316 031 0012	32 10 6 799 960* 32 10 6 799 965*	425
316 031 0013	32 10 6 792 029* 32 10 6 792 030*	424
316 031 0014	32 10 6 787 472*	424
316 035 0000	33 32 1 095 414 33 32 6 768 269 33 32 6 770 742 33 32 6 774 796	522
316 035 0001	33 32 0 300 946 33 32 0 398 361 33 32 0 403 294 33 32 0 414 345 33 32 0 421 750 33 32 1 096 797 33 32 2 282 065 33 32 2 779 820 33 32 6 763 324 33 32 6 768 268 33 32 6 770 753	523

MEYLE no.	Ref. no.	Page
BMW		
	33 32 6 774 795 33 32 6 777 424	
316 035 0005/HD	31 12 4 036 269 31 12 6 763 703 31 12 6 763 707 31 12 6 769 797 31 12 6 769 801	482
316 035 0006/HD	31 12 4 036 270 31 12 6 763 704 31 12 6 763 708 31 12 6 769 798 31 12 6 769 802	482
316 035 0007	33 32 1 095 412 33 32 6 768 274 33 32 6 770 748 33 32 6 770 860	496
316 035 0008	33 32 1 095 411 33 32 6 768 273 33 32 6 770 747 33 32 6 770 859	496
316 035 0010	33 32 2 348 885 33 32 6 775 083	520
316 035 0011	33 32 2 348 884 33 32 6 775 084	520
316 039 3807	33 32 1 090 745 33 32 1 097 264 33 32 6 768 791	522
316 040 4226	32 21 1 124 232 32 21 1 124 906 32 21 1 127 136 32 21 1 127 272 32 21 1 129 014 32 21 1 129 015	428
316 040 4315	32 21 1 138 850	428
316 040 4331	32 21 1 130 661 32 21 1 133 615 32 21 1 136 685 32 21 1 138 854 32 21 1 138 864	429
316 040 4336	32 21 1 130 662 32 21 1 133 618 32 21 1 136 686 32 21 1 138 855	429
316 040 4349	32 21 1 091 913 32 21 1 091 917 32 21 1 093 433	427

MEYLE no.	Ref. no.	Page
BMW		
	32 21 1 093 435 32 21 1 096 057	
316 040 4353	32 21 1 091 914 32 21 1 091 918 32 21 1 093 434 32 21 1 093 436 32 21 1 096 058	427
316 050 0000/HD	31 12 1 094 465 31 12 1 094 466 31 12 1 096 985 31 12 1 096 986 31 12 1 752 717 31 12 2 282 121 31 12 2 282 122 31 12 6 750 223 31 12 6 750 224 31 12 6 751 317 31 12 6 751 318 31 12 6 752 717 31 12 6 752 718 31 12 6 758 220 31 12 6 758 519 31 12 6 758 520 31 12 6 758 623 31 12 6 770 247 31 12 6 770 248 31 12 6 774 819 31 12 6 774 820 31 12 6 777 851 31 12 6 777 852	513
316 050 0001	31 12 1 141 961	473
316 050 0002	31 12 1 141 962	474
316 050 0003/HD	31 12 1 094 465 31 12 1 096 985 31 12 1 752 717 31 12 2 282 121 31 12 6 750 223 31 12 6 751 317 31 12 6 752 717 31 12 6 758 220 31 12 6 758 519 31 12 6 770 247 31 12 6 774 819 31 12 6 777 851	475
316 050 0004/HD	31 12 1 094 466 31 12 1 096 986	476

MEYLE no.	Ref. no.	Page
BMW		
	31 12 2 282 122 31 12 6 750 224 31 12 6 751 318 31 12 6 752 718 31 12 6 758 520 31 12 6 770 248 31 12 6 774 820 31 12 6 777 852	
316 050 0007/HD	31 12 1 096 169 31 12 6 769 717	481
316 050 0008/HD	31 12 1 096 170 31 12 6 769 718	481
316 050 0009	31 12 1 096 315 31 12 6 760 275	478
316 050 0010	31 12 1 096 316 31 12 6 760 276	479
316 050 0011/HD	31 12 4 026 453 31 12 4 046 441 31 12 6 756 101 31 12 6 760 519 31 12 6 765 993 31 12 6 774 831	486
316 050 0012/HD	31 12 4 026 454 31 12 4 046 442 31 12 6 756 102 31 12 6 760 520 31 12 6 765 994 31 12 6 774 832	486
316 050 0013	31 12 2 347 983 31 12 2 347 985 31 12 6 755 835 31 12 6 770 121 31 12 6 770 771 31 12 6 770 837 31 12 6 777 937 31 12 6 777 939	476
316 050 0014	31 12 2 347 984 31 12 2 347 986 31 12 6 755 836 31 12 6 770 122 31 12 6 770 772 31 12 6 770 838 31 12 6 777 938 31 12 6 777 940	477
316 050 0015/HD	31 10 3 412 135 31 10 3 415 027	460

MEYLE no.	Ref. no.	Page
BMW		
	31 10 3 418 337 31 10 3 426 433 31 10 3 451 881 31 12 0 360 275	
316 050 0016/HD	31 10 3 412 136 31 10 3 415 028 31 10 3 418 338 31 10 3 426 434 31 10 3 451 882	461
316 050 0017	31 12 4 028 607 31 12 6 760 181 31 12 6 768 297	479
316 050 0018	31 12 4 028 608 31 12 6 760 182 31 12 6 768 298	480
316 050 0019/HD	31 10 2 348 047 31 10 4 026 719 31 12 4 046 437 31 12 6 760 183 31 12 6 765 995 31 12 6 774 825	459
316 050 0020/HD	31 10 2 348 046 31 10 4 026 720 31 12 4 046 438 31 12 6 760 184 31 12 6 765 996 31 12 6 774 826	458
316 050 0021	31 12 6 763 700 31 12 6 770 850	483
316 050 0022	31 12 6 763 699 31 12 6 770 849	483
316 050 0023/HD	31 12 1 092 276 31 12 1 094 275 31 12 1 136 529 31 12 1 136 530 31 12 1 140 399 31 12 1 140 400 31 12 1 140 957 31 12 1 140 958 31 12 6 758 513 31 12 6 758 514 31 12 6 758 515 31 12 6 758 516	510
316 050 0024	33 32 6 765 425 33 32 6 765 535 33 32 6 782 237	521

MEYLE no.	Ref. no.	Page
BMW		
	33 32 6 782 238	
316 050 0025	33 32 6 763 473 33 32 6 777 980 34 52 6 778 469	523
316 050 0026	33 32 6 763 471	521
316 050 0027/HD	31 10 0 363 477 31 10 3 443 127	459
316 050 0028/HD	31 10 0 363 478 31 10 3 443 128	460
316 050 0029/HD	31 12 1 092 609 31 12 1 092 819	462
316 050 0030/HD	31 12 1 092 610 31 12 1 092 820	463
316 050 0033	31 12 6 776 418 31 12 6 863 786	489
316 050 0034	31 12 6 776 417 31 12 6 863 785	488
316 050 0035	31 12 6 771 894	484
316 050 0036	31 12 6 771 893	484
316 050 0037/HD	31 12 6 773 950	485
316 050 0038/HD	31 12 6 773 949	485
316 050 0039	33 32 4 046 917 33 32 6 770 963 33 32 6 779 387 33 32 6 795 047	498
316 050 0040	33 32 4 046 918 33 32 6 770 964 33 32 6 779 388 33 32 6 795 048	498
316 050 0041	33 32 6 770 969 33 32 6 796 001	497
316 050 0042	33 32 6 770 970 33 32 6 796 002	497
316 050 0044/HD	31 12 6 775 967 31 12 6 779 871 31 12 6 779 908 31 12 6 854 613 31 12 6 854 614 31 12 6 857 516	487
316 050 0045	31 12 6 768 989 31 12 6 768 989 S2	480
316 050 0048	31 12 6 794 203	490
316 050 0049	31 12 6 794 204	491
316 050 0050	31 12 6 775 971	487
316 050 0051	31 12 6 775 972	488
316 050 0054	33 30 6 772 241	493

MEYLE no.	Ref. no.	Page
BMW		
	33 30 6 773 941	
	33 32 1 090 815	
	33 32 1 094 209	
	33 32 6 758 141	
	33 32 6 759 157	
	33 32 6 767 753	
	33 32 6 767 759	
	33 32 6 767 831	
	33 32 6 767 967	
	33 32 6 768 789	
	33 32 6 769 971	
	33 32 6 770 775	
	33 32 6 770 839	
	33 32 6 774 793	
	33 32 6 774 841	
	33 32 6 777 425	
316 050 0055	33 30 6 772 242	494
	33 30 6 773 942	
	33 32 1 090 816	
	33 32 1 094 210	
	33 32 6 758 142	
	33 32 6 759 158	
	33 32 6 767 754	
	33 32 6 767 760	
	33 32 6 767 832	
	33 32 6 767 968	
	33 32 6 768 790	
	33 32 6 769 972	
	33 32 6 770 776	
	33 32 6 770 840	
	33 32 6 774 794	
	33 32 6 774 842	
	33 32 6 777 426	
316 050 0056	31 12 6 775 963	491
	31 12 6 798 107	
	31 12 6 850 781	
316 050 0057	31 12 6 775 964	492
	31 12 6 798 108	
	31 12 6 850 782	
316 050 0058	31 10 6 787 669	489
	31 12 6 787 669	
316 050 0059	31 10 6 787 670	490
	31 12 6 787 670	
316 050 0060	31 10 6 787 673	461
316 050 0061	31 10 6 787 674	462
316 050 0080/HD	31 12 6 775 967	512

MEYLE no.	Ref. no.	Page
BMW		
	31 12 6 775 971	
	31 12 6 775 972	
	31 12 6 779 871	
	31 12 6 779 908	
	31 12 6 794 203	
	31 12 6 794 204	
	31 12 6 854 613	
	31 12 6 854 614	
	31 12 6 857 516	
316 050 0083	31 12 6 852 991	492
316 050 0084	31 12 6 852 992	493
316 050 0101/HD	31 12 4 036 269	511
	31 12 4 036 270	
	31 12 6 763 699	
	31 12 6 763 700	
	31 12 6 763 703	
	31 12 6 763 704	
	31 12 6 763 707	
	31 12 6 763 708	
	31 12 6 769 797	
	31 12 6 769 798	
	31 12 6 769 801	
	31 12 6 769 802	
	31 12 6 770 849	
	31 12 6 770 850	
316 050 0103/HD	31 12 1 092 023	509
	31 12 1 092 024	
	31 12 1 093 449	
	31 12 1 093 450	
	31 12 1 094 233	
	31 12 1 094 234	
	31 12 1 141 717	
	31 12 1 141 718	
	31 12 2 341 296	
	31 12 9 069 568	
316 050 0104/HD	31 10 2 348 046	508
	31 10 2 348 047	
	31 10 4 026 719	
	31 10 4 026 720	
	31 12 4 028 607	
	31 12 4 028 608	
	31 12 4 046 437	
	31 12 4 046 438	
	31 12 6 760 181	
	31 12 6 760 182	
	31 12 6 760 183	

MEYLE no.	Ref. no.	Page
BMW		
	31 12 6 760 184 31 12 6 765 995 31 12 6 765 996 31 12 6 768 297 31 12 6 768 298 31 12 6 774 825 31 12 6 774 826	
316 050 0105/HD	31 12 2 347 983 31 12 2 347 984 31 12 2 347 985 31 12 2 347 986 31 12 4 026 453 31 12 4 026 454 31 12 4 046 441 31 12 4 046 442 31 12 6 755 835 31 12 6 755 836 31 12 6 756 101 31 12 6 756 102 31 12 6 760 519 31 12 6 760 520 31 12 6 765 993 31 12 6 765 994 31 12 6 770 121 31 12 6 770 122 31 12 6 770 771 31 12 6 770 772 31 12 6 770 837 31 12 6 770 838 31 12 6 774 831 31 12 6 774 832 31 12 6 777 937 31 12 6 777 938 31 12 6 777 939 31 12 6 777 940	510
316 050 0106/HD	31 12 1 096 169 31 12 1 096 170 31 12 1 096 315 31 12 1 096 316 31 12 6 760 275 31 12 6 760 276 31 12 6 769 717 31 12 6 769 718	511
316 050 0107/HD	31 10 0 363 477 31 10 0 363 478 31 10 3 412 135	509

MEYLE no.	Ref. no.	Page
BMW		
	31 10 3 412 136 31 10 3 415 027 31 10 3 415 028 31 10 3 418 337 31 10 3 418 338 31 10 3 426 433 31 10 3 426 434 31 10 3 443 127 31 10 3 443 128 31 10 3 451 881 31 10 3 451 882 31 12 0 360 275	
316 050 0108/HD	31 12 6 771 893 31 12 6 771 894 31 12 6 773 949 31 12 6 773 950 31 12 6 776 417 31 12 6 776 418 31 12 6 863 785 31 12 6 863 786	512
316 050 2100	33 30 3 411 651 33 32 1 092 237 33 32 1 138 380 33 32 6 760 675 33 32 6 770 813	519
316 050 3601/HD	31 12 1 092 276 31 12 1 136 530 31 12 1 140 400 31 12 1 140 958 31 12 6 758 514 31 12 6 758 516	478
316 050 3602/HD	31 12 1 094 275 31 12 1 136 529 31 12 1 140 399 31 12 1 140 957 31 12 6 758 513 31 12 6 758 515	477
316 050 3807	33 32 1 090 905 33 32 6 770 059	494
316 050 3808	33 32 1 090 906 33 32 6 770 060	495
316 050 3901	31 12 1 093 449 31 12 1 094 233 31 12 9 069 568	463
316 050 3902	31 12 1 093 450 31 12 1 094 234	464

MEYLE no.	Ref. no.	Page
BMW		
	31 12 2 341 296 31 12 9 069 568	
316 050 3903/HD	31 12 1 092 023 31 12 1 141 717	471
316 050 3904/HD	31 12 1 092 024 31 12 1 141 718	472
316 050 4206	31 12 1 123 025	464
316 050 4207	31 12 1 123 026 31 12 1 123 027	465
316 050 4217	31 12 1 124 401 31 12 1 131 587 31 12 1 139 991	468
316 050 4218	31 12 1 124 402 31 12 1 131 582 31 12 1 131 588 31 12 1 139 992	469
316 050 4223/HD	31 12 1 124 954 31 12 1 125 549 31 12 1 125 551 31 12 1 127 141 31 12 1 129 245 31 12 1 132 345 31 12 1 132 353	466
316 050 4224/HD	31 12 1 124 955 31 12 1 125 550 31 12 1 125 552 31 12 1 127 142 31 12 1 129 246 31 12 1 132 346 31 12 1 132 354	467
316 050 4317/HD	31 12 1 130 089 31 12 1 130 597 31 12 1 139 999	469
316 050 4318/HD	31 12 1 130 090 31 12 1 130 598 31 12 1 133 490 31 12 1 140 000	470
316 050 4332/HD	31 12 1 132 159 31 12 1 133 711 31 12 1 141 097	470
316 050 4333/HD	31 12 1 132 160 31 12 1 133 712 31 12 1 141 098	471
316 050 4360	31 12 1 142 088	475
316 050 4361	31 12 1 142 087	474
316 050 4362/HD	31 12 1 141 722	473

MEYLE no.	Ref. no.	Page
BMW		
	31 12 1 141 724	
316 050 4363/HD	31 12 1 141 721 31 12 1 141 723	472
316 050 4366	31 12 1 127 726 31 12 1 701 060	466
316 050 4367	31 12 1 127 725 31 12 1 701 059	465
316 050 4370	31 12 1 133 238 31 12 1 139 988 32 21 1 139 988	468
316 050 4371	31 12 1 133 237 31 12 1 139 987 32 21 1 139 987	467
316 060 0000/HD	33 50 6 781 538 33 55 6 757 460	548
316 060 0001/HD	31 35 2 227 203	542
316 060 0002/HD	31 35 1 092 304 31 35 1 095 664	540
316 060 0003/HD	31 30 6 781 545 31 35 6 753 767 31 35 6 778 069	534
316 060 0004/HD	31 30 6 781 546 31 35 6 753 768 31 35 6 778 070	535
316 060 0005/HD	31 35 6 750 703	542
316 060 0006/HD	31 35 6 750 704	542
316 060 0007/HD	31 35 1 701 066	541
316 060 0008/HD	33 55 1 096 735	551
316 060 0009/HD	31 35 6 751 079	543
316 060 0010/HD	31 35 6 751 080	543
316 060 0011/HD	33 50 3 412 794 33 50 3 413 197 33 50 3 414 297	547
316 060 0012/HD	33 50 6 781 540 33 55 6 761 000	549
316 060 0013/HD	31 30 6 781 547 31 35 2 347 945* 31 35 4 014 531 31 35 6 760 985 31 35 6 769 499	535
316 060 0014/HD	31 30 6 781 548 31 35 2 347 945* 31 35 4 014 532 31 35 6 760 986 31 35 6 769 500	536

MEYLE no.	Ref. no.	Page
BMW		
316 060 0016/HD	31 35 6 765 933	544
316 060 0017/HD	31 35 6 765 934	544
316 060 0018/HD	31 30 3 413 201 31 30 3 414 299	534
316 060 0019/HD	31 30 3 413 202 31 30 3 414 300	534
316 060 0020/HD	33 55 6 764 428	552
316 060 0024/HD	33 50 6 781 539 33 55 6 753 770	548
316 060 0025/HD	31 35 6 768 771	545
316 060 0026/HD	31 35 6 768 772	545
316 060 0029/HD	33 50 6 768 493 33 50 6 781 537 33 55 6 771 937 33 55 6 857 626	548
316 060 0030/HD	31 35 6 773 023 31 35 6 857 623 31 35 6 859 651	546
316 060 0031/HD	31 35 6 773 024 31 35 6 857 624 31 35 6 859 652	547
316 060 0033/HD	31 35 6 777 319	545
316 060 0036	37 11 6 771 929 37 11 6 857 627 37 11 6 859 653	554
316 060 0037	37 11 6 771 930 37 11 6 857 628 37 11 6 859 654	554
316 060 0038/HD	31 30 6 787 163	537
316 060 0039/HD	31 30 6 787 164	537
316 060 0040/HD	31 30 6 792 211	538
316 060 0041/HD	31 30 6 792 212	538
316 060 0042/HD	33 50 6 785 607	549
316 060 0043/HD	33 50 6 785 608	550
316 060 0048/HD	33 55 6 777 635	553
316 060 0049/HD	33 55 6 786 429	553
316 060 0050/HD	37 10 6 775 189	554
316 060 0051/HD	31 30 6 781 549	536
316 060 0052/HD	31 30 6 781 550	537
316 060 4225	33 32 1 123 463 33 32 1 125 665 33 32 1 126 476	519
316 060 4311/HD	31 35 1 091 764 31 35 1 127 689 31 35 1 128 737	539
316 060 4322/HD	31 35 1 124 380	541

MEYLE no.	Ref. no.	Page
BMW		
	31 35 1 127 194 31 35 1 128 050 31 35 1 130 075 31 35 1 134 582	
316 060 4358/HD	31 35 1 091 856 31 35 1 095 662	540
316 060 4359/HD	31 35 1 091 855 31 35 1 095 661	539
316 060 4364/HD	31 35 1 091 496 31 35 1 095 695	540
316 060 4365/HD	33 55 1 091 497 33 55 1 095 696	551
316 060 4607/HD	31 35 1 095 694 31 35 6 780 847	546
316 060 4610	33 55 1 094 619	550
316 322 1101	32 21 1 123 881 32 21 1 129 051 32 21 1 129 978 32 21 1 130 661 32 21 1 131 067 32 21 1 133 699 32 21 1 136 450	414
316 333 2101	33 32 1 090 030 33 32 1 091 620 33 32 6 770 749	495
316 710 0000	33 32 6 763 092	566
316 710 0001	33 32 6 756 249 33 32 6 775 552 33 32 6 792 553	621
317 215 1000	21 21 1 203 694 21 21 1 205 289 21 21 1 206 189 21 21 1 206 190 21 21 1 208 699 21 21 1 209 167 21 21 1 223 083 21 21 1 223 084 21 21 1 223 086 21 21 1 223 087 21 21 1 223 575 21 21 1 225 784 21 21 1 225 788	286
317 228 1000	21 21 0 670 024 21 21 0 670 025 21 21 1 203 149 21 21 1 203 696	287

MEYLE no.	Ref. no.	Page
BMW		
	21 21 1 203 996	
	21 21 1 204 034	
	21 21 1 207 321	
	21 21 1 207 540	
	21 21 1 207 545	
	21 21 1 207 546	
	21 21 1 223 041	
	21 21 1 223 052	
	21 21 1 223 097	
	21 21 1 223 098	
	21 21 1 223 136	
	21 21 1 223 137	
	21 21 1 223 174	
	21 21 1 223 175	
	21 21 1 223 671	
	21 21 1 225 046	
	21 21 1 225 215	
	21 21 1 225 562	
	21 21 1 225 563	
	21 21 1 225 653	
	21 21 1 225 781	
	21 21 1 225 782	
	21 21 1 225 936	
319 036 0001	11 15 1 739 557	339
319 036 0002	11 15 1 743 386	339
319 115 3000	11 53 1 721 708	310
319 115 3002	11 53 1 741 404 11 53 1 747 845	315
319 115 3100	11 53 1 265 448	305
319 115 3105	11 53 1 279 895	306
319 115 3109	11 53 1 287 651	306
319 115 3112	11 53 1 250 387 11 53 1 266 459	305
319 115 3129	11 53 1 278 924 11 53 1 286 915 11 53 1 287 924 11 53 1 289 257	307
319 115 3134	11 53 1 713 221	308
319 115 3138	11 53 1 720 524	309
319 115 3139	11 53 1 720 678 11 53 2 483 283	309
319 115 3141	11 53 1 722 215	310
319 115 3142	11 53 1 718 997 11 53 1 722 218	311
319 115 3143	11 53 1 726 344	312

MEYLE no.	Ref. no.	Page
BMW		
319 115 3146	11 53 1 720 720	309
319 115 3168	11 53 1 741 407	316
319 115 3180	11 53 1 711 002	308
319 115 3183	11 53 1 718 982	308
319 115 3184	11 53 1 721 711	310
319 115 3185	11 53 1 718 917 11 53 1 722 682	311
319 115 3187	11 53 1 722 852	311
319 115 3188	11 53 1 726 506 11 53 1 738 054	314
319 115 3189	11 53 1 730 928	313
319 115 3190	11 53 1 433 340 11 53 1 708 499 11 53 1 720 722	307
319 115 3197	11 53 1 745 595	317
319 115 3198	11 53 1 740 832	315
319 115 3199	11 53 1 740 481	315
319 115 3204	11 53 1 727 448	312
319 115 3206	11 53 1 731 319 11 53 1 741 312 11 53 1 741 405	316
319 115 3210	11 53 1 730 351	313
319 115 3211	11 53 1 738 053	314
319 115 3213	11 53 1 247 398 11 53 1 247 915	305
319 115 3214	11 53 1 741 409	317
319 115 3215	11 53 1 741 408	316
319 135 4103	13 54 1 703 865	318
319 135 4107	13 54 1 735 173	318
319 135 4108	13 54 1 735 174	319
319 171 1102	17 11 1 427 156	287
319 171 1103	17 11 1 723 521	319
319 222 0008	11 53 1 730 286 11 53 1 738 055	314
319 222 0010	11 53 1 743 192	317
319 222 0011	11 53 1 247 203	304
319 222 0012	11 53 1 727 449 11 53 1 734 455	313
319 222 0018	11 53 1 727 638	312
319 222 0019	11 53 1 705 223	307
319 222 0020	11 53 7 500 733	318
319 222 0021	17 12 7 507 748 17 12 7 520 668	320
319 222 0022	17 12 7 531 581	320
319 222 0023	17 12 7 519 256	320

MEYLE no.	Ref. no.	Page
BMW		
319 222 0024	17 12 7 531 769	321
319 222 0025	17 12 7 564 480	321
319 222 0026	17 12 7 540 127	321
319 222 0027	17 12 3 415 433	319
319 642 1106	64 21 1 387 010	37
319 642 1114	64 21 1 387 424	37
319 642 1116	64 21 1 394 295	38
319 642 1119	64 21 1 387 425 64 21 1 394 292	38
319 642 1120	64 21 1 387 423 64 21 1 394 293	38
319 642 1803	64 21 8 409 062	39
319 642 1804	64 21 8 409 063	39
319 642 1805	64 21 8 409 064	39
326 623 0000	31 31 1 094 561 31 31 1 096 849 31 31 6 750 785	590
326 623 0003	31 31 1 093 644 31 31 1 094 041 31 31 1 096 858 31 31 1 096 862	591
326 623 0010	31 31 1 091 503 31 31 1 091 569	587
326 623 0011	31 31 1 091 504 31 31 1 091 570	588
326 623 0013	31 30 6 754 341 31 30 6 754 343 31 31 1 096 271 31 31 6 764 599 31 31 6 764 601 31 31 6 764 603 31 33 6 750 359	594
326 623 0014	31 30 6 754 342 31 30 6 754 344 31 31 1 096 272 31 31 6 764 600 31 31 6 764 602 31 31 6 764 604 31 33 6 750 360	595
326 623 0016	31 31 1 094 562 31 31 1 096 850 31 31 6 750 786	590
326 623 0017	31 31 1 095 912 31 31 1 096 854 31 31 6 750 790	594

MEYLE no.	Ref. no.	Page
BMW		
	31 31 6 759 562	
326 623 0018	31 31 1 095 911 31 31 1 096 853 31 31 6 750 789 31 31 6 759 561	594
326 623 0019	31 30 6 757 044 31 31 1 094 564 31 31 1 096 368 31 31 1 096 852 31 31 1 096 856 31 31 2 282 098 31 31 2 282 102 31 31 2 282 460 31 31 6 750 788 31 31 6 750 792	591
326 623 0020	31 30 6 757 043 31 31 1 094 563 31 31 1 096 367 31 31 1 096 851 31 31 1 096 855 31 31 2 282 097 31 31 2 282 101 31 31 2 282 459 31 31 6 750 787 31 31 6 750 791	590
326 623 0026	31 31 1 090 711 31 31 1 090 713 31 31 1 091 773 31 31 1 092 307 31 31 1 092 487	588
326 623 0027	31 31 1 090 712 31 31 1 090 714 31 31 1 091 774 31 31 1 092 308 31 31 1 092 488	588
326 623 0030	31 30 6 771 177 31 31 6 768 211 31 31 6 771 723 31 31 6 772 917 31 31 6 772 921 31 31 6 780 075 31 31 6 785 589 31 31 6 785 593 31 31 6 786 001 31 31 6 786 005 31 31 6 786 009	597

MEYLE no.	Ref. no.	Page
BMW		
	31 31 6 786 013 31 31 6 796 155	
326 623 0031	31 30 6 771 178 31 31 6 768 212 31 31 6 768 216 31 31 6 771 724 31 31 6 772 918 31 31 6 772 922 31 31 6 780 076 31 31 6 785 590 31 31 6 785 594 31 31 6 786 002 31 31 6 786 006 31 31 6 786 010 31 31 6 786 014 31 31 6 796 156	597
326 623 0032	31 30 6 775 055 31 31 6 766 993 31 31 6 768 795 31 31 6 768 797 31 31 6 775 055 31 31 6 775 057 31 32 6 764 457 31 32 6 764 459	595
326 623 0033	31 30 6 775 056 31 31 6 766 994 31 31 6 768 796 31 31 6 768 798 31 31 6 775 056 31 31 6 775 058 31 32 6 764 458 31 32 6 764 460	596
326 623 0038	31 31 6 773 255 31 31 6 775 099 31 31 6 780 193	596
326 623 0039	31 31 6 773 256 31 31 6 775 100 31 31 6 780 194	596
326 623 0042	31 31 6 768 915 31 31 6 771 553 31 31 6 786 017	598
326 623 0043	31 31 6 768 916 31 31 6 771 554 31 31 6 786 018	598
326 623 0044	31 31 6 778 676 31 32 4 048 550	602

MEYLE no.	Ref. no.	Page
BMW		
	31 32 6 780 486 31 32 6 781 918	
326 623 0048	31 31 6 752 597 31 31 6 753 187 31 31 6 762 727 31 31 6 770 165 31 31 6 786 531 31 31 6 786 533 31 31 6 786 535 31 31 6 786 539	593
326 623 0049	31 31 6 752 598 31 31 6 753 188 31 31 6 762 728 31 31 6 770 166 31 31 6 786 532 31 31 6 786 534 31 31 6 786 536 31 31 6 786 540	593
326 623 0050	31 30 3 411 619 31 30 3 413 145 31 30 3 449 389 31 30 3 451 393 31 30 3 451 395 31 31 3 412 397 31 31 3 453 521 31 31 3 453 523	592
326 623 0051	31 30 3 411 620 31 30 3 413 146 31 30 3 449 390 31 30 3 451 394 31 30 3 451 396 31 31 3 412 398 31 31 3 453 522 31 31 3 453 524	592
326 623 0052	31 31 1 091 703 31 31 1 094 189	589
326 623 0053	31 31 1 091 704 31 31 1 094 190	589
326 624 0000	31 32 1 132 540	600
326 624 0001	31 32 1 133 224 31 32 1 133 232	600
326 624 0002	31 32 1 134 565 31 32 1 134 573 31 32 1 135 675	600
326 624 0003	31 31 1 133 517	592
326 624 0004	31 30 1 133 438	601

MEYLE no.	Ref. no.	Page
BMW		
	31 32 1 125 151 31 32 1 125 475 31 32 1 128 126 31 32 1 131 111 31 32 1 132 249 31 32 1 133 181 31 32 1 135 465 31 32 1 135 635 31 32 1 135 892	
326 624 0006	31 31 1 138 667 31 32 1 092 284 31 32 1 139 408 31 32 1 139 409 31 32 1 139 411 31 32 1 140 160	601
326 624 0007	31 32 1 091 000 31 32 1 092 283 31 32 1 138 836 31 32 1 139 407 31 32 1 139 410	599
326 624 0008	31 32 1 135 416 31 32 1 135 858	601
326 625 0000	31 31 6 789 363	598
326 625 0001	31 31 6 789 364	599
326 725 0000	33 52 1 095 647 33 52 1 096 366 33 52 2 282 099 33 52 6 750 782 33 52 6 750 784 33 52 6 757 045	606
326 725 0002	33 52 1 092 278 33 52 1 133 596 33 52 1 133 601 33 52 1 135 613 33 52 1 135 860 33 52 1 138 669	603
326 725 0004	31 31 1 125 156 33 52 1 091 629 33 52 1 091 999 33 52 1 125 156 33 52 1 127 491 33 52 1 128 130 33 52 1 131 085 33 52 1 131 112 33 52 1 132 250 33 52 1 132 489	606

MEYLE no.	Ref. no.	Page
BMW		
	33 52 1 133 182 33 52 1 133 225 33 52 1 133 231 33 52 1 133 233 33 52 1 133 564 33 52 1 135 180 33 52 1 135 466 33 52 1 135 636 33 52 1 135 888 33 52 1 138 908	
326 725 0006	33 52 1 126 561 33 52 1 133 519	605
326 725 0007	33 52 1 093 646 33 52 1 094 467	604
326 725 0008	33 52 1 090 826 33 52 1 090 830 33 52 1 091 095 33 52 1 091 245 33 52 1 091 274 33 52 1 092 309 33 52 1 092 489 33 52 1 095 646 33 52 1 095 913 33 52 1 137 927 33 52 1 138 158 33 52 2 282 100 33 52 2 282 461 33 52 6 750 781 33 52 6 750 783 33 52 6 757 365 33 52 6 757 366 33 52 6 759 099 33 52 6 759 100	604
326 725 0009	33 52 6 784 019 33 52 6 789 379 33 52 6 789 380 33 52 6 789 381 33 52 6 798 786 33 52 6 855 966	609
326 725 0010	33 52 1 091 421	603
326 725 0012	33 50 6 751 543 33 50 6 751 544 33 52 1 096 278 33 52 6 750 361 33 52 6 755 839 33 52 6 764 875	602

MEYLE no.	Ref. no.	Page
BMW		
	33 52 6 767 702 33 52 6 767 703	
326 725 0013	33 52 1 131 395	605
326 725 0016	33 50 4 035 261 33 50 4 035 872 33 52 6 768 917 33 52 6 768 921 33 52 6 771 555 33 52 6 771 559 33 52 6 771 725 33 52 6 771 729 33 52 6 772 916 33 52 6 772 926 33 52 6 780 077 33 52 6 780 081 33 52 6 780 195	607
326 725 0017	33 52 6 766 065 33 52 6 766 605 33 52 6 775 059 33 52 6 785 982	608
326 725 0018	33 52 6 766 587 33 52 6 786 524	609
326 725 0019	33 52 6 773 253 33 52 6 779 985	607
326 725 0020	33 52 4 048 553 33 52 6 778 677 33 52 6 780 489 33 52 6 781 921	608
326 725 0021	33 52 4 048 554 33 52 6 778 678 33 52 6 780 490 33 52 6 781 922	608
326 725 0024	33 52 6 758 094 33 52 6 758 095 33 52 6 786 541 33 52 6 786 542	606
326 725 0025	33 50 3 413 789 33 50 3 413 790 33 50 3 449 392 33 50 3 451 402 33 50 3 451 404 33 52 0 363 604 33 52 0 363 605 33 52 3 413 234 33 52 3 413 259 33 52 3 413 789	602

MEYLE no.	Ref. no.	Page
BMW		
	33 52 3 413 790 33 52 3 414 164	
326 725 0026	33 52 1 092 575 33 52 1 094 187 33 52 1 095 061 33 52 1 095 788	604
326 725 0027	33 52 6 788 495 33 52 6 788 496 33 52 6 793 714	610
326 725 0029	33 52 6 784 114 33 52 6 784 115 33 52 6 797 771 33 52 6 797 772	610
328 228 0001	11 53 1 720 173	326
328 228 0002	11 53 1 436 042 11 53 1 437 085	322
328 228 0004	11 53 7 510 959	324
328 228 0006	11 53 0 139 877 11 53 1 436 823 11 53 1 437 040 11 53 7 509 227	322
328 228 0007	11 53 2 247 019	324
340 160 0102	51 23 8 119 558	5
340 160 0104	51 24 8 222 913	10
340 160 0106	51 24 8 190 688	1
340 160 0110	51 23 8 174 866	6
340 160 0111	51 23 8 150 077	5
340 160 0118	51 24 8 230 070	11
340 160 0120	51 24 8 171 158 51 24 8 217 305 51 24 8 245 031	11
340 160 0712	51 24 8 227 895	10
340 160 1381	51 23 8 202 688	6
340 160 2696	51 23 1 908 465	2
340 160 3072	11 81 1 869 147 51 23 1 869 147	2
340 160 3717	11 81 1 906 286 51 23 1 906 286	2
340 160 3718	51 23 1 868 555 51 23 1 907 262 51 23 1 907 962 51 23 1 927 129	3
340 160 9829	51 24 8 232 873	11
340 160 9832	51 24 4 212 802 51 24 8 220 075	12

MEYLE no.	Ref. no.	Page
BMW		
	51 24 8 254 281	
340 161 0022	51 24 1 960 862	8
340 161 0065	51 23 1 944 119	3
340 161 0310	51 24 1 934 270 51 24 8 110 327	10
340 161 0535	51 24 1 908 431	7
340 161 0612	51 23 1 960 852	3
340 910 0000	51 23 8 240 596	6
340 910 0001	51 23 7 008 745	4
340 910 0002	51 23 7 118 370	5
340 910 0003	51 23 8 402 551	7
340 910 0004	51 23 7 060 550	4
340 910 0005	51 24 8 402 405	12
340 910 0006	51 24 7 060 622	9
340 910 0007	51 24 7 127 875	9
340 910 0008	51 24 4 365 788 51 24 4 394 052 51 24 7 060 623 51 24 7 250 308	9
340 910 0009	51 24 7 008 764	8
340 910 0010	51 23 3 400 352	4
340 910 0011	51 24 3 400 379	8
359 001 0001	11 36 1 703 464	377
359 001 0002	11 36 1 705 532	377
359 202 0001	32 41 1 093 130 32 41 1 095 526 32 41 6 750 155	406
359 202 0002	32 41 1 093 929	405
359 202 0003	32 41 1 093 460	403
359 202 0004	32 41 6 761 514	410
359 202 0005	32 41 1 093 727	404
359 202 0006	32 41 1 096 355 32 41 6 767 136	410
359 202 0008	32 41 1 093 728	404
359 202 0010	32 41 1 138 419	407
359 202 0016	32 41 1 141 716	408
359 202 0019	32 41 1 138 803 32 41 1 141 953	408
359 202 0020	32 41 1 094 949 32 41 6 764 725	410
359 202 0021	32 41 1 141 858	408
359 202 0023	32 41 0 359 373 32 41 3 400 188 32 41 3 417 081 32 41 3 428 381	409
359 202 0024	32 41 4 035 940	412

MEYLE no.	Ref. no.	Page
BMW		
	32 41 4 036 418 32 41 6 769 998 32 41 6 771 390 32 41 6 776 640 32 41 6 782 716 32 41 6 784 330	
359 202 0025	32 41 4 036 096 32 41 4 036 419 32 41 6 769 975 32 41 6 771 389 32 41 6 776 639 32 41 6 782 715 32 41 6 784 331	412
359 202 0026	32 41 6 764 814 32 41 6 781 776 32 41 6 784 347	413
359 202 0027	32 41 1 096 344 32 41 6 759 774	409
359 202 0028	32 41 1 093 116 32 41 1 140 886 32 41 1 141 274 32 41 1 141 728	402
359 202 0029	32 41 1 093 461	403
359 203 0001	32 41 1 091 975	401
359 203 0002	32 41 1 091 976	401
359 203 0003	32 41 1 091 974 32 41 1 093 129	402
359 203 0004	32 41 1 093 149	402
359 203 0005	32 41 1 092 087 32 41 1 093 247	403
359 203 0006	32 41 1 094 306	405
359 203 0009	32 41 6 764 787 32 41 6 774 304	411
359 203 0011	32 41 1 141 505	407
359 203 0012	32 41 1 141 714	407
359 203 0013	32 41 1 095 515	406
359 203 0014	11 61 7 504 536	340
359 203 0015	32 41 6 769 981 32 41 6 771 061 32 41 6 773 908 32 41 6 774 303	411
359 203 0016	32 41 6 776 882	412
359 203 0017	32 41 6 751 250 32 41 6 796 391	413
359 203 0018	32 41 1 093 761	404

MEYLE no.	Ref. no.	Page
BMW		
359 632 0002	32 41 1 094 951	405
359 632 0003	32 41 1 096 731	406
	32 41 1 096 930	
359 632 0004	32 41 6 751 242	409



Ref. no.	MEYLE no.	Page
BMW		
07 12 9 922 770	316 020 4302	447
11 12 1 715 318	314 800 9001	370
11 12 1 727 696	314 800 9001	370
11 12 1 733 713	314 800 9001	370
11 12 1 739 340	314 800 9001	370
11 12 1 743 294	314 800 9001	370
11 12 1 747 157	314 800 9001	370
11 12 2 247 744	314 226 0012	288
11 12 7 500 568	314 800 9001	370
11 12 7 509 328	314 800 9001	370
11 12 7 547 058	314 040 0000	342
11 12 7 793 164	314 038 0002	378
11 12 7 799 366	314 038 0003	379
11 12 7 799 367	314 038 0004	379
11 12 7 806 196	314 226 0012	288
11 15 1 247 133	314 036 0005	342
11 15 1 437 641	014 036 0011	340
11 15 1 703 484	314 036 0008	342
11 15 1 703 775	014 036 0010	339
11 15 1 739 557	319 036 0001	339
11 15 1 743 386	319 036 0002	339
11 15 7 501 567	314 036 0005	342
11 15 7 532 649	014 036 0011	340
11 28 1 440 378	314 009 0001	282
11 28 1 726 181	314 112 0001	282
11 28 1 726 343	314 112 0000	283
11 28 1 731 220	314 112 0003	284
11 28 1 731 838	314 112 0004	282
11 28 1 738 061	314 112 0001	282
11 28 1 738 605	314 112 0001	282
11 28 1 748 130	314 112 0001	282
11 28 1 748 131	314 112 0000	283
11 28 2 245 087	314 112 0002	284
11 28 2 245 166	314 112 0005	283
11287568247	050 007 1855	285
11 28 7 841 228	314 112 0001	282
11 31 1 721 259	314 113 1112	284
11 31 1 721 264	314 113 1112	284
11 31 1 727 141	314 113 1112	284
11 36 1 703 464	359 001 0001	377
11 36 1 705 532	359 001 0002	377
11 42 1 264 508	314 114 0007	370
11 42 1 266 773	314 114 0007	370
11 42 1 267 268	300 114 2901	377
11 42 1 427 908	300 114 2701	374
11 42 1 432 097	300 114 2102	371

Ref. no.	MEYLE no.	Page
BMW		
11 42 1 435 101	314 114 0004	373
11 42 1 436 982	300 114 2101	369
11 42 1 709 514	300 114 2103	371
11 42 1 709 856	300 114 2103	371
11 42 1 709 865	300 114 2103	371
11 42 1 711 568	300 114 2104	371
11 42 1 716 192	300 114 2102	371
11 42 1 718 816	300 114 2901	377
11 42 1 727 300	300 114 2103	371
11 42 1 730 389	300 114 2104	371
11 42 1 740 534	300 114 2701	374
11 42 1 745 390	314 114 0004	373
11 42 1 745 391	314 114 0004	373
11 42 2 243 359	314 114 0008	372
11 42 2 244 332	314 114 0008	372
11 42 2 246 131	314 322 0001	372
11 42 2 247 018	314 114 0001	372
11 42 2 247 392	300 114 2200	373
11 42 7 508 969	314 114 0005	373
11 42 7 509 430	300 114 2701	374
11 42 7 510 717	314 114 0004	373
11 42 7 512 300	300 114 2701	374
11 42 7 541 827	314 322 0000	374
11 42 7 566 327	314 322 0000	374
11 42 7 605 342	314 322 0005	375
11 42 7 611 969	314 322 0005	375
11 42 7 635 557	314 322 0005	375
11 42 7 787 697	314 114 0003	375
11 42 7 788 454	314 114 0006	375
11 42 7 788 460	314 114 0006	375
11 42 7 788 461	314 114 0006	375
11 42 7 805 707	314 322 0003	376
11 42 7 807 177	314 322 0003	376
11 42 7 808 443	314 322 0002	376
11 42 7 833 768	300 114 2104	371
11 42 8 513 375	300 114 2200	373
11 42 8 513 376	300 114 2200	373
11 42 8 513 377	314 114 0006	375
11 42 9 061 199	300 114 2901	377
11 42 9 063 138	300 114 2901	377
11 51 0 007 039	313 011 2100	327
11 51 0 007 042	313 011 3100	327
11 51 0 007 043	313 011 3300	328
11 51 0 032 679	313 011 3800	335
11 51 0 393 336	313 011 4300	328
11 51 0 393 338	313 011 3400	328

Ref. no.	MEYLE no.	Page
BMW		
11 51 0 393 339	313 011 1300	329
11 51 0 393 340	313 011 1100	329
11 51 0 393 730	313 011 0000	330
11 51 0 393 731	313 011 1200	330
11 51 1 251 230	313 011 2300	336
11 51 1 253 143	313 011 2300	336
11 51 1 258 147	313 011 1900	335
11 51 1 258 701	313 011 1900	335
11 51 1 258 933	313 011 1900	335
11 51 1 259 660	313 011 1900	335
11 51 1 263 934	313 011 2300	336
11 51 1 266 096	313 011 2300	336
11 51 1 271 435	313 011 2500	338
11 51 1 271 436	313 011 2400	337
11 51 1 272 613	313 011 2400	337
11 51 1 272 616	313 011 2500	338
11 51 1 274 583	313 011 2700	336
11 51 1 274 584	313 011 2700	336
11 51 1 284 247	313 011 2201	338
11 51 1 284 580	313 011 2201	338
11 51 1 285 510	313 011 2201	338
11 51 1 286 355	313 011 2700	336
11 51 1 286 358	313 011 2700	336
11 51 1 286 417	313 011 2400	337
11 51 1 287 580	313 011 2201	338
11 51 1 401 284	313 220 0007	330
11 51 1 402 427	313 220 0007	330
11 51 1 406 650	313 220 0007	330
11 51 1 433 712	313 011 2001	331
11 51 1 433 828	313 011 2001	331
11 51 1 436 590	314 238 0002	285
11 51 1 437 648	313 011 2001	331
11 51 1 704 600	313 011 3100	327
11 51 1 704 702	313 011 1300	329
11 51 1 705 236	313 011 2300	336
11 51 1 705 273	313 011 2300	336
11 51 1 706 564	313 011 2500	338
11 51 1 706 588	313 011 2500	338
11 51 1 706 624	313 011 2500	338
11 51 1 707 190	313 011 2400	337
11 51 1 707 191	313 011 2400	337
11 51 1 707 192	313 011 2400	337
11 51 1 707 193	313 011 2400	337
11 51 1 711 477	313 011 2700	336
11 51 1 711 492	313 011 2500	338
11 51 1 713 266	313 011 4300	328

Ref. no.	MEYLE no.	Page
BMW		
11 51 1 715 292	313 011 2900	337
11 51 1 719 836	313 011 2600	337
11 51 1 720 609	313 011 2600	337
11 51 1 720 881	313 011 2400	337
11 51 1 720 883	313 011 2400	337
11 51 1 720 892	313 011 2400	337
11 51 1 720 893	313 011 2400	337
11 51 1 721 337	313 011 2900	337
11 51 1 721 477	313 011 2700	336
11 51 1 721 872	313 011 3400	328
11 51 1 722 536	313 011 2001	331
11 51 1 727 123	313 011 2100	327
11 51 1 727 468	313 011 3400	328
11 51 1 730 414	313 011 2001	331
11 51 1 730 554	314 238 0001	286
11 51 1 731 680	313 011 3100	327
11 51 1 734 269	313 011 2100	327
11 51 1 734 595	313 011 3400	328
11 51 1 734 602	313 011 3400	328
11 51 1 736 146	313 011 3100	327
11 51 1 736 203	313 011 3300	328
11 51 1 740 241	313 011 2001	331
11 51 1 741 001	313 011 3100	327
11 51 1 741 002	313 011 3300	328
11 51 1 741 980	313 011 1300	329
11 51 1 742 498	313 011 3100	327
11 51 1 742 517	313 011 3300	328
11 51 1 742 598	313 011 1100	329
11 51 1 742 647	313 011 1100	329
11 51 1 744 243	313 011 2001	331
11 51 2 241 641	313 011 2201	338
11 51 2 242 675	313 011 2201	338
11 51 2 243 003	313 011 3800	335
11 51 2 244 333	313 011 3800	335
11 51 2 245 687	313 011 3800	335
11 51 2 245 745	313 011 3800	335
11 51 2 246 128	313 011 3800	335
11 51 2 246 961	313 011 1200	330
11 51 2 247 552	313 011 1200	330
11 51 2 248 996	313 220 0004	332
11 51 2 354 055	313 220 0004	332
11 51 2 354 057	313 220 0004	332
11 51 7 503 884	313 011 2001	331
11 51 7 504 040	313 011 2001	331
11 51 7 509 985	313 011 2001	331
11 51 7 511 220	313 220 0005	331

Ref. no.	MEYLE no.	Page
BMW		
11 51 7 511 221	313 220 0005	331
11 51 7 515 778	313 220 0005	331
11 51 7 527 799	313 011 2001	331
11 51 7 527 910	313 011 2001	331
11 51 7 546 994	313 220 0017	331
11 51 7 550 484	11-13 220 0020	332
11 51 7 563 183	313 220 0017	331
11 51 7 586 924	313 220 0017	331
11 51 7 586 925	313 220 0017	331
11 51 7 648 827	11-13 220 0020	332
11 51 7 785 015	313 011 0000	330
11 51 7 786 192	313 220 0004	332
11 51 7 786 736	313 011 0000	330
11 51 7 788 305	313 220 0001	333
11 51 7 788 306	313 220 0009	333
11 51 7 790 135	313 220 0006	333
11 51 7 790 322	313 220 0001	333
11 51 7 790 471	313 220 0001	333
11 51 7 791 833	313 220 0001	333
11 51 7 791 834	313 220 0006	333
11 51 7 794 247	313 220 0009	333
11 51 7 801 609	313 220 0006	333
11 51 7 805 808	313 220 0001	333
11 51 7 805 810	313 220 0006	333
11 51 7 806 349	313 220 0009	333
11 51 7 807 311	313 220 0012	334
11 51 7 823 428	313 220 0018	335
11 51 7 823 429	313 220 0016	334
11 51 8 516 435	313 220 0018	335
11 51 8 604 888	11-13 220 0020	332
11 51 9 058 996	313 011 2500	338
11 51 9 061 160	313 011 2400	337
11 51 9 068 606	313 011 3800	335
11 51 9 069 529	313 011 3800	335
11 51 9 070 749	313 011 1900	335
11 51 9 070 752	313 011 1900	335
11 51 9 070 755	313 011 2700	336
11 51 9 070 756	313 011 2300	336
11 51 9 070 757	313 011 2300	336
11 51 9 070 758	313 011 2600	337
11 51 9 070 759	313 011 2600	337
11 51 9 070 761	313 011 2400	337
11 51 9 070 763	313 011 2900	337
11 51 9 070 764	313 011 2201	338
11 51 9 071 561	313 011 2500	338
11 51 9 071 562	313 011 2500	338

Ref. no.	MEYLE no.	Page
BMW		
11 51 9 570 765	313 011 2201	338
11 52 1 271 416	314 115 2101	301
11 52 1 278 716	300 115 0003	299
11 52 1 284 681	300 115 0003	299
11 52 1 287 829	314 115 2101	301
11 52 1 289 120	314 115 2101	301
11 52 1 466 000	314 115 2101	301
11 52 1 706 619	314 115 2101	301
11 52 1 709 499	314 115 2701	303
11 52 1 712 058	300 115 0002	299
11 52 1 712 110	300 115 0005	299
11 52 1 719 040	300 115 0003	299
11 52 1 719 042	314 115 2101	301
11 52 1 719 265	300 115 0004	300
11 52 1 719 266	314 115 2101	301
11 52 1 719 267	300 115 0003	299
11 52 1 719 269	314 115 2701	303
11 52 1 723 027	314 115 2101	301
11 52 1 723 363	300 115 0004	300
11 52 1 723 573	300 115 0004	300
11 52 1 723 829	314 115 2105	303
11 52 1 723 918	314 115 2101	301
11 52 1 723 919	314 115 2101	301
11 52 1 723 920	314 115 2101	301
11 52 1 723 921	314 115 2101	301
11 52 1 737 489	314 115 2105	303
11 52 1 740 962	314 115 2101	301
11 52 1 740 963	314 115 2701	303
11 52 1 745 134	314 115 2105	303
11 52 2 241 290	314 115 2201	301
11 52 2 243 303	314 115 2106	300
11 52 2 243 304	314 115 2201	301
11 52 2 244 413	314 115 2201	301
11 52 2 245 195	314 115 2201	301
11 52 2 245 496	314 115 2201	301
11 52 2 245 498	314 115 2201	301
11 52 2 246 042	314 115 2203	302
11 52 2 249 216	314 115 2204	302
11 52 7 500 339	314 115 2105	303
11 52 7 502 804	314 115 2105	303
11 52 7 505 302	314 115 2701	303
11 52 9 055 969	314 115 2101	301
11 53 0 139 877	328 228 0006	322
11 53 1 247 122	314 226 0010	288
11 53 1 247 125	028 295 0001	324
11 53 1 247 203	319 222 0011	304

Ref. no.	MEYLE no.	Page
BMW		
11 53 1 247 398	319 115 3213	305
11 53 1 247 915	319 115 3213	305
11 53 1 250 387	319 115 3112	305
11 53 1 265 448	319 115 3100	305
11 53 1 266 459	319 115 3112	305
11 53 1 278 924	319 115 3129	307
11 53 1 279 895	319 115 3105	306
11 53 1 286 915	319 115 3129	307
11 53 1 287 651	319 115 3109	306
11 53 1 287 924	319 115 3129	307
11 53 1 289 257	319 115 3129	307
11 53 1 432 881	028 295 0001	324
11 53 1 433 340	319 115 3190	307
11 53 1 433 828	313 011 2001	331
11 53 1 436 042	328 228 0002	322
11 53 1 436 823	328 228 0006	322
11 53 1 437 040	328 228 0006	322
11 53 1 437 085	328 228 0002	322
11 53 1 571 083	028 271 0004 028 275 0003 028 288 0000 028 292 0005	325–326
11 53 1 705 223	319 222 0019	307
11 53 1 708 499	319 115 3190	307
11 53 1 708 808	314 226 0002	289
11 53 1 709 232	314 226 0009	289
11 53 1 710 953	028 271 0005 028 280 0004	323
11 53 1 710 954	028 271 0005 028 280 0004	323
11 53 1 711 002	319 115 3180	308
11 53 1 712 043	028 271 0004 028 275 0003 028 288 0000 028 292 0005	325–326
11 53 1 713 040	028 271 0005 028 280 0004	323
11 53 1 713 221	319 115 3134	308
11 53 1 714 738	314 226 0003	289
11 53 1 718 917	319 115 3185	311
11 53 1 718 982	319 115 3183	308
11 53 1 718 997	319 115 3142	311
11 53 1 720 173	328 228 0001	326
11 53 1 720 524	319 115 3138	309
11 53 1 720 678	319 115 3139	309
11 53 1 720 720	319 115 3146	309

Ref. no.	MEYLE no.	Page
BMW		
11 53 1 720 722	319 115 3190	307
11 53 1 721 002	028 271 0004 028 275 0003 028 288 0000 028 292 0005	325–326
11 53 1 721 003	028 271 0004 028 275 0003 028 288 0000 028 292 0005	325–326
11 53 1 721 004	028 271 0004 028 275 0003 028 288 0000 028 292 0005	325–326
11 53 1 721 708	319 115 3000	310
11 53 1 721 711	319 115 3184	310
11 53 1 722 215	319 115 3141	310
11 53 1 722 218	319 115 3142	311
11 53 1 722 531	314 226 0008	290
11 53 1 722 682	319 115 3185	311
11 53 1 722 852	319 115 3187	311
11 53 1 726 344	319 115 3143	312
11 53 1 726 506	319 115 3188	314
11 53 1 727 448	319 115 3204	312
11 53 1 727 449	319 222 0012	313
11 53 1 727 638	319 222 0018	312
11 53 1 730 286	319 222 0008	314
11 53 1 730 351	319 115 3210	313
11 53 1 730 928	319 115 3189	313
11 53 1 731 319	319 115 3206	316
11 53 1 733 803	028 271 0004 028 275 0003 028 288 0000 028 292 0005	325–326
11 53 1 734 455	319 222 0012	313
11 53 1 738 053	319 115 3211	314
11 53 1 738 054	319 115 3188	314
11 53 1 738 055	319 222 0008	314
11 53 1 739 208	314 226 0006 314 226 0011	290–291
11 53 1 739 755	028 295 0001	324
11 53 1 740 478	300 115 3102	290
11 53 1 740 481	319 115 3199	315
11 53 1 740 832	319 115 3198	315
11 53 1 741 312	319 115 3206	316
11 53 1 741 404	319 115 3002	315
11 53 1 741 405	319 115 3206	316

Ref. no.	MEYLE no.	Page
BMW		
11 53 1 741 407	319 115 3168	316
11 53 1 741 408	319 115 3215	316
11 53 1 741 409	319 115 3214	317
11 53 1 743 192	319 222 0010	317
11 53 1 743 199	314 226 0004	291
11 53 1 743 329	314 226 0005	291
11 53 1 743 528	028 271 0004 028 275 0003 028 288 0000 028 292 0005	325–326
11 53 1 743 542	028 271 0004 028 275 0003 028 288 0000 028 292 0005	325–326
11 53 1 743 679	314 226 0006	291
11 53 1 745 595	319 115 3197	317
11 53 1 747 845	319 115 3002	315
11 53 2 247 019	328 228 0007	324
11 53 2 483 283	319 115 3139	309
11 53 7 500 733	319 222 0020	318
11 53 7 505 055	314 226 0007	292
11 53 7 509 227	328 228 0006	322
11 53 7 510 959	328 228 0004	324
11 53 7 511 083	028 271 0004 028 275 0003 028 288 0000 028 292 0005	325–326
11 53 7 511 580	028 271 0004 028 275 0003 028 288 0000 028 292 0005	325–326
11 53 7 560 130	314 226 0007	292
11 61 1 432 559	014 036 0012	340
11 61 7 501 562	314 036 0006	366
11 61 7 501 563	314 036 0007	366
11 61 7 501 566	314 036 0000	343
11 61 7 504 536	359 203 0014	340
11 61 7 533 398	314 036 0018	341
11 61 7 533 399	314 036 0017	341
11 76 1 277 565	100 900 0000	263
11 81 1 092 583	300 118 1107	394
11 81 1 094 149	300 118 1123	380
11 81 1 094 150	300 118 1124	380
11 81 1 128 932	300 118 1103	380
11 81 1 129 286	300 118 1102	381
11 81 1 130 428	300 118 1100	381

Ref. no.	MEYLE no.	Page
BMW		
11 81 1 132 321	300 118 1105	381
11 81 1 132 323	300 118 1101	382
11 81 1 133 364	300 118 1120	382
11 81 1 135 773	300 118 1127	382
11 81 1 136 542	314 030 0003	385
11 81 1 137 138	314 030 0005	383
11 81 1 137 238	300 118 1106	384
11 81 1 137 775	300 118 1106	384
11 81 1 138 879	300 118 1126	383
11 81 1 139 606	314 030 0005	383
11 81 1 139 819	300 118 1123	380
11 81 1 139 820	300 118 1124	380
11 81 1 139 883	300 221 1601	383
11 81 1 140 985	300 118 1107	394
11 81 1 141 377	300 118 1106	384
11 81 1 141 889	300 118 1115	384
11 81 1 142 031	314 030 0005	383
11 81 1 175 212	300 118 1105	381
11 81 1 175 736	300 118 1111	384
11 81 1 175 979	300 118 1100	381
11 81 1 176 077	300 118 1103	380
11 81 1 176 141	300 118 1103	380
11 81 1 176 211	300 118 1100	381
11 81 1 176 212	300 118 1100	381
11 81 1 176 387	300 118 1102	381
11 81 1 246 437	300 118 1101	382
11 81 1 869 147	340 160 3072	2
11 81 1 906 286	340 160 3717	2
11 81 2 228 298	314 030 0003	385
11 81 2 283 798	314 030 0003	385
11 81 2 294 282	300 221 1600	388
11 81 4 407 513	300 118 1123	380
11 81 4 407 514	300 118 1124	380
11 81 7 837 985	314 030 0003	385
12 12 1 288 161	014 020 1039	259
12 13 1 317 232	314 139 0000	260
12 13 1 317 585	314 139 0000	260
12 13 1 402 440	314 139 0000	260
12 13 1 402 713	314 139 0000	260
12 13 1 404 102	314 139 0000	260
12 13 1 404 309	314 131 0000	261, 272
12 13 1 404 309*	314 131 0001 314 862 0000	261, 272
12 13 1 703 227	314 131 0000	261, 272
12 13 1 703 227*	314 131 0001 314 862 0000	261, 272

Ref. no.	MEYLE no.	Page
BMW		
12 13 1 703 228	314 131 0000	261, 272
12 13 1 703 228*	314 131 0001 314 862 0000	261, 272
12 13 1 703 359	314 139 0000	260
12 13 1 703 825	314 131 0000	261, 272
12 13 1 703 825*	314 131 0001 314 862 0000	261, 272
12 13 1 712 219	314 885 0005	262
12 13 1 712 223	314 885 0005	262
12 13 1 720 166	314 139 0000	260
12 13 1 726 177	314 139 0000	260
12 13 1 726 178	314 139 0000	260
12 13 1 727 108	314 139 0000	260
12 13 1 729 842	314 139 0000	260
12 13 1 730 765	314 139 0000	260
12 13 1 730 766	314 139 0000	260
12 13 1 731 884	314 139 0000	260
12 13 1 734 468	314 139 0000	260
12 13 1 740 477	314 862 0000	272
12 13 1 748 017	314 131 0000	261, 272
12 13 1 748 017*	314 131 0001 314 862 0000	261, 272
12 13 1 748 018	314 131 0000	261, 272
12 13 1 748 018*	314 131 0001 314 862 0000	261, 272
12 13 1 748 394	314 139 0000	260
12 13 1 748 395	314 139 0000	260
12 13 1 777 666	314 139 0000	260
12 13 7 523 345	314 885 0004	262
12 13 7 548 553	314 885 0004	262
12 13 7 550 012	314 885 0005	262
12 13 7 551 260	314 885 0005	262
12 13 7 559 842	314 885 0002	262
12 13 7 571 644	314 885 0002	262
12 13 7 575 010	314 885 0005	262
12 13 7 582 627	314 885 0002	262
12 13 7 594 935	314 885 0002	262
12 13 7 594 938	314 885 0005	262
12 13 7 599 218	314 139 0000	260
12 13 7 638 477	314 885 0002	262
12 13 7 838 388	314 885 0003	263
12 13 7 841 754	314 885 0003	263
12 13 9 066 468	314 139 0000	260
12 13 9 067 830	314 131 0000	261, 272
12 13 9 067 830*	314 131 0001 314 862 0000	261, 272

Ref. no.	MEYLE no.	Page
BMW		
12 13 9 067 831	314 862 0000	272
12 14 1 247 218	314 899 0004	253
12 14 1 247 259	314 899 0004	253
12 14 1 435 350	314 899 0038	268
12 14 1 435 351	314 899 0029	268
12 14 1 438 081	314 899 0038	268
12 14 1 438 082	314 899 0029	268
12 14 1 703 221	314 899 0010	267
12 14 1 703 277	314 899 0037	253
12 14 1 709 616	314 899 0052	253
12 14 1 713 007	314 899 0005	255
12 14 1 714 763	314 899 0007	256
12 14 1 720 852	314 899 0005	255
12 14 1 720 853	314 899 0007	256
12 14 1 726 066	314 899 8003	257
12 14 1 730 027	314 899 0040	254
12 14 1 731 887	314 899 0023	256
12 14 1 740 383	314 899 0069	267
12 14 1 740 959	314 899 0069	267
12 14 1 742 185	314 899 0044	269
12 14 1 742 629	314 899 0000	255
12 14 1 743 072	314 899 0055	267
12 14 1 744 492	314 899 0052	253
12 14 1 748 400	314 899 0069	267
12 14 7 503 140	314 899 0074	254
12 14 7 506 273	314 899 0029	268
12 14 7 518 628	314 899 0029	268
12 14 7 539 165	314 899 0038	268
12 23 0 035 934	314 860 0003	257
12 23 1 286 058	014 020 1039	259
12 23 1 288 245	014 020 1039	259
12 23 2 241 387	300 022 0163	258
12 23 2 241 389	300 022 0163	258
12 23 2 248 059	314 023 0000	260
12 23 7 786 869	314 860 0001	258
12 23 7 788 957	314 860 0002	259
12 23 7 803 368	314 860 0003	257
12 31 1 172 002	014 731 1021 014 731 1023	273–274
12 31 1 268 433	300 123 1101	396
12 31 1 268 435	300 123 1102	396
12 31 1 271 664	014 731 1021 014 731 1023	273–274
12 31 1 710 732	014 731 1090	273
12 31 1 715 490	300 123 1103	396
12 31 1 715 491	300 123 1104	397

Ref. no.	MEYLE no.	Page
BMW		
12 31 1 722 755	014 731 1021 014 731 1023	273–274
12 31 1 726 022	014 731 1021 014 731 1023	273–274
12 31 8 602 181	300 123 1101	396
12 32 1 279 548	014 731 1021 014 731 1023	273–274
12 32 1 711 399	014 731 1021 014 731 1023	273–274
12 36 1 729 005	314 830 0002	264
12 61 1 433 509	314 800 0050	271
12 61 1 439 810	314 800 0051	271
12 61 1 702 842	314 800 0050	271
12 61 1 710 160	314 126 1101	378
12 61 1 710 509	314 126 1101	378
12 61 7 508 002	314 800 0050	271
12 61 7 508 003	314 800 0051	271
12 61 7 568 480	314 126 1101	378
12 62 1 288 158	100 919 0013	265
12 62 1 710 535	314 126 0000	264
12 62 1 747 281	314 126 0000	264
12 63 1 711 266	314 830 0002	264
13 32 1 268 231	314 133 2107 314 133 2108	358
13 32 1 270 038	314 133 2107 314 133 2108	358
13 32 1 277 497	314 323 0003	359
13 32 1 278 272	314 323 0003	359
13 32 1 439 407	314 323 0006	361
13 32 1 702 632	314 133 2109	359
13 32 1 709 535	314 323 0009	360
13 32 1 713 807	314 133 2106	360
13 32 1 713 808	314 133 2106	360
13 32 1 720 101	314 133 2106	360
13 32 1 720 102	314 133 2106	360
13 32 1 740 985	314 133 2109	359
13 32 1 740 986	314 133 2109	359
13 32 2 240 791	312 133 2002	360
13 32 2 240 798	312 133 2002	360
13 32 2 240 802	312 133 2002	360
13 32 2 243 653	312 133 2001	361
13 32 2 245 006	312 133 2002	360
13 32 2 246 135	312 133 2002	360
13 32 2 248 279	312 133 2002	360
13 32 7 512 017	314 323 0006	361
13 32 7 512 018	314 323 0006	361

Ref. no.	MEYLE no.	Page
BMW		
13 32 7 512 019	314 323 0006	361
13 32 7 785 350	314 323 0000	362
13 32 7 786 647	312 133 2002	360
13 32 7 787 476	314 323 0002	362
13 32 7 787 825	314 323 0000	362
13 32 7 788 700	314 323 0011	363
13 32 7 793 672	314 323 0001	362
13 32 7 794 549	314 323 0002	362
13 32 7 811 227	314 323 0011	363
13 32 7 811 401	314 323 0011	363
13 32 7 823 413	314 323 0010	363
13 32 8 511 053	314 323 0013	364
13 32 8 572 522	314 323 0013	364
13 32 9 063 165	314 133 2107 314 133 2108	358
13 54 1 703 865	319 135 4103	318
13 54 1 726 634	300 135 4103	365
13 54 1 735 173	319 135 4107	318
13 54 1 735 174	319 135 4108	319
13 54 1 738 757	300 135 4101	366
13 61 7 787 142	314 800 0052	271
13 62 1 284 397	314 136 2102	266
13 62 1 288 158	100 919 0013	265
13 62 1 357 414	314 136 2101	265
13 62 1 433 076	314 136 2103	265
13 62 1 703 993	314 810 0001	266
13 62 1 709 966	314 136 2102	266
13 62 2 247 878	314 800 0038	269
13 62 2 249 320	314 800 0038	269
13 62 7 548 994	314 899 0074	254
13 62 7 787 192	314 899 0053	255
13 62 7 794 646	314 800 0038	269
13 62 7 796 054	314 800 0038	269
13 62 7 809 334	314 899 0053	255
13 62 7 839 138	314 899 0000	255
13 71 1 247 405	312 137 2008	354
13 71 1 247 465	312 137 2004	344
13 71 1 726 205	300 137 1107	365
13 71 1 726 208	300 137 1102	365
13 71 1 726 325	300 137 1107	365
13 71 1 736 675	312 132 2007	356
13 71 2 243 783	312 137 1001	344
13 71 2 246 416	312 137 1001	344
13 71 2 246 997	312 321 0000	344
13 71 2 247 444	312 321 0001	345
13 71 3 419 934	312 321 0022	345

Ref. no.	MEYLE no.	Page
BMW		
13 71 3 428 558	312 321 0023	346
13 71 7 256 008	312 321 0005	346
13 71 7 503 141	312 321 0002	346
13 71 7 505 007	312 321 0005	346
13 71 7 509 544	312 321 0011	347
13 71 7 521 023	312 321 0008	347
13 71 7 521 033	312 321 0003	347
13 71 7 521 037	312 321 0008	347
13 71 7 521 038	312 321 0003	347
13 71 7 524 412	312 321 0016	348
13 71 7 526 008	312 321 0005	346
13 71 7 532 754	312 321 0004	348
13 71 7 536 006	312 321 0020	348
13 71 7 542 294	312 321 0007	349
13 71 7 542 545	312 321 0006	349
13 71 7 548 888	312 321 0024	349
13 71 7 548 897	312 321 0028	350
13 71 7 548 898	312 321 0029	350
13 71 7 571 355	312 321 0021	350
13 71 7 582 908	312 321 0026	351
13 71 7 630 911	312 321 0038	353
13 71 7 793 647	312 321 0017	351
13 71 7 797 465	312 321 0013	352
13 71 7 800 151	312 321 0033	352
13 71 7 811 026	312 321 0035	352
13 71 8 507 320	312 321 0038	353
13 71 8 511 668	312 321 0037	353
13 71 8 513 944	312 321 0039	354
13 72 1 247 404	312 137 2008	354
13 72 1 247 405	312 137 2008	354
13 72 1 247 842	312 137 2004	344
13 72 1 287 681	312 137 2004	344
13 72 1 311 880	312 137 2010	355
13 72 1 433 933	312 132 2007	356
13 72 1 702 158	312 132 2007	356
13 72 1 702 907	312 137 2011	354
13 72 1 707 021	312 137 2003	355
13 72 1 707 050	312 137 2004	344
13 72 1 714 952	312 137 2003	355
13 72 1 715 880	312 137 2004	344
13 72 1 715 881	312 137 2004	344
13 72 1 726 916	312 137 2010	355
13 72 1 730 946	312 137 2005	355
13 72 1 733 562	312 132 2007	356
13 72 1 734 682	312 137 2004	344
13 72 1 736 562	312 132 2007	356

Ref. no.	MEYLE no.	Page
BMW		
13 72 1 736 675	312 132 2007	356
13 72 1 738 462	312 137 2005	355
13 72 1 742 201	312 137 2011	354
13 72 1 744 869	312 137 2012	356
13 72 1 747 280	312 132 2007	356
13 72 7 834 714	312 321 0027	356
13 72 7 834 715	312 321 0036	357
13 72 7 838 804	312 321 0034	357
16 11 1 106 487	014 910 1000	358
16 12 6 754 016	314 323 0008	363
16 12 6 765 756	314 323 0007	364
17 10 7 514 964	314 223 0003	292
17 11 0 141 325	314 238 0000	287
17 11 1 427 156	319 171 1102	287
17 11 1 436 381	314 223 0002	293
17 11 1 436 413	314 223 0000	294
17 11 1 712 196	314 171 0000	293
17 11 1 712 660	300 171 1101	322
17 11 1 712 669	314 800 9004	298
17 11 1 712 788	314 238 0000	287
17 11 1 712 835	300 171 1104	293
17 11 1 719 167	314 800 9005	298
17 11 1 723 520	300 171 1103	294
17 11 1 723 521	319 171 1103	319
17 11 1 741 167	314 171 0001	294
17 11 1 742 231	314 800 9004	298
17 11 1 742 232	314 800 9005	298
17 11 4 379 048	314 800 9005	298
17 11 7 506 601	314 899 0042	269
17 11 7 546 548	314 899 0054	220
17 11 7 573 751	314 223 0000	294
17 11 7 573 780	314 223 0001	295
17 11 7 573 781	314 223 0000	294
17 11 7 590 699	314 236 0010	304
17 12 3 415 433	319 222 0027	319
17 12 7 507 748	319 222 0021	320
17 12 7 515 488	314 238 0000	287
17 12 7 519 256	319 222 0023	320
17 12 7 520 668	319 222 0021	320
17 12 7 531 581	319 222 0022	320
17 12 7 531 769	319 222 0024	321
17 12 7 540 127	319 222 0026	321
17 12 7 564 480	319 222 0025	321
17 13 0 409 622	314 899 0042	269
17 13 2 247 553	314 223 0000	294
17 13 7 501 959	314 223 0007	295

Ref. no.	MEYLE no.	Page
BMW		
17 13 7 516 004	314 238 0003	303
17 13 7 519 219	314 223 0005	296
17 13 7 519 368	314 223 0004	296
17 13 7 524 812	314 899 0042	269
17 13 7 542 986	314 223 0005	296
17 13 7 543 003	314 223 0006	297
17 13 7 543 026	314 223 0004	296
17 13 7 552 546	314 223 0008	296
17 13 7 553 919	314 899 0042	269
17 13 7 567 462	314 223 0004	296
17 13 7 601 949	314 223 0013	297
17 13 7 601 950	314 223 0009	297
17 13 7 607 482	314 223 0004	296
17 13 7 647 283	314 223 0013	297
17 13 7 647 284	314 223 0009	297
17 13 7 787 039	314 223 0000	294
17 13 7 787 040	314 223 0001	295
17 13 7 806 038	314 223 0013	297
17 13 8 600 275	314 223 0006	297
17 41 7 504 732	300 115 0006	301
17 42 7 523 259	314 236 0010	304
18 21 1 245 113	014 049 0008	343
21 21 0 670 024	317 228 1000	287
21 21 0 670 025	317 228 1000	287
21 21 1 203 149	317 228 1000	287
21 21 1 203 694	317 215 1000	286
21 21 1 203 696	317 228 1000	287
21 21 1 203 996	317 228 1000	287
21 21 1 204 034	317 228 1000	287
21 21 1 205 289	317 215 1000	286
21 21 1 206 189	317 215 1000	286
21 21 1 206 190	317 215 1000	286
21 21 1 207 321	317 228 1000	287
21 21 1 207 540	317 228 1000	287
21 21 1 207 545	317 228 1000	287
21 21 1 207 546	317 228 1000	287
21 21 1 208 699	317 215 1000	286
21 21 1 209 167	317 215 1000	286
21 21 1 223 041	317 228 1000	287
21 21 1 223 052	317 228 1000	287
21 21 1 223 083	317 215 1000	286
21 21 1 223 084	317 215 1000	286
21 21 1 223 086	317 215 1000	286
21 21 1 223 087	317 215 1000	286
21 21 1 223 097	317 228 1000	287
21 21 1 223 098	317 228 1000	287

Ref. no.	MEYLE no.	Page
BMW		
21 21 1 223 136	317 228 1000	287
21 21 1 223 137	317 228 1000	287
21 21 1 223 174	317 228 1000	287
21 21 1 223 175	317 228 1000	287
21 21 1 223 575	317 215 1000	286
21 21 1 223 671	317 228 1000	287
21 21 1 225 046	317 228 1000	287
21 21 1 225 215	317 228 1000	287
21 21 1 225 562	317 228 1000	287
21 21 1 225 563	317 228 1000	287
21 21 1 225 653	317 228 1000	287
21 21 1 225 781	317 228 1000	287
21 21 1 225 782	317 228 1000	287
21 21 1 225 784	317 215 1000	286
21 21 1 225 788	317 215 1000	286
21 21 1 225 936	317 228 1000	287
22 11 1 091 971	300 221 1600	388
22 11 1 092 823	300 221 1103	385
22 11 1 092 824	300 221 1104	385
22 11 1 092 895	300 221 1103	385
22 11 1 092 896	300 221 1104	385
22 11 1 094 073	300 221 1600	388
22 11 1 094 364	300 221 1600	388
22 11 1 094 365	300 221 1600	388
22 11 1 094 813	300 221 1101	395
22 11 1 094 814	300 221 1102	394
22 11 1 095 444	300 118 1107	394
22 11 1 095 517	300 221 1600	388
22 11 1 096 514	300 221 1128	386
22 11 1 096 997	300 221 2119	391
22 11 1 097 153	300 221 1127	387
22 11 1 097 267	300 221 1600	388
22 11 1 141 791	300 221 1103	385
22 11 1 141 792	300 221 1104	385
22 11 3 400 335	300 221 1132	386
22 11 3 421 295	300 221 1132	386
22 11 4 000 410	300 221 1600	388
22 11 4 048 652	300 221 1138	393
22 11 4 414 035	300 221 1600	388
22 11 4 414 037	300 221 1600	388
22 11 4 438 631	300 221 1600	388
22 11 4 438 907	300 221 1600	388
22 11 4 516 677	300 221 1600	388
22 11 6 750 039	300 221 1127	387
22 11 6 750 862	314 030 0006	386
22 11 6 751 281	300 221 1127	387

Ref. no.	MEYLE no.	Page
BMW		
22 11 6 752 741	300 221 1149	387
22 11 6 752 742	300 221 1150	387
22 11 6 754 608	300 221 1600	388
22 11 6 756 018	300 221 1140	392
22 11 6 758 428	300 221 1123	392
22 11 6 758 430	300 221 1120	392
22 11 6 758 444	300 221 2119	391
22 11 6 760 330	300 221 1139	388
22 11 6 761 089	300 221 1124	388
22 11 6 761 090	300 221 1125	389
22 11 6 761 091	300 221 1117	393
22 11 6 761 092	300 221 1118	394
22 11 6 762 607	300 221 1153	389
22 11 6 762 608	300 221 1154	389
22 11 6 768 799	300 221 1113	390
22 11 6 768 800	300 221 1114	390
22 11 6 768 852	300 221 1115	390
22 11 6 768 853	300 221 1116	391
22 11 6 770 638	300 221 2119	391
22 11 6 770 725	300 221 1117	393
22 11 6 770 726	300 221 1118	394
22 11 6 770 793	300 221 1123	392
22 11 6 770 794	300 221 1120	392
22 11 6 771 359	300 221 1101	395
22 11 6 771 360	300 221 1102	394
22 11 6 771 361	300 118 1107	394
22 11 6 771 362	300 221 1140	392
22 11 6 772 152	300 221 1138	393
22 11 6 773 742	300 221 1126	393
22 11 6 773 744	300 221 1138	393
22 11 6 774 619	300 221 1117	393
22 11 6 774 620	300 221 1118	394
22 11 6 779 970	300 118 1107	394
22 11 6 779 971	300 221 1101	395
22 11 6 779 972	300 221 1102	394
22 11 6 785 583	300 221 1101	395
22 11 6 785 601	314 030 0010	395
22 11 6 785 602	314 030 0011	395
22 31 1 094 916	300 223 1101	202, 209
22 31 3 400 343	300 237 1113	200, 208
22 31 3 421 301	300 237 1113	200, 208
22 31 3 451 444	300 221 1137	200
22 31 6 750 858	300 221 1144	202, 210
22 31 6 751 760	300 223 1601	201, 209
22 31 6 753 316	300 223 1600	203, 210
22 31 6 754 088	300 223 1601	201, 209

Ref. no.	MEYLE no.	Page
BMW		
22 31 6 770 289	300 221 1142	201, 209
22 31 6 771 130	300 223 1602	201
22 31 6 771 219	300 237 1101	203, 211
22 31 6 771 220	300 223 1600	203, 210
22 31 6 771 221	300 223 1101	202, 209
22 31 6 773 125	300 221 1144	202, 210
22 31 6 773 693	300 221 1144	202, 210
22 31 6 799 330	300 223 1600	203, 210
22 31 6 799 331	300 237 1101	203, 211
22 31 6 799 411	300 223 1603	203
22 31 6 799 845	300 223 1604	204, 211
22 32 1 092 897	300 223 1602	201
23 14 1 135 071	314 613 1101	279
23 14 1 221 706	314 231 4101	279
23 14 1 352 153	314 613 1101	279
23 14 1 354 071	314 613 1101	279
23 14 1 434 584	314 231 4101	279
23 14 7 506 637	314 231 4101	279
23 14 7 524 811	314 231 4101	279
23 70 1 138 517	300 223 1600	203, 210
23 70 1 141 532	300 237 0100	204, 211
23 70 1 141 614	300 237 0100	204, 211
23 71 1 130 205	300 223 1101	202, 209
23 71 1 131 664	300 223 1101	202, 209
23 71 1 133 487	300 237 0100	204, 211
23 71 1 137 817	300 237 1101	203, 211
23 71 1 175 939	300 237 1104	205, 212
23 71 1 176 041	300 237 1105	205, 212
24 10 1 423 380	314 139 0005	367
24 11 0 403 404	300 325 0000	190
24 11 1 217 082	300 241 1107	367
24 11 1 218 850	314 139 0004	367
24 11 1 218 899	300 241 1106 300 241 1106/S	192, 196
24 11 1 421 367	314 139 0004	367
24 11 1 421 599	300 241 1401	368
24 11 1 422 676	314 139 0002	368
24 11 1 423 587	314 139 0001	369
24 11 1 423 604	300 241 1701	193
24 11 1 423 605	314 137 0003 314 137 0003/S	193, 197
24 11 7 507 643	314 137 0003 314 137 0003/S	193, 197
24 11 7 507 790	314 137 0002	192
24 11 7 508 517	300 241 1701	193
24 11 7 510 010	314 137 0003	193, 197

Ref. no.	MEYLE no.	Page
BMW		
	314 137 0003/S	
24 11 7 510 011	314 137 0002	192
24 11 7 510 012	300 241 1701	193
24 11 7 519 359	300 325 0000	190
24 11 7 522 923	300 325 0000	190
24 11 7 524 707	314 139 0001	369
24 11 7 533 657	314 137 0003 314 137 0003/S	193, 197
24 11 7 533 699	300 241 1701	193
24 11 7 533 700	314 137 0002	192
24 11 7 536 387	300 325 0001	190
24 11 7 543 484	314 139 0003	369
24 11 7 543 550	300 137 0002 314 316 0001	192, 197, 216
24 11 7 543 550*	300 135 1006	192, 197, 216
24 11 7 557 069	300 135 0301 314 137 0002	192, 214
24 11 7 557 070	300 135 0302 300 241 1701	193, 214
24 11 7 557 071	300 135 0303 314 137 0003 314 137 0003/S	193, 197, 215
24 11 7 571 217	300 325 0001	190
24 11 7 571 227	300 325 0000	190
24 11 7 581 604	314 137 0005 314 137 0005/S	194, 198
24 11 7 593 565	300 135 0304 314 137 0005 314 137 0005/S	194, 198, 215
24 11 7 604 960	300 325 0002	189
24 11 7 613 253	300 325 0002	189
24 11 7 624 192	300 135 0007 300 325 0002	189, 216
24 11 8 612 901	300 135 0007 300 325 0002	189, 216
24 15 2 333 825	300 135 0303	215
24 15 2 333 899	300 135 1006	216
24 15 2 333 903	300 135 1005 300 325 0000	190, 217
24 15 2 333 907	300 135 1004 300 325 0001	190, 217
24 31 1 218 204	300 243 1102/S	194
24 31 1 218 550	300 243 3101/S	194
24 31 1 218 571	300 243 1102/S	194
24 34 1 215 544	300 243 3101/S	194
24 34 1 219 156	300 243 4105	195, 198

Ref. no.	MEYLE no.	Page
BMW		
	300 243 4105/S	
24 34 1 219 631	300 243 4105 300 243 4105/S	195, 198
24 34 1 421 200	300 243 4104 300 243 4104/S	195, 198
24 34 1 422 419	300 243 4104 300 243 4104/S	195, 198
24 34 1 422 513	300 243 4105 300 243 4105/S	195, 198
24 34 1 422 673	300 135 0002 300 243 4107 314 137 0001	196, 199, 218
24 34 1 423 109	300 243 4106	199
24 34 1 423 376	100 325 0005 300 135 0001 300 243 4108/S	196, 200, 218
24 70 1 138 427	300 247 0102	205, 213
24 70 1 138 428	300 247 0101	206, 213
24 70 1 138 435	300 247 0104	206, 213
24 71 1 128 372	300 247 1102	206
24 71 1 130 188	300 247 1100	207
24 71 1 131 663	300 247 1100	207
24 71 1 134 740	300 237 0100	204, 211
25 11 1 202 649	300 251 1100	191
25 11 1 204 422	300 251 1102	190
25 11 1 208 580	300 251 1100	191
25 11 1 220 577	300 251 1101	191
25 11 1 220 832	300 251 1101	191
25 11 1 222 039	300 251 1101	191
25 11 7 519 669	300 251 1101	191
26 11 1 105 398	314 261 1104	185
26 11 1 106 113	300 261 1003	181
26 11 1 107 832	314 261 1101	181
26 11 1 204 294	314 152 0001	182
26 11 1 207 785	314 152 0001	182
26 11 1 209 168	314 152 0008	185
26 11 1 225 624	314 152 0001	182
26 11 1 227 410	314 152 0002	182
26 11 1 227 420	314 152 0008	185
26 11 1 227 690	314 152 0004	183
26 11 1 227 717	314 152 0005	183
26 11 1 227 869	314 152 0003	183
26 11 1 229 065	314 152 0004	183
26 11 1 229 080	314 152 0005	183
26 11 1 229 360	314 152 0005	183

Ref. no.	MEYLE no.	Page
BMW		
26 11 1 229 754	314 152 1006	187
26 11 2 226 527	314 152 0013	184
26 11 7 503 159	314 152 0007	184
26 11 7 511 454	314 152 0008	185
26 11 7 512 619	314 152 1009	187
26 11 7 518 304	314 261 1104	185
26 11 7 522 027	314 152 1011	186
26 11 7 527 392	314 152 1010	186
26 11 7 542 238	314 152 0012	186
26 11 7 546 425	314 152 1012	188
26 11 7 572 664	314 152 1006	187
26 11 7 573 276	314 152 1009	187
26 11 7 610 061	314 152 1012 314 152 1112 314 152 1312	188–189
26 12 1 103 728	014 098 9017	170
26 12 1 209 590	014 098 9017	170
26 12 1 225 071	014 098 9017	170
26 12 1 225 152	300 261 2190/S	163
26 12 1 226 442	300 261 2103/S	163
26 12 1 226 657	300 261 2103/S	163
26 12 1 226 723	300 261 2191 300 261 2191/S	163–164
26 12 1 226 731	300 261 2104 300 261 2194/S	164
26 12 1 227 660	300 261 2106 300 261 2196/S	165
26 12 1 227 997	300 261 2110 300 261 2110/S	166
26 12 1 229 089	300 261 2108 300 261 2198/S	166–167
26 12 1 229 242	300 261 2115	167
26 12 1 229 317	300 261 2911/S	167
26 12 1 229 431	300 261 2121/S	168
26 12 1 229 492	300 261 2700 300 261 2790/S	169
26 12 1 229 726	300 261 2112/S	168
26 12 2 282 496	300 261 2117	168
26 12 7 501 257	300 261 2700 300 261 2790/S	169
26 12 7 501 258	300 261 2117	168
26 12 7 506 783	300 261 2117	168
26 12 7 507 740	300 261 2112/S	168
26 12 7 558 745	300 261 2113	169
31 10 0 363 476	316 010 0011	452
31 10 0 363 477	316 050 0027/HD	459, 509

Ref. no.	MEYLE no.	Page
BMW		
	316 050 0107/HD	
31 10 0 363 478	316 050 0028/HD 316 050 0107/HD	460, 509
31 10 1 129 078	300 311 2906/HD	506
31 10 2 348 046	316 050 0020/HD 316 050 0104/HD	458, 508
31 10 2 348 047	316 050 0019/HD 316 050 0104/HD	459, 508
31 10 3 412 135	316 050 0015/HD 316 050 0107/HD	460, 509
31 10 3 412 136	316 050 0016/HD 316 050 0107/HD	461, 509
31 10 3 412 726	316 010 0008	452
31 10 3 412 781	300 311 2104/HD	499
31 10 3 415 027	316 050 0015/HD 316 050 0107/HD	460, 509
31 10 3 415 028	316 050 0016/HD 316 050 0107/HD	461, 509
31 10 3 418 337	316 050 0015/HD 316 050 0107/HD	460, 509
31 10 3 418 338	316 050 0016/HD 316 050 0107/HD	461, 509
31 10 3 418 341	316 010 0008	452
31 10 3 426 433	316 050 0015/HD 316 050 0107/HD	460, 509
31 10 3 426 434	316 050 0016/HD 316 050 0107/HD	461, 509
31 10 3 438 623	316 010 0011	452
31 10 3 443 127	316 050 0027/HD 316 050 0107/HD	459, 509
31 10 3 443 128	316 050 0028/HD 316 050 0107/HD	460, 509
31 10 3 451 881	316 050 0015/HD 316 050 0107/HD	460, 509
31 10 3 451 882	316 050 0016/HD 316 050 0107/HD	461, 509
31 10 4 026 719	316 050 0019/HD 316 050 0104/HD	459, 508
31 10 4 026 720	316 050 0020/HD 316 050 0104/HD	458, 508
31 10 6 771 194	314 610 0006	499
31 10 6 771 897	314 610 0005	499
31 10 6 778 015	314 610 0004/HD	500
31 10 6 786 951	314 610 0019	500
31 10 6 786 959	314 610 0021	500

Ref. no.	MEYLE no.	Page
BMW		
31 10 6 787 665	316 010 0018	452
31 10 6 787 669	316 050 0058	489
31 10 6 787 670	316 050 0059	490
31 10 6 787 673	316 050 0060	461
31 10 6 787 674	316 050 0061	462
31 12 0 006 482	300 311 2909/HD	501
31 12 0 302 754	314 610 0000/HD	501
31 12 0 304 308	314 610 0000/HD	501
31 12 0 305 612	314 610 0000/HD	501
31 12 0 307 882	300 311 2104/HD	499
31 12 0 360 275	316 050 0015/HD 316 050 0107/HD	460, 509
31 12 0 393 540	314 610 0000/HD	501
31 12 0 398 350	314 610 0000/HD	501
31 12 0 406 872	314 610 0000/HD	501
31 12 0 410 791	314 610 0011	503
31 12 1 092 010	300 311 2914/HD	507
31 12 1 092 023	316 050 0103/HD 316 050 3903/HD	471, 509
31 12 1 092 024	316 050 0103/HD 316 050 3904/HD	472, 509
31 12 1 092 276	316 050 0023/HD 316 050 3601/HD	478, 510
31 12 1 092 609	316 050 0029/HD	462
31 12 1 092 610	316 050 0030/HD	463
31 12 1 092 819	316 050 0029/HD	462
31 12 1 092 820	316 050 0030/HD	463
31 12 1 093 449	316 050 0103/HD 316 050 3901	463, 509
31 12 1 093 450	316 050 0103/HD 316 050 3902	464, 509
31 12 1 093 707	300 311 2909/HD	501
31 12 1 094 233	316 050 0103/HD 316 050 3901	463, 509
31 12 1 094 234	316 050 0103/HD 316 050 3902	464, 509
31 12 1 094 235	300 311 2107	502
31 12 1 094 275	316 050 0023/HD 316 050 3602/HD	477, 510
31 12 1 094 465	316 050 0000/HD 316 050 0003/HD	453, 475, 513
31 12 1 094 465*	316 010 4305/HD	453, 475, 513
31 12 1 094 466	316 050 0000/HD 316 050 0004/HD	453, 476, 513
31 12 1 094 466*	316 010 4305/HD	453, 476, 513

Ref. no.	MEYLE no.	Page
BMW		
31 12 1 095 277	300 311 2604/HD	458
31 12 1 095 278	300 311 2604/HD	458
31 12 1 096 169	316 050 0007/HD 316 050 0106/HD	481, 511
31 12 1 096 170	316 050 0008/HD 316 050 0106/HD	481, 511
31 12 1 096 284	300 311 2604/HD	458
31 12 1 096 315	316 050 0009 316 050 0106/HD	478, 511
31 12 1 096 316	316 050 0010 316 050 0106/HD	479, 511
31 12 1 096 372	300 311 2104/HD	499
31 12 1 096 425	316 010 0002	454
31 12 1 096 685	316 010 0003/HD	454
31 12 1 096 982	300 311 2901	515
31 12 1 096 983	300 311 2604/HD	458
31 12 1 096 984	300 311 2604/HD	458
31 12 1 096 985	316 050 0000/HD 316 050 0003/HD	475, 513
31 12 1 096 986	316 050 0000/HD 316 050 0004/HD	476, 513
31 12 1 123 025	316 050 4206	464
31 12 1 123 026	316 050 4207	465
31 12 1 123 027	316 050 4207	465
31 12 1 124 401	316 050 4217	468
31 12 1 124 402	316 050 4218	469
31 12 1 124 622	300 311 2107	502
31 12 1 124 954	316 050 4223/HD	466
31 12 1 124 955	316 050 4224/HD	467
31 12 1 124 967	300 311 2906/HD	506
31 12 1 125 428	300 311 2906/HD	506
31 12 1 125 429	300 311 2906/HD	506
31 12 1 125 549	316 050 4223/HD	466
31 12 1 125 550	316 050 4224/HD	467
31 12 1 125 551	316 050 4223/HD	466
31 12 1 125 552	316 050 4224/HD	467
31 12 1 126 254	316 010 4307	453
31 12 1 126 302	300 311 2906/HD	506
31 12 1 126 394	300 311 2906/HD	506
31 12 1 126 416	300 311 2906/HD	506
31 12 1 126 426	300 311 2906/HD	506
31 12 1 127 141	316 050 4223/HD	466
31 12 1 127 142	316 050 4224/HD	467
31 12 1 127 377	300 311 2911	515
31 12 1 127 378	300 311 2918	516

Ref. no.	MEYLE no.	Page
BMW		
31 12 1 127 725	316 050 4367	453, 465
31 12 1 127 725*	316 010 4306 316 010 4307	453, 465
31 12 1 127 726	316 050 4366	453, 466
31 12 1 127 726*	316 010 4306 316 010 4307	453, 466
31 12 1 129 245	316 050 4223/HD	466
31 12 1 129 246	316 050 4224/HD	467
31 12 1 130 089	316 050 4317/HD	469
31 12 1 130 090	316 050 4318/HD	470
31 12 1 130 123	300 311 2918	516
31 12 1 130 140	300 311 2918	516
31 12 1 130 587	300 311 2103/HD	502
31 12 1 130 597	316 050 4317/HD	469
31 12 1 130 598	316 050 4318/HD	470
31 12 1 131 582	316 050 4218	469
31 12 1 131 587	316 050 4217	468
31 12 1 131 588	316 050 4218	469
31 12 1 132 159	316 050 4332/HD	470
31 12 1 132 160	316 050 4333/HD	471
31 12 1 132 345	316 050 4223/HD	466
31 12 1 132 346	316 050 4224/HD	467
31 12 1 132 353	316 050 4223/HD	466
31 12 1 132 354	316 050 4224/HD	467
31 12 1 133 236	300 311 2107	502
31 12 1 133 237	316 050 4371	467
31 12 1 133 238	316 050 4370	468
31 12 1 133 488	300 311 2103/HD	502
31 12 1 133 490	316 050 4318/HD	470
31 12 1 133 710	300 311 2103/HD	502
31 12 1 133 711	316 050 4332/HD	470
31 12 1 133 712	316 050 4333/HD	471
31 12 1 135 079	300 311 2903 300 311 3003	516, 518
31 12 1 135 352	300 311 2903 300 311 3003	516, 518
31 12 1 136 529	316 050 0023/HD 316 050 3602/HD	477, 510
31 12 1 136 530	316 050 0023/HD 316 050 3601/HD	478, 510
31 12 1 136 531	300 311 0002 300 610 0001	456–457
31 12 1 136 532	300 311 0003 300 610 0001	457
31 12 1 136 605	300 311 2103/HD	502

Ref. no.	MEYLE no.	Page
BMW		
31 12 1 136 606	300 311 2103/HD	502
31 12 1 136 607	300 311 2103/HD	502
31 12 1 139 456	300 311 2103/HD	502
31 12 1 139 826	300 311 2107	502
31 12 1 139 987	316 050 4371	467
31 12 1 139 988	316 050 4370	468
31 12 1 139 991	316 050 4217	468
31 12 1 139 992	316 050 4218	469
31 12 1 139 999	316 050 4317/HD	469
31 12 1 140 000	316 050 4318/HD	470
31 12 1 140 398	316 010 0003/HD	454
31 12 1 140 399	316 050 0023/HD 316 050 3602/HD	477, 510
31 12 1 140 400	316 050 0023/HD 316 050 3601/HD	478, 510
31 12 1 140 957	316 050 0023/HD 316 050 3602/HD	477, 510
31 12 1 140 958	316 050 0023/HD 316 050 3601/HD	478, 510
31 12 1 141 097	316 050 4332/HD	470
31 12 1 141 098	316 050 4333/HD	471
31 12 1 141 717	316 050 0103/HD 316 050 3903/HD	471, 509
31 12 1 141 718	316 050 0103/HD 316 050 3904/HD	472, 509
31 12 1 141 721	316 050 4363/HD	472
31 12 1 141 722	316 050 4362/HD	473
31 12 1 141 723	316 050 4363/HD	472
31 12 1 141 724	316 050 4362/HD	473
31 12 1 141 752	300 311 2909/HD	501
31 12 1 141 961	316 050 0001	473
31 12 1 141 962	316 050 0002	474
31 12 1 142 087	316 050 4361	474
31 12 1 142 088	316 050 4360	475
31 12 1 701 059	316 050 4367	465
31 12 1 701 060	316 050 4366	466
31 12 1 752 717	316 050 0000/HD 316 050 0003/HD	453, 475, 513
31 12 1 752 717*	316 010 4305/HD	453, 475, 513
31 12 2 226 032	300 311 2907	517
31 12 2 226 160	300 311 2907	517
31 12 2 282 121	316 050 0000/HD 316 050 0003/HD	453, 475, 513
31 12 2 282 121*	316 010 4305/HD	453, 475, 513
31 12 2 282 122	316 050 0000/HD	453, 476, 513

Ref. no.	MEYLE no.	Page
BMW		
	316 050 0004/HD	
31 12 2 282 122*	316 010 4305/HD	453, 476, 513
31 12 2 341 296	316 050 0103/HD 316 050 3902	464, 509
31 12 2 347 983	316 050 0013 316 050 0105/HD	476, 510
31 12 2 347 984	316 050 0014 316 050 0105/HD	477, 510
31 12 2 347 985	316 050 0013 316 050 0105/HD	476, 510
31 12 2 347 986	316 050 0014 316 050 0105/HD	477, 510
31 12 4 000 612	300 311 2901	515
31 12 4 004 359	300 311 2604/HD	458
31 12 4 004 360	300 311 2604/HD	458
31 12 4 026 453	316 050 0011/HD 316 050 0105/HD	486, 510
31 12 4 026 454	316 050 0012/HD 316 050 0105/HD	486, 510
31 12 4 028 607	316 050 0017 316 050 0104/HD	479, 508
31 12 4 028 608	316 050 0018 316 050 0104/HD	480, 508
31 12 4 036 269	316 035 0005/HD 316 050 0101/HD	482, 511
31 12 4 036 270	316 035 0006/HD 316 050 0101/HD	482, 511
31 12 4 046 437	316 050 0019/HD 316 050 0104/HD	459, 508
31 12 4 046 438	316 050 0020/HD 316 050 0104/HD	458, 508
31 12 4 046 441	316 050 0011/HD 316 050 0105/HD	486, 510
31 12 4 046 442	316 050 0012/HD 316 050 0105/HD	486, 510
31 12 6 750 057	300 311 2901	515
31 12 6 750 221	300 311 2604/HD	458
31 12 6 750 222	300 311 2604/HD	458
31 12 6 750 223	316 050 0000/HD 316 050 0003/HD	453, 475, 513
31 12 6 750 223*	316 010 4305/HD	453, 475, 513
31 12 6 750 224	316 050 0000/HD 316 050 0004/HD	453, 476, 513
31 12 6 750 224*	316 010 4305/HD	453, 476, 513
31 12 6 751 317	316 050 0000/HD	453, 475, 513

Ref. no.	MEYLE no.	Page
BMW		
	316 050 0003/HD	
31 12 6 751 317*	316 010 4305/HD	453, 475, 513
31 12 6 751 318	316 050 0000/HD 316 050 0004/HD	453, 476, 513
31 12 6 751 318*	316 010 4305/HD	453, 476, 513
31 12 6 751 372	300 311 2901	515
31 12 6 751 435	300 311 2604/HD	458
31 12 6 751 436	300 311 2604/HD	458
31 12 6 752 717	316 050 0000/HD 316 050 0003/HD	453, 475, 513
31 12 6 752 717*	316 010 4305/HD	453, 475, 513
31 12 6 752 718	316 050 0000/HD 316 050 0004/HD	453, 476, 513
31 12 6 752 718*	316 010 4305/HD	453, 476, 513
31 12 6 753 058	300 311 2901	515
31 12 6 753 059	300 311 2604/HD	458
31 12 6 753 060	300 311 2604/HD	458
31 12 6 754 547	300 311 2901	515
31 12 6 754 899	300 311 2604/HD	458
31 12 6 754 900	300 311 2604/HD	458
31 12 6 755 432	300 311 2901	515
31 12 6 755 835	316 050 0013 316 050 0105/HD	476, 510
31 12 6 755 836	316 050 0014 316 050 0105/HD	477, 510
31 12 6 756 101	316 050 0011/HD 316 050 0105/HD	486, 510
31 12 6 756 102	316 050 0012/HD 316 050 0105/HD	486, 510
31 12 6 756 491	316 010 0002	454
31 12 6 757 623	300 311 2604/HD	458, 515
31 12 6 757 623*	300 311 2919/HD	458, 515
31 12 6 758 220	316 050 0000/HD 316 050 0003/HD	453, 475, 513
31 12 6 758 220*	316 010 4305/HD	453, 475, 513
31 12 6 758 510	316 010 0003/HD	454
31 12 6 758 513	316 050 0023/HD 316 050 3602/HD	455, 477, 510
31 12 6 758 513*	316 010 4345	455, 477, 510
31 12 6 758 514	316 050 0023/HD 316 050 3601/HD	455, 478, 510
31 12 6 758 514*	316 010 4345	455, 478, 510
31 12 6 758 515	316 050 0023/HD 316 050 3602/HD	477, 510
31 12 6 758 516	316 050 0023/HD	478, 510

Ref. no.	MEYLE no.	Page
BMW		
	316 050 3601/HD	
31 12 6 758 519	316 050 0000/HD 316 050 0003/HD	453, 475, 513
31 12 6 758 519*	316 010 4305/HD	453, 475, 513
31 12 6 758 520	316 050 0000/HD 316 050 0004/HD	453, 476, 513
31 12 6 758 520*	316 010 4305/HD	453, 476, 513
31 12 6 758 623	316 050 0000/HD	513
31 12 6 760 181	316 050 0017 316 050 0104/HD	479, 508
31 12 6 760 182	316 050 0018 316 050 0104/HD	480, 508
31 12 6 760 183	316 050 0019/HD 316 050 0104/HD	459, 508
31 12 6 760 184	316 050 0020/HD 316 050 0104/HD	458, 508
31 12 6 760 275	316 050 0009 316 050 0106/HD	478, 511
31 12 6 760 276	316 050 0010 316 050 0106/HD	479, 511
31 12 6 760 519	316 050 0011/HD 316 050 0105/HD	486, 510
31 12 6 760 520	316 050 0012/HD 316 050 0105/HD	486, 510
31 12 6 763 699	314 610 0001 316 050 0022 316 050 0101/HD	483, 503, 511
31 12 6 763 700	314 610 0001 316 050 0021 316 050 0101/HD	483, 503, 511
31 12 6 763 703	316 035 0005/HD 316 050 0101/HD	482, 511
31 12 6 763 704	316 035 0006/HD 316 050 0101/HD	482, 511
31 12 6 763 707	316 035 0005/HD 316 050 0101/HD	482, 511
31 12 6 763 708	316 035 0006/HD 316 050 0101/HD	482, 511
31 12 6 765 597	314 610 0001	503
31 12 6 765 991	314 610 0000/HD	501
31 12 6 765 992	314 610 0000/HD	501
31 12 6 765 993	316 050 0011/HD 316 050 0105/HD	486, 510
31 12 6 765 994	316 050 0012/HD 316 050 0105/HD	486, 510
31 12 6 765 995	316 050 0019/HD	459, 508

Ref. no.	MEYLE no.	Page
BMW		
	316 050 0104/HD	
31 12 6 765 996	316 050 0020/HD 316 050 0104/HD	458, 508
31 12 6 767 992	314 610 0000/HD	501
31 12 6 768 297	316 050 0017 316 050 0104/HD	479, 508
31 12 6 768 298	316 050 0018 316 050 0104/HD	480, 508
31 12 6 768 302	314 610 0000/HD	501
31 12 6 768 818	314 610 0011	503
31 12 6 768 988	316 010 0015	455
31 12 6 768 989	316 050 0045	480, 503
31 12 6 768 989*	314 610 0007	480, 503
31 12 6 769 715	300 311 2104/HD	499
31 12 6 769 717	316 050 0007/HD 316 050 0106/HD	481, 511
31 12 6 769 718	316 050 0008/HD 316 050 0106/HD	481, 511
31 12 6 769 797	316 035 0005/HD 316 050 0101/HD	482, 511
31 12 6 769 798	316 035 0006/HD 316 050 0101/HD	482, 511
31 12 6 769 801	316 035 0005/HD 316 050 0101/HD	482, 511
31 12 6 769 802	316 035 0006/HD 316 050 0101/HD	482, 511
31 12 6 770 121	316 050 0013 316 050 0105/HD	476, 510
31 12 6 770 122	316 050 0014 316 050 0105/HD	477, 510
31 12 6 770 247	316 050 0000/HD 316 050 0003/HD	453, 475, 513
31 12 6 770 247*	316 010 4305/HD	453, 475, 513
31 12 6 770 248	316 050 0000/HD 316 050 0004/HD	453, 476, 513
31 12 6 770 248*	316 010 4305/HD	453, 476, 513
31 12 6 770 771	316 050 0013 316 050 0105/HD	476, 510
31 12 6 770 772	316 050 0014 316 050 0105/HD	477, 510
31 12 6 770 837	316 050 0013 316 050 0105/HD	476, 510
31 12 6 770 838	316 050 0014 316 050 0105/HD	477, 510
31 12 6 770 849	316 050 0022	483, 503, 511

Ref. no.	MEYLE no.	Page
BMW		
	316 050 0101/HD	
31 12 6 770 849*	314 610 0001	483, 503, 511
31 12 6 770 850	316 050 0021 316 050 0101/HD	483, 503, 511
31 12 6 770 850*	314 610 0001	483, 503, 511
31 12 6 771 893	316 050 0036 316 050 0108/HD	484, 512
31 12 6 771 894	316 050 0035 316 050 0108/HD	484, 512
31 12 6 773 949	316 050 0038/HD 316 050 0108/HD	485, 512
31 12 6 773 950	316 050 0037/HD 316 050 0108/HD	485, 512
31 12 6 774 819	316 050 0000/HD 316 050 0003/HD	453, 475, 513
31 12 6 774 819*	316 010 4305/HD	453, 475, 513
31 12 6 774 820	316 050 0000/HD 316 050 0004/HD	453, 476, 513
31 12 6 774 820*	316 010 4305/HD	453, 476, 513
31 12 6 774 825	316 050 0019/HD 316 050 0104/HD	459, 508
31 12 6 774 826	316 050 0020/HD 316 050 0104/HD	458, 508
31 12 6 774 831	316 050 0011/HD 316 050 0105/HD	486, 510
31 12 6 774 832	316 050 0012/HD 316 050 0105/HD	486, 510
31 12 6 775 963	316 050 0056	491, 505
31 12 6 775 963*	314 610 0012 314 610 0013	491, 505
31 12 6 775 964	316 050 0057	492, 505
31 12 6 775 964*	314 610 0012 314 610 0013	492, 505
31 12 6 775 967	316 050 0044/HD 316 050 0080/HD	455, 487, 504, 512
31 12 6 775 967*	314 610 0008/HD 316 010 0014	455, 487, 504, 512
31 12 6 775 971	316 050 0050 316 050 0080/HD	487, 504, 512
31 12 6 775 971*	314 610 0014	487, 504, 512
31 12 6 775 972	316 050 0051 316 050 0080/HD	488, 504, 512
31 12 6 775 972*	314 610 0014	488, 504, 512
31 12 6 775 980	314 610 0013	505
31 12 6 775 981*	314 610 0008/HD	504
31 12 6 776 417	316 050 0034	488, 512

Ref. no.	MEYLE no.	Page
BMW		
	316 050 0108/HD	
31 12 6 776 418	316 050 0033 316 050 0108/HD	489, 512
31 12 6 777 753	316 010 0016	456
31 12 6 777 850	300 311 2604/HD	458, 515
31 12 6 777 850*	300 311 2919/HD	458, 515
31 12 6 777 851	316 050 0000/HD 316 050 0003/HD	453, 475, 513
31 12 6 777 851*	316 010 4305/HD	453, 475, 513
31 12 6 777 852	316 050 0000/HD 316 050 0004/HD	453, 476, 513
31 12 6 777 852*	316 010 4305/HD	453, 476, 513
31 12 6 777 937	316 050 0013 316 050 0105/HD	476, 510
31 12 6 777 938	316 050 0014 316 050 0105/HD	477, 510
31 12 6 777 939	316 050 0013 316 050 0105/HD	476, 510
31 12 6 777 940	316 050 0014 316 050 0105/HD	477, 510
31 12 6 779 840	316 010 0017	456
31 12 6 779 871	316 050 0044/HD 316 050 0080/HD	455, 487, 504, 512
31 12 6 779 871*	314 610 0008/HD 316 010 0014	455, 487, 504, 512
31 12 6 779 908	316 050 0044/HD 316 050 0080/HD	455, 487, 504, 512
31 12 6 779 908*	314 610 0008/HD 316 010 0014	455, 487, 504, 512
31 12 6 783 376	300 311 2604/HD	458, 515
31 12 6 783 376*	300 311 2919/HD	458, 515
31 12 6 784 569	314 610 0012	505
31 12 6 787 669	316 050 0058	489
31 12 6 787 670	316 050 0059	490
31 12 6 791 455	314 610 0013	505
31 12 6 792 277	314 610 0021	500
31 12 6 794 203	316 050 0048 316 050 0080/HD	490, 505, 512
31 12 6 794 203*	314 610 0012 314 610 0013	490, 505, 512
31 12 6 794 204	316 050 0049 316 050 0080/HD	491, 505, 512
31 12 6 794 204*	314 610 0012 314 610 0013	491, 505, 512
31 12 6 798 107	316 050 0056	491, 505
31 12 6 798 107*	314 610 0012	491, 505

Ref. no.	MEYLE no.	Page
BMW		
	314 610 0013	
31 12 6 798 108	316 050 0057	492, 505
31 12 6 798 108*	314 610 0012 314 610 0013	492, 505
31 12 6 850 781	316 050 0056	491, 505
31 12 6 850 781*	314 610 0012 314 610 0013	491, 505
31 12 6 850 782	316 050 0057	492, 505
31 12 6 850 782*	314 610 0012 314 610 0013	492, 505
31 12 6 851 255	314 610 0022	506
31 12 6 851 261	314 610 0022	506
31 12 6 852 991	316 050 0083	492, 500
31 12 6 852 991*	314 610 0021	492, 500
31 12 6 852 992	316 050 0084	493, 500
31 12 6 852 992*	314 610 0021	493, 500
31 12 6 854 613	316 050 0044/HD 316 050 0080/HD	487, 512
31 12 6 854 614	316 050 0044/HD 316 050 0080/HD	487, 512
31 12 6 854 727*	314 610 0021	500
31 12 6 854 728*	314 610 0021	500
31 12 6 855 509	314 610 0005	499
31 12 6 855 743	314 610 0022	506
31 12 6 857 516	316 050 0044/HD 316 050 0080/HD	487, 512
31 12 6 863 785	316 050 0034 316 050 0108/HD	488, 512
31 12 6 863 786	316 050 0033 316 050 0108/HD	489, 512
31 12 9 058 814	300 311 2911	515
31 12 9 058 815	300 311 2918	516
31 12 9 058 816	300 311 2906/HD	506
31 12 9 058 817	300 311 2906/HD	506
31 12 9 058 818	300 311 2906/HD	506
31 12 9 058 819	300 311 2906/HD	506
31 12 9 058 931	300 311 2918	516
31 12 9 059 288	300 311 2903 300 311 3003	516, 518
31 12 9 061 222	300 311 2907	517
31 12 9 064 875	300 311 2908	517
31 12 9 068 734	300 311 2909/HD	501
31 12 9 068 753	300 311 2914/HD	507
31 12 9 069 568	316 050 0103/HD 316 050 3901	463–464, 509

Ref. no.	MEYLE no.	Page
BMW		
	316 050 3902	
31 12 9 069 829	300 311 2909/HD	501
31 12 9 071 085	300 311 2909/HD	501
31 12 9 071 663	300 311 2901	515
31 12 9 071 952	300 311 2901	515
31 20 3 450 600	300 312 1111/S	624
31 20 4 081 309	300 312 2105	628
31 20 6 775 771	300 312 2105	628
31 20 6 777 789	300 312 1103	619
31 20 6 779 735	300 312 2104	628
31 20 6 791 007	300 312 2105	628
31 20 6 795 959	300 312 2104	628
31 20 6 850 158	300 312 2105	628
31 21 1 101 115*	100 405 0101	621
31 21 1 128 157	300 312 1102 300 312 1102/S	629–630
31 21 1 128 569	300 312 1102 300 312 1102/S	629–630
31 21 1 129 256	300 334 1102 300 334 1102/S	622, 626
31 21 1 129 386	300 312 1101	629
31 21 1 130 124	300 312 1103	619
31 21 1 131 297	300 312 1102	629–630
31 21 1 131 297*	300 312 1102/S	629–630
31 21 1 132 284	300 334 1102 300 334 1102/S	622, 626
31 21 1 137 996	300 312 2103	631
31 21 1 468 751	300 312 1101	629
31 21 2 226 640	300 312 1101	629
31 21 2 634 103	014 098 0024	622
31 21 2 634 104	100 405 0201	623
31 21 6 765 157	300 312 1107	630
31 22 1 092 519	300 312 2103	631
31 22 1 093 427	300 312 2101	631
31 22 1 139 345	300 312 2100 300 312 2100/S	632
31 22 1 468 926	300 312 2100 300 312 2100/S	632
31 22 6 750 217	314 652 0002	633
31 22 6 751 978	300 312 1111/S	624
31 22 6 757 024	300 652 0001 300 652 0001/S	633–634
31 22 6 760 177	300 312 1106	634
31 22 6 765 601	300 312 1106	634
31 22 6 783 913	300 312 1111/S	624

Ref. no.	MEYLE no.	Page
BMW		
31 30 1 133 438	326 624 0004	601
31 30 2 290 313	314 642 0005	581
31 30 2 290 314	314 642 0003	582
31 30 3 404 065	314 615 0011	524
31 30 3 411 619	326 623 0050	592
31 30 3 411 620	326 623 0051	592
31 30 3 411 973	314 642 0007	581
31 30 3 413 134	314 615 0012	524
31 30 3 413 145	326 623 0050	592
31 30 3 413 146	326 623 0051	592
31 30 3 413 201	316 060 0018/HD	534
31 30 3 413 202	316 060 0019/HD	534
31 30 3 414 299	316 060 0018/HD	534
31 30 3 414 300	316 060 0019/HD	534
31 30 3 449 389	326 623 0050	592
31 30 3 449 390	326 623 0051	592
31 30 3 451 393	326 623 0050	592
31 30 3 451 394	326 623 0051	592
31 30 3 451 395	326 623 0050	592
31 30 3 451 396	326 623 0051	592
31 30 6 754 341	326 623 0013	594
31 30 6 754 342	326 623 0014	595
31 30 6 754 343	326 623 0013	594
31 30 6 754 344	326 623 0014	595
31 30 6 757 043	326 623 0020	590
31 30 6 757 044	326 623 0019	591
31 30 6 757 046	314 642 0005	581
31 30 6 767 451	314 641 0003	610
31 30 6 771 177	326 623 0030	597
31 30 6 771 178	326 623 0031	597
31 30 6 775 055	326 623 0032	595
31 30 6 775 056	326 623 0033	596
31 30 6 775 098	314 641 0003	610
31 30 6 779 604	300 313 3109	611
31 30 6 781 545	316 060 0003/HD	534
31 30 6 781 546	316 060 0004/HD	535
31 30 6 781 547	316 060 0013/HD	535
31 30 6 781 548	316 060 0014/HD	536
31 30 6 781 549	316 060 0051/HD	536
31 30 6 781 550	316 060 0052/HD	537
31 30 6 787 163	316 060 0038/HD	537
31 30 6 787 164	316 060 0039/HD	537
31 30 6 792 211	316 060 0040/HD	538
31 30 6 792 212	316 060 0041/HD	538
31 31 1 090 711	326 623 0026	588

Ref. no.	MEYLE no.	Page
BMW		
31 31 1 090 712	326 623 0027	588
31 31 1 090 713	326 623 0026	588
31 31 1 090 714	326 623 0027	588
31 31 1 091 503	326 623 0010	587
31 31 1 091 504	326 623 0011	588
31 31 1 091 569	326 623 0010	587
31 31 1 091 570	326 623 0011	588
31 31 1 091 703	326 623 0052	589
31 31 1 091 704	326 623 0053	589
31 31 1 091 773	326 623 0026	588
31 31 1 091 774	326 623 0027	588
31 31 1 092 307	326 623 0026	588
31 31 1 092 308	326 623 0027	588
31 31 1 092 487	326 623 0026	588
31 31 1 092 488	326 623 0027	588
31 31 1 093 644	326 623 0003	591
31 31 1 094 041	326 623 0003	591
31 31 1 094 189	326 623 0052	589
31 31 1 094 190	326 623 0053	589
31 31 1 094 561	326 623 0000	590
31 31 1 094 562	326 623 0016	590
31 31 1 094 563	326 623 0020	590
31 31 1 094 564	326 623 0019	591
31 31 1 095 911	326 623 0018	594
31 31 1 095 912	326 623 0017	594
31 31 1 096 271	326 623 0013	594
31 31 1 096 272	326 623 0014	595
31 31 1 096 367	326 623 0020	590
31 31 1 096 368	326 623 0019	591
31 31 1 096 849	326 623 0000	590
31 31 1 096 850	326 623 0016	590
31 31 1 096 851	326 623 0020	590
31 31 1 096 852	326 623 0019	591
31 31 1 096 853	326 623 0018	594
31 31 1 096 854	326 623 0017	594
31 31 1 096 855	326 623 0020	590
31 31 1 096 856	326 623 0019	591
31 31 1 096 858	326 623 0003	591
31 31 1 096 862	326 623 0003	591
31 31 1 125 156	326 725 0004	606
31 31 1 127 533	300 333 1103/HD	560
31 31 1 128 670	300 333 1101/HD	559
31 31 1 130 488	300 333 1103/HD	560
31 31 1 130 537	300 333 1102	560
31 31 1 133 517	326 624 0003	592

Ref. no.	MEYLE no.	Page
BMW		
31 31 1 138 667	326 624 0006	601
31 31 2 282 097	326 623 0020	590
31 31 2 282 098	326 623 0019	591
31 31 2 282 101	326 623 0020	590
31 31 2 282 102	326 623 0019	591
31 31 2 282 459	326 623 0020	590
31 31 2 282 460	326 623 0019	591
31 31 3 412 397	326 623 0050	592
31 31 3 412 398	326 623 0051	592
31 31 3 453 521	326 623 0050	592
31 31 3 453 522	326 623 0051	592
31 31 3 453 523	326 623 0050	592
31 31 3 453 524	326 623 0051	592
31 31 6 750 785	326 623 0000	590
31 31 6 750 786	326 623 0016	590
31 31 6 750 787	326 623 0020	590
31 31 6 750 788	326 623 0019	591
31 31 6 750 789	326 623 0018	594
31 31 6 750 790	326 623 0017	594
31 31 6 750 791	326 623 0020	590
31 31 6 750 792	326 623 0019	591
31 31 6 752 597	326 623 0048	593
31 31 6 752 598	326 623 0049	593
31 31 6 753 187	326 623 0048	593
31 31 6 753 188	326 623 0049	593
31 31 6 759 561	326 623 0018	594
31 31 6 759 562	326 623 0017	594
31 31 6 762 727	326 623 0048	593
31 31 6 762 728	326 623 0049	593
31 31 6 764 599	326 623 0013	594
31 31 6 764 600	326 623 0014	595
31 31 6 764 601	326 623 0013	594
31 31 6 764 602	326 623 0014	595
31 31 6 764 603	326 623 0013	594
31 31 6 764 604	326 623 0014	595
31 31 6 766 993	326 623 0032	595
31 31 6 766 994	326 623 0033	596
31 31 6 768 211	326 623 0030	597
31 31 6 768 212	326 623 0031	597
31 31 6 768 216	326 623 0031	597
31 31 6 768 795	326 623 0032	595
31 31 6 768 796	326 623 0033	596
31 31 6 768 797	326 623 0032	595
31 31 6 768 798	326 623 0033	596
31 31 6 768 915	326 623 0042	598

Ref. no.	MEYLE no.	Page
BMW		
31 31 6 768 916	326 623 0043	598
31 31 6 770 165	326 623 0048	593
31 31 6 770 166	326 623 0049	593
31 31 6 771 553	326 623 0042	598
31 31 6 771 554	326 623 0043	598
31 31 6 771 723	326 623 0030	597
31 31 6 771 724	326 623 0031	597
31 31 6 772 917	326 623 0030	597
31 31 6 772 918	326 623 0031	597
31 31 6 772 921	326 623 0030	597
31 31 6 772 922	326 623 0031	597
31 31 6 773 255	326 623 0038	596
31 31 6 773 256	326 623 0039	596
31 31 6 775 055	326 623 0032	595
31 31 6 775 056	326 623 0033	596
31 31 6 775 057	326 623 0032	595
31 31 6 775 058	326 623 0033	596
31 31 6 775 099	326 623 0038	596
31 31 6 775 100	326 623 0039	596
31 31 6 778 676	326 623 0044	602
31 31 6 780 075	326 623 0030	597
31 31 6 780 076	326 623 0031	597
31 31 6 780 193	326 623 0038	596
31 31 6 780 194	326 623 0039	596
31 31 6 785 589	326 623 0030	597
31 31 6 785 590	326 623 0031	597
31 31 6 785 593	326 623 0030	597
31 31 6 785 594	326 623 0031	597
31 31 6 786 001	326 623 0030	597
31 31 6 786 002	326 623 0031	597
31 31 6 786 005	326 623 0030	597
31 31 6 786 006	326 623 0031	597
31 31 6 786 009	326 623 0030	597
31 31 6 786 010	326 623 0031	597
31 31 6 786 013	326 623 0030	597
31 31 6 786 014	326 623 0031	597
31 31 6 786 017	326 623 0042	598
31 31 6 786 018	326 623 0043	598
31 31 6 786 531	326 623 0048	593
31 31 6 786 532	326 623 0049	593
31 31 6 786 533	326 623 0048	593
31 31 6 786 534	326 623 0049	593
31 31 6 786 535	326 623 0048	593
31 31 6 786 536	326 623 0049	593
31 31 6 786 539	326 623 0048	593

Ref. no.	MEYLE no.	Page
BMW		
31 31 6 786 540	326 623 0049	593
31 31 6 789 363	326 625 0000	598
31 31 6 789 364	326 625 0001	599
31 31 6 796 155	326 623 0030	597
31 31 6 796 156	326 623 0031	597
31 32 1 091 000	326 624 0007	599
31 32 1 092 283	326 624 0007	599
31 32 1 092 284	326 624 0006	601
31 32 1 125 151	326 624 0004	601
31 32 1 125 475	326 624 0004	601
31 32 1 125 878	300 643 0000	578
31 32 1 128 126	326 624 0004	601
31 32 1 131 111	326 624 0004	601
31 32 1 132 249	326 624 0004	601
31 32 1 132 540	326 624 0000	600
31 32 1 133 181	326 624 0004	601
31 32 1 133 224	326 624 0001	600
31 32 1 133 232	326 624 0001	600
31 32 1 134 565	326 624 0002	600
31 32 1 134 573	326 624 0002	600
31 32 1 135 416	326 624 0008	601
31 32 1 135 465	326 624 0004	601
31 32 1 135 635	326 624 0004	601
31 32 1 135 675	326 624 0002	600
31 32 1 135 858	326 624 0008	601
31 32 1 135 892	326 624 0004	601
31 32 1 138 836	326 624 0007	599
31 32 1 139 407	326 624 0007	599
31 32 1 139 408	326 624 0006	601
31 32 1 139 409	326 624 0006	601
31 32 1 139 410	326 624 0007	599
31 32 1 139 411	326 624 0006	601
31 32 1 140 160	326 624 0006	601
31 32 4 048 550	326 623 0044	602
31 32 6 764 457	326 623 0032	595
31 32 6 764 458	326 623 0033	596
31 32 6 764 459	326 623 0032	595
31 32 6 764 460	326 623 0033	596
31 32 6 780 486	326 623 0044	602
31 32 6 781 918	326 623 0044	602
31 33 1 090 467	314 641 0001	614
31 33 1 090 611	300 313 3106 314 641 0008	580, 611
31 33 1 090 612	314 641 0008	580
31 33 1 090 760	314 033 0004	567

Ref. no.	MEYLE no.	Page
BMW		
31 33 1 090 761	314 033 0004	567
31 33 1 091 517	314 639 0006	567
31 33 1 091 530	314 639 0006	567
31 33 1 091 708	300 313 3114	611
31 33 1 091 709	300 313 3103	612
31 33 1 092 885	314 641 0001	614
31 33 1 093 069	314 639 0002	568
31 33 1 093 071	314 639 0001	568
31 33 1 094 750	314 642 0002	581
31 33 1 094 751	314 642 0001	584
31 33 1 096 184	314 639 0001	568
31 33 1 096 311	300 313 3109	611
31 33 1 110 195	300 313 3101	612
31 33 1 124 449	300 313 3104	582
31 33 1 124 508	300 313 3108	613
31 33 1 125 215	300 313 3104	582
31 33 1 133 336	314 031 0001	569
31 33 1 134 314	300 313 3111	579
31 33 1 134 386	314 031 0001	569
31 33 1 135 577	300 313 3119	612
31 33 1 135 582	314 641 0001	614
31 33 1 139 436	300 313 3119	612
31 33 1 139 438	300 313 3112/HD	613
31 33 1 139 452	300 313 3108	613
31 33 1 140 140	300 313 3118	582
31 33 6 750 359	326 623 0013	594
31 33 6 750 360	326 623 0014	595
31 33 6 750 892	314 642 0003	582
31 33 6 753 966	314 641 0005	614
31 33 6 757 046	314 642 0005	581
31 33 6 759 871	314 641 0001	614
31 33 6 760 943	300 313 3601	613
31 33 6 764 085	314 642 0004	583
31 33 6 764 947	314 641 0001	614
31 33 6 767 320	314 642 0006	583
31 33 6 769 582	300 313 3601	613
31 33 6 769 584	300 313 3109	611
31 33 6 769 585	314 641 0001	614
31 33 6 771 352	314 642 0006	583
31 33 6 771 380	314 642 0009	584
31 33 6 778 544	314 642 0001	584
31 33 6 779 612	314 641 0005	614
31 33 6 779 613	314 641 0001	614
31 35 1 090 186	314 615 0008 314 615 0016	525

Ref. no.	MEYLE no.	Page
BMW		
31 35 1 090 263	314 615 0007	525
31 35 1 090 268	314 615 0018	526
31 35 1 090 300	314 615 0013	526
31 35 1 091 228	314 615 0014	526
31 35 1 091 496	316 060 4364/HD	540
31 35 1 091 555	300 313 5110	527
31 35 1 091 764	316 060 4311/HD	539
31 35 1 091 855	316 060 4359/HD	539
31 35 1 091 856	316 060 4358/HD	540
31 35 1 092 304	316 060 0002/HD	540
31 35 1 093 108	314 615 0002	527
31 35 1 093 263	314 615 0021	527
31 35 1 094 554	314 615 0009	528
31 35 1 094 555	314 615 0009	528
31 35 1 094 556	314 615 0010	528
31 35 1 095 271	314 615 0001	528
31 35 1 095 661	316 060 4359/HD	539
31 35 1 095 662	316 060 4358/HD	540
31 35 1 095 664	316 060 0002/HD	540
31 35 1 095 694	316 060 4607/HD	546
31 35 1 095 695	316 060 4364/HD	540
31 35 1 096 061	314 615 0010	528
31 35 1 097 021	300 313 5109	529
31 35 1 097 179	314 615 0003	529
31 35 1 124 380	316 060 4322/HD	541
31 35 1 124 998	300 313 5104	524
31 35 1 125 350	300 313 5104	524
31 35 1 126 774	300 313 5105	529
31 35 1 127 194	316 060 4322/HD	541
31 35 1 127 414	300 313 5105	529
31 35 1 127 689	316 060 4311/HD	539
31 35 1 128 050	316 060 4322/HD	541
31 35 1 128 737	316 060 4311/HD	539
31 35 1 130 075	316 060 4322/HD	541
31 35 1 131 621	300 313 5107	530
31 35 1 132 786	300 313 5107	530
31 35 1 133 738	300 313 5111	530
31 35 1 134 582	316 060 4322/HD	541
31 35 1 135 805	300 313 5106	530
31 35 1 140 188	314 615 0019	531
31 35 1 701 066	316 060 0007/HD	541
31 35 2 227 203	316 060 0001/HD	542
31 35 2 347 945*	316 060 0013/HD 316 060 0014/HD	535-536
31 35 4 014 531	316 060 0013/HD	535

Ref. no.	MEYLE no.	Page
BMW		
31 35 4 014 532	316 060 0014/HD	536
31 35 6 750 703	316 060 0005/HD	542
31 35 6 750 704	316 060 0006/HD	542
31 35 6 751 079	316 060 0009/HD	543
31 35 6 751 080	316 060 0010/HD	543
31 35 6 753 767	316 060 0003/HD	534
31 35 6 753 768	316 060 0004/HD	535
31 35 6 753 928	314 615 0004	531
31 35 6 760 985	316 060 0013/HD	535
31 35 6 760 986	316 060 0014/HD	536
31 35 6 761 589	314 615 0004	531
31 35 6 761 591	314 615 0004	531
31 35 6 763 267	314 615 0004	531
31 35 6 764 113	314 615 0004	531
31 35 6 765 574	314 615 0005	531
31 35 6 765 933	316 060 0016/HD	544
31 35 6 765 934	316 060 0017/HD	544
31 35 6 766 509	314 615 0004	531
31 35 6 768 771	316 060 0025/HD	545
31 35 6 768 772	316 060 0026/HD	545
31 35 6 769 499	316 060 0013/HD	535
31 35 6 769 500	316 060 0014/HD	536
31 35 6 773 023	316 060 0030/HD	546
31 35 6 773 024	316 060 0031/HD	547
31 35 6 777 319	316 060 0033/HD	545
31 35 6 778 069	316 060 0003/HD	534
31 35 6 778 070	316 060 0004/HD	535
31 35 6 780 847	316 060 4607/HD	546
31 35 6 857 623	316 060 0030/HD	546
31 35 6 857 624	316 060 0031/HD	547
31 35 6 859 651	316 060 0030/HD	546
31 35 6 859 652	316 060 0031/HD	547
31 60 3 450 565*	314 498 0006	180
31 60 3 450 566*	314 498 0006	180
31 60 7 505 005	314 498 0005	181
31 60 7 505 006	314 498 0005	181
31 60 7 507 402	100 498 0091/SK	170
31 60 7 507 403	314 316 7501	171
31 60 7 529 201*	314 498 0006	180
31 60 7 529 202*	314 498 0006	180
31 60 7 544 433	314 495 0012	171
31 60 7 561 341	314 498 0005	181
31 60 7 561 342	314 498 0005	181
31 60 7 565 313*	314 498 0005	181
31 60 7 565 314	314 498 0005	181

Ref. no.	MEYLE no.	Page
BMW		
31 60 7 565 315	314 316 7501	171
31 60 7 570 270	314 495 0012	171
32 10 2 353 823	314 620 0009	416
32 10 3 412 798	316 030 0009	421, 429
32 10 3 412 798*	316 030 3044	421, 429
32 10 3 444 999	316 030 0009	421, 429
32 10 3 444 999*	316 030 3044	421, 429
32 10 6 765 089	316 020 0007/HD	439
32 10 6 765 090	316 020 0008/HD	440
32 10 6 765 234	300 620 0000	416
32 10 6 765 235	316 030 0017/HD	422, 430
32 10 6 765 235*	316 031 0005	422, 430
32 10 6 765 236	316 030 0018/HD	422, 430
32 10 6 765 236*	316 031 0005	422, 430
32 10 6 765 782	100 620 0007	417
32 10 6 767 781	316 020 0007/HD	439
32 10 6 767 782	316 020 0008/HD	440
32 10 6 768 879	316 030 0014	422, 431
32 10 6 768 879*	316 031 0008	422, 431
32 10 6 768 880	316 030 0015	422, 431
32 10 6 768 880*	316 031 0008	422, 431
32 10 6 769 073	316 020 0010	444
32 10 6 769 074	316 020 0009	444
32 10 6 774 220	316 020 4603	440
32 10 6 774 221	316 020 4604	441
32 10 6 774 222	316 030 0004	423, 433
32 10 6 774 222*	316 030 4600	423, 433
32 10 6 774 223	316 030 0005	423, 434
32 10 6 774 223*	316 030 4600	423, 434
32 10 6 774 318	316 030 0006	422, 431
32 10 6 774 318*	316 031 0010	422, 431
32 10 6 774 319	316 030 0024	422, 432
32 10 6 774 319*	316 031 0010	422, 432
32 10 6 774 320	316 020 0014	441
32 10 6 774 321	316 020 0015	441
32 10 6 774 335	316 020 0005/HD	442
32 10 6 774 336	316 030 0010/HD	432
32 10 6 774 347	316 030 0011 316 031 0003	423, 433
32 10 6 774 360	316 030 0001 316 030 3042	423, 433
32 10 6 774 361	316 030 0002	442
32 10 6 774 919	316 030 0024	432
32 10 6 776 946	316 030 0002	442
32 10 6 777 268	316 030 0001	423, 433

Ref. no.	MEYLE no.	Page
BMW		
32 10 6 777 268*	316 030 3042	423, 433
32 10 6 777 479	316 030 0011	423, 433
32 10 6 777 479*	316 031 0003	423, 433
32 10 6 777 503	316 030 0004	423, 433
32 10 6 777 503*	316 030 4600	423, 433
32 10 6 777 504	316 030 0005	423, 434
32 10 6 777 504*	316 030 4600	423, 434
32 10 6 779 622	314 620 0008	417
32 10 6 780 984	316 020 0020	442
32 10 6 780 985	316 030 0021	421, 434
32 10 6 780 985*	316 030 3044	421, 434
32 10 6 782 252	300 620 0000	416
32 10 6 784 716*	316 031 0011	424
32 10 6 784 719*	316 031 0011	424
32 10 6 784 790	316 020 0024	443
32 10 6 784 796	316 020 0023	443
32 10 6 785 993	100 620 0007	417
32 10 6 787 472*	316 031 0014	424
32 10 6 791 561	314 620 0004	418
32 10 6 792 029*	316 031 0013	424
32 10 6 792 030*	316 031 0013	424
32 10 6 792 674	316 020 0029	443
32 10 6 793 496	316 030 0021	421, 434
32 10 6 793 496*	316 030 3044	421, 434
32 10 6 793 497	316 020 0020	442
32 10 6 793 621	316 030 0014	431
32 10 6 793 622	316 030 0015	431
32 10 6 793 623	316 020 0010	444
32 10 6 793 624	316 020 0009	444
32 10 6 795 845	314 620 0008	417
32 10 6 797 617	316 020 0028	444
32 10 6 797 618	316 020 0027	445
32 10 6 799 960*	316 031 0012	425
32 10 6 799 965*	316 031 0012	425
32 10 6 799 966	316 020 0026	445
32 10 6 799 967	316 020 0025	445
32 10 6 854 893	314 620 0005	418
32 10 6 865 380	314 620 0006	418
32 10 6 865 426	300 620 0000	416
32 10 6 870 519	314 620 0008	417
32 11 1 091 767	316 030 0000 316 030 4355	425, 435
32 11 1 091 768	316 030 0000 316 030 4354	425, 435
32 11 1 091 769	316 030 0000	425

Ref. no.	MEYLE no.	Page
BMW		
32 11 1 091 770	316 020 4374	447
32 11 1 093 769	316 030 0000 316 030 4355	425, 435
32 11 1 093 770	316 030 0000 316 030 4354	425, 435
32 11 1 094 673	316 030 4355	425, 435, 446
32 11 1 094 673*	316 020 0002 316 030 0000	425, 435, 446
32 11 1 094 674	316 030 4354	425, 435, 446
32 11 1 094 674*	316 020 0003 316 030 0000	425, 435, 446
32 11 1 094 676	316 020 4374	447
32 11 1 096 897	316 030 0004	423, 433
32 11 1 096 897*	316 030 4600	423, 433
32 11 1 096 898	316 030 0005	434
32 11 1 116 068	300 321 1101	415
32 11 1 116 318	300 321 1102	421
32 11 1 116 463	316 020 3042	447
32 11 1 117 426	300 321 1101	415
32 11 1 117 698	300 321 1101	415
32 11 1 120 433	300 321 1102	421
32 11 1 125 186	316 030 4301	426, 436
32 11 1 125 186*	316 030 4303	426, 436
32 11 1 125 187	316 030 4304	426, 436
32 11 1 125 187*	316 030 4305	426, 436
32 11 1 126 620	316 030 4303	426
32 11 1 126 757	316 020 4302	447
32 11 1 127 104	300 321 1100	415
32 11 1 137 070	300 322 1104 300 322 1104/S 314 620 0001/S	416, 419–420
32 11 1 139 313	316 020 4341	448
32 11 1 139 314	316 020 4344	448
32 11 1 139 315	316 030 4339	426, 437
32 11 1 139 315*	316 030 4342	426, 437
32 11 1 139 316	316 030 4340	426, 437
32 11 1 139 316*	316 030 4342	426, 437
32 11 1 139 317	316 030 4339	437
32 13 1 092 876	300 321 3106	415
32 13 1 094 629	300 321 3101	420
32 13 1 132 798	300 321 3100	420
32 13 1 140 867	300 321 3101	420
32 13 6 751 026	300 321 3601	419
32 21 1 091 723	316 020 4375	448
32 21 1 091 724	316 020 4374	447

Ref. no.	MEYLE no.	Page
BMW		
32 21 1 091 913	316 040 4349	427
32 21 1 091 914	316 040 4353	427
32 21 1 091 917	316 040 4349	427
32 21 1 091 918	316 040 4353	427
32 21 1 093 433	316 040 4349	427
32 21 1 093 434	316 040 4353	427
32 21 1 093 435	316 040 4349	427
32 21 1 093 436	316 040 4353	427
32 21 1 094 673	316 030 4355	435
32 21 1 094 674	316 030 4354	435
32 21 1 095 955	316 030 0004	433
32 21 1 095 956	316 030 0005	434
32 21 1 095 957	316 020 4603	440
32 21 1 095 958	316 020 4604	441
32 21 1 096 057	316 040 4349	427
32 21 1 096 058	316 040 4353	427
32 21 1 096 327	316 020 0005/HD	442
32 21 1 096 897	316 030 0004	433
32 21 1 096 898	316 030 0005	423, 434
32 21 1 096 898*	316 030 4600	423, 434
32 21 1 117 212	316 030 3049	437
32 21 1 118 619	316 030 3049	437
32 21 1 123 881	316 322 1101	414
32 21 1 124 231	316 030 4214	438
32 21 1 124 232	316 040 4226	428
32 21 1 124 906	316 040 4226	428
32 21 1 127 136	316 040 4226	428
32 21 1 127 272	316 040 4226	428
32 21 1 127 917	316 020 4215	449
32 21 1 127 918	316 020 4216	449
32 21 1 129 014	316 040 4226	428
32 21 1 129 015	316 040 4226	428
32 21 1 129 020	316 030 4214	438
32 21 1 129 051	316 322 1101	414
32 21 1 129 807	300 322 1101	413
32 21 1 129 978	316 322 1101	414
32 21 1 130 001	316 020 4216	449
32 21 1 130 004	316 020 4215	449
32 21 1 130 661	316 040 4331 316 322 1101	414, 429
32 21 1 130 662	316 040 4336	429
32 21 1 131 067	316 322 1101	414
32 21 1 133 615	316 040 4331	429
32 21 1 133 618	316 040 4336	429
32 21 1 133 698	300 322 1101	413

Ref. no.	MEYLE no.	Page
BMW		
32 21 1 133 699	316 322 1101	414
32 21 1 135 666	316 030 4214	438
32 21 1 135 668	316 030 4214	438
32 21 1 135 819	316 020 4216	449
32 21 1 135 820	316 020 4215	449
32 21 1 136 450	316 322 1101	414
32 21 1 136 452	300 322 1101	413
32 21 1 136 685	316 040 4331	429
32 21 1 136 686	316 040 4336	429
32 21 1 138 850	316 040 4315	428
32 21 1 138 854	316 040 4331	429
32 21 1 138 855	316 040 4336	429
32 21 1 138 864	316 040 4331	429
32 21 1 139 786	300 322 1104 300 322 1104/S 314 620 0001/S	416, 419–420
32 21 1 139 987	316 050 4371	467
32 21 1 139 988	316 050 4370	468
32 21 1 141 345	316 020 4350	449
32 21 1 141 346	316 020 4351	450
32 21 6 751 039	316 030 0006	431
32 21 6 751 040	316 030 0024	432
32 21 6 751 041	316 020 0014	441
32 21 6 751 042	316 020 0015	441
32 21 6 751 277	316 030 0010/HD	421, 432
32 21 6 751 277*	316 030 3044	421, 432
32 21 6 756 368	316 030 0001 316 030 3042	423, 433
32 21 6 756 369	316 030 0002	442
32 21 6 760 354	316 020 0005/HD	442
32 21 6 760 470	316 030 0010/HD	432
32 21 6 762 243	316 030 0012/HD	427, 438
32 21 6 762 243*	316 031 0004	427, 438
32 21 6 762 244	316 030 0013/HD	427, 439
32 21 6 762 244*	316 031 0004	427, 439
32 21 6 762 403	316 030 0011 316 031 0003	423, 433
32 21 6 767 860	316 020 0011	450
32 21 6 767 861	316 030 0016 316 031 0003	423, 439
32 21 6 773 739	316 020 0020	442
32 21 6 773 741	316 030 0021	421, 434
32 21 6 773 741*	316 030 3044	421, 434
32 21 6 777 451	316 030 0016	423, 439
32 21 6 777 451*	316 031 0003	423, 439

Ref. no.	MEYLE no.	Page
BMW		
32 30 3 418 202	316 020 0006	451
32 30 3 418 204	316 030 0009	421, 429
32 30 3 418 204*	316 030 3044	421, 429
32 41 0 359 373	359 202 0023	409
32 41 1 091 974	359 203 0003	402
32 41 1 091 975	359 203 0001	401
32 41 1 091 976	359 203 0002	401
32 41 1 092 087	359 203 0005	403
32 41 1 092 135	314 631 0008	398
32 41 1 092 433	314 631 0000	398
32 41 1 092 741	314 631 0007	398
32 41 1 092 742	314 631 0007	398
32 41 1 092 954	314 631 0000	398
32 41 1 093 040	314 631 0007	398
32 41 1 093 116	359 202 0028	402
32 41 1 093 129	359 203 0003	402
32 41 1 093 130	359 202 0001	406
32 41 1 093 149	359 203 0004	402
32 41 1 093 247	359 203 0005	403
32 41 1 093 360	314 631 0002	399
32 41 1 093 460	359 202 0003	403
32 41 1 093 461	359 202 0029	403
32 41 1 093 577	314 631 0002	399
32 41 1 093 578	314 631 0008	398
32 41 1 093 727	359 202 0005	404
32 41 1 093 728	359 202 0008	404
32 41 1 093 761	359 203 0018	404
32 41 1 093 929	359 202 0002	405
32 41 1 094 098	314 631 0007	398
32 41 1 094 306	359 203 0006	405
32 41 1 094 949	359 202 0020	410
32 41 1 094 951	359 632 0002	405
32 41 1 094 962	314 631 0003	399
32 41 1 094 965	314 631 0004	399
32 41 1 095 515	359 203 0013	406
32 41 1 095 526	359 202 0001	406
32 41 1 096 344	359 202 0027	409
32 41 1 096 355	359 202 0006	410
32 41 1 096 731	359 632 0003	406
32 41 1 096 930	359 632 0003	406
32 41 1 097 149	314 631 0007	398
32 41 1 097 164	314 632 0000	414
32 41 1 126 845	314 631 0009	400
32 41 1 127 046	314 631 0009	400
32 41 1 128 040	314 631 0009	400

Ref. no.	MEYLE no.	Page
BMW		
32 41 1 132 189	314 631 0009	400
32 41 1 132 936	314 631 0009	400
32 41 1 133 158	314 631 0006	400
32 41 1 133 386	314 631 0006	400
32 41 1 133 969	314 631 0009	400
32 41 1 133 970	314 631 0009	400
32 41 1 136 205	314 631 0009	400
32 41 1 137 835	314 631 0001	400
32 41 1 138 122	314 631 0001	400
32 41 1 138 419	359 202 0010	407
32 41 1 138 803	359 202 0019	408
32 41 1 140 886	359 202 0028	402
32 41 1 141 039	314 631 0001	400
32 41 1 141 040	314 631 0001	400
32 41 1 141 045	314 631 0001	400
32 41 1 141 046	314 631 0001	400
32 41 1 141 243	314 631 0009	400
32 41 1 141 274	359 202 0028	402
32 41 1 141 417	314 631 0001	400
32 41 1 141 419	314 631 0001	400
32 41 1 141 505	359 203 0011	407
32 41 1 141 714	359 203 0012	407
32 41 1 141 716	359 202 0016	408
32 41 1 141 728	359 202 0028	402
32 41 1 141 858	359 202 0021	408
32 41 1 141 953	359 202 0019	408
32 41 3 400 188	359 202 0023	409
32 41 3 413 476	316 020 0006	451
32 41 3 417 081	359 202 0023	409
32 41 3 428 381	359 202 0023	409
32 41 4 035 940	359 202 0024	412
32 41 4 036 096	359 202 0025	412
32 41 4 036 418	359 202 0024	412
32 41 4 036 419	359 202 0025	412
32 41 6 750 155	359 202 0001	406
32 41 6 750 156	314 632 0001	411
32 41 6 750 423	314 631 0015	401
32 41 6 751 242	359 632 0004	409
32 41 6 751 250	359 203 0017	413
32 41 6 759 774	359 202 0027	409
32 41 6 760 036	314 631 0015	401
32 41 6 761 514	359 202 0004	410
32 41 6 764 725	359 202 0020	410
32 41 6 764 726	314 632 0001	411
32 41 6 764 787	359 203 0009	411

Ref. no.	MEYLE no.	Page
BMW		
32 41 6 764 814	359 202 0026	413
32 41 6 767 136	359 202 0006	410
32 41 6 769 975	359 202 0025	412
32 41 6 769 981	359 203 0015	411
32 41 6 769 998	359 202 0024	412
32 41 6 771 061	359 203 0015	411
32 41 6 771 389	359 202 0025	412
32 41 6 771 390	359 202 0024	412
32 41 6 773 908	359 203 0015	411
32 41 6 774 215	314 632 0001	411
32 41 6 774 303	359 203 0015	411
32 41 6 774 304	359 203 0009	411
32 41 6 776 639	359 202 0025	412
32 41 6 776 640	359 202 0024	412
32 41 6 776 882	359 203 0016	412
32 41 6 781 776	359 202 0026	413
32 41 6 782 715	359 202 0025	412
32 41 6 782 716	359 202 0024	412
32 41 6 784 330	359 202 0024	412
32 41 6 784 331	359 202 0025	412
32 41 6 784 347	359 202 0026	413
32 41 6 796 391	359 203 0017	413
32 41 6 851 217	314 632 0000	414
33 17 0 392 928	300 331 7604	557
33 17 0 403 288	300 331 7604	557
33 17 1 090 099	300 331 7101	555
33 17 1 090 389	300 331 7101	555
33 17 1 091 685	300 331 7101	555
33 17 1 093 008	300 331 7100	555
33 17 1 093 175	300 331 7109	558
33 17 1 093 565	300 331 7601/HD	556
33 17 1 096 192	300 331 7107	563
33 17 1 103 842	300 331 7104	207
33 17 1 121 908	300 331 7104	207
33 17 1 126 951	300 331 7104	207
33 17 1 129 783	300 331 7105	207
33 17 1 129 786	300 331 7105	207
33 17 1 131 903	300 331 7102	556
33 17 1 135 242	300 331 7110	208
33 17 6 751 808	300 331 7601/HD	556
33 17 6 757 313	300 331 7604	557
33 17 6 757 314	300 331 7603	557
33 17 6 758 081	300 331 7602	564
33 17 6 760 287	314 710 0002	556
33 17 6 760 288	314 710 0003	557

Ref. no.	MEYLE no.	Page
BMW		
33 17 6 770 457	300 331 7107	563
33 17 6 770 763	300 331 7604	557
33 17 6 770 764	300 331 7603	557
33 17 6 770 768	300 331 7602	564
33 17 6 770 788	300 331 7109	558
33 17 6 770 866	314 710 0003	557
33 20 7 518 902	300 332 0701	176
33 21 1 209 551	300 332 1905 300 332 1905/SK	179-180
33 21 1 225 541	300 332 1901 300 332 1901/SK	177
33 21 1 227 602	300 332 1903	178
33 21 1 229 205	300 332 1904	178
33 21 1 229 209	300 332 1102 300 332 1102/SK	171-172
33 21 1 229 213	300 332 1103	172
33 21 1 229 221	300 332 1902	177
33 21 1 229 372	314 495 0004	173
33 21 1 229 373	314 495 0005	173
33 21 1 229 375	300 332 1104	173
33 21 1 229 376	300 332 1702 300 332 1902	176-177
33 21 1 229 378	314 495 0008	174
33 21 1 229 379	314 495 0006	174
33 21 1 229 589	314 495 0002	174
33 21 1 229 590	314 495 0003	175
33 21 1 229 593	300 332 1105	175
33 21 1 229 594	300 332 1101	175
33 21 7 504 524	314 495 0011	176
33 21 7 504 704	300 332 1702	176
33 21 7 529 920	314 495 0002	174
33 21 7 572 446	300 332 0701	176
33 21 9 067 810	300 332 1901 300 332 1901/SK	177
33 21 9 067 815	300 332 1902	177
33 21 9 067 817	300 332 1903	178
33 21 9 067 818	300 332 1904	178
33 21 9 067 819	314 495 0001	179
33 21 9 067 899	300 332 1904	178
33 21 9 067 906	300 332 1905 300 332 1905/SK	179-180
33 30 3 411 651	316 050 2100	519
33 30 6 772 241	316 050 0054	493
33 30 6 772 242	316 050 0055	494
33 30 6 773 941	316 050 0054	493

Ref. no.	MEYLE no.	Page
BMW		
33 30 6 773 942	316 050 0055	494
33 30 6 852 895	316 010 0004	619
33 31 0 392 927	300 333 1601/HD	561
33 31 0 403 287	300 333 1601/HD	561
33 31 1 090 274	300 333 1112	558
33 31 1 090 945	300 333 1001	558
33 31 1 090 946	300 333 1001	558
33 31 1 090 956	300 333 1112	558
33 31 1 091 422	300 333 1104	559
33 31 1 092 515	300 333 1109/HD	565
33 31 1 092 516	300 333 1110/HD	565
33 31 1 092 517	300 333 1108	561
33 31 1 093 662	300 333 1105/HD	560
33 31 1 094 036	300 333 1111/HD	559
33 31 1 096 772	300 333 1601/HD	561
33 31 1 121 041	300 333 1103/HD	560
33 31 1 126 747	300 333 1102	560
33 31 1 127 533	300 333 1103/HD	560
33 31 1 128 566	300 333 1102	560
33 31 1 128 670	300 333 1101/HD	559
33 31 1 128 702	300 333 1101/HD	559
33 31 1 129 144	300 333 1102	560
33 31 1 129 760	300 333 1101/HD	559
33 31 1 130 487	300 333 1103/HD	560
33 31 1 130 488	300 333 1103/HD	560
33 31 1 130 537	300 333 1102	560
33 31 1 132 251	300 333 1106	208
33 31 1 132 257	300 333 1106	208
33 31 6 757 393	300 333 1109/HD	565
33 31 6 757 394	300 333 1110/HD	565
33 31 6 758 259	314 710 0000	564
33 31 6 758 260	314 710 0001	564
33 31 6 770 454	300 333 1105/HD	560
33 31 6 770 750	300 333 1601/HD	561
33 31 6 770 781	300 333 1108	561
33 31 6 770 783	300 333 1109/HD	565
33 31 6 770 784	300 333 1110/HD	565
33 31 9 059 300	300 333 1905	562
33 31 9 059 301	300 333 1906	562
33 32 0 300 946	316 035 0001	523
33 32 0 398 361	316 035 0001	523
33 32 0 403 294	316 035 0001	523
33 32 0 414 345	316 035 0001	523
33 32 0 421 750	316 035 0001	523
33 32 1 090 030	316 333 2101	495

Ref. no.	MEYLE no.	Page
BMW		
33 32 1 090 504	316 010 4347	517, 565, 620
33 32 1 090 745	316 039 3807	522
33 32 1 090 815	316 050 0054	493
33 32 1 090 816	316 050 0055	494
33 32 1 090 905	316 050 3807	494
33 32 1 090 906	316 050 3808	495
33 32 1 091 620	316 333 2101	495
33 32 1 092 237	316 050 2100	519
33 32 1 092 247	300 333 2105	513
33 32 1 092 248	300 333 2102	514
33 32 1 094 209	316 050 0054	493
33 32 1 094 210	316 050 0055	494
33 32 1 095 411	316 035 0008	496
33 32 1 095 412	316 035 0007	496
33 32 1 095 414	316 035 0000	522
33 32 1 095 631	316 010 4347	517, 565, 620
33 32 1 096 797	316 035 0001	523
33 32 1 097 009	300 333 2104/HD	562
33 32 1 097 264	316 039 3807	522
33 32 1 110 115	300 333 2902	567
33 32 1 117 259	300 333 2902	567
33 32 1 123 462	300 333 2901	563
33 32 1 123 463	316 060 4225	519
33 32 1 123 774	300 333 2902	567
33 32 1 125 563	300 333 2901	563
33 32 1 125 665	316 060 4225	519
33 32 1 126 476	316 060 4225	519
33 32 1 136 311	300 333 2103	514
33 32 1 137 459	300 333 2901	563
33 32 1 137 564	300 333 2902	567
33 32 1 137 571	300 333 2105	513
33 32 1 137 806	300 333 2104/HD	562
33 32 1 138 380	316 050 2100	519
33 32 1 138 383	300 333 2102	514
33 32 1 138 722	316 010 0004	619
33 32 1 140 345	316 010 0004	619
33 32 2 228 153	300 333 2104/HD	562
33 32 2 282 065	316 035 0001	523
33 32 2 347 944*	316 010 4347	517, 565, 620
33 32 2 348 884	316 035 0011	520
33 32 2 348 885	316 035 0010	520
33 32 2 779 820	316 035 0001	523
33 32 4 046 917	316 050 0039	498
33 32 4 046 918	316 050 0040	498
33 32 6 750 371	316 010 4347	517, 565, 620

Ref. no.	MEYLE no.	Page
BMW		
33 32 6 756 249	316 710 0001	621
33 32 6 757 885	300 333 2104/HD	562
33 32 6 758 141	316 050 0054	493
33 32 6 758 142	316 050 0055	494
33 32 6 759 157	316 050 0054	493
33 32 6 759 158	316 050 0055	494
33 32 6 760 675	316 050 2100	519
33 32 6 763 092	316 710 0000	566
33 32 6 763 093	314 710 0004	566
33 32 6 763 324	316 035 0001	523
33 32 6 763 471	316 050 0026	521
33 32 6 763 473	316 050 0025	507–508, 523
33 32 6 763 473*	314 710 0005 314 710 0006	507–508, 523
33 32 6 765 425	316 050 0024	521
33 32 6 765 535	316 050 0024	521
33 32 6 767 190	314 710 0005	507
33 32 6 767 748	316 010 4347	517, 565, 620
33 32 6 767 753	316 050 0054	493
33 32 6 767 754	316 050 0055	494
33 32 6 767 759	316 050 0054	493
33 32 6 767 760	316 050 0055	494
33 32 6 767 831	316 050 0054	493
33 32 6 767 832	316 050 0055	494
33 32 6 767 967	316 050 0054	493
33 32 6 767 968	316 050 0055	494
33 32 6 768 268	316 035 0001	523
33 32 6 768 269	316 035 0000	522
33 32 6 768 273	316 035 0008	496
33 32 6 768 274	316 035 0007	496
33 32 6 768 789	316 050 0054	493
33 32 6 768 790	316 050 0055	494
33 32 6 768 791	316 039 3807	522
33 32 6 769 971	316 050 0054	493
33 32 6 769 972	316 050 0055	494
33 32 6 770 059	316 050 3807	494
33 32 6 770 060	316 050 3808	495
33 32 6 770 742	316 035 0000	522
33 32 6 770 747	316 035 0008	496
33 32 6 770 748	316 035 0007	496
33 32 6 770 749	316 333 2101	495
33 32 6 770 753	316 035 0001	523
33 32 6 770 775	316 050 0054	493
33 32 6 770 776	316 050 0055	494
33 32 6 770 786	300 333 2104/HD	562

Ref. no.	MEYLE no.	Page
BMW		
33 32 6 770 813	316 050 2100	519
33 32 6 770 817	300 333 2104/HD	562
33 32 6 770 824	300 333 2102	514
33 32 6 770 829	314 710 0004	566
33 32 6 770 839	316 050 0054	493
33 32 6 770 840	316 050 0055	494
33 32 6 770 859	316 035 0008	496
33 32 6 770 860	316 035 0007	496
33 32 6 770 963	316 050 0039	498
33 32 6 770 964	316 050 0040	498
33 32 6 770 969	316 050 0041	497
33 32 6 770 970	316 050 0042	497
33 32 6 770 985	316 010 0012	620
33 32 6 771 828	300 333 2103	514
33 32 6 774 793	316 050 0054	493
33 32 6 774 794	316 050 0055	494
33 32 6 774 795	316 035 0001	523
33 32 6 774 796	316 035 0000	522
33 32 6 774 841	316 050 0054	493
33 32 6 774 842	316 050 0055	494
33 32 6 775 083	316 035 0010	520
33 32 6 775 084	316 035 0011	520
33 32 6 775 551	316 010 0004	619
33 32 6 775 552	316 710 0001	621
33 32 6 777 424	316 035 0001	523
33 32 6 777 425	316 050 0054	493
33 32 6 777 426	316 050 0055	494
33 32 6 777 980	316 050 0025	507–508, 523
33 32 6 777 980*	314 710 0005 314 710 0006	507–508, 523
33 32 6 779 387	316 050 0039	498
33 32 6 779 388	316 050 0040	498
33 32 6 780 438	314 711 0003	518
33 32 6 782 168*	314 710 0005	507
33 32 6 782 237	316 050 0024	521
33 32 6 782 238	316 050 0024	521
33 32 6 790 493	314 710 0017	621
33 32 6 792 553	316 710 0001	621
33 32 6 795 047	316 050 0039	498
33 32 6 795 048	316 050 0040	498
33 32 6 796 001	316 050 0041	497
33 32 6 796 002	316 050 0042	497
33 32 9 058 821	300 333 2902	567
33 32 9 058 823	300 333 2901	563
33 32 9 061 945	300 333 2902	567

Ref. no.	MEYLE no.	Page
BMW		
33 32 9 061 946	300 333 2901	563
33 41 1 090 505*	300 334 1105	624
33 41 1 093 102	300 343 1101 300 343 1101/S	635–636
33 41 1 093 567	314 752 0003	634
33 41 1 093 725	300 343 1101 300 343 1101/S	635–636
33 41 1 095 238	314 752 0001	635
33 41 1 095 652	300 343 1101 300 343 1101/S	635–636
33 41 1 095 654	300 343 1101 300 343 1101/S	635–636
33 41 1 123 415	300 334 1103	623, 625
33 41 1 123 415*	300 334 1103/S	623, 625
33 41 1 123 426	300 334 1100 300 334 1100/S	624, 626
33 41 1 124 358	300 334 1101	623, 625
33 41 1 124 358*	300 334 1101/S	623, 625
33 41 1 130 617	300 334 1102 300 334 1102/S	622, 626
33 41 1 131 670	300 334 1100 300 334 1100/S	624, 626
33 41 1 133 123	300 334 1100 300 334 1100/S	624, 626
33 41 1 133 124	300 334 1100	624
33 41 1 134 549	300 334 1100 300 334 1100/S	624, 626
33 41 1 136 180	314 752 0003	634
33 41 1 137 685	300 334 1105	624
33 41 1 468 747	300 334 1102 300 334 1102/S	622, 626
33 41 1 468 904	300 334 1105	624
33 41 1 468 928	300 334 1101	623
33 41 2 220 987	300 334 1102/S	626
33 41 6 760 056	314 752 0006	636
33 41 6 762 314	314 752 0002	626
33 41 6 762 317*	314 750 0000	627
33 41 6 762 321	300 750 0001	627
33 41 6 762 322	300 750 0001	627
33 41 6 764 180	314 752 0002	626
33 41 6 770 974	314 750 0004	628
33 41 6 795 961	314 750 0004	628
33 50 2 290 318	300 335 3101	586
33 50 2 290 319	314 742 0001	585
33 50 2 290 347	314 742 0002	584

Ref. no.	MEYLE no.	Page
BMW		
33 50 3 412 794	316 060 0011/HD	547
33 50 3 413 197	316 060 0011/HD	547
33 50 3 413 789	326 725 0025	602
33 50 3 413 790	326 725 0025	602
33 50 3 413 925	314 741 0002	615
33 50 3 414 297	316 060 0011/HD	547
33 50 3 449 392	326 725 0025	602
33 50 3 450 542	314 741 0002	615
33 50 3 451 402	326 725 0025	602
33 50 3 451 404	326 725 0025	602
33 50 4 034 410	314 742 0003	586
33 50 4 035 261	326 725 0016	607
33 50 4 035 872	326 725 0016	607
33 50 4 035 929	300 335 9102/HD	615
33 50 4 035 931	300 335 9102/HD	615
33 50 6 751 543	326 725 0012	602
33 50 6 751 544	326 725 0012	602
33 50 6 757 047	314 742 0002	584
33 50 6 757 368	314 742 0001	585
33 50 6 768 493	316 060 0029/HD	548
33 50 6 771 737	314 741 0004	580
33 50 6 771 738	314 741 0004	580
33 50 6 773 628	314 742 0007	585
33 50 6 781 537	316 060 0029/HD	548
33 50 6 781 538	316 060 0000/HD	548
33 50 6 781 539	316 060 0024/HD	548
33 50 6 781 540	316 060 0012/HD	549
33 50 6 785 607	316 060 0042/HD	549
33 50 6 785 608	316 060 0043/HD	550
33 52 0 363 604	326 725 0025	602
33 52 0 363 605	326 725 0025	602
33 52 1 090 826	326 725 0008	604
33 52 1 090 830	326 725 0008	604
33 52 1 091 095	326 725 0008	604
33 52 1 091 238	300 335 2108	616
33 52 1 091 245	326 725 0008	604
33 52 1 091 274	326 725 0008	604
33 52 1 091 421	326 725 0010	603
33 52 1 091 629	326 725 0004	606
33 52 1 091 710	300 335 2106	615
33 52 1 091 999	326 725 0004	606
33 52 1 092 278	326 725 0002	603
33 52 1 092 309	326 725 0008	604
33 52 1 092 362	300 335 9102/HD	615
33 52 1 092 489	326 725 0008	604

Ref. no.	MEYLE no.	Page
BMW		
33 52 1 092 575	326 725 0026	604
33 52 1 093 416	300 335 2110	616
33 52 1 093 646	326 725 0007	604
33 52 1 094 091	300 335 2108	616
33 52 1 094 187	326 725 0026	604
33 52 1 094 467	326 725 0007	604
33 52 1 095 061	326 725 0026	604
33 52 1 095 646	326 725 0008	604
33 52 1 095 647	326 725 0000	606
33 52 1 095 788	326 725 0026	604
33 52 1 095 913	326 725 0008	604
33 52 1 096 278	326 725 0012	602
33 52 1 096 366	326 725 0000	606
33 52 1 097 272	300 335 2109	618
33 52 1 125 156	326 725 0004	606
33 52 1 125 554	300 335 9102/HD	615
33 52 1 126 561	326 725 0006	605
33 52 1 127 491	326 725 0004	606
33 52 1 128 130	326 725 0004	606
33 52 1 128 819	300 335 9102/HD	615
33 52 1 131 085	326 725 0004	606
33 52 1 131 112	326 725 0004	606
33 52 1 131 395	326 725 0013	605
33 52 1 132 078	300 335 1104/HD 300 335 2104/HD	617
33 52 1 132 088	300 355 2105/HD	617
33 52 1 132 250	326 725 0004	606
33 52 1 132 270	300 335 1104/HD 300 335 2104/HD	617
33 52 1 132 489	326 725 0004	606
33 52 1 133 182	326 725 0004	606
33 52 1 133 225	326 725 0004	606
33 52 1 133 231	326 725 0004	606
33 52 1 133 233	326 725 0004	606
33 52 1 133 519	326 725 0006	605
33 52 1 133 564	326 725 0004	606
33 52 1 133 596	326 725 0002	603
33 52 1 133 601	326 725 0002	603
33 52 1 135 180	326 725 0004	606
33 52 1 135 466	326 725 0004	606
33 52 1 135 613	326 725 0002	603
33 52 1 135 636	326 725 0004	606
33 52 1 135 860	326 725 0002	603
33 52 1 135 888	326 725 0004	606
33 52 1 136 283	300 335 2111	579

Ref. no.	MEYLE no.	Page
BMW		
33 52 1 137 927	326 725 0008	604
33 52 1 137 972	300 335 9102/HD	615
33 52 1 138 158	326 725 0008	604
33 52 1 138 669	326 725 0002	603
33 52 1 138 908	326 725 0004	606
33 52 2 282 099	326 725 0000	606
33 52 2 282 100	326 725 0008	604
33 52 2 282 461	326 725 0008	604
33 52 3 413 234	326 725 0025	602
33 52 3 413 259	326 725 0025	602
33 52 3 413 789	326 725 0025	602
33 52 3 413 790	326 725 0025	602
33 52 3 414 164	326 725 0025	602
33 52 4 048 553	326 725 0020	608
33 52 4 048 554	326 725 0021	608
33 52 6 750 361	326 725 0012	602
33 52 6 750 781	326 725 0008	604
33 52 6 750 782	326 725 0000	606
33 52 6 750 783	326 725 0008	604
33 52 6 750 784	326 725 0000	606
33 52 6 753 810	314 741 0000	618
33 52 6 754 096	300 335 9102/HD	615
33 52 6 755 839	326 725 0012	602
33 52 6 757 045	326 725 0000	606
33 52 6 757 365	326 725 0008	604
33 52 6 757 366	326 725 0008	604
33 52 6 758 094	326 725 0024	606
33 52 6 758 095	326 725 0024	606
33 52 6 759 099	326 725 0008	604
33 52 6 759 100	326 725 0008	604
33 52 6 764 875	326 725 0012	602
33 52 6 766 065	326 725 0017	608
33 52 6 766 587	326 725 0018	609
33 52 6 766 605	326 725 0017	608
33 52 6 767 702	326 725 0012	602
33 52 6 767 703	326 725 0012	602
33 52 6 768 544	314 741 0001	618
33 52 6 768 917	326 725 0016	607
33 52 6 768 921	326 725 0016	607
33 52 6 769 744	314 741 0000	618
33 52 6 771 555	326 725 0016	607
33 52 6 771 559	326 725 0016	607
33 52 6 771 725	326 725 0016	607
33 52 6 771 729	326 725 0016	607
33 52 6 772 811	314 741 0001	618

Ref. no.	MEYLE no.	Page
BMW		
33 52 6 772 916	326 725 0016	607
33 52 6 772 926	326 725 0016	607
33 52 6 773 253	326 725 0019	607
33 52 6 773 669	300 335 2109	618
33 52 6 775 059	326 725 0017	608
33 52 6 778 677	326 725 0020	608
33 52 6 778 678	326 725 0021	608
33 52 6 779 611	314 741 0000	618
33 52 6 779 670	300 335 9102/HD	615
33 52 6 779 985	326 725 0019	607
33 52 6 780 077	326 725 0016	607
33 52 6 780 081	326 725 0016	607
33 52 6 780 195	326 725 0016	607
33 52 6 780 489	326 725 0020	608
33 52 6 780 490	326 725 0021	608
33 52 6 781 921	326 725 0020	608
33 52 6 781 922	326 725 0021	608
33 52 6 784 019	326 725 0009	609
33 52 6 784 114	326 725 0029	610
33 52 6 784 115	326 725 0029	610
33 52 6 785 982	326 725 0017	608
33 52 6 786 524	326 725 0018	609
33 52 6 786 541	326 725 0024	606
33 52 6 786 542	326 725 0024	606
33 52 6 788 495	326 725 0027	610
33 52 6 788 496	326 725 0027	610
33 52 6 789 379	326 725 0009	609
33 52 6 789 380	326 725 0009	609
33 52 6 789 381	326 725 0009	609
33 52 6 793 714	326 725 0027	610
33 52 6 797 771	326 725 0029	610
33 52 6 797 772	326 725 0029	610
33 52 6 798 786	326 725 0009	609
33 52 6 855 966	326 725 0009	609
33 53 1 091 031	300 335 3104	585
33 53 1 091 640	314 740 0002	571
33 53 1 093 632	314 739 0003	569
33 53 1 093 633	314 739 0003	569
33 53 1 093 634	314 739 0003	569
33 53 1 093 939	314 739 0010	569
33 53 1 093 940	314 739 0003	569
33 53 1 094 740	314 739 0013	570
33 53 1 095 732	314 739 0000	570
33 53 1 095 736	314 739 0013	570
33 53 1 096 187	314 739 0002	571

Ref. no.	MEYLE no.	Page
BMW		
33 53 1 132 248	314 033 0003	570
33 53 1 135 624	300 335 3103	586
33 53 1 136 395	300 335 3101	586
33 53 6 750 250	314 739 0002	571
33 53 6 757 047	314 742 0002	584
33 53 6 757 368	314 742 0001	585
33 53 6 765 584	314 715 0000	532
33 53 6 767 334	314 742 0003	586
33 53 6 767 335	314 742 0005	587
33 53 6 771 381	314 742 0006	587
33 55 1 091 497	316 060 4365/HD	551
33 55 1 092 292	300 335 5105	550
33 55 1 093 663	300 335 5103	532
33 55 1 094 619	316 060 4610	550
33 55 1 095 532	300 335 5105	550
33 55 1 095 696	316 060 4365/HD	551
33 55 1 096 735	316 060 0008/HD	551
33 55 1 124 375	300 335 5102	552
33 55 1 126 932	300 335 5102	552
33 55 1 131 131	300 335 5101	552
33 55 1 131 155	300 335 5107	532
33 55 1 135 307	300 335 5101	552
33 55 6 751 269	314 615 0003	529
33 55 6 753 770	316 060 0024/HD	548
33 55 6 757 460	316 060 0000/HD	548
33 55 6 761 000	316 060 0012/HD	549
33 55 6 761 001	314 615 0024	533
33 55 6 764 428	316 060 0020/HD	552
33 55 6 771 937	316 060 0029/HD	548
33 55 6 775 448	314 615 0023	533
33 55 6 777 635	316 060 0048/HD	553
33 55 6 786 429	316 060 0049/HD	553
33 55 6 788 861	314 715 0001	533
33 55 6 857 626	316 060 0029/HD	548
34 10 1 166 071	315 521 3029 315 521 3029/PD	59
34 10 6 787 490	315 521 0012/PD	40
34 10 6 859 181	025 251 9919	122
34 10 6 859 182	025 251 9919	122
34 11 0 300 361	025 237 9120 025 237 9120/PD	112–113
34 11 0 301 476	025 237 3017 025 237 3017/PD	124–125
34 11 1 103 321	025 204 3715	104
34 11 1 103 726	025 204 3715	104

Ref. no.	MEYLE no.	Page
BMW		
34 11 1 103 744	025 204 3715	104
34 11 1 111 649	025 204 3715	104
34 11 1 117 002	025 205 8816	103
34 11 1 117 979	025 204 3715	104
34 11 1 150 523	025 205 8816	103
34 11 1 150 524	025 205 8816	103
34 11 1 150 527	025 205 8816	103
34 11 1 151 655	315 521 3004	42
34 11 1 151 656	315 521 3004	42
34 11 1 152 655	025 205 8816	103
34 11 1 153 195	314 698 0006	140
34 11 1 153 200	100 698 0008	139
34111153203	025 206 2919	105
34 11 1 153 910	025 209 6820	105
34 11 1 154 442	025 211 7317	104
34 11 1 154 443	025 211 7317	104
34111154611	025 206 2919	105
34111154612	025 206 2919	105
34 11 1 154 747	315 521 3009	46
34 11 1 154 749	315 521 3001	40
34 11 1 154 750	315 521 3001	40
34111155076	025 206 2919	105
34 11 1 155 998	025 211 7317	104
34 11 1 155 999	025 211 7317	104
34111156462	025 206 2919	105
34 11 1 156 898	025 211 7317	104
34 11 1 156 899	025 211 7317	104
34 11 1 157 038	314 698 0006	140
34 11 1 157 039	025 209 6820	105
34 11 1 157 041	100 698 0008	139
34 11 1 157 503	315 521 3008	41
34111157510	025 206 2919	105
34111157561	025 206 2919	105
34111157562	025 206 2919	105
34 11 1 157 569	025 209 6820	105
34 11 1 157 570	025 209 6820	105
34111157624	025 206 2919	105
34 11 1 157 747	025 211 7317	104
34 11 1 157 748	025 211 7317	104
34 11 1 157 813	025 209 6820	105
34111157923	025 206 2919	105
34111157924	025 206 2919	105
34 11 1 158 040	315 521 3008	41
34 11 1 158 042	315 521 3006	41
34 11 1 158 200	100 698 0008	139

Ref. no.	MEYLE no.	Page
BMW		
34 11 1 158 265	025 209 6820	105
34 11 1 158 267	025 209 6820	105
34 11 1 158 270	025 205 8816	103
34 11 1 159 249	025 205 8816	103
34 11 1 159 251	025 205 8816	103
34 11 1 159 257	025 204 3715	104
34 11 1 159 259	025 209 6820	105
34 11 1 159 279	025 209 6820	105
34111159415	025 206 2919	105
34111159416	025 206 2919	105
34 11 1 159 602	315 521 3023 315 521 3023/PD	48-49
34 11 1 159 895	315 521 3023 315 521 3023/PD	48-49
34 11 1 159 897	315 521 3008	41
34 11 1 159 898	315 521 3006	41
34 11 1 159 916	315 521 3023 315 521 3023/PD	48-49
34 11 1 160 263	025 204 3715	104
34 11 1 160 356	025 232 8717 025 232 8717/PD	108
34 11 1 160 357	025 232 8717 025 232 8717/PD	108
34 11 1 160 450	025 209 6820	105
34 11 1 160 459	025 209 6820	105
34 11 1 160 522	025 211 7317	104
34 11 1 160 532	025 232 8717 025 232 8717/PD	108
34 11 1 160 673	315 521 3007 315 521 3007/PD	49-50
34 11 1 160 674	315 521 3011 315 521 3011/PD	65
34 11 1 160 847	315 521 3001	40
34 11 1 160 849	315 521 3008	41
34 11 1 160 915	315 521 3001	40
34 11 1 160 936	315 521 3008	41
34 11 1 161 057	025 211 7317	104
34 11 1 161 347	025 211 7317	104
34 11 1 161 349	025 211 7317	104
34 11 1 161 372	315 521 3050 315 521 3050/PD	51-52
34 11 1 161 437	025 232 8717 025 232 8717/PD	108
34 11 1 161 438	025 232 8717 025 232 8717/PD	108
34 11 1 161 445	025 232 8717	108

Ref. no.	MEYLE no.	Page
BMW		
	025 232 8717/PD	
34 11 1 161 446	025 232 8717 025 232 8717/PD	108
34 11 1 161 693	315 521 3006	41
34111161717	025 206 2919	105
34 11 1 162 093	315 521 3015 315 521 3015/PD	50-51
34 11 1 162 210	025 214 7118	109
34 11 1 162 282	315 521 3011 315 521 3011/PD	65
34 11 1 162 288	315 521 3011 315 521 3011/PD	65
34 11 1 162 481	025 211 7317	104
34 11 1 162 535	025 209 6820	105
34 11 1 162 900	025 214 7118	109
34 11 1 163 013	315 521 3019 315 521 3019/PD	57-58
34 11 1 163 081	315 521 3019 315 521 3019/PD	57-58
34 11 1 163 135	315 521 3004	42
34 11 1 163 136	315 521 3004	42
34 11 1 163 307	025 214 8619 025 214 8619/PD	109, 138
34 11 1 163 387	025 216 7720 025 216 7720/PD	110
34 11 1 163 850	025 232 8717 025 232 8717/PD	108
34 11 1 163 921	025 214 7118	109
34 11 1 163 922	025 214 7118	109
34 11 1 163 923	025 214 7118	109
34 11 1 163 953	025 216 7720 025 216 7720/PD	110
34 11 1 164 199	315 521 3011 315 521 3011/PD	65
34 11 1 164 330	025 216 7720 025 216 7720/PD	110
34 11 1 164 331	025 216 7720 025 216 7720/PD	110
34 11 1 164 431	315 521 3011 315 521 3011/PD	65
34 11 1 164 498	025 232 8717 025 232 8717/PD	108
34 11 1 164 500	025 232 8717 025 232 8717/PD	108
34 11 1 164 539	315 521 3020	68

Ref. no.	MEYLE no.	Page
BMW		
	315 521 3020/PD	
34 11 1 164 839	315 521 3019 315 521 3019/PD	57–58
34 11 1 164 921	315 521 3011 315 521 3011/PD	65
34 11 1 164 973	315 521 3050 315 521 3050/PD	51–52
34 11 1 165 072	315 521 3050 315 521 3050/PD	51–52
34 11 1 165 227	025 214 8619 025 214 8619/PD	109, 138
34 11 1 165 455	315 521 3011 315 521 3011/PD	65
34 11 1 165 555	025 232 8717 025 232 8717/PD	108
34 11 1 165 859	315 521 3024 315 521 3024/PD	56–57
34 11 2 157 570	025 232 8717 025 232 8717/PD	108
34 11 2 225 107	300 343 5101	235
34112225850	025 206 2919	105
34112226084	025 206 2919	105
34 11 2 227 171	315 521 3051 315 521 3051/PD	42–43
34 11 2 227 172	315 521 3052 315 521 3052/PD	43–44
34 11 2 227 334	025 214 7118	109
34 11 2 227 737	315 521 3051 315 521 3051/PD	42–43
34 11 2 227 738	315 521 3052 315 521 3052/PD	43–44
34 11 2 227 863	025 214 7118	109
34 11 2 228 248	025 209 6820	105
34 11 2 229 031	025 214 8619 025 214 8619/PD	109, 138
34 11 2 229 935	025 209 6820	105
34 11 2 282 554	025 209 6820	105
34 11 2 282 555	025 209 6820	105
34 11 2 283 764	025 233 4720 025 233 4720/PD	106
34 11 2 283 865	025 233 4720 025 233 4720/PD	106
34 11 2 284 065	025 237 9120 025 237 9120/PD	112–113
34 11 2 339 267	025 237 9420	111–112

Ref. no.	MEYLE no.	Page
BMW		
	025 237 9420/PD	
34 11 2 339 268	025 237 9420 025 237 9420/PD	111–112
34 11 3 400 151	315 521 3074 315 521 3074/PD	44–45
34 11 3 404 362	025 231 8320 025 231 8320/PD	107
34 11 3 427 503	025 214 8619 025 214 8619/PD	109, 138
34 11 4 073 936	025 251 9919	122
34 11 4 074 370	025 241 7019 025 241 7019/PD	121–122
34 11 6 750 148	025 231 8320 025 231 8320/PD	107
34 11 6 750 265	315 521 3058 315 521 3058/PD	45–46
34 11 6 750 267	315 521 3059 315 521 3059/PD	67
34 11 6 750 713	315 521 3025 315 521 3025/PD	66
34 11 6 752 434	315 521 3009	46
34 11 6 752 482	025 232 8717 025 232 8717/PD	108
34 11 6 752 731	025 232 8717 025 232 8717/PD	108
34 11 6 753 091	315 521 3076 315 521 3076/PD	55–56
34 11 6 753 221	315 521 3060 315 521 3060/PD	47, 70
34 11 6 753 668	025 233 4720 025 233 4720/PD	106
34 11 6 754 705	025 231 8320 025 231 8320/PD	107
34 11 6 756 045	315 521 3025 315 521 3025/PD	66
34 11 6 756 128	025 232 8717 025 232 8717/PD	108
34 11 6 756 350	025 234 4821 025 234 4821/PD	111
34 11 6 756 745	315 521 3061 315 521 3061/PD	69
34 11 6 756 847	315 521 3070 315 521 3070/PD	47–48
34 11 6 757 526	315 521 3020 315 521 3020/PD	68
34 11 6 757 746	315 521 3023	48–49

Ref. no.	MEYLE no.	Page
BMW		
	315 521 3023/PD	
34 11 6 757 747	315 521 3023 315 521 3023/PD	48–49
34 11 6 757 750	315 521 3007 315 521 3007/PD	49–50
34 11 6 757 751	315 521 3007 315 521 3007/PD	49–50
34 11 6 757 752	315 521 3015 315 521 3015/PD	50–51
34 11 6 757 753	315 521 3015 315 521 3015/PD	50–51
34 11 6 757 756	315 521 3050 315 521 3050/PD	51–52
34 11 6 761 237	025 232 8717 025 232 8717/PD	108
34 11 6 761 242	025 232 8717 025 232 8717/PD	108
34 11 6 761 243	025 231 8320 025 231 8320/PD	107
34 11 6 761 244	025 232 8717 025 232 8717/PD	108
34 11 6 761 249	025 214 7118	109
34 11 6 761 252	025 214 8619 025 214 8619/PD	109, 138
34 11 6 761 277	025 216 7720 025 216 7720/PD	110
34 11 6 761 279	025 216 7720 025 216 7720/PD	110
34 11 6 761 282	025 234 4821 025 234 4821/PD	111
34 11 6 761 283	025 233 4720 025 233 4720/PD	106
34 11 6 761 284	025 233 4720 025 233 4720/PD	106
34 11 6 763 089	025 233 4720 025 233 4720/PD	106
34 11 6 763 305	025 237 3017 025 237 3017/PD	124–125
34 11 6 763 591	025 233 4720 025 233 4720/PD	106
34 11 6 763 617	025 237 9420 025 237 9420/PD	111–112
34 11 6 763 618	025 237 9420 025 237 9420/PD	111–112
34 11 6 763 652	025 237 9120	112–113

Ref. no.	MEYLE no.	Page
BMW		
	025 237 9120/PD	
34 11 6 764 021	315 521 3061 315 521 3061/PD	69
34 11 6 764 312	025 237 9120 025 237 9120/PD	112–113
34 11 6 764 540	025 233 4720 025 233 4720/PD	106
34 11 6 764 629	315 521 3062 315 521 3062/PD	52–53
34 11 6 764 641	315 521 3063 315 521 3063/PD	53–54
34 11 6 764 643	315 523 3059 315 523 3059/PD	60–61
34 11 6 764 645	315 521 3064 315 521 3064/PD	54–55
34 11 6 765 457	315 521 3025 315 521 3025/PD	66
34 11 6 766 036	315 521 3025 315 521 3025/PD	66
34 11 6 766 107	315 521 3076 315 521 3076/PD	55–56
34 11 6 766 224	315 521 3020 315 521 3020/PD	68
34 11 6 766 239	315 521 3011 315 521 3011/PD	65
34 11 6 767 059	315 521 3024 315 521 3024/PD	56–57
34 11 6 767 061	315 521 3019 315 521 3019/PD	57–58
34 11 6 767 143	025 239 1517	115
34 11 6 767 144	025 239 1517	115
34 11 6 767 191	025 233 4720 025 233 4720/PD	106
34 11 6 767 269	315 521 3060 315 521 3060/PD	47, 70
34 11 6 767 353	315 521 3082	58
34 11 6 767 580	025 233 4720 025 233 4720/PD	106
34 11 6 768 287	025 237 9120 025 237 9120/PD	112–113
34 11 6 769 099	025 240 9620	114
34 11 6 769 100	025 240 9620	114
34 11 6 769 305	315 521 3029 315 521 3029/PD	59
34 11 6 769 763	025 239 3517	113–114

Ref. no.	MEYLE no.	Page
BMW		
	025 239 3517/PD	
34 11 6 769 951	025 239 3517 025 239 3517/PD	113-114
34 11 6 770 575	025 237 9120 025 237 9120/PD	112-113
34 11 6 770 729	315 521 0002/PD	60
34 11 6 771 837	025 239 1517	115
34 11 6 771 838	025 239 1517	115
34 11 6 771 868	025 240 9620	114
34 11 6 771 972	025 240 9620	114
34 11 6 771 982	315 521 0006/PD	63
34 11 6 771 985	315 521 0004/PD	64
34 11 6 771 986	315 521 0005/PD	63
34 11 6 772 669	315 523 3059 315 523 3059/PD	60-61
34 11 6 774 050	025 239 1517	115
34 11 6 774 258	025 237 9120 025 237 9120/PD	112-113
34 11 6 774 875	315 521 0003/PD	64
34 11 6 775 310	025 246 9719 025 246 9719/PD	115-116
34 11 6 775 314	025 246 8820 025 246 8820/PD	120
34 11 6 775 318	025 250 4519 025 250 4519/PD	120-121
34 11 6 775 322	025 250 4519 025 250 4519/PD	120-121
34 11 6 776 161	025 241 6120 025 241 6120/PD	118-119
34 11 6 777 772	025 240 9620	114
34 11 6 778 048	025 241 7219 025 241 7219/PD	118
34 11 6 778 403	025 241 7019 025 241 7019/PD	121-122
34 11 6 779 293	025 241 7019 025 241 7019/PD	121-122
34 11 6 779 652	025 231 8320 025 231 8320/PD	107
34 11 6 780 711	025 233 1320 025 233 1320/PD	116
34 11 6 781 873	025 233 4720 025 233 4720/PD	106
34 11 6 783 542	025 241 6120 025 241 6120/PD	118-119
34 11 6 784 807	025 243 1617	117

Ref. no.	MEYLE no.	Page
BMW		
	025 243 1617/PD	
34 11 6 786 044	025 243 1617 025 243 1617/PD	117
34 11 6 791 514	025 241 7219 025 241 7219/PD	118
34 11 6 792 215	315 521 0013/PD	61
34 11 6 792 217	315 521 0014/PD	62
34 11 6 792 219	315 521 0003/PD	64
34 11 6 792 221	315 521 0016/PD	62
34 11 6 793 243	315 521 0006/PD	63
34 11 6 793 244	315 521 0005/PD	63
34 11 6 793 245	315 521 0004/PD	64
34 11 6 794 300	315 521 3025 315 521 3025/PD	66
34 11 6 794 301	315 521 3011 315 521 3011/PD	65
34 11 6 794 302	315 521 3020 315 521 3020/PD	68
34 11 6 794 915	025 233 4720 025 233 4720/PD	106
34 11 6 794 917	025 241 6120 025 241 6120/PD	118-119
34 11 6 794 918	025 233 4720 025 233 4720/PD	106
34 11 6 797 859	025 240 9620	114
34 11 6 798 978	025 251 9919	122
34 11 6 799 166	025 240 9620	114
34 11 6 850 567	025 250 1418	123
34 11 6 850 568	025 255 0618	119
34 11 6 850 885	025 246 8820 025 246 8820/PD	120
34 11 6 851 269	025 250 4519 025 250 4519/PD	120-121
34 11 6 852 253	025 241 7019 025 241 7019/PD	121-122
34 11 6 854 126	025 251 9919	122
34 11 6 854 996	315 521 3062 315 521 3062/PD	52-53
34 11 6 854 998	315 523 3059 315 523 3059/PD	60-61
34 11 6 854 999	315 521 3064 315 521 3064/PD	54-55
34 11 6 855 000	315 521 0002/PD	60
34 11 6 855 006	315 521 0003/PD	64
34 11 6 855 152	315 521 3020	68

Ref. no.	MEYLE no.	Page
BMW		
	315 521 3020/PD	
34 11 6 855 153	315 521 3011 315 521 3011/PD	65
34 11 6 855 156	315 521 3029 315 521 3029/PD	59
34 11 6 856 193	025 251 9919	122
34 11 6 856 591	025 246 9719 025 246 9719/PD	115–116
34 11 6 858 047	025 246 9719 025 246 9719/PD	115–116
34 11 6 858 910	025 250 1418	123
34 11 6 859 679	315 521 3025 315 521 3025/PD	66
34 11 6 864 047	315 521 3029 315 521 3029/PD	59
34 11 6 864 057	315 521 3059 315 521 3059/PD	67
34 11 6 864 058	315 521 3020 315 521 3020/PD	68
34 11 6 864 059	315 521 3061 315 521 3061/PD	69
34 11 6 864 906	315 521 3060 315 521 3060/PD	47, 70
34 11 6 868 938	315 521 0005/PD	63
34 11 9 058 982	025 211 7317	104
34 11 9 058 989	025 211 7317	104
34119061081	025 206 2919	105
34 11 9 070 047	025 232 8717 025 232 8717/PD	108
34 20 1 166 073	315 523 3030 315 523 3030/PD	70–71
34 20 6 790 362	315 523 0015/PD	71
34 20 6 868 936	315 523 0015/PD	71
34 21 0 403 290	025 237 3017 025 237 3017/PD	124–125
34 21 1 119 581	315 523 3001	83
34 21 1 121 387	315 523 3002	73
34 21 1 122 282	315 523 3001	83
34 21 1 152 571	315 523 3002	73
34 21 1 153 140	315 523 3002	73
34 21 1 153 196	025 206 7516	123
34 21 1 153 913	025 206 7516	123
34 21 1 154 236	314 154 0001	161
34 21 1 154 398	025 206 7516	123
34 21 1 154 399	025 206 7516	123

Ref. no.	MEYLE no.	Page
BMW		
34 21 1 154 613	025 206 7516	123
34 21 1 154 614	025 206 7516	123
34 21 1 155 077	025 206 7516	123
34 21 1 155 499	315 523 3007	75
34 21 1 155 501	315 523 3008/PD	72
34 21 1 156 668	315 523 3004	72
34 21 1 156 744	025 206 7516	123
34 21 1 156 745	025 206 7516	123
34 21 1 156 746	025 206 7516	123
34 21 1 156 747	025 206 7516	123
34 21 1 156 748	025 206 7516	123
34 21 1 156 749	025 206 7516	123
34 21 1 157 044	025 209 9517	124
34 21 1 157 334	025 209 9517	124
34 21 1 157 360	315 523 3007	75
34 21 1 157 361	315 523 3007	75
34 21 1 157 514	025 206 7516	123
34 21 1 157 563	025 209 9517	124
34 21 1 157 757	025 206 7516	123
34 21 1 157 758	025 206 7516	123
34 21 1 157 781	315 523 3006	75
34 21 1 157 814	025 209 9517	124
34 21 1 157 925	025 206 7516	123
34 21 1 157 926	025 206 7516	123
34 21 1 157 953	315 523 3009 315 523 3009/PD	85
34 21 1 158 108	025 209 9517	124
34 21 1 158 221	025 209 9517	124
34 21 1 158 266	025 209 9517	124
34 21 1 158 270	025 209 9517	124
34 21 1 158 323	025 206 7516	123
34 21 1 158 556	315 523 3056	141
34 21 1 158 562	025 209 9517	124
34 21 1 158 642	025 209 9517	124
34 21 1 158 643	025 206 7516	123
34 21 1 158 912	025 206 7516	123
34 21 1 158 936	315 523 3005 315 523 3005/PD	76
34 21 1 159 003	025 206 7516	123
34 21 1 159 273	025 206 7516	123
34 21 1 159 276	025 206 7516	123
34 21 1 159 486	315 523 3079	141
34 21 1 159 569	314 159 0000	162
34 21 1 159 814	025 209 9517	124
34 21 1 159 900	315 523 3009	85

Ref. no.	MEYLE no.	Page
BMW		
	315 523 3009/PD	
34 21 1 160 198	025 209 9517	124
34 21 1 160 199	025 209 9517	124
34 21 1 160 340	025 219 3417 025 219 3417/PD	127–128
34 21 1 160 533	025 219 3417 025 219 3417/PD	127–128
34 21 1 160 809	315 523 3055 315 523 3055/PD	86
34 21 1 161 455	025 219 3417 025 219 3417/PD	127–128
34 21 1 162 289	315 523 3005 315 523 3005/PD	76
34 21 1 162 305	315 523 3004	72
34 21 1 162 315	315 523 3021 315 523 3021/PD	74
34 21 1 162 446	025 216 0717 025 216 0717/PD	127
34 21 1 162 536	025 209 9517	124
34 21 1 162 967	315 523 3008/PD	72
34 21 1 162 968	315 523 3002	73
34 21 1 163 138	315 523 3008/PD	72
34 21 1 163 140	315 523 3002	73
34 21 1 163 153	315 523 3012 315 523 3012/PD	94–95
34 21 1 163 324	025 214 8717 025 214 8717/PD	126, 128
34 21 1 163 326	025 214 8717 025 214 8717/PD	126, 128
34 21 1 163 395	025 216 9117 025 216 9117/PD	129
34 21 1 163 669	315 523 3018 315 523 3018/PD	93–94
34 21 1 163 835	315 523 3018 315 523 3018/PD	93–94
34 21 1 163 845	315 523 3058	73
34 21 1 164 129	315 523 3018 315 523 3018/PD	93–94
34 21 1 164 175	315 523 3012 315 523 3012/PD	94–95
34 21 1 164 399	315 523 3058	73
34 21 1 164 499	025 219 3417 025 219 3417/PD	127–128
34 21 1 164 501	025 219 3417 025 219 3417/PD	127–128
34 21 1 164 511	315 523 3005	76

Ref. no.	MEYLE no.	Page
BMW		
	315 523 3005/PD	
34 21 1 164 581	025 214 8717 025 214 8717/PD	126, 128
34 21 1 164 582	025 214 8717 025 214 8717/PD	126, 128
34 21 1 164 840	315 523 3012 315 523 3012/PD	94–95
34 21 1 164 911	315 523 3026 315 523 3026/PD	90–91
34 21 1 165 211	315 523 3021 315 523 3021/PD	74
34 21 1 165 233	025 216 0717 025 216 0717/PD	127
34 21 1 165 235	025 219 3417 025 219 3417/PD	127–128
34 21 1 165 257	315 523 3007	75
34 21 1 165 258	315 523 3006	75
34 21 1 165 259	315 523 3006	75
34 21 1 165 457	315 523 3005 315 523 3005/PD	76
34 21 1 165 563	315 523 3022	77
34 21 1 166 127	315 523 3060 315 523 3060/PD	77–78
34 21 1 166 129	315 523 3061 315 523 3061/PD	78–79
34 21 1 166 131	315 523 3080	79
34 21 2 157 575	025 232 8717 025 232 8717/PD	108
34 21 2 225 860	025 209 9517	124
34 21 2 225 865	025 209 9517	124
34 21 2 226 013	025 206 7516	123
34 21 2 226 092	025 209 9517	124
34 21 2 227 177	315 523 3072	80
34 21 2 227 178	315 523 3071	80
34 21 2 283 366	025 237 3017 025 237 3017/PD	124–125
34 21 2 284 296	025 237 3017 025 237 3017/PD	124–125
34 21 2 284 389	025 247 0318 025 247 0318/PD	125–126
34 21 2 284 466	025 247 0318 025 247 0318/PD	125–126
34 21 2 284 685	025 237 3017 025 237 3017/PD	124–125
34 21 3 332 217	315 523 3075	81

Ref. no.	MEYLE no.	Page
BMW		
	315 523 3075/PD	
34 21 3 403 241	025 214 8717 025 214 8717/PD	126, 128
34 21 4 031 275	315 523 3068 315 523 3068/PD	82
34 21 4 031 725	315 523 3068 315 523 3068/PD	82
34 21 6 750 160	025 214 8717 025 214 8717/PD	126, 128
34 21 6 750 190	025 219 3417 025 219 3417/PD	127–128
34 21 6 752 545	315 523 0013/PD	93
34 21 6 752 632	025 214 8717 025 214 8717/PD	126, 128
34 21 6 753 215	315 523 3062 315 523 3062/PD	95–96
34 21 6 753 850	025 234 4717 025 234 4717/PD	130
34 21 6 754 137	315 523 0014/PD	83
34 21 6 755 407	315 523 3001	83
34 21 6 756 849	315 523 3078 315 523 3078/PD	84
34 21 6 757 536	025 237 3017 025 237 3017/PD	124–125
34 21 6 757 748	315 523 3009 315 523 3009/PD	85
34 21 6 757 749	315 523 3009 315 523 3009/PD	85
34 21 6 758 552	315 523 3055 315 523 3055/PD	86
34 21 6 758 553	315 523 3055 315 523 3055/PD	86
34 21 6 758 870	025 234 4717 025 234 4717/PD	130
34 21 6 761 238	025 216 0717 025 216 0717/PD	127
34 21 6 761 239	025 219 3417 025 219 3417/PD	127–128
34 21 6 761 240	025 214 8717 025 214 8717/PD	126, 128
34 21 6 761 241	025 219 3417 025 219 3417/PD	127–128
34 21 6 761 248	025 214 8717 025 214 8717/PD	126, 128
34 21 6 761 250	025 214 8717	126, 128

Ref. no.	MEYLE no.	Page
BMW		
	025 214 8717/PD	
34 21 6 761 251	025 214 8717 025 214 8717/PD	126, 128
34 21 6 761 253	025 209 9517	124
34 21 6 761 281	025 216 9117 025 216 9117/PD	129
34 21 6 761 285	025 234 4717 025 234 4717/PD	130
34 21 6 761 286	025 237 3017 025 237 3017/PD	124–125
34 21 6 763 043	025 237 3217 025 237 3217/PD	130–131
34 21 6 763 044	025 237 3217 025 237 3217/PD	130–131
34 21 6 763 345	315 523 0007/PD	87
34 21 6 764 647	315 523 3063 315 523 3063/PD	87–88
34 21 6 764 649	315 523 3068 315 523 3068/PD	82
34 21 6 764 651	315 523 3064 315 523 3064/PD	88–89
34 21 6 764 653	315 523 3065 315 523 3065/PD	102–103
34 21 6 764 655	315 523 3066 315 523 3066/PD	89–90
34 21 6 765 458	315 523 3026 315 523 3026/PD	90–91
34 21 6 765 889	315 523 3067 315 523 3067/PD	91–92
34 21 6 765 891	315 523 3081/PD	92
34 21 6 766 219	315 523 0014/PD	83
34 21 6 766 225	315 523 0013/PD	93
34 21 6 767 049	315 523 3018 315 523 3018/PD	93–94
34 21 6 767 060	315 523 3012 315 523 3012/PD	94–95
34 21 6 767 145	025 236 2316 025 236 2316/PD	134
34 21 6 767 146	025 236 2316 025 236 2316/PD	134
34 21 6 767 148	025 239 2617 025 239 2617/PD	131–132
34 21 6 767 150	025 239 2617 025 239 2617/PD	131–132
34 21 6 768 471	025 237 3017	124–125

Ref. no.	MEYLE no.	Page
BMW		
	025 237 3017/PD	
34 21 6 769 105	025 235 5017 025 235 5017/PD	132
34 21 6 769 271	315 523 3068 315 523 3068/PD	82
34 21 6 771 970	315 523 0004/PD	101
34 21 6 771 971	315 523 0005/PD	101
34 21 6 772 085	315 523 3062 315 523 3062/PD	95–96
34 21 6 773 161	025 239 2617 025 239 2617/PD	131–132
34 21 6 774 417	025 236 2316 025 236 2316/PD	134
34 21 6 774 692	025 239 2617 025 239 2617/PD	131–132
34 21 6 775 291	315 523 3082/PD	96
34 21 6 775 342	025 237 3116 025 237 3116/PD	136
34 21 6 775 346	025 247 0318 025 247 0318/PD	125–126
34 21 6 775 678	025 235 5017 025 235 5017/PD	132
34 21 6 776 937	025 212 8217 025 212 8217/PD	133
34 21 6 777 240	025 236 2316 025 236 2316/PD	134
34 21 6 778 051	315 523 0001/PD	97
34 21 6 778 168	025 219 3417 025 219 3417/PD	127–128
34 21 6 779 294	025 236 2316 025 236 2316/PD	134
34 21 6 782 605	315 523 0022 315 523 0022/PD	97–98
34 21 6 784 808	025 243 1517	135
34 21 6 787 931	315 523 0020/PD	98
34 21 6 788 183	025 236 2316 025 236 2316/PD	134
34 21 6 788 275	025 245 5918 025 245 5918/PD	135
34 21 6 788 284	025 245 6118 025 245 6118/PD	137
34 21 6 790 071	025 214 8717 025 214 8717/PD	126, 128
34 21 6 790 966	025 237 3116 025 237 3116/PD	136

Ref. no.	MEYLE no.	Page
BMW		
34 21 6 791 421	025 243 1517	135
34 21 6 791 938	025 235 5017 025 235 5017/PD	132
34 21 6 792 225	315 523 0016/PD	99
34 21 6 792 227	315 523 0017/PD	99
34 21 6 792 229	315 523 0018/PD	100
34 21 6 792 233	315 523 0019/PD	100
34 21 6 793 246	315 523 0005/PD	101
34 21 6 793 247	315 523 0004/PD	101
34 21 6 794 298	315 523 3058	73
34 21 6 794 299	315 523 3026 315 523 3026/PD	90–91
34 21 6 794 303	315 523 0014/PD	83
34 21 6 794 306	315 523 0013/PD	93
34 21 6 795 755	315 523 0020/PD	98
34 21 6 796 741	025 245 6118 025 245 6118/PD	137
34 21 6 798 193	025 245 6118 025 245 6118/PD	137
34 21 6 850 569	025 253 0717	138
34 21 6 855 001	315 523 3063 315 523 3063/PD	87–88
34 21 6 855 002	315 523 3068 315 523 3068/PD	82
34 21 6 855 004	315 523 3066 315 523 3066/PD	89–90
34 21 6 855 005	315 523 0001/PD	97
34 21 6 855 007	315 523 3064 315 523 3064/PD	88–89
34 21 6 855 008	315 523 3065 315 523 3065/PD	102–103
34 21 6 855 154	315 523 3022 315 523 3022/PD	77, 102
34 21 6 855 155	315 523 3021 315 523 3021/PD	74
34 21 6 855 157	315 523 3030 315 523 3030/PD	70–71
34 21 6 855 158	315 523 3005 315 523 3005/PD	76
34 21 6 855 474	025 250 2916	137
34 21 6 859 678	315 523 3026 315 523 3026/PD	90–91
34 21 6 862 202	025 245 6118 025 245 6118/PD	137
34 21 6 864 051	315 523 3005	76

Ref. no.	MEYLE no.	Page
BMW		
	315 523 3005/PD	
34 21 6 864 052	315 523 3030 315 523 3030/PD	70–71
34 21 6 864 054	315 523 3067 315 523 3067/PD	91–92
34 21 6 864 056	315 523 3022 315 523 3022/PD	77, 102
34 21 6 864 899	315 523 0019/PD	100
34 21 6 864 900	315 523 0018/PD	100
34 21 6 864 901	315 523 3065 315 523 3065/PD	102–103
34 21 6 864 903	315 523 3021 315 523 3021/PD	74
34 21 6 868 940	315 523 0004/PD	101
34 21 6 873 093	025 253 0717	138
34 21 9 064 270	314 906 4201	141
34 21 9 067 127	314 906 8101	142
34 30 1 163 080	300 343 2112	146
34 30 1 163 155	300 343 2113	146
34 30 1 165 075	314 525 0001	149
34 30 1 165 174	300 343 2118	146
34 30 1 165 190	300 343 2114	147
34 30 1 165 249	300 343 2109	147
34 30 1 165 765	314 525 0006/S	147
34 30 1 165 766	314 525 0000/S	148
34 30 1 166 118	300 343 2121	148
34 30 1 166 248	314 525 0001	149
34 30 3 411 443	314 525 0003	149
34 30 3 411 444	314 525 0004	149
34 30 6 762 837	300 525 0007	150
34 30 6 762 838	300 525 0006	150
34 30 6 767 458	300 525 0004 300 525 0005	150–151
34 30 6 768 851	300 525 0007	150
34 30 6 771 690	314 525 0009	151
34 30 6 771 720	300 525 0005	151
34 30 6 776 293	314 525 0014	151
34 30 6 778 260	314 525 0013	152
34 30 6 782 862	314 525 0012	152
34 30 6 787 512	314 525 0016	152
34 30 6 788 437	314 525 0014	151
34 30 6 789 431	300 525 0007	150
34 30 6 789 433	300 525 0006	150
34 30 6 790 550	300 525 0005	151
34 30 6 792 253	300 525 0007	150

Ref. no.	MEYLE no.	Page
BMW		
34 30 6 798 523	300 525 0006	150
34 30 6 799 424	314 525 0017	153
34 32 1 108 134	300 343 2100	154
34 32 1 113 183	300 343 2106	154
34 32 1 113 184	300 343 2103	154
34 32 1 115 694	300 343 2103	154
34 32 1 115 697	300 343 2100	154
34 32 1 153 107	300 343 2100	154
34 32 1 154 327	300 343 2102	155
34 32 1 154 904	300 343 2102	155
34 32 1 156 157	300 343 2105	156
34 32 1 159 524	300 343 2108	153
34 32 1 159 717	300 343 2107	153
34 32 1 159 878	300 343 2106	154
34 32 1 159 879	300 343 2103	154
34 32 1 159 881	300 343 2100	154
34 32 1 159 889	300 343 2104	155
34 32 1 159 890	300 343 2102	155
34 32 1 159 891	300 343 2105	156
34 32 1 162 477	314 525 0008	156
34 32 1 162 479	314 525 0007	156
34 32 1 162 612	300 343 2111	157
34 32 1 162 616	300 343 2110	157
34 32 1 163 759	300 525 0011	157
34 32 1 165 587	300 343 2117	159
34 32 2 227 489	100 525 0012	158
34 32 2 228 295	300 525 0003	158
34 32 4 051 524	300 343 2100	154
34 32 6 753 610	300 525 0008	158
34 32 6 757 744	314 525 0005	159
34 32 6 760 909	300 525 0002	159
34 32 6 765 398	314 525 0012	152
34 32 6 766 966	300 343 2117	159
34 32 6 767 390	300 525 0002	159
34 32 6 768 124	314 525 0015	160
34 32 6 776 867	314 525 0018	160
34 32 6 776 868	314 525 0019	160
34 32 6 788 438	314 525 0019	160
34 32 6 788 439	314 525 0018	160
34 32 6 853 746	314 525 0019	160
34 35 1 163 065	300 343 5113	238
34 35 1 163 066	300 343 5163	233
34 35 1 163 207	300 343 5116	234
34 35 1 164 371	300 343 5114	234
34 35 1 164 372	300 343 5115	234

Ref. no.	MEYLE no.	Page
BMW		
34 35 1 165 579	300 349 5119	235
34 35 1 165 580	300 343 5120	235
34 35 1 179 820	300 343 5101	235
34 35 1 180 432	300 343 5101	235
34 35 1 180 781	300 343 5101	235
34 35 1 181 337	300 343 5107	236
34 35 1 181 338	300 343 5107	236
34 35 1 181 342	300 343 5103	236
34 35 1 181 344	300 343 5103	236
34 35 1 181 802	300 343 5104	236
34 35 1 182 064	300 343 5110	237
34 35 1 182 065	300 343 5112	237
34 35 1 182 533	300 343 5108	237
34 35 2 229 018	300 343 5113	238
34 35 2 229 780	314 352 0000	238
34 35 2 282 935	314 527 0007	238
34 35 3 411 756	314 353 0000	239
34 35 3 411 757	314 353 0002	239
34 35 3 414 662	314 527 0008	239
34 35 6 751 311	300 343 5117	240
34 35 6 755 266	314 356 0000	242
34 35 6 755 267	314 356 0001	243
34 35 6 757 896	314 356 0002	240
34 35 6 759 917	300 343 0000	242
34 35 6 759 918	300 343 0001	242
34 35 6 762 252	314 356 0005	240
34 35 6 762 253	314 356 0006	241
34 35 6 763 667	300 343 0002	244
34 35 6 764 298	300 343 0000	242
34 35 6 764 299	300 343 0001	242
34 35 6 764 851	314 356 0007	243
34 35 6 768 595	300 343 0000	242
34 35 6 768 596	300 343 0001	242
34 35 6 768 597	300 343 0002	244
34 35 6 771 766	314 527 0001	245
34 35 6 772 008	314 527 0003	244
34 35 6 773 008	314 527 0004	244
34 35 6 775 850	314 527 0019	241
34 35 6 775 858	314 527 0022	241
34 35 6 776 421	300 343 0000	242
34 35 6 776 422	300 343 0001	242
34 35 6 776 423	300 343 0002	244
34 35 6 777 649	314 527 0006	243
34 35 6 777 650	314 356 0007	243
34 35 6 778 037	314 356 0000	242

Ref. no.	MEYLE no.	Page
BMW		
34 35 6 778 038	314 356 0001	243
34 35 6 779 619	314 527 0006	243
34 35 6 780 699	314 527 0001	245
34 35 6 789 439	314 356 0005	240
34 35 6 789 440	314 527 0006	243
34 35 6 789 441	314 356 0007	243
34 35 6 789 445	314 356 0006	241
34 35 6 789 492	300 343 0000	242
34 35 6 789 493	300 343 0001	242
34 35 6 789 494	300 343 0002	244
34 35 6 789 501	314 527 0003	244
34 35 6 789 502	314 527 0004	244
34 35 6 789 505	314 527 0001	245
34 35 6 790 303	314 527 0034	245
34 35 6 790 304	314 527 0035	245
34 35 6 790 340	314 527 0032	246
34 35 6 790 341	314 527 0031	246
34 35 6 791 958	314 527 0016	246
34 35 6 791 960	314 527 0025	247
34 35 6 791 961	314 527 0017	247
34 35 6 791 962	314 527 0015	247
34 35 6 791 963	314 527 0029	248
34 35 6 792 289	314 527 0020	248
34 35 6 792 292	314 527 0021	248
34 35 6 792 559	314 527 0011	249
34 35 6 792 560	314 527 0027	249
34 35 6 792 561	314 527 0028	250
34 35 6 792 562	314 527 0033	250
34 35 6 792 564	314 527 0012	250
34 35 6 792 565	314 527 0024	251
34 35 6 792 567	314 527 0009	251
34 35 6 792 568	314 527 0013	251
34 35 6 792 571	314 527 0010	252
34 35 6 854 168	314 527 0010	252
34 35 7 836 795	314 527 0026	252
34 35 7 836 969	314 527 0036	252
34 41 0 393 646	314 042 0008	145
34 41 1 118 053	314 115 9402	142
34 41 1 156 962	314 042 0008	145
34 41 1 157 823	314 115 9402	142
34 41 1 159 467	314 115 9402	142
34 41 1 159 468	314 115 9401	145
34 41 1 160 729	314 042 0005	143
34 41 1 160 924	314 042 0005	143
34 41 1 163 244	314 042 0006	143

Ref. no.	MEYLE no.	Page
BMW		
	314 042 0006/S	
34 41 1 163 255	314 042 0006 314 042 0006/S	143
34 41 1 163 988	314 042 0007 314 042 0007/S	144
34 41 1 165 546	314 042 0008	145
34 41 1 165 962	314 042 0008	145
34 41 1 165 968	314 042 0006 314 042 0006/S	143
34 41 6 755 273	314 042 0006 314 042 0006/S	143
34 41 6 756 538	314 042 0008	145
34 41 6 761 289	314 042 0005	143
34 41 6 761 290	314 042 0006 314 042 0006/S	143
34 41 6 761 291	314 042 0006 314 042 0006/S	143
34 41 6 761 292	314 042 0007 314 042 0007/S	144
34 41 6 761 293	314 042 0008	145
34 41 6 761 294	314 115 9401	145
34 41 6 780 041	314 042 0008	145
34 41 6 790 186	314 042 0008	145
34 51 1 090 565	314 525 0010	161
34 52 0 025 720	314 899 0047	227
34 52 0 025 721	314 899 0061	226
34 52 0 025 722	314 899 0046	226
34 52 0 025 723	314 899 0024	226
34 52 0 025 724	314 899 0027	227
34 52 0 025 726	314 899 0060	233
34 52 1 163 027	314 899 0001	221
34 52 1 163 028	314 899 0002	221
34 52 1 163 188	314 899 0001	221
34 52 1 164 370	314 899 0048	221
34 52 1 164 474	314 800 0041	222
34 52 1 164 643	314 800 0041	222
34 52 1 164 651	314 899 0022	222
34 52 1 164 652	314 899 0048	221
34 52 1 165 519	314 899 0001	221
34 52 1 165 532	314 899 0061	226
34 52 1 165 533	314 899 0046	226
34 52 1 165 534	314 899 0024	226
34 52 1 165 535	314 899 0027	227
34 52 1 165 536	314 899 0047	227
34 52 1 165 609	314 899 0022	222

Ref. no.	MEYLE no.	Page
BMW		
34 52 1 166 126	314 800 0049	223
34 52 1 181 126	314 899 0002	221
34 52 1 181 971	314 899 0002	221
34 52 1 182 063	314 899 0002	221
34 52 1 182 067	314 899 0002	221
34 52 1 182 076	314 899 0035	223
34 52 1 182 077	314 899 0036	223
34 52 1 182 159	314 899 0030	224
34 52 1 182 160	314 899 0039	224
34 52 3 405 906	314 899 0063	224
34 52 3 405 907	314 899 0066	225
34 52 3 420 330	314 899 0063	224
34 52 3 420 331	314 899 0066	225
34 52 6 752 016	314 899 0056	233
34 52 6 752 681	314 899 0049	231
34 52 6 752 682	314 899 0050	231
34 52 6 752 683	314 899 0051	225
34 52 6 752 702	314 800 0044	225
34 52 6 756 373	314 899 0061	226
34 52 6 756 374	314 899 0046	226
34 52 6 756 375	314 899 0024	226
34 52 6 756 376	314 899 0027	227
34 52 6 756 377	314 899 0047	227
34 52 6 756 379	314 899 0056	233
34 52 6 756 380	314 899 0060	233
34 52 6 756 573	314 899 0060	233
34 52 6 757 281	314 800 0048	227
34 52 6 760 047	314 899 0068	228
34 52 6 760 424	314 899 0045	231
34 52 6 760 425	314 899 0062	232
34 52 6 760 533	314 800 0046	229
34 52 6 760 534	314 899 0064	230
34 52 6 761 650	314 899 0057	230
34 52 6 761 651	314 899 0059	230
34 52 6 761 800	314 899 0057	230
34 52 6 761 801	314 899 0059	230
34 52 6 762 465	314 899 0033	228
34 52 6 762 466	314 899 0034	228
34 52 6 762 476	314 899 0065	232
34 52 6 771 701	314 899 0068	228
34 52 6 771 702	314 899 0031	229
34 52 6 771 703	314 899 0032	229
34 52 6 771 704	314 800 0046	229
34 52 6 771 705	314 899 0064	230
34 52 6 771 708	314 899 0057	230

Ref. no.	MEYLE no.	Page
BMW		
34 52 6 771 709	314 899 0059	230
34 52 6 778 469	316 050 0025	507–508, 523
34 52 6 778 469*	314 710 0005 314 710 0006	507–508, 523
34 52 6 785 020	314 899 0045	231
34 52 6 785 021	314 899 0062	232
34 52 6 785 022	314 899 0065	232
34 52 6 792 896	314 899 0050	231
34 52 6 792 897	314 899 0049	231
34 52 6 870 075	314 899 0045	231
34 52 6 870 076	314 899 0062	232
34 52 6 870 077	314 899 0065	232
35 21 1 108 634	300 352 1101	26, 36
37 10 6 775 189	316 060 0050/HD	554
37 11 6 771 929	316 060 0036	554
37 11 6 771 930	316 060 0037	554
37 11 6 857 627	316 060 0036	554
37 11 6 857 628	316 060 0037	554
37 11 6 859 653	316 060 0036	554
37 11 6 859 654	316 060 0037	554
37 12 1 129 867	300 371 2102/HD	619
37 12 1 133 412	300 335 9102/HD	615
37 14 0 141 444	314 899 0073	280
37 14 1 093 697	314 899 0073	280
37 14 1 093 699	314 899 0073	280
37 14 6 778 811	314 899 0073	280
37 14 6 784 696	314 899 0073	280
37 14 6 784 697	314 800 0032	281
37 21 1 124 595	300 372 1102	580
37 21 1 132 043	300 372 1102	580
51 21 8 243 615	314 910 0000	1
51 21 8 243 616	314 910 0001	1
51 23 1 868 555	340 160 3718	3
51 23 1 869 147	340 160 3072	2
51 23 1 906 286	340 160 3717	2
51 23 1 907 262	340 160 3718	3
51 23 1 907 962	340 160 3718	3
51 23 1 908 465	340 160 2696	2
51 23 1 927 129	340 160 3718	3
51 23 1 944 119	340 161 0065	3
51 23 1 960 852	340 161 0612	3
51 23 3 400 352	340 910 0010	4
51 23 7 008 745	340 910 0001	4
51 23 7 060 550	340 910 0004	4
51 23 7 118 370	340 910 0002	5

Ref. no.	MEYLE no.	Page
BMW		
51 23 8 119 558	340 160 0102	5
51 23 8 150 077	340 160 0111	5
51 23 8 174 866	340 160 0110	6
51 23 8 202 688	340 160 1381	6
51 23 8 240 596	340 910 0000	6
51 23 8 402 551	340 910 0003	7
51 24 1 908 431	340 161 0535	7
51 24 1 934 270	340 161 0310	10
51 24 1 960 862	340 161 0022	8
51 24 3 400 379	340 910 0011	8
51 24 4 212 802	340 160 9832	12
51 24 4 365 788	340 910 0008	9
51 24 4 394 052	340 910 0008	9
51 24 7 008 764	340 910 0009	8
51 24 7 060 622	340 910 0006	9
51 24 7 060 623	340 910 0008	9
51 24 7 127 875	340 910 0007	9
51 24 7 250 308	340 910 0008	9
51 24 8 110 327	340 161 0310	10
51 24 8 171 158	340 160 0120	11
51 24 8 190 688	340 160 0106	1
51 24 8 217 305	340 160 0120	11
51 24 8 220 075	340 160 9832	12
51 24 8 222 913	340 160 0104	10
51 24 8 227 895	340 160 0712	10
51 24 8 230 070	340 160 0118	11
51 24 8 232 873	340 160 9829	11
51 24 8 245 031	340 160 0120	11
51 24 8 254 281	340 160 9832	12
51 24 8 402 405	340 910 0005	12
51 32 1 938 884	300 513 2100	7
51 33 1 977 609	314 909 0000	13
51 33 1 977 610	314 909 0002	13
51 33 7 020 659	314 909 0001	14
51 33 7 020 660	314 909 0005	14
51 33 7 024 811	314 909 0008	16
51 33 7 024 812	314 909 0009	16
51 33 7 075 667	314 909 0031	15
51 33 7 075 668	314 909 0032	15
51 33 7 138 861	314 909 0008	16
51 33 7 138 862	314 909 0009	16
51 33 7 140 587	314 909 0027	14
51 33 7 140 588	314 909 0028	15
51 33 7 184 383	314 909 0031	15
51 33 7 184 384	314 909 0032	15

Ref. no.	MEYLE no.	Page
BMW		
51 33 7 202 479	314 909 0008	16
51 33 7 202 480	314 909 0009	16
51 33 8 159 832	314 909 0004	17
51 33 8 229 105	314 909 0033	16
51 33 8 229 106	314 909 0034	17
51 33 8 236 860	314 909 0004	17
51 33 8 252 393	314 909 0003	17
51 33 8 252 394	314 909 0004	17
51 33 8 254 911	314 909 0010	18
51 33 8 254 912	314 909 0011	18
51 35 7 125 059	314 909 0012	18
51 35 7 125 060	314 909 0013	19
51 35 7 140 589	314 909 0029	19
51 35 7 140 590	314 909 0030	19
51 35 8 159 835	314 909 0018	20
51 35 8 159 836	314 909 0019	20
51 35 8 212 099	314 909 0006	20
51 35 8 212 100	314 909 0007	21
51 35 8 252 429	314 909 0020	21
51 35 8 252 430	314 909 0021	21
51 35 8 254 913	314 909 0012	18
51 35 8 254 914	314 909 0013	19
61 31 1 352 153	314 613 1101	279
61 31 1 366 727	100 953 0012	280
61 31 1 371 907	100 953 0012	280
61 31 1 378 207	314 613 1801	275
61 31 1 378 208	314 613 1801	275
61 31 1 378 209	314 613 1801	275
61 31 1 384 739	314 800 9018	270
61 31 1 387 916	314 613 1303	277
61 31 1 393 361	314 613 1304	278
61 31 8 360 417	314 800 9019	274
61 31 8 360 420	314 613 1801	275
61 31 8 360 857	314 810 0000	272
61 31 8 360 876	314 899 0043	270
61 31 8 363 662	314 850 0001	275
61 31 8 363 664	314 850 0003	275
61 31 8 363 668	314 850 0000	276
61 31 8 363 669	314 850 0002	276
61 31 8 376 440	314 800 0021	273
61 36 1 729 004	314 830 0002	264
61 62 7 118 207	029 350 1414	24
61 62 7 129 280	029 290 1111	25
61 62 7 138 508	029 290 1110	25
61 66 1 368 589	100 955 0002	23

Ref. no.	MEYLE no.	Page
BMW		
61 66 1 377 830	313 061 0002	22
61 66 1 380 066	313 061 0002	22
61 66 1 380 068	314 870 0002	22
61 66 8 360 614	314 870 0002	22
64 11 0 008 138	312 320 0004/S	27
64 11 1 393 489	312 319 0001	28
64 11 2 182 533	312 320 0004/S	27
64 11 6 915 763	312 319 0006	31
64 11 6 915 764	312 320 0006	31
64 11 6 920 365	314 880 0000	277
64 11 6 921 018	312 319 0012/S	27
64 11 6 921 019	312 320 0012/S	30
64 11 6 923 204	314 880 0000	277
64 11 6 929 486	314 880 0000	277
64 11 6 931 680	314 880 0000	277
64 11 6 945 593	314 319 0000/S	31
64 11 6 945 594	314 320 0000/S	29
64 11 8 363 274	312 319 0016/S	34
64 11 8 364 173	314 880 0000	277
64 11 8 372 493	314 236 0008	277
64 11 8 377 579	314 880 0000	277
64 11 8 385 549	314 880 0000	277
64 11 8 390 447	312 320 0005/S	33
64 11 8 391 200	312 320 0004/S	27
64 11 8 391 385	312 319 0020/S	28
64 11 8 391 914	312 319 0019	33
64 11 8 391 915	312 319 0019	33
64 11 9 069 895	312 319 0001	28
64 11 9 070 073	312 320 0004/S	27
64 11 9 163 329	312 320 0008/S	28
64 11 9 216 588	312 320 0004/S	27
64 11 9 237 554	312 319 0021	29
64 11 9 237 555	312 320 0021	29
64 11 9 248 294	314 320 0000/S	29
64 11 9 272 642	312 320 0008/S	28
64 11 9 272 643	312 320 0012/S	30
64 11 9 907 450	312 320 0002	36
64 21 1 387 010	319 642 1106	37
64 21 1 387 423	319 642 1120	38
64 21 1 387 424	319 642 1114	37
64 21 1 387 425	319 642 1119	38
64 21 1 394 292	319 642 1119	38
64 21 1 394 293	319 642 1120	38
64 21 1 394 295	319 642 1116	38
64 21 8 409 062	319 642 1803	39

Ref. no.	MEYLE no.	Page
BMW		
64 21 8 409 063	319 642 1804	39
64 21 8 409 064	319 642 1805	39
64 31 1 000 004	312 319 0002	30
64 31 1 390 836	312 319 0003	30
64 31 2 182 458	312 320 0002	36
64 31 2 207 985	312 320 0004/S	27
64 31 6 913 506	312 320 0007/S	35
64 31 6 915 763	312 319 0006	31
64 31 6 915 764	312 320 0006	31
64 31 6 935 822	312 319 0007/S	35
64 31 6 935 823	312 320 0007/S	35
64 31 6 945 585	314 319 0000/S	31
64 31 6 945 586	314 320 0000/S	29
64 31 6 946 549	312 320 0015	34
64 31 6 946 628	312 320 0015	34
64 31 6 946 629	312 319 0015	34
64 31 6 962 548	312 319 0015	34
64 31 6 962 551	312 319 0015	34
64 31 8 361 899	312 319 0002	30
64 31 8 391 198	312 319 0004/S	32
64 31 8 409 043	312 319 0013	32
64 31 8 409 044	312 320 0013	32
64 31 9 069 925	312 319 0019	33
64 31 9 069 926	312 319 0005/S	33
64 31 9 069 927	312 319 0004/S	32
64 31 9 070 072	312 320 0005/S	33
64 31 9 071 933	312 319 0016/S	34
64 31 9 071 934	312 319 0002	30
64 31 9 071 935	312 320 0002	36
64 31 9 142 114	312 319 0015	34
64 31 9 142 115	312 320 0015	34
64 31 9 171 858	312 320 0007/S	35
64 31 9 174 370	312 319 0007/S	35
64 31 9 216 589	312 319 0004/S	32
64 31 9 216 590	312 320 0002	36
64 31 9 216 591	312 319 0002	30
64 31 9 218 706	312 320 0013	32
64 31 9 224 084	312 319 0013	32
64 31 9 224 085	312 320 0013	32
64 31 9 237 157	312 320 0023/S	35
64 31 9 237 158	312 319 0023/S	36
64 31 9 257 504	312 320 0002	36
64 31 9 272 810	312 320 0005/S	33
64 31 9 313 517	312 319 0015	34
65 81 6 905 133	300 919 0001	220

Ref. no.	MEYLE no.	Page
BMW		
67 11 1 387 606	314 899 0070	279
67 11 1 387 607	314 899 0072	278
67 11 1 387 726	314 899 0070	279
67 11 1 393 999	314 899 0072	278
67 11 8 352 165	314 899 0071	278
67 11 8 353 011	314 899 0072	278
67 11 8 353 012	314 899 0070	279
67 12 6 934 159	314 870 0001	22
67 12 6 973 097	313 067 0001	12
67 12 7 302 589	314 870 0001	22
67 12 8 360 244	314 870 0000	24
67 12 8 362 154	100 955 0006	23
67 12 8 362 157	313 067 0001	12
67 12 8 377 430	313 067 0001	12
67 12 8 377 612	100 955 0006	23
67 12 8 377 613	313 067 0001	12
11 61 7 501 566 S1	314 036 0000	343
26 11 1 227 410 S1	314 152 0002	182
26 11 7 527 392 S1	314 152 1010	186
31 12 6 768 989 S2	316 050 0045	480

MEYLE – premium quality

for vehicle classes from S to XXL



Whether passenger car, van or commercial vehicle parts – MEYLE is always a smart choice. Because products of the MEYLE brand stand for outstanding quality and enhanced performance. From production to delivery MEYLE spare parts are subjected to subsequent multi-stage testing to ensure our products meet the stringent quality standards of a German manufacturer.

Notes

This catalogue is protected by copyright. Reproduction of text, graphic elements, photographs and/or data, even in part, is prohibited. MEYLE, , or parts thereof, are registered trademarks of Wulf Gaertner Autoparts AG.

All supplies and services are subject to our General Terms and Conditions. The original spare part numbers shown in this catalogue are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes. While the information in this catalogue was compiled and edited with utmost care we do not assume responsibility or accept claims arising from errors or inconsistencies. Subject to technical and/or design changes.

This issue of the catalogue supersedes all previous issues.
All rights reserved. © 2015 Wulf Gaertner Autoparts AG



Simply lasts longer.