Axial rod

016 031 0018

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	245
Thread Measurement 1	M16X1,5
Thread Measurement 2	M14X1,5

References

MERCEDES-BENZ	205 460 08 05
MERCEDES-BENZ (BBDC)	205 460 08 05

Application info

MERCEDES-BENZ BM 205 (C-Class) (12/13--)
MERCEDES-BENZ BM 205 (C-Class) (10/15--)
MERCEDES-BENZ (BBDC) C-CLASS (W205) (08/14--)

Axial rod

016 031 0020/HD

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	265
Thread Measurement 1	M16x1,5
Thread Measurement 2	M14x1,5

References

MERCEDES-BENZ	171 338 00 15

Application info

MERCEDES-BENZ BM 171 (SLK) (03/04-02/11)

Axial rod

11-16 031 0011/HD

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	235
Thread Measurement 1	M12x1
Thread Measurement 2	M14x1,5

References

CITROËN	3812.E1
PEUGEOT	3812.E1

Application info

CITROËN C2 / C3 I / Pluriel (02/02-09/05)
PEUGEOT 1007 (04/05--)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Axial rod

11-16 031 0013/HD

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	345
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5

References

CITROËN	3812.F1
MITSUBISHI	4422A012
PEUGEOT	3812.F1

Application info

CITROËN C-Crosser (02/07--)
MITSUBISHI Lancer VIII (01/08--)
MITSUBISHI Outlander II (11/06-11/12)
PEUGEOT 4007 (02/07--)

Axial rod

116 031 0018/HD

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	305
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5
	for vehicles without power steering

References

SKODA	6Q0 419 803 F*
	6Q0 419 804 F*
VW	6Q0 419 803 F*
	6Q0 419 804 F*

Application info

SKODA Fabia I (08/99-03/08)
VW Fox/Lupo Z51 (10/03--)
VW Polo (9N_) (10/01-11/09)

Axial rod

16-16 031 0034/HD

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	320
Thread Measurement 1	M12x1
Thread Measurement 2	M14x1,5

References

RENAULT	7701473498

Application info

RENAULT Twingo I (03/93-08/00)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Axial rod

16-16 031 0040/HD

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	190
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5

References

DACIA	485213172R

Application info

DACIA Dokker (11/12--)
DACIA Lodgy (06/10--)
DACIA Logan II (10/12--)
DACIA Sandero II (01/13--)
RENAULT Clio II / Thalia (02/98-02/10)
RENAULT Logan II (11/13--)
RENAULT Sandero/Stepway II (11/13--)
RENAULT Thalia III (07/14--)

Axial rod

28-16 031 0024/HD

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	162
Thread Measurement 1	M16x1,5
Thread Measurement 2	M14x1,5

References

HYUNDAI	56540-2H000
KIA	56540 2H000

Application info

HYUNDAI Elantra I (06/00-07/06)
HYUNDAI Elantra IV (11/05-12/11)
HYUNDAI i30 (10/07-06/12)
KIA Cee'd I (12/06-12/09)
KIA Cerato II (01/09--)

Axial rod

30-16 031 0030/HD

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	247
Thread Measurement 1	14x1,5
Thread Measurement 2	15x1,5

References

LEXUS	45503 39275
TOYOTA	45503 39275

Application info

LEXUS ES (MCV, VZV) III, IV (10/96-06/12)
TOYOTA Camry (V30) (08/01-11/06)
TOYOTA Camry (XV40) (01/06-09/11)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Axial rod

31-16 031 0010/HD

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	202
Thread Measurement 1	M12x1,25
Thread Measurement 2	M14 x1,25

References

HONDA	53010-S10-000

Application info

HONDA CR-V I (10/95-02/02)

Drag link

14-36 040 0017

Notes

	Front Axle
Cone Size [mm]	30
Length [mm]	991
Pipe Ø [mm]	50
Thread Measurement 1	M24x1,5
Thread Measurement 2	M30x1,5
	for right-hand drive vehicles
	Push Rod
	with right-hand thread

References

DAF	1395 994

Application info

DAF CF 85 (01/01--)
DAF XF 105 (10/05--)
DAF XF 95 (09/02-12/06)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Drag link

536 040 0016

Notes

	Front Axle
Cone Size [mm]	28,6
Length [mm]	863
Pipe Ø [mm]	52
Thread Measurement 1	M24x1,5
Thread Measurement 2	M30x1,5
	for right-hand drive vehicles
	Nut with lateral notches
	Push Rod
	with metric thread

References

VOLVO	21406952

Application info

VOLVO FH 12 (08/93--)
VOLVO FH 16 (08/93-12/02)
VOLVO FM 12 (08/98-09/05)
VOLVO FM 7 (08/98-12/01)

Tie rod end

016 020 0047

Notes

	Front Axle Left
Length [mm]	227
Paired article numbers	016 020 0048
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5

References

MERCEDES-BENZ	221 330 19 03
	221 330 33 03

Application info

MERCEDES-BENZ BM 216 (S-Class) (05/06--)
MERCEDES-BENZ BM 221 (S-Class) (10/05-06/09)

Tie rod end

016 020 0048

Notes

	Front Axle Right
Length [mm]	227
Paired article numbers	016 020 0047
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5

References

MERCEDES-BENZ	221 330 20 03
	221 330 34 03

Application info

MERCEDES-BENZ BM 216 (S-Class) (05/06--)
MERCEDES-BENZ BM 221 (S-Class) (10/05-06/09)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Tie rod end 016 020 0056

Notes

	Front Axle Right
Length [mm]	210
Paired article numbers	016 020 0057
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5
	for vehicles with hydraulic power steering

References

MERCEDES-BENZ	212 330 14 03

Application info

MERCEDES-BENZ BM 212 (E-Class) (01/09-08/11)

Tie rod end 016 020 0057

Notes

	Front Axle Left
Length [mm]	212
Paired article numbers	016 020 0056
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5
	for vehicles with hydraulic power steering

References

MERCEDES-BENZ	212 330 13 03

Application info

MERCEDES-BENZ BM 212 (E-Class) (01/09-08/11)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Tie rod end

116 020 0041/HD

Notes

	Reinforced Version
	Front Axle Left
Length [mm]	94
Paired article numbers	116 020 0040/HD
Thread Measurement 1	M12x1,5
Thread Measurement 2	M14x1,5

References

SEAT	6Q0 423 811 C
	6R0 423 811
SKODA	6Q0 423 811 C
	6R0 423 811
SKODA (SVW)	6R0 423 811
VW	6Q0 423 811 C
	6R0 423 811
VW (FAW)	6Q0 423 811 C
VW (SVW)	6R0 423 811

Application info

SEAT Ibiza IV / Cordoba (02/02-11/09)
SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)
SEAT TOLEDO IV (KG3) (07/12--)
SKODA Fabia I (08/99-03/08)
SKODA Fabia II (12/06--)
SKODA Rapid II (NH) (07/12--)
SKODA Roomster (03/06-03/10)
SKODA (SVW) Fabia (12/08--)
SKODA (SVW) Rapid (Na2) (04/13--)
VW Fox/Lupo Z51 (10/03--)
VW Polo (6R_) (06/09-01/11)
VW Polo (9N_) (10/01-11/09)
VW (FAW) Jetta Night (03/13--)
VW (SVW) New Polo (06/06-03/12)
VW (SVW) Polo (01/02-03/06)
VW (SVW) Santana III (12/12--)

Tie rod end

316 020 0020/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	185
Thread Measurement 1	M14X1,5
Thread Measurement 2	M14X1,5

References

BMW	32 10 6 793 497

Application info

BMW X5 (E70) (02/07-03/10)
BMW X6 (E71) (05/08--)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Tie rod end

516 020 0018/HD

Notes

	Reinforced Version
	Front Axle Left
Length [mm]	230
Paired article numbers	516 020 0019/HD
Thread Measurement 1	M12x1,75
Thread Measurement 2	M14x1,5
	with right-hand thread

References

VOLVO	30761719

Application info

VOLVO S60 I / V70 II (03/00-04/10)

VOLVO S80 I (05/98-07/06)

Tie rod end

516 020 0019/HD

Notes

	Reinforced Version
	Front Axle Right
Length [mm]	230
Paired article numbers	516 020 0018/HD
Thread Measurement 1	M12x1,75
Thread Measurement 2	M14x1,5
	with right-hand thread

References

VOLVO	30761718

Application info

VOLVO S60 I / V70 II (03/00-04/10)

VOLVO S80 I (05/98-07/06)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Tie rod end

536 020 0012

Notes

	Front Axle
Cone Size [mm]	28,6
Length [mm]	141
Thread Measurement 1	M20x1,5
Thread Measurement 2	M30x1,5
	for left-/right-hand traffic
	Nut with lateral notches
	with right-hand thread

References

VOLVO	3093647

Application info

VOLVO FH (09/05--)
VOLVO FH 12 (08/93--)
VOLVO FH 16 (08/93-12/02)
VOLVO FM (09/05--)
VOLVO FM 12 (08/98-09/05)
VOLVO FM 7 (08/98-12/01)
VOLVO FM 9 (12/01-09/05)

Tie rod end

836 020 0006

Notes

	Front Axle
Cone Size [mm]	30
Length [mm]	141
Thread Measurement 1	M24x1,5
Thread Measurement 2	M30x1,5
	for left-/right-hand traffic
	Nut with lateral notches
	with right-hand thread

References

DAF	1 685 552
EVOBUS	629 338 00 10
MAN	81.95301.6286
SCANIA	1 488 890

Application info

DAF 85 CF (02/98-12/00)
DAF 95 XF (01/97-09/02)
DAF CF 75 (01/01--)
DAF CF 85 (01/01--)
DAF XF 105 (10/05--)
DAF XF 95 (09/02-12/06)
MAN F 2000 (01/94-12/95)
MAN F 90 (07/86-12/97)
MAN TGA (04/00--)
MAN TGS (09/07--)
MAN TGX (09/07--)
SCANIA 4 - series (05/95--)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.