Bushing, driver cab suspension — 16-34 089 0002

Notes

	Left and right
Height 1 [mm]	68
Inner diameter 1 [mm]	16,2
Outer diameter 1 [mm]	60,5

References

RENAULT TRUCKS	50 10 316 015
VOLVO	21271207

Application info

RENAULT TRUCKS Kerax (06/97-01/01)
RENAULT TRUCKS Midlum (01/00--)
RENAULT TRUCKS Premium (04/96--)
RENAULT TRUCKS Premium 2 (10/05--)
VOLVO FE (05/06--)

Bushing, driver cab suspension — 534 089 0002

Notes

	Left and right
Height 1 [mm]	28
Inner diameter 1 [mm]	25,3
Outer diameter 1 [mm]	30
Outer diameter 2 [mm]	40

References

VOLVO	1629665

Application info

VOLVO FH 12 (08/93--)
VOLVO FH 16 (08/93-12/02)

Cabin air filter — 212 319 0051

Notes

Height [mm]	25
Length [mm]	450
Width [mm]	206
	Filter Insert
	Particulate Filter

References

IVECO	504024890

Application info

IVECO Stralis (02/02--)
IVECO Trakker (10/04--)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Repair kit, driver cab mounting — 834 089 0010

Notes

References

SCANIA	1 744 210

Application info

SCANIA 4 - series (05/95--)

Repair kit, driver cab mounting — 834 089 0011

Notes

References

SCANIA	1 744 211

Application info

SCANIA 4 - series (05/95--)

Repair kit, driver cab mounting — 834 089 0012

Notes

References

SCANIA	1 743 466

Application info

SCANIA 4 - series (05/95--)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Rubber stop, cabin

834 210 0001

Notes

Height [mm]	45,5
Outer diameter [mm]	55
Thread Length [mm]	25
Thread Size	M8x1,5

References

SCANIA	1 923 654

Application info

SCANIA 4 - series (05/95--)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

ABS wheel sensor 534 533 0002

Notes

	Front Axle
Number of Poles	2
Operating voltage [V]	24
Required quantity	1
Resistance [Ohm]	1150
	Inductive Sensor

References

RENAULT TRUCKS	74 24 427 344
VOLVO	20509864

Application info

RENAULT TRUCKS Kerax (06/97-01/01)

VOLVO FH (09/05--)

Sensor, RPM 534 899 0002

Notes

Number of Poles	4
	Impulse Sensor

References

VOLVO	1077500

Application info

VOLVO FH (09/05--)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Air filter — 034 321 0020

Notes

Height [mm]	357
Inner diameter [mm]	119
Outer diameter [mm]	186
	Filter Insert

References

EVOBUS	004 094 18 04
MERCEDES-BENZ	004 094 18 04

Application info

MERCEDES-BENZ TRAVEGO (O 580) (10/99--)

Engine mount — 16-34 030 0005

Notes

	Rear
Thread Size	M20x2,5
	Rubber-metal Bearing

References

RENAULT TRUCKS	74 20 499 472
VOLVO	20499469

Application info

RENAULT TRUCKS Kerax (06/97-01/01)
RENAULT TRUCKS Magnum (09/90-04/06)
RENAULT TRUCKS Premium (04/96--)
RENAULT TRUCKS Premium 2 (10/05--)
VOLVO FH 12 (08/93--)
VOLVO FH 16 (08/93-12/02)
VOLVO FM (09/05--)
VOLVO FM 10 (04/99-12/01)
VOLVO FM 12 (08/98-09/05)

Expansion tank — 234 223 0001

Notes

	Front
Capacity [Litre]	8
Depth [mm]	170
Length [mm]	416
Opening Pressure [bar]	0,5
Width [mm]	306
	PP (Polypropylene)
	Transparent
	with lid
	without sensor

References

IVECO	8168290

Application info

IVECO EuroStar (01/93-02/02)
IVECO EuroTech MP (01/92-12/96)
IVECO EuroTech MT (01/92-08/98)
IVECO EuroTrakker (01/93-11/04)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Expansion tank

234 223 0002

Notes

	Front
Capacity [Litre]	13
Depth [mm]	180
Length [mm]	589
Opening Pressure [bar]	0,4
Width [mm]	460
	PP (Polypropylene)
	Transparent
	with lid
	with sensor

References

IVECO	41215631

Application info

IVECO Stralis (02/02--)

IVECO Trakker (10/04--)

Fuel filter

234 323 0008

Notes

Height [mm]	147
Outer diameter [mm]	93
Thread Size	M16x1,5
	Screw-on Filter

References

IVECO	0299 5711

Application info

IVECO EuroTech MH (09/98--)

IVECO EuroTrakker (01/93-11/04)

IVECO Stralis (02/02--)

IVECO Trakker (10/04--)

V-ribbed belt

050 010 1635

Notes

Length [mm]	1635
Number of Ribs	10
Width [mm]	35
	EPDM (ethylene propylene diene Monomer
	One-sided

References

MERCEDES-BENZ	472 993 26 96

Application info

MERCEDES-BENZ ACTROS MP4 (07/11--)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Drag link

14-36 040 0017

Notes

	Front Axle
Cone Size [mm]	30
Length [mm]	991
Pipe Ø [mm]	50
Thread Measurement 1	M24x1,5
Thread Measurement 2	M30x1,5
	for right-hand drive vehicles
	Push Rod
	with right-hand thread

References

DAF	1395 994

Application info

DAF CF 85 (01/01--)
DAF XF 105 (10/05--)
DAF XF 95 (09/02-12/06)

Drag link

536 040 0016

Notes

	Front Axle
Cone Size [mm]	28,6
Length [mm]	863
Pipe Ø [mm]	52
Thread Measurement 1	M24x1,5
Thread Measurement 2	M30x1,5
	for right-hand drive vehicles
	Nut with lateral notches
	Push Rod
	with metric thread

References

VOLVO	21406952

Application info

VOLVO FH 12 (08/93--)
VOLVO FH 16 (08/93-12/02)
VOLVO FM 12 (08/98-09/05)
VOLVO FM 7 (08/98-12/01)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Tie rod end

536 020 0012

Notes

	Front Axle
Cone Size [mm]	28,6
Length [mm]	141
Thread Measurement 1	M20x1,5
Thread Measurement 2	M30x1,5
	for left-/right-hand traffic
	Nut with lateral notches
	with right-hand thread

References

VOLVO	3093647

Application info

VOLVO FH (09/05--)
VOLVO FH 12 (08/93--)
VOLVO FH 16 (08/93-12/02)
VOLVO FM (09/05--)
VOLVO FM 12 (08/98-09/05)
VOLVO FM 7 (08/98-12/01)
VOLVO FM 9 (12/01-09/05)

Tie rod end

836 020 0006

Notes

	Front Axle
Cone Size [mm]	30
Length [mm]	141
Thread Measurement 1	M24x1,5
Thread Measurement 2	M30x1,5
	for left-/right-hand traffic
	Nut with lateral notches
	with right-hand thread

References

DAF	1 685 552
EVOBUS	629 338 00 10
MAN	81.95301.6286
SCANIA	1 488 890

Application info

DAF 85 CF (02/98-12/00)
DAF 95 XF (01/97-09/02)
DAF CF 75 (01/01--)
DAF CF 85 (01/01--)
DAF XF 105 (10/05--)
DAF XF 95 (09/02-12/06)
MAN F 2000 (01/94-12/95)
MAN F 90 (07/86-12/97)
MAN TGA (04/00--)
MAN TGS (09/07--)
MAN TGX (09/07--)
SCANIA 4 - series (05/95--)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Bushing, leaf spring — 034 032 0145

Notes

	Front Axle
Height [mm]	96
Inner diameter [mm]	24
Outer diameter [mm]	67

References

MERCEDES-BENZ	960 323 12 85

Application info

MERCEDES-BENZ ACTROS MP4 (07/11--)

Bushing, leaf spring — 034 032 0146

Notes

	Front Axle
Height [mm]	104
Inner diameter [mm]	24
Outer diameter [mm]	67

References

MERCEDES-BENZ	960 323 13 85

Application info

MERCEDES-BENZ ACTROS MP4 (07/11--)

Bushing, stabilizer — 034 032 0134

Notes

	Front Axle
Height [mm]	41
Inner diameter [mm]	18
Outer diameter [mm]	57

References

MERCEDES-BENZ	960 323 22 85

Application info

MERCEDES-BENZ ACTROS MP4 (07/11--)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Bushing, stabilizer — 034 032 0148

Notes

	Front Axle
Height [mm]	47
Inner diameter [mm]	34,7
Outer diameter [mm]	80

References

MERCEDES-BENZ	000 326 55 81

Application info

MERCEDES-BENZ ACTROS MP4 (07/11--)

Bushing, stabilizer — 034 032 0150

Notes

	Front Axle
Height [mm]	55,6
Inner diameter [mm]	18,4
Outer diameter [mm]	70

References

MERCEDES-BENZ	960 323 10 85

Application info

MERCEDES-BENZ ACTROS MP4 (07/11--)

Bushing, stabilizer — 034 032 0151

Notes

	Front Axle

References

MERCEDES-BENZ	960 323 19 85

Application info

MERCEDES-BENZ ACTROS MP4 (07/11--)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Control arm

16-34 050 0002

Notes

	Rear Axle
Bore Ø [mm]	17
Hole Pitch 1/ Hole Pitch 2	115/115
	Cast Iron
	Trailing Arm

References

RENAULT TRUCKS	74 20 443 044
VOLVO	20443044

Application info

RENAULT TRUCKS Kerax (06/97-01/01)

VOLVO FH 12 (08/93--)

Mount, stabilizer

034 032 0133

Notes

	Front Axle left and right
Height [mm]	56
Inner diameter [mm]	35,4
Outer diameter [mm]	52,5
Outer diameter [mm]	60
Outer diameter [mm]	42,5
	Rubber-metal Bearing

References

MERCEDES-BENZ	960 323 11 85

Application info

MERCEDES-BENZ ACTROS MP4 (07/11--)

Mount, stabilizer

034 032 0152

Notes

	Front Axle

References

MERCEDES-BENZ	960 323 20 85
	960 323 25 85
	960 323 32 85
	960 323 33 85

Application info

MERCEDES-BENZ ACTROS MP4 (07/11--)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Rubber stop, suspension 034 162 0003

Notes

	Front Axle
Height [mm]	16
Length [mm]	112
Width [mm]	84
	Steel Elastomer

References

MERCEDES-BENZ	960 322 01 84

Application info

MERCEDES-BENZ ACTROS MP4 (07/11--)

Rubber stop, suspension 034 162 0004

Notes

	Front Axle
Height [mm]	29
Length [mm]	225
Width [mm]	35,7

References

MERCEDES-BENZ	947 325 00 44

Application info

MERCEDES-BENZ ACTROS (04/96-10/03)
MERCEDES-BENZ ACTROS MP2 / MP3 (10/02--)
MERCEDES-BENZ AXOR (01/02-10/04)
MERCEDES-BENZ AXOR 2 (10/04-10/05)

Rubber stop, suspension 034 162 0005

Notes

	Front Axle
Height [mm]	76,5
Length [mm]	90
Width [mm]	38
	Steel Elastomer

References

MERCEDES-BENZ	960 320 09 77

Application info

MERCEDES-BENZ ACTROS MP4 (07/11--)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

Rubber stop, suspension

034 162 0006

Notes

Rear Axle

References

MERCEDES-BENZ	960 325 00 44

Application info

MERCEDES-BENZ ACTROS MP4 (07/11--)

The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.