## Brake disc

**015 521 2098**

### Notes

| | |
|---|---|
| | Front Axle |
| Bolt Hole Circle Ø [mm] | 112 |
| Brake Disc Thickness [mm] | 25 |
| Centering Diameter [mm] | 67 |
| Height [mm] | 64,5 |
| Minimum thickness [mm] | 22,4 |
| Number of Holes | 5 |
| Outer diameter [mm] | 288 |
| Wheel Bolt Bore Ø [mm] | 15,2 |
| | Vented |

### References

| | |
|---|---|
| MERCEDES-BENZ | 204 421 00 12 |
| MERCEDES-BENZ (BBDC) | 000 421 19 12 |

### Application info

MERCEDES-BENZ BM 204 (C-Class) (01/07--)

MERCEDES-BENZ (BBDC) C-CLASS (W204) (03/08-10/09)

## Brake disc

pd.

**015 523 0020/PD**

### Notes

| | |
|---|---|
| | Rear Axle |
| Bolt Hole Circle Ø [mm] | 112 |
| Brake Disc Thickness [mm] | 9 |
| Centering Diameter [mm] | 67 |
| Height [mm] | 55,4 |
| Minimum thickness [mm] | 7,3 |
| Number of Holes | 5 |
| Outer diameter [mm] | 258 |
| Wheel Bolt Bore Ø [mm] | 12,8 |
| | Solid |
| | Zink flake coated |

### References

| | |
|---|---|
| MERCEDES-BENZ | 202 423 00 12 |

### Application info

MERCEDES-BENZ BM 202 (C-Class) (03/93-03/01)



The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

## Brake disc

083 521 2041/PD

### Notes

| | |
|---|---|
| | Front Axle |
| Bolt Hole Circle Ø [mm] | 112 |
| Brake Disc Thickness [mm] | 26 |
| Centering Diameter [mm] | 67 |
| Height [mm] | 51,5 |
| Minimum thickness [mm] | 23 |
| Number of Holes | 5 |
| Outer diameter [mm] | 303 |
| Wheel Bolt Bore Ø [mm] | 15 |
| | High-carbon |
| | Vented |
| | Zink flake coated |

### References

| | |
|---|---|
| MERCEDES-BENZ | 163 421 02 12 |

### Application info

MERCEDES-BENZ BM 163 (M-Class) (02/98-06/05)

## Brake disc

11-15 523 0014

### Notes

| | |
|---|---|
| | Rear Axle |
| Bolt Hole Circle Ø [mm] | 108 |
| Brake Disc Thickness [mm] | 12 |
| Centering Diameter [mm] | 71,1 |
| Height [mm] | 35 |
| Minimum thickness [mm] | 10 |
| Number of Holes | 5 |
| Outer diameter [mm] | 268 |
| | Solid |

### References

| | |
|---|---|
| CITROËN | 1609582880 |
| PEUGEOT | 1609582880 |

### Application info

CITROËN C4 Grand Picasso II (09/13--)
CITROËN C4 II / DS4 (11/09--)
PEUGEOT 308 II (09/13--)



The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

## Brake disc

**11-15 523 0014/PD**

### Notes

| | |
|---|---|
| | Rear Axle |
| Bolt Hole Circle Ø [mm] | 108 |
| Brake Disc Thickness [mm] | 12 |
| Centering Diameter [mm] | 71,1 |
| Height [mm] | 35 |
| Minimum thickness [mm] | 10 |
| Number of Holes | 5 |
| Outer diameter [mm] | 268 |
| | Solid |
| | Zink flake coated |

### References

| | |
|---|---|
| CITROËN | 1609582880 |
| PEUGEOT | 1609582880 |

### Application info

CITROËN C4 Grand Picasso II (09/13--)
CITROËN C4 II / DS4 (11/09--)
PEUGEOT 308 II (09/13--)

## Brake disc

**11-15 523 0016/PD**

### Notes

| | |
|---|---|
| | Rear Axle |
| Bolt Hole Circle Ø [mm] | 108 |
| Brake Disc Thickness [mm] | 10 |
| Centering Diameter [mm] | 71 |
| Height [mm] | 35 |
| Minimum thickness [mm] | 8 |
| Number of Holes | 5 |
| Outer diameter [mm] | 249 |
| | Solid |
| | Zink flake coated |

### References

| | |
|---|---|
| PEUGEOT | 16 107 619 80 |

### Application info

PEUGEOT 308 II (09/13--)



The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

## Brake disc

**11-83 521 0017/PD**

### Notes

| | |
|---|---|
| | Front Axle |
| Bolt Hole Circle Ø [mm] | 108 |
| Brake Disc Thickness [mm] | 22 |
| Centering Diameter [mm] | 66 |
| Height [mm] | 34,2 |
| Minimum thickness [mm] | 20 |
| Number of Holes | 4 |
| Outer diameter [mm] | 266 |
| Wheel Bolt Bore Ø [mm] | 13 |
| | High-carbon |
| | Vented |
| | with screws |
| | Zink flake coated |

### References

| | |
|---|---|
| CITROËN | 4249.G1 |
| | E 169 141 |
| PEUGEOT | 4249.G1 |

### Application info

CITROËN Berlingo I (07/96-12/07)
CITROËN C Elyse (11/12--)
CITROËN C2 / C3 I / Pluriel (02/02-09/05)
CITROËN C3 II (11/09--)
CITROËN C3 Picasso (02/09--)
CITROËN C4 Cactus (09/14--)
CITROËN C4 I / Coupe / Grand Picasso / Picasso / Stufenheck (11/04-12/07)
CITROËN C4 II / DS4 (11/09--)
CITROËN C5 I / C5 II (03/01-04/07)
CITROËN DS3 (11/09--)
CITROËN Xsara (04/97-08/05)
CITROËN Xsara Picasso (12/99-09/06)
PEUGEOT 1007 (04/05--)
PEUGEOT 2008 (03/13--)
PEUGEOT 206 (08/98-03/09)
PEUGEOT 207 (02/06-10/08)
PEUGEOT 208 (03/12--)
PEUGEOT 301 (11/12--)
PEUGEOT 307 (08/00-01/05)
PEUGEOT Partner I (04/96-10/06)
PEUGEOT Partner II (04/08--)

## Brake disc

**115 523 0013/PD**

### Notes

| | |
|---|---|
| | Rear Axle |
| Bolt Hole Circle Ø [mm] | 112 |
| Brake Disc Thickness [mm] | 12 |
| Centering Diameter [mm] | 65 |
| Height [mm] | 48 |
| Minimum thickness [mm] | 10 |
| Number of Holes | 5 |
| Outer diameter [mm] | 300 |
| Wheel Bolt Bore Ø [mm] | 15 |
| | Solid |
| | with screws |
| | Zink flake coated |

### References

| | |
|---|---|
| AUDI | 3Q0 615 601 |
| VW | 3Q0 615 601 |

### Application info

AUDI A3 (8V1, 8VS, 8V7, 8PA) (04/12--)
AUDI TT (8S) (09/14--)
VW Golf VII (08/12--)
VW Passat (B8) (08/14--)
VW Touran II (09/15--)



The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

## Brake disc

**183 521 0044/PD**

### Notes

| | |
|---|---|
| | Front Axle Right |
| Bolt Hole Circle Ø [mm] | 130 |
| Brake Disc Thickness [mm] | 36 |
| Centering Diameter [mm] | 85 |
| Height [mm] | 68,5 |
| Minimum thickness [mm] | 34 |
| Number of Holes | 5 |
| Outer diameter [mm] | 360 |
| Paired article numbers | 183 521 0043/PD |
| | High-carbon |
| | Vented |
| | with screws |
| | Zink flake coated |

### References

| | |
|---|---|
| PORSCHE | 958 351 404 01 |
| VW | 7P6 615 302 |
| | 7P6 615 302 A |

### Application info

PORSCHE Cayenne II (06/10--)

VW Touareg (7P5) (01/10--)

## Brake disc

**215 521 0047**

### Notes

| | |
|---|---|
| | Front Axle |
| Bolt Hole Circle Ø [mm] | 118 |
| Brake Disc Thickness [mm] | 22 |
| Centering Diameter [mm] | 73 |
| Height [mm] | 72,5 |
| Minimum thickness [mm] | 19 |
| Number of Holes | 5 |
| Outer diameter [mm] | 276 |
| Wheel Bolt Bore Ø [mm] | 15,5 |
| | Solid |

### References

| | |
|---|---|
| IVECO | 42470836 |

### Application info

IVECO Daily III (11/97-07/07)



The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

## Brake disc

**215 523 0035**

### Notes

| | |
|---|---|
| | Rear Axle |
| Bolt Hole Circle Ø [mm] | 118 |
| Brake Disc Thickness [mm] | 16 |
| Centering Diameter [mm] | 73 |
| Height [mm] | 66,5 |
| Minimum thickness [mm] | 13 |
| Number of Holes | 5 |
| Outer diameter [mm] | 276 |
| Wheel Bolt Bore Ø [mm] | 15,5 |
| | Solid |

### References

| | |
|---|---|
| IVECO | 2991646 |

### Application info

IVECO Daily III (11/97-07/07)

## Brake disc

**28-15 521 0025/PD**

### Notes

| | |
|---|---|
| | Front Axle |
| Bolt Hole Circle Ø [mm] | 140 |
| Brake Disc Thickness [mm] | 28 |
| Centering Diameter [mm] | 96 |
| Height [mm] | 54 |
| Minimum thickness [mm] | 26 |
| Number of Holes | 5 |
| Outer diameter [mm] | 300 |
| Wheel Bolt Bore Ø [mm] | 12,8 |
| | Vented |
| | Zink flake coated |

### References

| | |
|---|---|
| KIA | 51712 3E400 |

### Application info



The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

## Brake disc

**31-15 521 0052/PD**

### Notes

| | |
|---|---|
| | Front Axle |
| Bolt Hole Circle Ø [mm] | 114,3 |
| Brake Disc Thickness [mm] | 23 |
| Centering Diameter [mm] | 64,2 |
| Height [mm] | 47,2 |
| Minimum thickness [mm] | 21 |
| Number of Holes | 5 |
| Outer diameter [mm] | 282 |
| Wheel Bolt Bore Ø [mm] | 12,5 |
| | Vented |
| | Zink flake coated |

### References

| | |
|---|---|
| HONDA | 45251-S7A-E10 |
| | 45251-SJH-E10 |
| | 45251-SMG-G11 |

### Application info

HONDA Civic VIII (09/05-02/12)
HONDA FR-V (08/04-09/06)
HONDA Stream (05/01--)

## Brake disc

**31-15 523 0055/PD**

### Notes

| | |
|---|---|
| | Rear Axle |
| Bolt Hole Circle Ø [mm] | 114,3 |
| Brake Disc Thickness [mm] | 9 |
| Centering Diameter [mm] | 64,2 |
| Height [mm] | 42,2 |
| Minimum thickness [mm] | 8 |
| Number of Holes | 5 |
| Outer diameter [mm] | 260 |
| | Solid |
| | Zink flake coated |

### References

| | |
|---|---|
| HONDA | 42510-SMG-E20 |

### Application info

HONDA Civic VII (01/00-12/05)
HONDA Civic VIII (09/05-02/12)



The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

## Brake disc

**33-15 521 0017/PD**

### Notes

| | |
|---|---|
| | Front Axle |
| Bolt Hole Circle Ø [mm] | 114,3 |
| Brake Disc Thickness [mm] | 25 |
| Centering Diameter [mm] | 62 |
| Height [mm] | 49 |
| Minimum thickness [mm] | 23 |
| Number of Holes | 5 |
| Outer diameter [mm] | 294,5 |
| | Vented |
| | Zink flake coated |

### References

| | |
|---|---|
| SUZUKI | 55211-65J00 |

### Application info

SUZUKI Grand Vitara II (JB) (04/05-12/09)

## Brake disc

**37-15 521 0039/PD**

### Notes

| | |
|---|---|
| | Front Axle |
| Bolt Hole Circle Ø [mm] | 114,3 |
| Brake Disc Thickness [mm] | 23 |
| Centering Diameter [mm] | 69 |
| Height [mm] | 44,4 |
| Minimum thickness [mm] | 21 |
| Number of Holes | 5 |
| Outer diameter [mm] | 280 |
| Wheel Bolt Bore Ø [mm] | 12,7 |
| | Vented |
| | Zink flake coated |

### References

| | |
|---|---|
| HYUNDAI | 51712-A6000 |
| KIA | 51712-A6000 |

### Application info

HYUNDAI i30 (GD) (11/11--)

KIA Cee'd II (05/12--)



The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

## Brake disc

37-15 523 0038/PD

### Notes

| | |
|---|---|
| | Rear Axle |
| Bolt Hole Circle Ø [mm] | 114,3 |
| Brake Disc Thickness [mm] | 10 |
| Centering Diameter [mm] | 76 |
| Height [mm] | 25,9 |
| Minimum thickness [mm] | 8,4 |
| Number of Holes | 5 |
| Outer diameter [mm] | 284 |
| Wheel Bolt Bore Ø [mm] | 12,5 |
| | Solid |

### References

| | |
|---|---|
| HYUNDAI | 58411-A6200 |
| KIA | 58411-A6200 |

### Application info

HYUNDAI i30 (GD) (11/11--)

KIA Cee'd II (05/12--)

## Brake disc

53-15 521 0006/PD

### Notes

| | |
|---|---|
| | Front Axle |
| Bolt Hole Circle Ø [mm] | 120 |
| Brake Disc Thickness [mm] | 30 |
| Centering Diameter [mm] | 79 |
| Height [mm] | 76 |
| Minimum thickness [mm] | 27 |
| Number of Holes | 5 |
| Outer diameter [mm] | 344 |
| Wheel Bolt Bore Ø [mm] | 16,6 |
| | Chrome-(VI)- free passivation |
| | Vented |

### References

| | |
|---|---|
| LAND ROVER | SDB500182 |

### Application info

LAND ROVER Range Rover III (03/02-08/12)



The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

## Brake disc

**615 523 0025**

### Notes

| | |
|---|---|
| | Rear Axle |
| Bolt Hole Circle Ø [mm] | 110 |
| Brake Disc Thickness [mm] | 12 |
| Centering Diameter [mm] | 65,5 |
| Height [mm] | 41,4 |
| Minimum thickness [mm] | 10 |
| Number of Holes | 5 |
| Outer diameter [mm] | 278 |
| Wheel Bolt Bore Ø [mm] | 14 |
| | Solid |

### References

| | |
|---|---|
| FIAT | 46836489 |
| GENERAL MOTORS | 93171848 |
| OPEL | 5 69 115 |
| SAAB | 91 56 785 |
| VAUXHALL | 5 69 115 |

### Application info

FIAT Croma II (06/05--)
OPEL Vectra C / Signum (04/02-09/08)
SAAB 9-3 (YS3F) (09/02--)
SAAB 9-5 (YS3E) (09/97-08/05)
VAUXHALL Vectra Mk II / Signum (01/00-10/08)

## Brake disc

p.d.

**783 521 0027/PD**

### Notes

| | |
|---|---|
| | Front Axle |
| Bolt Hole Circle Ø [mm] | 108 |
| Brake Disc Thickness [mm] | 23 |
| Centering Diameter [mm] | 63,5 |
| Height [mm] | 44 |
| Minimum thickness [mm] | 21 |
| Number of Holes | 4 |
| Outer diameter [mm] | 258 |
| Wheel Bolt Bore Ø [mm] | 13 |
| | High-carbon |
| | Vented |
| | Zink flake coated |

### References

| | |
|---|---|
| FORD | 1 679 853 |

### Application info

FORD Fiesta VI (06/08--)



The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.

## Brake pad set

## 025 258 4116

### Notes

| | |
|---|---|
| | Rear Axle |
| Brake System | ATE |
| Height 1 [mm] | 41,2 |
| Height 2 [mm] | 46,2 |
| Thickness [mm] | 16,1 |
| Width [mm] | 123 |
| | not prepared for wear indicator |
| | with anti-squeak plate |

### References

| | |
|---|---|
| PEUGEOT | 1610814180 |

### Application info

PEUGEOT 308 II (09/13--)



The original spare part numbers shown here are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes.