

### Wiper Blade

**029 600 2471**

#### Notes

Length [in]  
Length [mm]

Front  
24  
600  
Beam wiper blade  
Kit  
with integrated washer-fluid jet



#### References

DAF  
RENAULT TRUCKS

1954 744  
50 01 865 593

#### Application info

IVECO Daily III (11/97-07/07)  
IVECO Daily IV (05/06-03/12)  
IVECO Daily V (09/11--)  
NISSAN Interstar (07/02--)

OPEL Movano A (07/98-12/06)  
RENAULT Espace II (01/91-12/96)  
RENAULT Master I (07/80-07/98)  
RENAULT TRUCKS Mascott (01/99-12/10)

### Brake disc

**015 523 0042**

#### Notes

	Rear Axle
Bolt Hole Circle Ø [mm]	112
Brake Disc Thickness [mm]	12
Centering Diameter [mm]	67
Height [mm]	58
Minimum thickness [mm]	9
Number of Holes	5
Outer diameter [mm]	300
Wheel Bolt Bore Ø [mm]	15,3
	Solid

#### References

MERCEDES-BENZ	447 423 00 12
---------------	---------------



#### Application info

MERCEDES-BENZ BM 447 (V-Class) (03/14--)

MERCEDES-BENZ BM 447 (Vito) (10/14--)

### Brake disc

**11-15 521 0040/PD**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	28
Centering Diameter [mm]	66
Height [mm]	34,2
Minimum thickness [mm]	26
Number of Holes	4
Outer diameter [mm]	323
	Vented
	Zink flake coated

#### References

CITROËN	4249.L6
PEUGEOT	4249.L6



#### Application info

CITROËN DS3 (11/09--)

PEUGEOT 208 (03/12--)

### Brake disc



**11-15 521 0041/PD**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	26
Centering Diameter [mm]	71
Height [mm]	48
Minimum thickness [mm]	24
Number of Holes	5
Outer diameter [mm]	283
	Vented
	Zink flake coated

#### References

CITROËN	9805961480
---------	------------



#### Application info

CITROËN C4 Grand Picasso II (09/13--)

CITROËN C4 II / DS4 (11/09--)

### Brake disc

**11-15 521 0043**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	22
Centering Diameter [mm]	70,1
Height [mm]	48
Minimum thickness [mm]	20
Number of Holes	5
Outer diameter [mm]	266
	Vented

#### References


PEUGEOT	16 107 046 80
---------	---------------



#### Application info

PEUGEOT 308 II (09/13--)

### Brake disc

 **11-15 521 0043/PD**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	22
Centering Diameter [mm]	70,1
Height [mm]	48
Minimum thickness [mm]	20
Number of Holes	5
Outer diameter [mm]	266
	Vented
	Zink flake coated

#### References

PEUGEOT	16 107 046 80
---------	---------------



### Application info

PEUGEOT 308 II (09/13--)

### Brake disc

**11-15 521 0044**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	26
Centering Diameter [mm]	71
Height [mm]	47,9
Minimum thickness [mm]	24
Number of Holes	5
Outer diameter [mm]	283
	Vented

#### References


PEUGEOT	98 039 181 80
---------	---------------



### Application info

PEUGEOT 308 II (09/13--)

### Brake disc

 **11-15 521 0044/PD**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	26
Centering Diameter [mm]	71
Height [mm]	47,9
Minimum thickness [mm]	24
Number of Holes	5
Outer diameter [mm]	283
	Vented
	Zink flake coated

#### References

PEUGEOT	98 039 181 80
---------	---------------



### Application info

PEUGEOT 308 II (09/13--)

### Brake disc

**11-15 523 0012**

#### Notes

	Rear Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	12
Centering Diameter [mm]	71,1
Height [mm]	35
Minimum thickness [mm]	10
Number of Holes	4
Outer diameter [mm]	290
Wheel Bolt Bore Ø [mm]	13
	Solid

#### References

CITROËN	4249.F7
PEUGEOT	4249.F7



### Application info

CITROËN C4 II / DS4 (11/09--)  
CITROËN DS5 (11/11--)

PEUGEOT 3008 (06/09--)  
PEUGEOT 308 (09/07--)

### Brake disc



11-15 523 0013/PD

#### Notes

	Rear Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	12
Centering Diameter [mm]	71,1
Height [mm]	44
Minimum thickness [mm]	10
Number of Holes	5
Outer diameter [mm]	290
Wheel Bolt Bore Ø [mm]	13
	Solid
	Zink flake coated

#### References

PEUGEOT	4249.G2
---------	---------



#### Application info

PEUGEOT 508 (11/10--)

### Brake disc

11-15 523 0016

#### Notes

	Rear Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	10
Centering Diameter [mm]	71
Height [mm]	35
Minimum thickness [mm]	8
Number of Holes	5
Outer diameter [mm]	249
	Solid

#### References

PEUGEOT	16 107 619 80
---------	---------------



#### Application info

PEUGEOT 308 II (09/13--)

### Brake disc

11-15 523 4008

#### Notes

	Rear Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	12
Centering Diameter [mm]	65
Height [mm]	74
Minimum thickness [mm]	10
Number of Holes	4
Outer diameter [mm]	268
	Solid

#### References

PEUGEOT	4249.46
---------	---------



#### Application info

CITROËN Berlingo I (07/96-12/07)	PEUGEOT 3008 (06/09--)
CITROËN Berlingo II (04/08--)	PEUGEOT 308 (09/07--)
CITROËN C4 I / Coupe / Grand Picasso / Picasso / Stufenheck (11/04-12/07)	PEUGEOT 5008 (06/09--)
CITROËN C4 II / DS4 (11/09--)	PEUGEOT Partner II (04/08--)
CITROËN DS5 (11/11--)	

### Brake disc



183 521 0043/PD

#### Notes

	Front Axle Left
Bolt Hole Circle Ø [mm]	130
Brake Disc Thickness [mm]	36
Centering Diameter [mm]	85
Height [mm]	68,5
Minimum thickness [mm]	34
Number of Holes	5
Outer diameter [mm]	360
Paired article numbers	183 521 0044/PD
	High-carbon
	Vented
	with screws
	Zink flake coated

#### References

PORSCHE	958 351 403 01
VW	7P6 615 301
	7P6 615 301 A



#### Application info

PORSCHE Cayenne II (06/10--)	VW Touareg (7P5) (01/10--)
------------------------------	----------------------------

### Brake disc

**215 523 0034**

#### Notes

	Rear Axle
Bolt Hole Circle Ø [mm]	215
Brake Disc Thickness [mm]	28
Centering Diameter [mm]	178,2
Height [mm]	132
Minimum thickness [mm]	25
Number of Holes	6
Outer diameter [mm]	306
Thread Size	M10x1,5
	Vented

#### References

IVECO	2996049
	7186848



#### Application info

IVECO Daily IV (05/06-03/12)  
IVECO Daily V (09/11--)

IVECO Daily VI (03/14--)

### Brake disc

**29-15 523 0000**

#### Notes

	Rear Axle
Bolt Hole Circle Ø [mm]	114,3
Brake Disc Thickness [mm]	12
Centering Diameter [mm]	60
Height [mm]	58,2
Minimum thickness [mm]	10
Number of Holes	4
Outer diameter [mm]	276
	Solid

#### References

CHEVROLET	96328254
-----------	----------



#### Application info

CHEVROLET Epica (09/03-12/06)

### Brake disc

**31-15 523 0061**

#### Notes

	Rear Axle
Bolt Hole Circle Ø [mm]	100
Brake Disc Thickness [mm]	9
Centering Diameter [mm]	61
Height [mm]	33,4
Minimum thickness [mm]	8
Number of Holes	4
Outer diameter [mm]	239
	Solid

#### References

HONDA	42510-TG0-T00
	42510-TG5-H00



#### Application info

HONDA City	HONDA Jazz II (07/08--)
------------	-------------------------

### Brake disc

**315 521 0019**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	120
Brake Disc Thickness [mm]	30
Centering Diameter [mm]	75
Height [mm]	62,1
Minimum thickness [mm]	28,4
Number of Holes	5
Outer diameter [mm]	332
Wheel Bolt Bore Ø [mm]	16,5
	Vented

#### References

BMW	34 11 6 794 300
	34 11 6 794 304
	34 11 6 859 679



#### Application info

BMW X3 (E83) (01/04-12/08)	BMW X5 (E53) (05/00--)
----------------------------	------------------------

### Brake disc

**35-15 521 0043**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	114,3
Brake Disc Thickness [mm]	25
Centering Diameter [mm]	68
Height [mm]	51,5
Minimum thickness [mm]	23
Number of Holes	5
Outer diameter [mm]	295
	Vented

#### References

MAZDA	B45G-33-251A
-------	--------------



#### Application info

MAZDA 3 (BM) (09/13--)

MAZDA CX-3 (01/15--)

### Brake disc

**35-15 521 0043/PD**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	114,3
Brake Disc Thickness [mm]	25
Centering Diameter [mm]	68
Height [mm]	51,5
Minimum thickness [mm]	23
Number of Holes	5
Outer diameter [mm]	295
	Vented
	Zink flake coated

#### References

MAZDA	B45G-33-251A
-------	--------------



#### Application info

MAZDA 3 (BM) (09/13--)

MAZDA CX-3 (01/15--)

### Brake disc



**515 521 0006/PD**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	25
Centering Diameter [mm]	63,6
Height [mm]	48,5
Minimum thickness [mm]	23
Number of Holes	5
Outer diameter [mm]	278
	Vented
	Zink flake coated

#### References

VOLVO	31341642
	31381374



#### Application info

VOLVO V40 II (03/12--)

### Brake disc



**53-15 521 0014/PD**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	114
Brake Disc Thickness [mm]	14
Centering Diameter [mm]	66
Height [mm]	51
Minimum thickness [mm]	11
Number of Holes	5
Outer diameter [mm]	262
Wheel Bolt Bore Ø [mm]	12,6
	Solid
	Zink flake coated

#### References

LAND ROVER	ANR4983
------------	---------



#### Application info

LAND ROVER Freelander I (02/98-10/06)

### Brake disc

**615 521 0030**

#### Notes

	Rear Axle
Bolt Hole Circle Ø [mm]	140
Brake Disc Thickness [mm]	18
Centering Diameter [mm]	120
Height [mm]	51
Minimum thickness [mm]	15
Number of Holes	8
Outer diameter [mm]	302
Wheel Bolt Bore Ø [mm]	10,9
	Solid

#### References

GENERAL MOTORS	93168942
NISSAN	43206-00Q0C
OPEL	44 21 180
RENAULT	432067943R
VAUXHALL	44 21 180



#### Application info

NISSAN NV400 (11/11--)  
OPEL Movano B (05/10--)

RENAULT Master III (02/10--)  
VAUXHALL Movano Mk II (05/10--)

### Brake disc



**715 521 0032/PD**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	23
Centering Diameter [mm]	63,5
Height [mm]	43,9
Minimum thickness [mm]	21
Number of Holes	4
Outer diameter [mm]	278
Wheel Bolt Bore Ø [mm]	13
	Vented
	Zink flake coated

#### References

FORD	1 751 584
	1 833 857



#### Application info

FORD B-MAX (10/12--)  
FORD Fiesta VI (06/08--)

FORD Tourneo (12/12--)  
FORD Transit Courier (02/14--)

### Brake disc

**715 521 0033**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	25
Centering Diameter [mm]	63,6
Height [mm]	40
Minimum thickness [mm]	23
Number of Holes	4
Outer diameter [mm]	278
	Vented

#### References

FORD	1 854 394
------	-----------



#### Application info

FORD Ecosport (04/04-09/07)

### Brake disc

**715 521 0034**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	25
Centering Diameter [mm]	63,5
Height [mm]	48,5
Minimum thickness [mm]	23
Number of Holes	5
Outer diameter [mm]	278
Wheel Bolt Bore Ø [mm]	13,7
	Vented

#### References

FORD	1 790 221
------	-----------



#### Application info

FORD C-Max II (12/10--)

FORD Focus III (04/11--)

### Brake disc



**715 521 0034/PD**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	25
Centering Diameter [mm]	63,5
Height [mm]	48,5
Minimum thickness [mm]	23
Number of Holes	5
Outer diameter [mm]	278
Wheel Bolt Bore Ø [mm]	13,7
	Vented
	Zink flake coated

#### References

FORD	1 790 221
------	-----------



#### Application info

FORD C-Max II (12/10--)

FORD Focus III (04/11--)

### Brake disc



**715 521 0035/PD**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	25
Centering Diameter [mm]	63,6
Height [mm]	48,4
Minimum thickness [mm]	23
Number of Holes	5
Outer diameter [mm]	320
	Vented
	Zink flake coated

#### References

FORD	1 829 608
------	-----------



#### Application info

FORD Focus III (04/11--)  
FORD Kuga II (01/13--)

FORD Tourneo (12/12--)  
FORD Transit 13 (09/13--)

### Brake disc

**715 523 0022**

#### Notes

	Rear Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	11
Centering Diameter [mm]	63,5
Height [mm]	40,7
Minimum thickness [mm]	9
Number of Holes	5
Outer diameter [mm]	271
Wheel Bolt Bore Ø [mm]	13,8
	Solid

#### References

FORD	1 704 765
------	-----------



#### Application info

FORD Focus III (04/11--)

### Brake disc



**715 523 0022/PD**

#### Notes

	Rear Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	11
Centering Diameter [mm]	63,5
Height [mm]	40,7
Minimum thickness [mm]	9
Number of Holes	5
Outer diameter [mm]	271
Wheel Bolt Bore Ø [mm]	13,8
	Solid
	Zink flake coated

#### References

FORD	1 704 765
------	-----------



#### Application info

FORD Focus III (04/11--)

### Brake pad set


**025 251 3417**

#### Notes

Brake System	Front Axle
Height [mm]	TRW
Thickness [mm]	60
Width [mm]	16,7
	131,5
	not prepared for wear indicator
	with anti-squeak plate

#### References

FORD	1 785 193
	1 848 532



#### Application info

FORD B-MAX (10/12--)  
FORD Fiesta VI (06/08--)

FORD Tourneo (12/12--)  
FORD Transit Courier (02/14--)

### Hydraulic filter kit, A/T

414 137 0001

#### Notes

Manufacturer Restriction	MERCEDES-BENZ
Transmission Type	A96.10
Transmission Type	A96.35
Transmission Type	A96.50
Transmission Type	A97.01
Transmission Type	A97.31
Transmission Type	A97.50
	Automatic Transmission, 5-speed
	Kit
	with seal

#### References

PORSCHE	722.277.009.5
---------	---------------



#### Application info

PORSCHE 911 (996) (09/97-08/05)

PORSCHE 911 (997) (07/04-12/10)

### Parts kit, automatic transm. oil change

014 135 0300

#### Notes

Manufacturer Restriction	MERCEDES-BENZ
Transmission Type	7G-DCT
Transmission Type	724.0
Transmission Type	K7A240
Transmission Type	K7A350
Transmission Type	K7X350
Transmission Type	K7X400
	7-Speed dual-clutch transmission
	Kit

#### References

MERCEDES-BENZ	246 377 14 00
	246 377 24 00



#### Application info

MERCEDES-BENZ BM 117 (CLA) (01/13--)

MERCEDES-BENZ BM 176 (A-Class) (06/12--)

MERCEDES-BENZ BM 246 (B-Class) (11/11--)

MERCEDES-BENZ BM GLA-Class (X156) (12/13--)

### ABS wheel sensor

114 800 0028

#### Notes

	Rear Axle Left
Cable Length [mm]	1000
Number of Poles	2
Number of Poles	3
Operating voltage [V]	12
Required quantity	1
	Inductive Sensor

#### References

AUDI	4B0 927 807 M
------	---------------



#### Application info

AUDI A6 (4B, C5) (01/97-01/05)

### ABS wheel sensor

614 800 0027

#### Notes

	Rear Axle
Length [mm]	530
Operating voltage [V]	12
Required quantity	2
	Hall Sensor

#### References

GENERAL MOTORS	13315320
OPEL	12 47 325



#### Application info

OPEL Zafira C (Tourer) (10/11--)

VAUXHALL Zafira Mk III (10/11--)

### Glow plug

37-14 860 0005

#### Notes

Cone Pitch	93°
Connector type	M4
Diameter [mm]	3
Fitting Depth [mm]	28
Overall Length [mm]	139
Spanner Size	10
Thread Size	M10 X 1,25
Voltage [V]	7
	Pencil-type Glow Plug

#### References

HYUNDAI	36710-2F000
KIA	36710 2F000



#### Application info

HYUNDAI ix35 (08/09--)  
KIA Carnival III (06/06--)

KIA Sportage III (07/10--)

### Sensor, exhaust gas temperature

014 800 0124

#### Notes

Cable Length [mm]	320
Number of Poles	2
Thread Size	M14X1,5

#### References

MERCEDES-BENZ	000 905 52 05
	007 153 75 28
	008 153 41 28



#### Application info

MERCEDES-BENZ BM 164 (GL-Class) (09/06-05/09)  
 MERCEDES-BENZ BM 164 (M-Class) (07/05-09/09)  
 MERCEDES-BENZ BM 203 (C-Class) (05/00-06/11)  
 MERCEDES-BENZ BM 204 (C-Class) (01/07--)  
 MERCEDES-BENZ BM 204 (GLK-Class) (06/08-04/11)  
 MERCEDES-BENZ BM 207 (E-Class) (01/09--)  
 MERCEDES-BENZ BM 211 (E-Class) (03/02-07/09)  
 MERCEDES-BENZ BM 212 (E-Class) (01/09-08/11)  
 MERCEDES-BENZ BM 218 (CLS) (01/11--)

MERCEDES-BENZ BM 218 (CLS) (10/12--)  
 MERCEDES-BENZ BM 219 (CLS) (10/04-12/10)  
 MERCEDES-BENZ BM 221 (S-Class) (10/05-06/09)  
 MERCEDES-BENZ BM 251 (R-Class) (01/06--)  
 MERCEDES-BENZ BM 447 (V-Class) (03/14--)  
 MERCEDES-BENZ BM 447 (Vito) (10/14--)  
 MERCEDES-BENZ BM 639 (Vito / Viano) (09/03-07/08)  
 MERCEDES-BENZ BM 906 (Sprinter II) (06/06--)  
 MERCEDES-BENZ BM 909 (Sprinter) (09/13--)

### Sensor, exhaust gas temperature

014 800 0125

#### Notes

Cable Length [mm]	300
Number of Poles	2

#### References

MERCEDES-BENZ	000 905 64 04
---------------	---------------



#### Application info

MERCEDES-BENZ BM 166 (M-Class) (06/11--)  
 MERCEDES-BENZ BM 172 (SLK) (02/11--)  
 MERCEDES-BENZ BM 204 (C-Class) (01/07--)  
 MERCEDES-BENZ BM 204 (GLK-Class) (06/08-04/11)  
 MERCEDES-BENZ BM 207 (E-Class) (01/09--)  
 MERCEDES-BENZ BM 212 (E-Class) (01/09-08/11)  
 MERCEDES-BENZ BM 218 (CLS) (01/11--)

MERCEDES-BENZ BM 218 (CLS) (10/12--)  
 MERCEDES-BENZ BM 221 (S-Class) (10/05-06/09)  
 MERCEDES-BENZ BM 222 (S-Class) (05/13--)  
 MERCEDES-BENZ BM 447 (V-Class) (03/14--)  
 MERCEDES-BENZ BM 447 (Vito) (10/14--)  
 MERCEDES-BENZ BM 639 (Vito / Viano) (09/03-07/08)  
 MERCEDES-BENZ BM 906 (Sprinter II) (06/06--)

### Sensor, exhaust gas temperature

014 800 0127

#### Notes

Cable Length [mm] 1070  
Number of Poles 2

#### References

MERCEDES-BENZ 001 905 30 00



#### Application info

MERCEDES-BENZ BM 164 (GL-Class) (09/06-05/09)  
MERCEDES-BENZ BM 164 (M-Class) (07/05-09/09)  
MERCEDES-BENZ BM 204 (C-Class) (01/07--)  
MERCEDES-BENZ BM 211 (E-Class) (03/02-07/09)

MERCEDES-BENZ BM 221 (S-Class) (10/05-06/09)  
MERCEDES-BENZ BM 251 (R-Class) (01/06--)  
MERCEDES-BENZ BM 906 (Sprinter II) (06/06--)

### Sensor, exhaust gas temperature

014 800 0128

#### Notes

Cable Length [mm] 150  
Number of Poles 2  
Yellow

#### References

MERCEDES-BENZ 001 905 07 00



#### Application info

MERCEDES-BENZ BM 166 (M-Class) (06/11--)  
MERCEDES-BENZ BM 172 (SLK) (02/11--)  
MERCEDES-BENZ BM 204 (C-Class) (01/07--)  
MERCEDES-BENZ BM 207 (E-Class) (01/09--)

MERCEDES-BENZ BM 212 (E-Class) (01/09-08/11)  
MERCEDES-BENZ BM 218 (CLS) (01/11--)  
MERCEDES-BENZ BM 218 (CLS) (10/12--)

### Sensor, exhaust gas temperature

114 800 0046

#### Notes

Cable Length [mm] 610  
Number of Poles 2  
Black

#### References

AUDI 03L 906 088 BS  
SEAT 03L 906 088 BS  
SKODA 03L 906 088 BS  
VW 03L 906 088 BS



#### Application info

AUDI A3 (8P1, 8PA) (05/03-08/12)  
AUDI TT (8J3, 8J9) (08/06-06/10)  
SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)  
SEAT Leon / Toledo / Altea (1P1, 5P2, 5P5) (03/04-05/10)  
SKODA Fabia II (12/06--)  
SKODA Octavia II (1Z\_) (02/04-12/10)  
SKODA Roomster (03/06-03/10)  
SKODA Superb II (3T) (03/08-11/10)  
SKODA Yeti (5L) (05/09--)

VW Caddy III (2KA, 2KB) (03/04-08/10)  
VW Eos (03/06-11/10)  
VW Golf V (1K1, 1K5, 5M1) (10/03-05/09)  
VW Golf VI (5K1, 517, AJ5) (10/08-11/13)  
VW Jetta III (1K2) (08/05-10/10)  
VW Passat (3C\_) (03/05-10/11)  
VW Scirocco (137) (05/08-05/11)  
VW Tiguan (09/07-08/09)  
VW Touran (1T1, 1T2) (02/03-05/10)

### Sensor, exhaust gas temperature

114 800 0047

#### Notes

Cable Length [mm]	300
Number of Poles	2
	Brown

#### References

AUDI	03L 906 088 AJ
SEAT	03L 906 088 AJ
SKODA	03L 906 088 AJ
VW	03L 906 088 AJ



#### Application info

AUDI A3 (8P1, 8PA) (05/03-08/12)	VW Golf V (1K1, 1K5, 5M1) (10/03-05/09)
AUDI TT (8J3, 8J9) (08/06-06/10)	VW Golf VI (5K1, 517, AJ5) (10/08-11/13)
SEAT Leon / Toledo / Altea (1P1, 5P2, 5P5) (03/04-05/10)	VW Jetta III (1K2) (08/05-10/10)
SKODA Octavia II (1Z_) (02/04-12/10)	VW Jetta IV (162) (04/10--)
SKODA Superb II (3T) (03/08-11/10)	VW Passat (362, 365) (08/10--)
SKODA Yeti (5L) (05/09--)	VW Passat (3C_) (03/05-10/11)
VW Beetle (5C1) (04/11--)	VW Scirocco (137) (05/08-05/11)
VW Eos (03/06-11/10)	

### Sensor, exhaust gas temperature

114 800 0048

#### Notes

Cable Length [mm]	720
Number of Poles	2
	Orange

#### References

AUDI	03L 906 088 CC
SEAT	03L 906 088 CC
SKODA	03L 906 088 CC
VW	03L 906 088 CC



#### Application info

AUDI A3 (8P1, 8PA) (05/03-08/12)	VW Golf V (1K1, 1K5, 5M1) (10/03-05/09)
SEAT Leon / Toledo / Altea (1P1, 5P2, 5P5) (03/04-05/10)	VW Golf VI (5K1, 517, AJ5) (10/08-11/13)
SKODA Octavia II (1Z_) (02/04-12/10)	VW Jetta III (1K2) (08/05-10/10)
SKODA Superb II (3T) (03/08-11/10)	VW Jetta IV (162) (04/10--)
SKODA Yeti (5L) (05/09--)	VW Scirocco (137) (05/08-05/11)
VW Beetle (5C1) (04/11--)	VW Tiguan (09/07-08/09)
VW Eos (03/06-11/10)	

### Sensor, exhaust gas temperature

114 800 0049

#### Notes

Cable Length [mm]	720
Number of Poles	2
	Orange

#### References

AUDI	03G 906 088 D
SEAT	03G 906 088 D
SKODA	03G 906 088 D
VW	03G 906 088 D



#### Application info

AUDI A3 (8P1, 8PA) (05/03-08/12)	VW Eos (03/06-11/10)
AUDI TT (8J3, 8J9) (08/06-06/10)	VW Golf V (1K1, 1K5, 5M1) (10/03-05/09)
SEAT Leon / Toledo / Altea (1P1, 5P2, 5P5) (03/04-05/10)	VW Jetta III (1K2) (08/05-10/10)
SKODA Octavia II (1Z_) (02/04-12/10)	VW Tiguan (09/07-08/09)
SKODA Superb II (3T) (03/08-11/10)	

### Sensor, exhaust gas temperature

114 800 0050

#### Notes

Cable Length [mm]	390
Number of Poles	2
Thread Size	14X1,5
	Brown

#### References

AUDI	03G 906 088 K
SEAT	03G 906 088 K
SKODA	03G 906 088 K
VW	03G 906 088 K



#### Application info

AUDI A3 (8P1, 8PA) (05/03-08/12)	VW Eos (03/06-11/10)
SEAT Leon / Toledo / Altea (1P1, 5P2, 5P5) (03/04-05/10)	VW Golf V (1K1, 1K5, 5M1) (10/03-05/09)
SKODA Octavia II (1Z_) (02/04-12/10)	VW Jetta III (1K2) (08/05-10/10)
SKODA Superb II (3T) (03/08-11/10)	

### Sensor, exhaust gas temperature

114 800 0051

#### Notes

Cable Length [mm]	450
Number of Poles	2
	Brown

#### References

VW	03G 906 088
----	-------------



#### Application info

VW Caddy III (2KA, 2KB) (03/04-08/10)	VW Touran (1T1, 1T2) (02/03-05/10)
VW Passat (3C_) (03/05-10/11)	

### Sensor, exhaust gas temperature

114 800 0052

#### Notes

Number of Poles 2

#### References

VW 03L 906 088 CE



#### Application info

VW Passat (362, 365) (08/10--)

VW Passat (3C\_) (03/05-10/11)

### Sensor, exhaust gas temperature

114 800 0053

#### Notes

Cable Length [mm] 240

Number of Poles 2

#### References

AUDI 03L 906 088 D

SEAT 03L 906 088 D



#### Application info

AUDI A4 (8K2, 8K5, 8KH) (11/07--)

AUDI A5 (8F, 8T) (06/07--)

AUDI Q5 (8R) (11/08--)

SEAT Exeo (3R) (12/08-09/10)

### Sensor, exhaust gas temperature

114 800 0054

#### Notes

Cable Length [mm] 200

Number of Poles 2  
Brown

#### References

AUDI 03L 906 088 E



#### Application info

AUDI A4 (8K2, 8K5, 8KH) (11/07--)

AUDI A5 (8F, 8T) (06/07--)

AUDI Q5 (8R) (11/08--)

### Sensor, exhaust gas temperature

114 800 0055

#### Notes

Cable Length [mm] 720  
Number of Poles 2

#### References

AUDI 03L 906 088 CH  
SEAT 03L 906 088 CH  
SKODA 03L 906 088 CH  
VW 03L 906 088 CH



#### Application info

AUDI A1 (8X1, 8XA) (05/10--)  
SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)  
SEAT TOLEDO IV (KG3) (07/12--)  
SKODA Fabia II (12/06--)

SKODA Rapid II (NH) (07/12--)  
SKODA Roomster (03/06-03/10)  
VW Polo (6R\_) (06/09-01/11)

### Sensor, exhaust gas temperature

114 800 0056

#### Notes

Cable Length [mm] 350  
Number of Poles 2  
Brown

#### References

AUDI 03L 906 088 FG  
SEAT 03L 906 088 FG  
SKODA 03L 906 088 FG  
VW 03L 906 088 FG



#### Application info

AUDI A1 (8X1, 8XA) (05/10--)  
SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)  
SEAT TOLEDO IV (KG3) (07/12--)  
SKODA Fabia II (12/06--)

SKODA Rapid II (NH) (07/12--)  
SKODA Roomster (03/06-03/10)  
VW Polo (6R\_) (06/09-01/11)

### Sensor, exhaust gas temperature


114 800 0057

#### Notes

Cable Length [mm] 830  
Number of Poles 2  
Orange

#### References

SEAT 03G 906 088 F  
VW 03G 906 088 F



#### Application info

SEAT Exeo (3R) (12/08-09/10)  
VW Caddy III (2KA, 2KB) (03/04-08/10)

VW Touran (1T1, 1T2) (02/03-05/10)

### Sensor, exhaust gas temperature

114 800 0058

#### Notes

Cable Length [mm]	350
Number of Poles	2
	Brown

#### References

SEAT	03G 906 088 AC
SKODA	03G 906 088 AC
VW	03G 906 088 AC



#### Application info

SEAT Ibiza IV / Cordoba (02/02-11/09)  
SKODA Fabia II (12/06--)

SKODA Roomster (03/06-03/10)  
VW Polo (9N\_) (10/01-11/09)

### Sensor, exhaust gas temperature

114 800 0059

#### Notes

Cable Length [mm]	730
Number of Poles	2

#### References

SEAT	045 906 088 D
SKODA	045 906 088 D
VW	045 906 088 D



#### Application info

SEAT Ibiza IV / Cordoba (02/02-11/09)  
SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)  
SKODA Fabia II (12/06--)

SKODA Roomster (03/06-03/10)  
VW Polo (9N\_) (10/01-11/09)

### Sensor, exhaust gas temperature

114 800 0060

#### Notes

Cable Length [mm]	630
Number of Poles	2
	Black

#### References

SEAT	045 906 088 G
SKODA	045 906 088 G
VW	045 906 088 G



#### Application info

SEAT Ibiza IV / Cordoba (02/02-11/09)  
SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)  
SKODA Fabia II (12/06--)

SKODA Roomster (03/06-03/10)  
VW Polo (9N\_) (10/01-11/09)

### Sensor, exhaust gas temperature

114 800 0061

#### Notes

Number of Poles 2  
Black

#### References

SEAT 045 906 088 J  
SKODA 045 906 088 J  
VW 045 906 088 J



#### Application info

SEAT Exeo (3R) (12/08-09/10) SKODA Fabia II (12/06--)  
SEAT Ibiza IV / Cordoba (02/02-11/09) SKODA Roomster (03/06-03/10)  
SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10) VW Polo (9N\_) (10/01-11/09)

### Sensor, exhaust gas temperature

114 800 0062

#### Notes

Number of Poles 2  
Orange

#### References

SEAT 045 906 088 F  
SKODA 045 906 088 F  
VW 045 906 088 F



#### Application info

SEAT Ibiza IV / Cordoba (02/02-11/09) SKODA Roomster (03/06-03/10)  
SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10) VW Polo (9N\_) (10/01-11/09)  
SKODA Fabia II (12/06--)

### Sensor, exhaust gas temperature

114 800 0063

#### Notes

Cable Length [mm] 500  
Number of Poles 2

#### References

AUDI 059 906 088 A  
VW 059 906 088 A



#### Application info

AUDI A4 (8EC, 8ED) (11/04-06/08) AUDI Q5 (8R) (11/08--)  
AUDI A4 (8H7) (04/02-03/09) AUDI Q7 (4L) (03/06-05/12)  
AUDI A4 (8K2, 8K5, 8KH) (11/07--)  
AUDI A5 (8F, 8T) (06/07--)  
AUDI A6 (4F2, 4FH, 4F5) (05/04-08/11) VW Phaeton (3D) (04/02--)  
AUDI A8 (4E) (10/02-07/10) VW Touareg (7LA, 7L6, 7L7) (10/02-05/10)  
VW Touareg (7P5) (01/10--)

### Sensor, exhaust gas temperature

114 800 0064

#### Notes

Cable Length [mm] 390  
Number of Poles 2

#### References

VW 070 906 088 AC



#### Application info

VW Touareg (7LA, 7L6, 7L7) (10/02-05/10)

VW Transporter V (04/03-11/09)

### Sensor, exhaust gas temperature

114 800 0065

#### Notes

Cable Length [mm] 740  
Number of Poles 2

#### References

AUDI 03G 906 088 BA



#### Application info

AUDI A4 (8EC, 8ED) (11/04-06/08)  
AUDI A4 (8H7) (04/02-03/09)

AUDI A6 (4F2, 4FH, 4F5) (05/04-08/11)

### Sensor, exhaust gas temperature

114 800 0066

#### Notes

Cable Length [mm] 475  
Number of Poles 2

#### References

VW 070 906 088 AD



#### Application info

VW Transporter V (04/03-11/09)

### Sensor, exhaust gas temperature

114 800 0068

#### Notes

Cable Length [mm] 520  
Number of Poles 2

#### References

AUDI 04L 906 088  
SEAT 04L 906 088  
VW 04L 906 088  
04L 906 088 AE



#### Application info

AUDI A3 (8V1, 8VS, 8V7, 8PA) (04/12--)  
AUDI TT (8S) (09/14--)  
SEAT Leon (5F) (09/12--)  
SKODA Octavia III (5E3/5E5) (11/12--)  
SKODA Superb III (03/15--)  
VW Golf VII (08/12--)  
VW Passat (B8) (08/14--)  
VW Touran II (09/15--)

### Sensor, exhaust gas temperature

114 800 0069

#### Notes

Cable Length [mm] 1040  
Number of Poles 2  
Orange

#### References

VW 070 906 088 AF



#### Application info

VW Transporter V (04/03-11/09)

### Sensor, exhaust gas temperature

114 800 0070

#### Notes

Cable Length [mm] 340  
Number of Poles 2  
Black

#### References

AUDI 06F 906 088 D  
VW 06F 906 088 D



#### Application info

AUDI A3 (8P1, 8PA) (05/03-08/12)  
VW Golf V (1K1, 1K5, 5M1) (10/03-05/09)  
VW Touran (1T1, 1T2) (02/03-05/10)

### Sensor, exhaust gas temperature

114 800 0071

#### Notes

Number of Poles 2

#### References

AUDI 03G 906 088 R



#### Application info

AUDI A4 (8EC, 8ED) (11/04-06/08)

AUDI A6 (4F2, 4FH, 4F5) (05/04-08/11)

### Sensor, exhaust gas temperature

114 800 0072

#### Notes

Cable Length [mm] 170  
Number of Poles 2  
Black

#### References

AUDI 036 906 088 C  
VW 036 906 088 C



#### Application info

AUDI A2 (8Z0) (02/00-08/05)

AUDI A3 (8P1, 8PA) (05/03-08/12)

VW Golf V (1K1, 1K5, 5M1) (10/03-05/09)

VW Polo (9N\_) (10/01-11/09)

### Sensor, exhaust gas temperature

114 800 0073

#### Notes

Cable Length [mm] 540  
Number of Poles 2  
Thread Size M14x1,5

#### References

VW 059 906 088 AE



#### Application info

AUDI A6 (4F2, 4FH, 4F5) (05/04-08/11)

### Sensor, exhaust gas temperature

114 800 0075

#### Notes

Cable Length [mm] 540  
Number of Poles 2

#### References

VW 03L 906 088 FC



#### Application info

VW Transporter V (04/03-11/09)

### Sensor, exhaust gas temperature

114 800 0076

#### Notes

Cable Length [mm] 1000  
Number of Poles 2  
Thread Size M14x1,5

#### References

VW 03G 906 088 AR



#### Application info

VW Transporter V (04/03-11/09)

### Sensor, exhaust gas temperature

114 800 0077

#### Notes

Cable Length [mm] 540  
Number of Poles 2  
Thread Size M14x1,5

#### References

VW 03G 906 088 AQ



#### Application info

VW Transporter V (04/03-11/09)

### Sensor, exhaust gas temperature

114 800 0078

#### Notes

Cable Length [mm] 465  
Number of Poles 2  
Thread Size 14x1,5

#### References

VW 03G 906 088 AS



#### Application info

VW Transporter V (04/03-11/09)

### Sensor, exhaust gas temperature

114 800 0079

#### Notes

Cable Length [mm] 85  
Number of Poles 2  
Thread Size M14x1,5

#### References

AUDI 059 906 088 K  
VW 059 906 088 K



#### Application info

AUDI A4 (8K2, 8K5, 8KH) (11/07--)  
AUDI A5 (8F, 8T) (06/07--)  
AUDI Q7 (4L) (03/06-05/12)

VW Phaeton (3D) (04/02--)  
VW Touareg (7LA, 7L6, 7L7) (10/02-05/10)

### Sensor, exhaust gas temperature

114 800 0080

#### Notes

Cable Length [mm] 300  
Number of Poles 2

#### References

AUDI 03L 906 088 AB  
SEAT 03L.906.088 AB



#### Application info

AUDI A6 (4F2, 4FH, 4F5) (05/04-08/11)

SEAT Exeo (3R) (12/08-09/10)

### Sensor, exhaust gas temperature

114 800 0081

#### Notes

Cable Length [mm] 775  
Number of Poles 2  
Thread Size M14x1,5

#### References

AUDI 03G 906 088 AK



#### Application info

AUDI A4 (8EC, 8ED) (11/04-06/08)

AUDI A4 (8H7) (04/02-03/09)

### Sensor, exhaust gas temperature

614 800 0031

#### Notes

Cable Length [mm] 220  
Number of Poles 2

#### References

OPEL 85 54 10  
SAAB 85 54 10  
VAUXHALL 85 54 10



#### Application info

OPEL Astra H / Zafira B (02/04-11/04)  
OPEL Vectra C / Signum (04/02-09/08)  
SAAB 9-3 (YS3F) (09/02--)

VAUXHALL Astra Mk V (01/04-11/11)  
VAUXHALL Vectra Mk II / Signum (01/00-10/08)  
VAUXHALL Zafira Mk II (04/05--)

### Sensor, exhaust gas temperature

614 800 0032

#### Notes

Cable Length [mm] 1470  
Number of Poles 2  
Black

#### References

OPEL 55 55 8578  
VAUXHALL 55 55 8578



#### Application info

OPEL Astra H / Zafira B (02/04-11/04)  
VAUXHALL Astra Mk V (01/04-11/11)

VAUXHALL Zafira Mk II (04/05--)

### Sensor, exhaust gas temperature

614 800 0033

#### Notes

Cable Length [mm] 1080  
Number of Poles 2  
Black

#### References

OPEL 55 56 6086  
VAUXHALL 55 56 6086



#### Application info

OPEL Astra H / Zafira B (02/04-11/04)  
VAUXHALL Astra Mk V (01/04-11/11)

VAUXHALL Zafira Mk II (04/05--)

### Sensor, exhaust gas temperature

614 800 0034

#### Notes

Cable Length [mm] 1310  
Number of Poles 2  
Black

#### References

OPEL 55 55 7466  
VAUXHALL 55 55 7466



#### Application info

OPEL Vectra C / Signum (04/02-09/08)

VAUXHALL Vectra Mk II / Signum (01/00-10/08)

### A/T oil pan gasket

**014 139 0001**

#### Notes

Manufacturer Restriction	MERCEDES-BENZ
No. of holes	8
Transmission Type	724.0
Transmission Type	K7X 400
Transmission Type	K7X 350
Transmission Type	K7A 350
Transmission Type	K7A 240
Transmission Type	7-Speed dual-clutch transmission
	Piece
	Steel Elastomer



#### References

MERCEDES-BENZ	246 371 07 80
---------------	---------------

#### Application info

MERCEDES-BENZ BM 117 (CLA) (01/13--)	MERCEDES-BENZ BM 246 (B-Class) (11/11--)
MERCEDES-BENZ BM 176 (A-Class) (06/12--)	MERCEDES-BENZ BM GLA-Class (X156) (12/13--)

### Crankshaft seal

100 103 1010

#### Notes

Inner diameter [mm]	Transmission End
Outer diameter [mm]	85
	131
	Left-hand Twist
	PTFE (polytetrafluoroethylene)
	Synthetic Material Housing
	with mounting sleeve

#### References

AUDI	06A 103 171 A
SEAT	06A 103 171 A
SKODA	06A 103 171 A
VW	06A 103 171 A



#### Application info

AUDI A2 (8Z0) (02/00-08/05)	SKODA Roomster (03/06-03/10)
AUDI A3 (8L1) (09/96-05/03)	SKODA Superb I (3U) (12/01-03/08)
AUDI A3 (8P1, 8PA) (05/03-08/12)	VW Bora (1J2, 1J6) (10/98-05/05)
AUDI A4 (8D2, 8D5, B5) (11/94-09/01)	VW Caddy II (9K9, 9K9B, 9U7) (11/95-01/04)
AUDI A4 (8E2, 8E5, B6) (10/00-12/04)	VW Caddy III (2KA, 2KB) (03/04-08/10)
AUDI A4 (8EC, 8ED) (11/04-06/08)	VW Eos (03/06-11/10)
AUDI A4 (8H7) (04/02-03/09)	VW Fox/Lupo Z51 (10/03--)
AUDI A6 (4B, C5) (01/97-01/05)	VW Golf IV (1J1, 1J5) (08/97-06/06)
AUDI A6 (4F2, 4FH, 4F5) (05/04-08/11)	VW Golf V (1K1, 1K5, 5M1) (10/03-05/09)
AUDI TT (8J3, 8J9) (08/06-06/10)	VW Golf VI (5K1, 517, AJ5) (10/08-11/13)
AUDI TT (8N3, 8N9) (10/98-06/06)	VW Jetta III (1K2) (08/05-10/10)
SEAT Alhambra I (7V8, 7V9) (04/96-03/10)	VW Jetta IV (162) (04/10--)
SEAT Arosa (6H) (05/97-06/04)	VW Lupo (09/98-07/05)
SEAT Exeo (3R) (12/08-09/10)	VW New Beetle (1Y7, 9C1, 1C1) (01/98-10/10)
SEAT Ibiza II / III / Cordoba / Inca (02/93-06/03)	VW Passat (3B_) (08/96-08/05)
SEAT Ibiza IV / Cordoba (02/02-11/09)	VW Passat (3C_) (03/05-10/11)
SEAT Leon / Toledo (1M1, 1M2) (04/99-06/06)	VW Polo (6K_) (11/95-07/02)
SEAT Leon / Toledo / Altea (1P1, 5P2, 5P5) (03/04-05/10)	VW Polo (9N_) (10/01-11/09)
SKODA Fabia I (08/99-03/08)	VW Scirocco (137) (05/08-05/11)
SKODA Fabia II (12/06--)	VW Sharan (7M) (09/95-03/10)
SKODA Octavia I (1U_) (09/96-12/10)	VW Touran (1T1, 1T2) (02/03-05/10)
SKODA Octavia II (1Z_) (02/04-12/10)	VW Transporter V (04/03-11/09)


### Cylinder head gasket

034 001 0069

#### Notes

#### References

MERCEDES-BENZ	904 016 13 20
---------------	---------------



#### Application info

MERCEDES-BENZ T2 (Vario) (09/96--)
------------------------------------

### Engine mount

11-14 030 0082

#### Notes

Right  
Hydro Bearing

#### References

CITROËN	9645769180
	9677277380
PEUGEOT	9645769180
	9677277380



#### Application info

CITROËN C4 II / DS4 (11/09--)	PEUGEOT 3008 (06/09--)
CITROËN DS5 (11/11--)	PEUGEOT 5008 (06/09--)

### Intake hose, turbo charger

100 036 0041

#### Notes

Upper

#### References

AUDI	1K0 145 790 C
SEAT	1K0 145 790 C
SKODA	1K0 145 790 C
VW	1K0 145 790 C



#### Application info

AUDI A3 (8P1, 8PA) (05/03-08/12)	VW Golf V (1K1, 1K5, 5M1) (10/03-05/09)
SEAT Leon / Toledo / Altea (1P1, 5P2, 5P5) (03/04-05/10)	VW Jetta III (1K2) (08/05-10/10)
SKODA Octavia II (1Z_) (02/04-12/10)	VW Passat (3C_) (03/05-10/11)
SKODA Superb II (3T) (03/08-11/10)	VW Touran (1T1, 1T2) (02/03-05/10)

### Oil filter

034 322 0003

#### Notes

Height [mm]	150
Inner diameter [mm]	28
Inner diameter [mm]	37
Outer diameter [mm]	83
	Filter Insert with seal

#### References

MERCEDES-BENZ	000 180 16 09
---------------	---------------



#### Application info

MERCEDES-BENZ T2 (Vario) (09/96--)

### Oil filter

**100 322 0020**

#### Notes

Height [mm]	86
Outer diameter [mm]	76,5
Thread Size	M20x1,5
	Screw-on Filter
	with one anti-return valve

#### References

VW	03L 115 561
----	-------------



#### Application info

VW Transporter V (04/03-11/09)

VW Transporter VI (04/15--)

### Water pump



**113 012 0056/HD**

#### Notes

Number of Teeth	19
Quality	Sealed with SiC/SiC for toothed belt drive with seal

#### References

AUDI	045 121 011 H
FORD	1 250 685
	3M21-8501-AA
SEAT	045 121 011 H
SKODA	045 121 011 H
VW	045 121 011 H



#### Application info

AUDI A2 (8Z0) (02/00-08/05)  
 AUDI A3 (8P1, 8PA) (05/03-08/12)  
 FORD Galaxy I (03/95-05/06)  
 SEAT Alhambra I (7V8, 7V9) (04/96-03/10)  
 SEAT Arosa (6H) (05/97-06/04)  
 SEAT Ibiza IV / Cordoba (02/02-11/09)  
 SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)  
 SEAT Leon / Toledo / Altea (1P1, 5P2, 5P5) (03/04-05/10)  
 SKODA Fabia I (08/99-03/08)  
 SKODA Fabia II (12/06--)  
 SKODA Octavia II (1Z\_) (02/04-12/10)  
 SKODA Roomster (03/06-03/10)

SKODA Superb II (3T) (03/08-11/10)  
 VW Caddy III (2KA, 2KB) (03/04-08/10)  
 VW Fox/Lupo Z51 (10/03--)  
 VW Golf V (1K1, 1K5, 5M1) (10/03-05/09)  
 VW Jetta III (1K2) (08/05-10/10)  
 VW Lupo (09/98-07/05)  
 VW Passat (3C\_) (03/05-10/11)  
 VW Polo (9N\_) (10/01-11/09)  
 VW Sharan (7M) (09/95-03/10)  
 VW Touran (1T1, 1T2) (02/03-05/10)  
 VW Transporter V (04/03-11/09)

### Water pump



113 220 0021/HD

#### Notes

Number of Teeth	19
Quality	Sealed with SiC/SiC for toothed belt drive with seal

#### References

AUDI	03L 121 011 P
SEAT	03L 121 011 P
SKODA	03L 121 011 P
VW	03L 121 011 P



#### Application info

AUDI A1 (8X1, 8XA) (05/10--)	VW Amarok (09/10--)
AUDI A3 (8P1, 8PA) (05/03-08/12)	VW Beetle (5C1) (04/11--)
AUDI A4 (8K2, 8K5, 8KH) (11/07--)	VW Caddy III (2KA, 2KB) (03/04-08/10)
AUDI A5 (8F, 8T) (06/07--)	VW CC (11/11--)
AUDI A6 (4G2, 4G5, C7) (11/10-05/13)	VW Crafter (04/06-07/11)
AUDI Q3 (8U) (06/11--)	VW Eos (03/06-11/10)
AUDI Q5 (8R) (11/08--)	VW Golf V (1K1, 1K5, 5M1) (10/03-05/09)
AUDI TT (8J3, 8J9) (08/06-06/10)	VW Golf VI (5K1, 517, AJ5) (10/08-11/13)
SEAT Alhambra II (710) (06/10-05/11)	VW Jetta III (1K2) (08/05-10/10)
SEAT Exeo (3R) (12/08-09/10)	VW Jetta IV (162) (04/10--)
SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)	VW Passat (362, 365) (08/10--)
SEAT Leon / Toledo / Altea (1P1, 5P2, 5P5) (03/04-05/10)	VW Passat (3C_) (03/05-10/11)
SEAT TOLEDO IV (KG3) (07/12--)	VW Polo (6R_) (06/09-01/11)
SKODA Fabia II (12/06--)	VW Scirocco (137) (05/08-05/11)
SKODA Octavia II (1Z_) (02/04-12/10)	VW Sharan (7N) (05/10-05/12)
SKODA Rapid II (NH) (07/12--)	VW Tiguan (09/07-08/09)
SKODA Roomster (03/06-03/10)	VW Touran (1T1, 1T2) (02/03-05/10)
SKODA Superb II (3T) (03/08-11/10)	VW Touran (1T3) (05/10-01/13)
SKODA Yeti (5L) (05/09--)	VW Transporter V (04/03-11/09)

### Axial rod

016 031 0015

#### Notes

Length [mm] Front Axle Left  
Thread Measurement 1 Front Axle Right  
Thread Measurement 2 270  
M16x1,5  
M14,1,5

#### References

MERCEDES-BENZ 204 338 06 15



#### Application info

MERCEDES-BENZ BM 172 (SIC) (01/16--)  
MERCEDES-BENZ BM 172 (SLK) (02/11--)

MERCEDES-BENZ BM 204 (C-Class) (01/07--)

### Axial rod



40-16 031 0002/HD

#### Notes

Length [mm] Reinforced Version  
Thread Measurement 1 Front Axle Left  
Thread Measurement 2 Front Axle Right  
221  
M14X1,5  
M14X1,5

#### References

CITROËN 16 108 176 80



#### Application info

CITROËN C4 Grand Picasso II (09/13--)

CITROËN C4 II / DS4 (11/09--)

### Tie rod end



35-16 020 0020/HD

#### Notes

Length [mm] Reinforced Version  
Thread Measurement 1 Front Axle Left  
Thread Measurement 2 Front Axle Right  
100  
M12x1,25  
M14x1,5

#### References

MAZDA KD31-32-280



#### Application info

MAZDA CX-5 (KE) (11/11--)

### Ball joint

**116 010 0039**

#### Notes

Paired article numbers  
Front Axle Left  
Lower  
116 010 0040  
with accessories

#### References

AUDI	1J0 407 365 J
SEAT	1J0 407 365 J
	1J0 407 365 H
SKODA	1J0 407 365 J
VW	1J0 407 365 J
VW (FAW)	1J0 407 365 C
VW (SVW)	1JD 407 365



#### Application info

AUDI A3 (8L1) (09/96-05/03)  
SEAT Leon / Toledo (1M1, 1M2) (04/99-06/06)  
SKODA Octavia I (1U\_) (09/96-12/10)  
VW Bora (1J2, 1J6) (10/98-05/05)  
VW Golf IV (1J1, 1J5) (08/97-06/06)  
VW New Beetle (1Y7, 9C1, 1C1) (01/98-10/10)

VW (FAW) Bora (01/01-12/06)  
VW (FAW) Golf IV (05/01-07/09)  
VW (FAW) New Bora (07/06-03/16)  
VW (SVW) Lavida I (04/08-08/12)  
VW (SVW) Lavida II (08/12--)

### Ball joint

**116 010 0040**

#### Notes

Paired article numbers  
Front Axle Right  
Lower  
116 010 0039  
with accessories

#### References

AUDI	1J0 407 366 J
SEAT	1J0 407 366 J
SKODA	1J0 407 366 J
VW	1J0 407 366 J
VW (SVW)	1JD 407 366



#### Application info

AUDI A3 (8L1) (09/96-05/03)  
SEAT Leon / Toledo (1M1, 1M2) (04/99-06/06)  
SKODA Octavia I (1U\_) (09/96-12/10)  
VW Bora (1J2, 1J6) (10/98-05/05)  
VW Golf IV (1J1, 1J5) (08/97-06/06)  
VW New Beetle (1Y7, 9C1, 1C1) (01/98-10/10)

VW (FAW) Bora (01/01-12/06)  
VW (FAW) Golf IV (05/01-07/09)  
VW (FAW) New Bora (07/06-03/16)  
VW (SVW) Lavida I (04/08-08/12)  
VW (SVW) Lavida II (08/12--)

### Control arm

**016 050 0000/S**

#### Notes

Paired article numbers  
Thread Size

Front Axle Left  
Upper  
016 050 0001/S  
M14x1,5  
Aluminium  
Control Arm  
with add-on material  
with ball joint  
with rubber mounting



#### References

MERCEDES-BENZ

251 330 07 07

#### Application info

MERCEDES-BENZ BM 164 (GL-Class) (09/06-05/09)  
MERCEDES-BENZ BM 164 (M-Class) (07/05-09/09)

MERCEDES-BENZ BM 251 (R-Class) (01/06--)

### Control arm

**116 050 0049/S**

#### Notes

Paired article numbers

Front Axle Left  
Lower  
116 050 0071/S  
Cast Steel  
Control Arm  
with add-on material  
with ball joint  
with rubber mounting



#### References

PORSCHE  
VW

955 341 017 33  
7L0 407 151 H

#### Application info

PORSCHE Cayenne I (955) (09/02--)

VW Touareg (7LA, 7L6, 7L7) (10/02-05/10)

### Control arm

**116 050 0071/S**

#### Notes

Paired article numbers

Front Axle Right  
Lower  
116 050 0049/S  
Cast Steel  
Control Arm  
with add-on material  
with ball joint  
with rubber mounting



#### References

PORSCHE 955 341 018 33  
VW 7L0 407 152 H

#### Application info

PORSCHE Cayenne I (955) (09/02--)

VW Touareg (7LA, 7L6, 7L7) (10/02-05/10)

### Control arm

**116 050 0198**

#### Notes

Paired article numbers

Front Axle Right  
116 050 0197  
Control Arm  
Sheet Steel  
with rubber mounting



#### References

AUDI 1K0 407 152 BC  
1K0 407 152 BD  
SEAT 1K0 407 152 BC  
1K0 407 152 BD  
SKODA 1K0 407 152 BC  
SKODA (SVW) 1K0 407 152 BC  
VW 1K0 407 152 BC  
1K0 407 152 BD  
2K0 407 152 B  
VW (FAW) 1K0 407 152 AA

#### Application info

AUDI A3 (8P1, 8PA) (05/03-08/12)  
SEAT Leon / Toledo / Altea (1P1, 5P2, 5P5) (03/04-05/10)  
SKODA Octavia II (1Z\_) (02/04-12/10)  
SKODA Superb II (3T) (03/08-11/10)  
SKODA Yeti (5L) (05/09--)  
SKODA (SVW) Octavia (06/07-04/10)  
VAUXHALL Movano Mk I (10/98-05/10)  
VW Caddy III (2KA, 2KB) (03/04-08/10)  
VW Eos (03/06-11/10)


VW Golf V (1K1, 1K5, 5M1) (10/03-05/09)  
VW Golf VI (5K1, 517, AJ5) (10/08-11/13)  
VW Jetta III (1K2) (08/05-10/10)  
VW Scirocco (137) (05/08-05/11)  
VW Touran (1T1, 1T2) (02/03-05/10)  
VW Touran (1T3) (05/10-01/13)  
VW (FAW) Golf (5G1) (12/13--)  
VW (FAW) Golf IV (05/01-07/09)  
VW (FAW) Sagitar I (02/06-06/09)

### Control arm

116 050 0206

#### Notes

	Front Axle Right
	Rear
	Upper
Length [mm]	248
Paired article numbers	116 050 0207
	Aluminium
	Control Arm
	with accessories
	with rubber mounting



#### References

AUDI	4D0 407 510 J
	8D0 407 510 G
	8E0 407 510 C
	8E0 407 510 E
	8E0 407 510 P
	8E0 407 510 Q
AUDI (FAW)	8E0 407 510 A
	8E0 407 510 C
	8E0 407 510 P
SEAT	8E0 407 510 P
SKODA	8D0 407 510 G
VW	4D0 407 510 G
	4D0 407 510 J
VW (SVW)	8D0 407 510 C
	8E0 407 510 A
	8ED 407 510

#### Application info

AUDI A4 (8D2, 8D5, B5) (11/94-09/01)	AUDI (FAW) A4 (B6) (02/03-07/05)
AUDI A4 (8E2, 8E5, B6) (10/00-12/04)	AUDI (FAW) A4 (B7) (07/05-09/08)
AUDI A4 (8EC, 8ED) (11/04-06/08)	AUDI (FAW) A6L (C5) (09/99-12/05)
AUDI A4 (8H7) (04/02-03/09)	SEAT Exeo (3R) (12/08-09/10)
AUDI A6 (4B, C5) (01/97-01/05)	SKODA Superb I (3U) (12/01-03/08)
AUDI A8 (4D2, 4D8) (03/94-09/02)	VW Passat (3B_) (08/96-08/05)
AUDI Allroad (4BH) (05/00-08/05)	VW (SVW) Passat (B5) (04/00-04/09)

### Control arm



53-16 050 0000/HD

#### Notes

	Reinforced Version
	Front Axle Left
	Lower
Paired article numbers	53-16 050 0001/HD
	Control Arm
	Sheet Steel
	with ball joint
	with rubber mounting



#### References

LAND ROVER	LR029306
------------	----------

#### Application info

LAND ROVER Range Rover Sport (02/05--)
--

### Control arm



**53-16 050 0001/HD**

#### Notes

Paired article numbers

Reinforced Version  
Front Axle Right  
Lower  
53-16 050 0000/HD  
Control Arm  
Sheet Steel  
with ball joint  
with rubber mounting

#### References

LAND ROVER

LR029304



### Application info

LAND ROVER Range Rover Sport (02/05--)

### Control arm



**53-16 050 0009/HD**

#### Notes

Paired article numbers

Reinforced Version  
Front Axle Left  
Lower  
53-16 050 0010/HD  
Control Arm  
Sheet Steel

#### References

LAND ROVER

LR028249



### Application info

LAND ROVER Discovery III (07/04-09/09)

### Control arm



**53-16 050 0010/HD**

#### Notes

Paired article numbers

Reinforced Version  
Front Axle Right  
Lower  
53-16 050 0009/HD  
Control Arm  
Sheet Steel

#### References

LAND ROVER

LR028245



### Application info

LAND ROVER Discovery III (07/04-09/09)

### Control arm



**53-16 050 0011/HD**

#### Notes

Reinforced Version  
Front Axle Left  
Lower  
Paired article numbers  
53-16 050 0012/HD  
Control Arm  
Sheet Steel

#### References

LAND ROVER LR028250



#### Application info

LAND ROVER Discovery III (07/04-09/09)

### Control arm



**53-16 050 0012/HD**

#### Notes

Reinforced Version  
Front Axle Right  
Lower  
Paired article numbers  
53-16 050 0011/HD  
Control Arm  
Sheet Steel

#### References

LAND ROVER LR028246



#### Application info

LAND ROVER Discovery III (07/04-09/09)

### Control arm bushing

**014 710 0021**

#### Notes

inner  
Rear Axle Left  
Rear Axle Right  
Height [mm] 78  
Inner diameter [mm] 12  
Outer diameter [mm] 45

#### References

MERCEDES-BENZ 246 352 01 00  
246 352 10 65



#### Application info

MERCEDES-BENZ BM 117 (CLA) (01/13--)  
MERCEDES-BENZ BM 176 (A-Class) (06/12--)

MERCEDES-BENZ BM 246 (B-Class) (11/11--)  
MERCEDES-BENZ BM GLA-Class (X156) (12/13--)

### Control arm bushing

**014 710 0023**

#### Notes

	inner
	Rear Axle Left
	Rear Axle Right
	Upper
Height [mm]	38
Inner diameter [mm]	12
Outer diameter [mm]	40,5
Quantity per Axle	2
	Trailing Arm

#### References

MERCEDES-BENZ	164 352 03 65
---------------	---------------



#### Application info

MERCEDES-BENZ BM 164 (GL-Class) (09/06-05/09)  
MERCEDES-BENZ BM 164 (M-Class) (07/05-09/09)

MERCEDES-BENZ BM 251 (R-Class) (01/06--)

### Control arm set


**116 050 0233/S**

#### Notes

Full Set  
Front Axle Left  
Front Axle Right  
with add-on material

#### References

PORSCHE	955 341 017 33
	955 341 018 33
	955 341 027 01
	955 343 069 00
VW	7L0 407 021 B
	7L0 407 151 H
	7L0 407 152 H
	7L0 411 317



#### Application info

PORSCHE Cayenne I (955) (09/02--)

VW Touareg (7LA, 7L6, 7L7) (10/02-05/10)

### Mount, stabilizer

**100 615 0016**

#### Notes

Inner diameter [mm] Front Axle Left  
Front Axle Right  
34

#### References

VW 7L0 411 313 H



#### Application info

VW Touareg (7LA, 7L6, 7L7) (10/02-05/10)

VW Touareg (7P5) (01/10--)

### Shock absorber

**326 623 0054**

#### Notes

Paired article numbers Front Axle Left  
326 623 0054  
Gas Pressure  
Suspension Strut  
Twin-Tube

#### References

BMW 31 31 6 789 579  
BMW (BRILLIANCE) 31 31 6 851 333



#### Application info

BMW X1 (E84) (03/09--)

BMW (BRILLIANCE) X1 (E84) (03/12--)

### Shock absorber

**326 623 0055**

#### Notes

Paired article numbers Front Axle Right  
326 623 0054  
Gas Pressure  
Suspension Strut  
Twin-Tube

#### References

BMW 31 31 6 789 580  
BMW (BRILLIANCE) 31 31 6 851 334



#### Application info

BMW X1 (E84) (03/09--)

BMW (BRILLIANCE) X1 (E84) (03/12--)

### Shock absorber

526 623 0008

#### Notes

Paired article numbers

Front Axle Left  
526 623 0009  
Gas Pressure  
Suspension Strut  
Twin-Tube

#### References

VOLVO

31277626



#### Application info

VOLVO XC60 (05/08-12/10)

### Shock absorber

526 623 0009

#### Notes

Paired article numbers

Front Axle Right  
526 623 0008  
Gas Pressure  
Suspension Strut  
Twin-Tube

#### References

VOLVO

31277627



#### Application info

VOLVO XC60 (05/08-12/10)

### Strut mount

014 641 0100


#### Notes

Front Axle left and right  
Piece  
Rubber-metal Bearing  
without ball bearing

#### References

MERCEDES-BENZ  
MERCEDES-BENZ (BBDC)

246 323 00 20  
246 323 00 20



#### Application info

MERCEDES-BENZ BM 117 (CLA) (01/13--)  
MERCEDES-BENZ BM 176 (A-Class) (06/12--)  
MERCEDES-BENZ BM 246 (B-Class) (11/11--)

MERCEDES-BENZ BM GLA-Class (X156) (12/13--)  
MERCEDES-BENZ (BBDC) GLA-CLASS (X156) (04/15--)  
MERCEDES-BENZ (BBDC) GLK (X204) (04/12--)

### Strut mount

**100 412 2040**

#### Notes

Front Axle  
Rubber-metal Bearing  
without ball bearing

#### References

AUDI  
SEAT

8J0 412 331  
8J0 412 331



#### Application info

AUDI A3 (8P1, 8PA) (05/03-08/12)  
AUDI TT (8J3, 8J9) (08/06-06/10)

SEAT Leon / Toledo / Altea (1P1, 5P2, 5P5) (03/04-05/10)